







11AC40SISO_Ant1_5670_30~1000




11AC40SISO_Ant1_5670_1000~40000




11AC40SISO_Ant1_5755_30~1000




11AC40SISO_Ant1_5755_1000~40000




11AC40SISO_Ant1_5795_30~1000




11AC40SISO_Ant1_5795_1000~40000




11AX20SISO_Ant1_5180_30~1000




11AX20SISO_Ant1_5180_1000~40000




11AX20SISO_Ant1_5200_30~1000




11AX20SISO_Ant1_5200_1000~40000




11AX20SISO_Ant1_5240_30~1000




11AX20SISO_Ant1_5240_1000~40000




11AX20SISO_Ant1_5260_30~1000




11AX20SISO_Ant1_5260_1000~40000




11AX20SISO_Ant1_5280_30~1000




11AX20SISO_Ant1_5280_1000~40000




11AX20SISO_Ant1_5320_30~1000




11AX20SISO_Ant1_5320_1000~40000




11AX20SISO_Ant1_5500_30~1000




11AX20SISO_Ant1_5500_1000~40000




11AX20SISO_Ant1_5580_30~1000




11AX20SISO_Ant1_5580_1000~40000




11AX20SISO_Ant1_5700_30~1000




11AX20SISO_Ant1_5700_1000~40000




11AX20SISO_Ant1_5745_30~1000




11AX20SISO_Ant1_5745_1000~40000




11AX20SISO_Ant1_5785_30~1000




11AX20SISO_Ant1_5785_1000~40000




11AX20SISO_Ant1_5825_30~1000




11AX20SISO_Ant1_5825_1000~40000




11AX40SISO_Ant1_5190_30~1000




11AX40SISO_Ant1_5190_1000~40000




11AX40SISO_Ant1_5230_30~1000




11AX40SISO_Ant1_5230_1000~40000




11AX40SISO_Ant1_5270_30~1000




11AX40SISO_Ant1_5270_1000~40000




11AX40SISO_Ant1_5310_30~1000




11AX40SISO_Ant1_5310_1000~40000




11AX40SISO_Ant1_5510_30~1000




11AX40SISO_Ant1_5510_1000~40000




11AX40SISO_Ant1_5550_30~1000




11AX40SISO_Ant1_5550_1000~40000




11AX40SISO_Ant1_5670_30~1000




11AX40SISO_Ant1_5670_1000~40000




11AX40SISO_Ant1_5755_30~1000




11AX40SISO_Ant1_5755_1000~40000



11AX40SISO_Ant1_5795_30~1000



11AX40SISO_Ant1_5795_1000~40000



7. Frequency Stability

7.1. Test Result

Voltage								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	NT	-20000.00	-3.861004	20	PASS
			LV	NT	-20000.00	-3.861004	20	PASS
			HV	NT	-20000.00	-3.861004	20	PASS
		5200	NV	NT	-20000.00	-3.846154	20	PASS
			LV	NT	-20000.00	-3.846154	20	PASS
			HV	NT	-20000.00	-3.846154	20	PASS
		5240	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.816794	20	PASS
		5260	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5280	NV	NT	-20000.00	-3.787879	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5320	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5500	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5580	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5700	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.508772	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5745	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.481288	20	PASS
		5785	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5825	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.433476	20	PASS
			HV	NT	0.00	0.000000	20	PASS
11N20SISO	Ant1	5180	NV	NT	-20000.00	-3.861004	20	PASS
			LV	NT	-20000.00	-3.861004	20	PASS

			HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.846154	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5240	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5260	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.802281	20	PASS
		5280	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	20000.00	3.787879	20	PASS
		5320	NV	NT	-20000.00	-3.759398	20	PASS
			LV	NT	-20000.00	-3.759398	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5500	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5580	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5700	NV	NT	-20000.00	-3.508772	20	PASS
			LV	NT	-20000.00	-3.508772	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5745	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5785	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.457217	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5825	NV	NT	-20000.00	-3.433476	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
11N40SISO	Ant1	5190	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5230	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5270	NV	NT	40000.00	7.590133	20	PASS
			LV	NT	40000.00	7.590133	20	PASS
			HV	NT	40000.00	7.590133	20	PASS
		5310	NV	NT	40000.00	7.532957	20	PASS
			LV	NT	40000.00	7.532957	20	PASS

		5510	HV	NT	40000.00	7.532957	20	PASS
			NV	NT	40000.00	7.259528	20	PASS
			LV	NT	40000.00	7.259528	20	PASS
			HV	NT	40000.00	7.259528	20	PASS
		5550	NV	NT	40000.00	7.207207	20	PASS
			LV	NT	40000.00	7.207207	20	PASS
			HV	NT	40000.00	7.207207	20	PASS
		5670	NV	NT	40000.00	7.054674	20	PASS
			LV	NT	40000.00	7.054674	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5755	NV	NT	40000.00	6.950478	20	PASS
			LV	NT	40000.00	6.950478	20	PASS
			HV	NT	40000.00	6.950478	20	PASS
		5795	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	40000.00	6.902502	20	PASS
11AC20SIS O	Ant1	5180	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.861004	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5200	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5240	NV	NT	-20000.00	-3.816794	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5260	NV	NT	20000.00	3.802281	20	PASS
			LV	NT	-20000.00	-3.802281	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5280	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.787879	20	PASS
		5320	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.759398	20	PASS
			HV	NT	-20000.00	-3.759398	20	PASS
		5500	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.636364	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5580	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5700	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5745	NV	NT	-20000.00	-3.481288	20	PASS
			LV	NT	0.00	0.000000	20	PASS

		5785	HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5825	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.433476	20	PASS
			HV	NT	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5190	NV	NT	-40000.00	-7.707129	20	PASS
			LV	NT	-40000.00	-7.707129	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5230	NV	NT	0.00	0.000000	20	PASS
			LV	NT	40000.00	7.648184	20	PASS
			HV	NT	40000.00	7.648184	20	PASS
		5270	NV	NT	40000.00	7.590133	20	PASS
			LV	NT	40000.00	7.590133	20	PASS
			HV	NT	40000.00	7.590133	20	PASS
		5310	NV	NT	40000.00	7.532957	20	PASS
			LV	NT	40000.00	7.532957	20	PASS
			HV	NT	40000.00	7.532957	20	PASS
		5510	NV	NT	40000.00	7.259528	20	PASS
			LV	NT	40000.00	7.259528	20	PASS
			HV	NT	40000.00	7.259528	20	PASS
		5550	NV	NT	40000.00	7.207207	20	PASS
			LV	NT	40000.00	7.207207	20	PASS
			HV	NT	40000.00	7.207207	20	PASS
		5670	NV	NT	40000.00	7.054674	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5755	NV	NT	40000.00	6.950478	20	PASS
			LV	NT	40000.00	6.950478	20	PASS
			HV	NT	40000.00	6.950478	20	PASS
		5795	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	40000.00	6.902502	20	PASS
11AX20SIS O	Ant1	5180	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5200	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.846154	20	PASS
		5240	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.816794	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5260	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS

		5280	HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5320	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.759398	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5500	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5580	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5700	NV	NT	-20000.00	-3.508772	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5745	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-6.962576	20	PASS
		5785	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5825	NV	NT	-20000.00	-3.433476	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
11AX40SIS O	Ant1	5190	NV	NT	40000.00	7.707129	20	PASS
			LV	NT	40000.00	7.707129	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5230	NV	NT	40000.00	7.648184	20	PASS
			LV	NT	40000.00	7.648184	20	PASS
			HV	NT	40000.00	7.648184	20	PASS
		5270	NV	NT	40000.00	7.590133	20	PASS
			LV	NT	40000.00	7.590133	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5310	NV	NT	40000.00	7.532957	20	PASS
			LV	NT	40000.00	7.532957	20	PASS
			HV	NT	40000.00	7.532957	20	PASS
		5510	NV	NT	40000.00	7.259528	20	PASS
			LV	NT	40000.00	7.259528	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5550	NV	NT	40000.00	7.207207	20	PASS
			LV	NT	40000.00	7.207207	20	PASS
			HV	NT	40000.00	7.207207	20	PASS
		5670	NV	NT	40000.00	7.054674	20	PASS
			LV	NT	0.00	0.000000	20	PASS

		5755	HV	NT	40000.00	7.054674	20	PASS
			NV	NT	40000.00	6.950478	20	PASS
			LV	NT	40000.00	6.950478	20	PASS
			HV	NT	40000.00	6.950478	20	PASS
		5795	NV	NT	40000.00	6.902502	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	40000.00	6.902502	20	PASS

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	0	-20000.00	-3.861004	20	PASS
			NV	10	-20000.00	-3.861004	20	PASS
			NV	20	-20000.00	-3.861004	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	-20000.00	-3.861004	20	PASS
		5200	NV	0	-20000.00	-3.846154	20	PASS
			NV	10	-20000.00	-3.846154	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.846154	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5240	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.816794	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	-20000.00	-3.816794	20	PASS
		5260	NV	0	-20000.00	-3.802281	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5280	NV	0	-20000.00	-3.787879	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5320	NV	0	-20000.00	-3.759398	20	PASS
			NV	10	-20000.00	-3.759398	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5500	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.636364	20	PASS
			NV	30	20000.00	3.636364	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5580	NV	0	0.00	0.000000	20	PASS
			NV	10	-20000.00	-3.584229	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5700	NV	0	-20000.00	-3.508772	20	PASS

			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	-20000.00	-3.508772	20	PASS
		5745	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5785	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-6.914434	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5825	NV	0	0.00	0.000000	20	PASS
			NV	10	-20000.00	-3.433476	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	20000.00	3.433476	20	PASS
			NV	45	0.00	0.000000	20	PASS
11N20SISO	Ant1	5180	NV	0	-20000.00	-3.861004	20	PASS
			NV	10	-20000.00	-3.861004	20	PASS
			NV	20	-20000.00	-3.861004	20	PASS
			NV	30	-40000.00	-7.722008	20	PASS
			NV	45	-20000.00	-3.861004	20	PASS
		5200	NV	0	0.00	0.000000	20	PASS
			NV	10	-20000.00	-3.846154	20	PASS
			NV	20	-20000.00	-3.846154	20	PASS
			NV	30	-20000.00	-3.846154	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5240	NV	0	0.00	0.000000	20	PASS
			NV	10	-20000.00	-3.816794	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.816794	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5260	NV	0	-20000.00	-3.802281	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5280	NV	0	-20000.00	-3.787879	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5320	NV	0	0.00	0.000000	20	PASS

			NV	10	-20000.00	-3.759398	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.759398	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5500	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5580	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5700	NV	0	-20000.00	-3.508772	20	PASS
			NV	10	-20000.00	-3.508772	20	PASS
			NV	20	-20000.00	-3.508772	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5745	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5785	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5825	NV	0	-20000.00	-3.433476	20	PASS
			NV	10	-20000.00	-3.433476	20	PASS
			NV	20	-20000.00	-3.433476	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	-20000.00	-3.433476	20	PASS
11N40SISO	Ant1	5190	NV	0	-40000.00	-7.707129	20	PASS
			NV	10	-40000.00	-7.707129	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-40000.00	-7.707129	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5230	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-7.648184	20	PASS
			NV	30	40000.00	7.648184	20	PASS
			NV	45	40000.00	7.648184	20	PASS
		5270	NV	0	40000.00	7.590133	20	PASS

			NV	10	40000.00	7.590133	20	PASS
			NV	20	40000.00	7.590133	20	PASS
			NV	30	40000.00	7.590133	20	PASS
			NV	45	40000.00	7.590133	20	PASS
		5310	NV	0	40000.00	7.532957	20	PASS
			NV	10	40000.00	7.532957	20	PASS
			NV	20	40000.00	7.532957	20	PASS
			NV	30	40000.00	7.532957	20	PASS
			NV	45	40000.00	7.532957	20	PASS
		5510	NV	0	40000.00	7.259528	20	PASS
			NV	10	40000.00	7.259528	20	PASS
			NV	20	40000.00	7.259528	20	PASS
			NV	30	40000.00	7.259528	20	PASS
			NV	45	40000.00	7.259528	20	PASS
		5550	NV	0	40000.00	7.207207	20	PASS
			NV	10	40000.00	7.207207	20	PASS
			NV	20	40000.00	7.207207	20	PASS
			NV	30	40000.00	7.207207	20	PASS
			NV	45	40000.00	7.207207	20	PASS
		5670	NV	0	40000.00	7.054674	20	PASS
			NV	10	40000.00	7.054674	20	PASS
			NV	20	40000.00	7.054674	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	40000.00	7.054674	20	PASS
		5755	NV	0	40000.00	6.950478	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	40000.00	6.950478	20	PASS
			NV	45	40000.00	6.950478	20	PASS
		5795	NV	0	40000.00	6.902502	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	40000.00	6.902502	20	PASS
			NV	30	40000.00	6.902502	20	PASS
			NV	45	40000.00	6.902502	20	PASS
11AC20SIS O	Ant1	5180	NV	0	-40000.00	-7.722008	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.861004	20	PASS
			NV	45	-20000.00	-3.861004	20	PASS
		5200	NV	0	-20000.00	-3.846154	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.846154	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5240	NV	0	0.00	0.000000	20	PASS

			NV	10	20000.00	3.816794	20	PASS
			NV	20	-20000.00	-3.816794	20	PASS
			NV	30	-20000.00	-3.816794	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5260	NV	0	-20000.00	-3.802281	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	-20000.00	-3.802281	20	PASS
		5280	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5320	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.759398	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5500	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.636364	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5580	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5700	NV	0	-20000.00	-3.508772	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5745	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.481288	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5785	NV	0	-20000.00	-3.457217	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.457217	20	PASS
			NV	30	-20000.00	-3.457217	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5825	NV	0	-20000.00	-3.433476	20	PASS

			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5190	NV	0	-40000.00	-7.707129	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-40000.00	-7.707129	20	PASS
			NV	45	40000.00	7.707129	20	PASS
		5230	NV	0	0.00	0.000000	20	PASS
			NV	10	40000.00	7.648184	20	PASS
			NV	20	40000.00	7.648184	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5270	NV	0	40000.00	7.590133	20	PASS
			NV	10	40000.00	7.590133	20	PASS
			NV	20	40000.00	7.590133	20	PASS
			NV	30	40000.00	7.590133	20	PASS
			NV	45	40000.00	7.590133	20	PASS
		5310	NV	0	40000.00	7.532957	20	PASS
			NV	10	40000.00	7.532957	20	PASS
			NV	20	40000.00	7.532957	20	PASS
			NV	30	40000.00	7.532957	20	PASS
			NV	45	40000.00	7.532957	20	PASS
		5510	NV	0	0.00	0.000000	20	PASS
			NV	10	40000.00	7.259528	20	PASS
			NV	20	40000.00	7.259528	20	PASS
			NV	30	40000.00	7.259528	20	PASS
			NV	45	40000.00	7.259528	20	PASS
		5550	NV	0	40000.00	7.207207	20	PASS
			NV	10	40000.00	7.207207	20	PASS
			NV	20	40000.00	7.207207	20	PASS
			NV	30	40000.00	7.207207	20	PASS
			NV	45	40000.00	7.207207	20	PASS
		5670	NV	0	40000.00	7.054674	20	PASS
			NV	10	40000.00	7.054674	20	PASS
			NV	20	40000.00	7.054674	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5755	NV	0	40000.00	6.950478	20	PASS
			NV	10	40000.00	6.950478	20	PASS
			NV	20	40000.00	6.950478	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	40000.00	6.950478	20	PASS
		5795	NV	0	0.00	0.000000	20	PASS

11AX20SIS O	Ant1		NV	10	40000.00	6.902502	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	40000.00	6.902502	20	PASS
		5180	NV	0	-20000.00	-3.861004	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.861004	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5200	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5240	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	20000.00	3.816794	20	PASS
			NV	30	-20000.00	-3.816794	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5260	NV	0	-20000.00	-3.802281	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5280	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.787879	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	20000.00	3.787879	20	PASS
		5320	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5500	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5580	NV	0	0.00	0.000000	20	PASS
			NV	10	-20000.00	-3.584229	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5700	NV	0	-20000.00	-3.508772	20	PASS

			NV	10	-20000.00	-3.508772	20	PASS
			NV	20	-20000.00	-3.508772	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5745	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.481288	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5785	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.457217	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5825	NV	0	0.00	0.000000	20	PASS
			NV	10	-20000.00	-3.433476	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.433476	20	PASS
			NV	45	-20000.00	-3.433476	20	PASS
11AX40SIS O	Ant1	5190	NV	0	0.00	0.000000	20	PASS
			NV	10	40000.00	7.707129	20	PASS
			NV	20	40000.00	7.707129	20	PASS
			NV	30	40000.00	7.707129	20	PASS
			NV	45	40000.00	7.707129	20	PASS
		5230	NV	0	40000.00	7.648184	20	PASS
			NV	10	40000.00	7.648184	20	PASS
			NV	20	40000.00	7.648184	20	PASS
			NV	30	40000.00	7.648184	20	PASS
			NV	45	40000.00	7.648184	20	PASS
		5270	NV	0	40000.00	7.590133	20	PASS
			NV	10	40000.00	7.590133	20	PASS
			NV	20	40000.00	7.590133	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	40000.00	7.590133	20	PASS
		5310	NV	0	40000.00	7.532957	20	PASS
			NV	10	40000.00	7.532957	20	PASS
			NV	20	40000.00	7.532957	20	PASS
			NV	30	40000.00	7.532957	20	PASS
			NV	45	40000.00	7.532957	20	PASS
		5510	NV	0	40000.00	7.259528	20	PASS
			NV	10	40000.00	7.259528	20	PASS
			NV	20	40000.00	7.259528	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	40000.00	7.259528	20	PASS
		5550	NV	0	40000.00	7.207207	20	PASS

			NV	10	40000.00	7.207207	20	PASS
			NV	20	40000.00	7.207207	20	PASS
			NV	30	40000.00	7.207207	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5670	NV	0	40000.00	7.054674	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	40000.00	7.054674	20	PASS
			NV	30	40000.00	7.054674	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5755	NV	0	40000.00	6.950478	20	PASS
			NV	10	40000.00	6.950478	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-40000.00	-6.950478	20	PASS
			NV	45	40000.00	6.950478	20	PASS
		5795	NV	0	40000.00	6.902502	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	40000.00	6.902502	20	PASS

8. Duty Cycle


8.1. Test Result

TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Limit	Verdict
11A	Ant1	5180	1.40	2.41	58.09	---	---
		5200	1.39	2.42	57.44	---	---
		5240	1.40	2.41	58.09	---	---
		5260	1.39	2.42	57.44	---	---
		5280	1.40	2.43	57.61	---	---
		5320	1.39	2.41	57.68	---	---
		5500	1.39	2.42	57.44	---	---
		5580	1.39	2.42	57.44	---	---
		5700	1.39	2.41	57.68	---	---
		5745	1.40	2.42	57.85	---	---
		5785	1.39	2.42	57.44	---	---
		5825	1.40	2.42	57.85	---	---
11N20SISO	Ant1	5180	5.09	6.11	83.31	---	---
		5200	5.09	6.11	83.31	---	---
		5240	5.08	6.11	83.14	---	---
		5260	5.09	6.12	83.17	---	---
		5280	5.08	6.11	83.14	---	---
		5320	5.09	6.11	83.31	---	---
		5500	5.09	6.12	83.17	---	---
		5580	5.09	6.12	83.17	---	---
		5700	5.09	6.11	83.31	---	---
		5745	5.10	6.11	83.47	---	---
		5785	5.08	6.11	83.14	---	---
		5825	5.08	6.11	83.14	---	---
11N40SISO	Ant1	5190	4.90	5.92	82.77	---	---
		5230	4.90	5.92	82.77	---	---
		5270	4.90	5.93	82.63	---	---
		5310	4.90	5.92	82.77	---	---
		5510	4.90	5.92	82.77	---	---
		5550	4.90	5.92	82.77	---	---
		5670	4.90	5.92	82.77	---	---
		5755	4.90	5.92	82.77	---	---
		5795	4.90	5.91	82.91	---	---
11AC20SISO	Ant1	5180	5.09	6.21	81.96	---	---
		5200	5.10	6.13	83.20	---	---
		5240	5.10	6.12	83.33	---	---
		5260	5.11	6.13	83.36	---	---
		5280	5.10	6.11	83.47	---	---
		5320	5.10	6.12	83.33	---	---


		5500	5.09	6.24	81.57	---	---
		5580	5.11	6.13	83.36	---	---
		5700	5.10	6.13	83.20	---	---
		5745	5.10	6.11	83.47	---	---
		5785	5.11	6.12	83.50	---	---
		5825	5.11	6.12	83.50	---	---
11AC40SISO	Ant1	5190	4.91	5.93	82.80	---	---
		5230	4.91	5.93	82.80	---	---
		5270	4.90	5.93	82.63	---	---
		5310	4.91	5.93	82.80	---	---
		5510	4.91	5.94	82.66	---	---
		5550	4.91	5.93	82.80	---	---
		5670	4.91	5.93	82.80	---	---
		5755	4.90	5.93	82.63	---	---
		5795	4.91	5.93	82.80	---	---
11AX20SISO	Ant1	5180	3.88	4.91	79.02	---	---
		5200	3.88	4.90	79.18	---	---
		5240	3.88	4.90	79.18	---	---
		5260	3.88	4.90	79.18	---	---
		5280	3.88	4.90	79.18	---	---
		5320	3.88	4.90	79.18	---	---
		5500	3.88	4.91	79.02	---	---
		5580	3.88	4.91	79.02	---	---
		5700	3.88	4.89	79.35	---	---
		5745	3.88	4.89	79.35	---	---
		5785	3.88	4.89	79.35	---	---
		5825	3.88	4.91	79.02	---	---
11AX40SISO	Ant1	5190	3.88	4.89	79.35	---	---
		5230	3.87	4.89	79.14	---	---
		5270	3.87	4.90	78.98	---	---
		5310	3.87	4.88	79.30	---	---
		5510	3.87	4.89	79.14	---	---
		5550	3.88	4.90	79.18	---	---
		5670	3.87	4.90	78.98	---	---
		5755	3.87	4.89	79.14	---	---
		5795	3.87	4.89	79.14	---	---

8.2. Test Graphs







11A_Ant1_5260



11A_Ant1_5280




11A_Ant1_5320




Date: 18 JUN, 2024 12:23:16

11A_Ant1_5500




Date: 18 JUN, 2024 12:23:21

11A_Ant1_5580




Date: 18 JUN, 2024 12:29:08

11A_Ant1_5700




Date: 18 JUN, 2024 12:32:06

11A_Ant1_5745




Date: 18 JUN, 2024 12:35:37

11A_Ant1_5785




Date: 18 JUN, 2024 12:37:32


11A_Ant1_5825




11N20SISO_Ant1_5180




11N20SISO_Ant1_5200




11N20SISO_Ant1_5240




11N20SISO_Ant1_5260



11N20SISO_Ant1_5280




11N20SISO_Ant1_5320




Date: 18 JUN 2024 12:54:41

11N20SISO_Ant1_5500




Date: 18 JUN 2024 12:56:46

11N20SISO_Ant1_5580




Date: 18 JUN 2024 12:59:05

11N20SISO_Ant1_5700




Date: 16-JUN-2024 13:01:42

11N20SISO_Ant1_5745




Date: 16-JUN-2024 13:09:40

11N20SISO_Ant1_5785




Date: 16-JUN-2024 13:12:10

11N20SISO_Ant1_5825




Date: 16.JUN.2024 13:15:45

11N40SISO_Ant1_5190




Date: 16.JUN.2024 13:18:10

11N40SISO_Ant1_5230




Date: 16.JUN.2024 13:27:57


11N40SISO_Ant1_5270




11N40SISO_Ant1_5310




11N40SISO_Ant1_5510




11N40SISO_Ant1_5550




11N40SISO_Ant1_5670




11N40SISO_Ant1_5755




11N40SISO_Ant1_5795




11AC20SISO_Ant1_5180




11AC20SISO_Ant1_5200




11AC20SISO_Ant1_5240




11AC20SISO_Ant1_5260



11AC20SISO_Ant1_5280




11AC20SISO_Ant1_5320




Date: 18-JUN-2024 12:51:52

11AC20SISO_Ant1_5500




Date: 18-JUN-2024 12:54:44

11AC20SISO_Ant1_5580




Date: 18-JUN-2024 12:57:05


11AC20SISO_Ant1_5700




11AC20SISO_Ant1_5745




11AC20SISO_Ant1_5785




11AC20SISO_Ant1_5825




11AC40SISO_Ant1_5190




11AC40SISO_Ant1_5230




11AC40SISO_Ant1_5270




11AC40SISO_Ant1_5310




11AC40SISO_Ant1_5510




11AC40SISO_Ant1_5550




11AC40SISO_Ant1_5670



11AC40SISO_Ant1_5755




11AC40SISO_Ant1_5795




Date: 18 JUN, 2024 14:52:07

11AX20SISO_Ant1_5180




Date: 18 JUN, 2024 14:54:24

11AX20SISO_Ant1_5200




Date: 18 JUN, 2024 15:02:31

11AX20SISO_Ant1_5240




Date: 18 JUN, 2024 15:05:49

11AX20SISO_Ant1_5260




Date: 18 JUN, 2024 15:20:26

11AX20SISO_Ant1_5280




Date: 18 JUN, 2024 15:23:59

11AX20SISO_Ant1_5320




Date: 18 JUN, 2024 15:26:24

11AX20SISO_Ant1_5500




Date: 18 JUN, 2024 15:31:16

11AX20SISO_Ant1_5580




Date: 18 JUN, 2024 15:33:05

11AX20SISO_Ant1_5700




Date: 18 JUN 2024 15:35:45

11AX20SISO_Ant1_5745




Date: 18 JUN 2024 15:38:42

11AX20SISO_Ant1_5785




Date: 18 JUN 2024 15:47:14

11AX20SISO_Ant1_5825




Date: 16 JUN 2024 15:42:49

11AX40SISO_Ant1_5190




Date: 16 JUN 2024 15:43:16

11AX40SISO_Ant1_5230




Date: 16 JUN 2024 15:47:49

11AX40SISO_Ant1_5270




Date: 18 JUN 2024 15:51:21

11AX40SISO_Ant1_5310




Date: 18 JUN 2024 15:53:20

11AX40SISO_Ant1_5510




Date: 18 JUN 2024 15:55:49

11AX40SISO_Ant1_5550




Date: 18 JUN 2024 15:57:51

11AX40SISO_Ant1_5670




Date: 18 JUN 2024 16:00:00

11AX40SISO_Ant1_5755



Date: 18 JUN 2024 16:03:06

11AX40SISO_Ant1_5795



-----End of the report-----