





Tx. Spurious NVNT ax20 2462MHz Ant0 Ref




Tx. Spurious NVNT ax20 2462MHz Ant0 Emission






Tx. Spurious NVNT ax40 2422MHz Ant0 Ref




Tx. Spurious NVNT ax40 2422MHz Ant0 Emission






Tx. Spurious NVNT ax40 2437MHz Ant0 Ref




Tx. Spurious NVNT ax40 2437MHz Ant0 Emission






Tx. Spurious NVNT ax40 2452MHz Ant0 Ref



Tx. Spurious NVNT ax40 2452MHz Ant0 Emission






Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-48.67	-20	Pass
NVNT	b	2437	Ant1	-48.95	-20	Pass
NVNT	b	2462	Ant1	-48.88	-20	Pass
NVNT	g	2412	Ant1	-49.33	-20	Pass
NVNT	g	2437	Ant1	-48.07	-20	Pass
NVNT	g	2462	Ant1	-47.23	-20	Pass
NVNT	n20	2412	Ant1	-49.14	-20	Pass
NVNT	n20	2437	Ant1	-48.35	-20	Pass
NVNT	n20	2462	Ant1	-49.2	-20	Pass
NVNT	n40	2422	Ant1	-45.76	-20	Pass
NVNT	n40	2437	Ant1	-46.41	-20	Pass
NVNT	n40	2452	Ant1	-45.84	-20	Pass
NVNT	ax20	2412	Ant1	-49.14	-20	Pass
NVNT	ax20	2437	Ant1	-48.65	-20	Pass
NVNT	ax20	2462	Ant1	-48.4	-20	Pass
NVNT	ax40	2422	Ant1	-46.07	-20	Pass
NVNT	ax40	2437	Ant1	-45.81	-20	Pass
NVNT	ax40	2452	Ant1	-45.5	-20	Pass




Test Graphs

Tx. Spurious NVNT b 2412MHz Ant1 Ref




Tx. Spurious NVNT b 2412MHz Ant1 Emission






Tx. Spurious NVNT b 2437MHz Ant1 Ref




Tx. Spurious NVNT b 2437MHz Ant1 Emission






Tx. Spurious NVNT b 2462MHz Ant1 Ref




Tx. Spurious NVNT b 2462MHz Ant1 Emission






Tx. Spurious NVNT g 2412MHz Ant1 Ref




Tx. Spurious NVNT g 2412MHz Ant1 Emission






Tx. Spurious NVNT g 2437MHz Ant1 Ref




Tx. Spurious NVNT g 2437MHz Ant1 Emission






Tx. Spurious NVNT g 2462MHz Ant1 Ref




Tx. Spurious NVNT g 2462MHz Ant1 Emission






Tx. Spurious NVNT n20 2412MHz Ant1 Ref




Tx. Spurious NVNT n20 2412MHz Ant1 Emission






Tx. Spurious NVNT n20 2437MHz Ant1 Ref




Tx. Spurious NVNT n20 2437MHz Ant1 Emission






Tx. Spurious NVNT n20 2462MHz Ant1 Ref




Tx. Spurious NVNT n20 2462MHz Ant1 Emission






Tx. Spurious NVNT n40 2422MHz Ant1 Ref




Tx. Spurious NVNT n40 2422MHz Ant1 Emission









Tx. Spurious NVNT n40 2437MHz Ant1 Ref




Tx. Spurious NVNT n40 2437MHz Ant1 Emission








Tx. Spurious NVNT ax20 2412MHz Ant1 Ref




Tx. Spurious NVNT ax20 2412MHz Ant1 Emission






Tx. Spurious NVNT ax20 2437MHz Ant1 Ref




Tx. Spurious NVNT ax20 2437MHz Ant1 Emission






Tx. Spurious NVNT ax20 2462MHz Ant1 Ref




Tx. Spurious NVNT ax20 2462MHz Ant1 Emission






Tx. Spurious NVNT ax40 2422MHz Ant1 Ref




Tx. Spurious NVNT ax40 2422MHz Ant1 Emission






Tx. Spurious NVNT ax40 2437MHz Ant1 Ref




Tx. Spurious NVNT ax40 2437MHz Ant1 Emission






Tx. Spurious NVNT ax40 2452MHz Ant1 Ref



Tx. Spurious NVNT ax40 2452MHz Ant1 Emission






A.6 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant0	99.34	0	0.12
NVNT	b	2437	Ant0	99.34	0	0.12
NVNT	b	2462	Ant0	99.34	0	0.12
NVNT	g	2412	Ant0	96.15	0.17	0.72
NVNT	g	2437	Ant0	96.15	0.17	0.72
NVNT	g	2462	Ant0	96.15	0.17	0.72
NVNT	n20	2412	Ant0	95.9	0.18	0.76
NVNT	n20	2437	Ant0	95.75	0.19	0.76
NVNT	n20	2462	Ant0	95.75	0.19	0.76
NVNT	n40	2422	Ant0	92.07	0.36	1.54
NVNT	n40	2437	Ant0	92.07	0.36	1.54
NVNT	n40	2452	Ant0	92.35	0.35	1.53
NVNT	ax20	2412	Ant0	95.75	0.19	0.76
NVNT	ax20	2437	Ant0	95.75	0.19	0.76
NVNT	ax20	2462	Ant0	95.76	0.19	0.76
NVNT	ax40	2422	Ant0	84.44	0.73	3.29
NVNT	ax40	2437	Ant0	97.95	0.09	3.5
NVNT	ax40	2452	Ant0	84.44	0.73	3.29




Test Graphs

Duty Cycle NVNT b 2412MHz Ant0




Duty Cycle NVNT b 2437MHz Ant0






Duty Cycle NVNT b 2462MHz Ant0




Duty Cycle NVNT g 2412MHz Ant0






Duty Cycle NVNT g 2437MHz Ant0




Duty Cycle NVNT g 2462MHz Ant0






Duty Cycle NVNT n20 2412MHz Ant0




Duty Cycle NVNT n20 2437MHz Ant0






Duty Cycle NVNT n20 2462MHz Ant0




Duty Cycle NVNT n40 2422MHz Ant0






Duty Cycle NVNT n40 2437MHz Ant0




Duty Cycle NVNT n40 2452MHz Ant0






Duty Cycle NVNT ax20 2412MHz Ant0




Duty Cycle NVNT ax20 2437MHz Ant0






Duty Cycle NVNT ax20 2462MHz Ant0




Duty Cycle NVNT ax40 2422MHz Ant0






Duty Cycle NVNT ax40 2437MHz Ant0



Duty Cycle NVNT ax40 2452MHz Ant0






Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant1	99.34	0	0.12
NVNT	b	2437	Ant1	99.34	0	0.12
NVNT	b	2462	Ant1	99.34	0	0.12
NVNT	g	2412	Ant1	96.01	0.18	0.72
NVNT	g	2437	Ant1	96.15	0.17	0.72
NVNT	g	2462	Ant1	96.15	0.17	0.72
NVNT	n20	2412	Ant1	96.01	0.18	0.72
NVNT	n20	2437	Ant1	96.01	0.18	0.72
NVNT	n20	2462	Ant1	96.15	0.17	0.72
NVNT	n40	2422	Ant1	92.35	0.35	1.53
NVNT	n40	2437	Ant1	92.07	0.36	1.54
NVNT	n40	2452	Ant1	92.35	0.35	1.53
NVNT	ax20	2412	Ant1	90.64	0.43	1.85
NVNT	ax20	2437	Ant1	90.33	0.44	1.85
NVNT	ax20	2462	Ant1	90.64	0.43	1.85
NVNT	ax40	2422	Ant1	84.92	0.71	3.29
NVNT	ax40	2437	Ant1	84.36	0.74	3.31
NVNT	ax40	2452	Ant1	84.36	0.74	3.31




Test Graphs

Duty Cycle NVNT b 2412MHz Ant1




Duty Cycle NVNT b 2437MHz Ant1






Duty Cycle NVNT b 2462MHz Ant1




Duty Cycle NVNT g 2412MHz Ant1






Duty Cycle NVNT g 2437MHz Ant1




Duty Cycle NVNT g 2462MHz Ant1






Duty Cycle NVNT n20 2412MHz Ant1




Duty Cycle NVNT n20 2437MHz Ant1






Duty Cycle NVNT n20 2462MHz Ant1




Duty Cycle NVNT n40 2422MHz Ant1






Duty Cycle NVNT n40 2437MHz Ant1




Duty Cycle NVNT n40 2452MHz Ant1






Duty Cycle NVNT ax20 2412MHz Ant1




Duty Cycle NVNT ax20 2437MHz Ant1






Duty Cycle NVNT ax20 2462MHz Ant1




Duty Cycle NVNT ax40 2422MHz Ant1






Duty Cycle NVNT ax40 2437MHz Ant1



Duty Cycle NVNT ax40 2452MHz Ant1





A.7 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant0	2310	-48.92	2	48.34	Peak	74	Pass
NVNT	b	2412	Ant0	2310	-60.22	2	37.04	Average	54	Pass
NVNT	b	2412	Ant0	2388.01	-46.05	2	51.21	Peak	74	Pass
NVNT	b	2412	Ant0	2385.8	-56.83	2	40.43	Average	54	Pass
NVNT	b	2412	Ant0	2390	-48.41	2	48.85	Peak	74	Pass
NVNT	b	2412	Ant0	2390	-58.08	2	39.18	Average	54	Pass
NVNT	b	2462	Ant0	2483.5	-47.57	2	49.69	Peak	74	Pass
NVNT	b	2462	Ant0	2483.5	-57.38	2	39.88	Average	54	Pass
NVNT	b	2462	Ant0	2486.75	-44.93	2	52.33	Peak	74	Pass
NVNT	b	2462	Ant0	2486.53	-56.39	2	40.87	Average	54	Pass
NVNT	b	2462	Ant0	2500	-49.36	2	47.9	Peak	74	Pass
NVNT	b	2462	Ant0	2500	-58.67	2	38.59	Average	54	Pass
NVNT	g	2412	Ant0	2310	-48.05	2	49.21	Peak	74	Pass
NVNT	g	2412	Ant0	2310	-58.11	2	39.15	Average	54	Pass
NVNT	g	2412	Ant0	2389.44	-41.74	2	55.52	Peak	74	Pass
NVNT	g	2412	Ant0	2389.05	-53.42	2	43.84	Average	54	Pass
NVNT	g	2412	Ant0	2390	-44.91	2	52.35	Peak	74	Pass
NVNT	g	2412	Ant0	2390	-53.44	2	43.82	Average	54	Pass
NVNT	g	2462	Ant0	2483.5	-41.86	2	55.4	Peak	74	Pass
NVNT	g	2462	Ant0	2483.5	-53.04	2	44.22	Average	54	Pass
NVNT	g	2462	Ant0	2485.21	-41.13	2	56.13	Peak	74	Pass
NVNT	g	2462	Ant0	2483.56	-53.04	2	44.22	Average	54	Pass
NVNT	g	2462	Ant0	2500	-45.58	2	51.68	Peak	74	Pass
NVNT	g	2462	Ant0	2500	-55.89	2	41.37	Average	54	Pass
NVNT	n20	2412	Ant0	2310	-49.29	2	47.97	Peak	74	Pass
NVNT	n20	2412	Ant0	2310	-58.44	2	38.82	Average	54	Pass
NVNT	n20	2412	Ant0	2383.85	-42.49	2	54.77	Peak	74	Pass
NVNT	n20	2412	Ant0	2388.92	-53.83	2	43.43	Average	54	Pass
NVNT	n20	2412	Ant0	2390	-44.59	2	52.67	Peak	74	Pass
NVNT	n20	2412	Ant0	2390	-53.84	2	43.42	Average	54	Pass
NVNT	n20	2462	Ant0	2483.5	-44.99	2	52.27	Peak	74	Pass
NVNT	n20	2462	Ant0	2483.5	-53.32	2	43.94	Average	54	Pass
NVNT	n20	2462	Ant0	2486.2	-42.3	2	54.96	Peak	74	Pass
NVNT	n20	2462	Ant0	2483.67	-53.31	2	43.95	Average	54	Pass
NVNT	n20	2462	Ant0	2500	-47.08	2	50.18	Peak	74	Pass
NVNT	n20	2462	Ant0	2500	-55.59	2	41.67	Average	54	Pass
NVNT	n40	2422	Ant0	2310	-49.76	2	47.5	Peak	74	Pass
NVNT	n40	2422	Ant0	2310	-59.12	2	38.14	Average	54	Pass
NVNT	n40	2422	Ant0	2389.83	-40.42	2	56.84	Peak	74	Pass
NVNT	n40	2422	Ant0	2389.83	-53.08	2	44.18	Average	54	Pass



NVNT	n40	2422	Ant0	2390	-42.33	2	54.93	Peak	74	Pass
NVNT	n40	2422	Ant0	2390	-53.17	2	44.09	Average	54	Pass
NVNT	n40	2452	Ant0	2483.5	-42.49	2	54.77	Peak	74	Pass
NVNT	n40	2452	Ant0	2483.5	-51.62	2	45.64	Average	54	Pass
NVNT	n40	2452	Ant0	2484.55	-40.93	2	56.33	Peak	74	Pass
NVNT	n40	2452	Ant0	2484.22	-51.11	2	46.15	Average	54	Pass
NVNT	n40	2452	Ant0	2500	-44.58	2	52.68	Peak	74	Pass
NVNT	n40	2452	Ant0	2500	-55.83	2	41.43	Average	54	Pass
NVNT	ax20	2412	Ant0	2310	-48.4	2	48.86	Peak	74	Pass
NVNT	ax20	2412	Ant0	2310	-58.33	2	38.93	Average	54	Pass
NVNT	ax20	2412	Ant0	2384.89	-41.66	2	55.6	Peak	74	Pass
NVNT	ax20	2412	Ant0	2389.96	-53.13	2	44.13	Average	54	Pass
NVNT	ax20	2412	Ant0	2390	-45.09	2	52.17	Peak	74	Pass
NVNT	ax20	2412	Ant0	2390	-53.27	2	43.99	Average	54	Pass
NVNT	ax20	2462	Ant0	2483.5	-43.54	2	53.72	Peak	74	Pass
NVNT	ax20	2462	Ant0	2483.5	-53.52	2	43.74	Average	54	Pass
NVNT	ax20	2462	Ant0	2483.78	-42.06	2	55.2	Peak	74	Pass
NVNT	ax20	2462	Ant0	2483.67	-53.47	2	43.79	Average	54	Pass
NVNT	ax20	2462	Ant0	2500	-46.06	2	51.2	Peak	74	Pass
NVNT	ax20	2462	Ant0	2500	-55.88	2	41.38	Average	54	Pass
NVNT	ax40	2422	Ant0	2310	-50.07	2	47.19	Peak	74	Pass
NVNT	ax40	2422	Ant0	2310	-57.98	2	39.28	Average	54	Pass
NVNT	ax40	2422	Ant0	2388.66	-39.86	2	57.4	Peak	74	Pass
NVNT	ax40	2422	Ant0	2389.7	-51.65	2	45.61	Average	54	Pass
NVNT	ax40	2422	Ant0	2390	-42.5	2	54.76	Peak	74	Pass
NVNT	ax40	2422	Ant0	2390	-51.9	2	45.36	Average	54	Pass
NVNT	ax40	2452	Ant0	2483.5	-45.28	2	51.98	Peak	74	Pass
NVNT	ax40	2452	Ant0	2483.5	-52.56	2	44.7	Average	54	Pass
NVNT	ax40	2452	Ant0	2484.22	-40.74	2	56.52	Peak	74	Pass
NVNT	ax40	2452	Ant0	2484	-51.88	2	45.38	Average	54	Pass
NVNT	ax40	2452	Ant0	2500	-44.91	2	52.35	Peak	74	Pass
NVNT	ax40	2452	Ant0	2500	-55.33	2	41.93	Average	54	Pass

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant1	2310	-50.11	2	47.15	Peak	74	Pass
NVNT	b	2412	Ant1	2310	-60.31	2	36.95	Average	54	Pass
NVNT	b	2412	Ant1	2386.45	-45.66	2	51.6	Peak	74	Pass
NVNT	b	2412	Ant1	2386.84	-56.43	2	40.83	Average	54	Pass
NVNT	b	2412	Ant1	2390	-48.11	2	49.15	Peak	74	Pass
NVNT	b	2412	Ant1	2390	-57.83	2	39.43	Average	54	Pass
NVNT	b	2462	Ant1	2483.5	-46.53	2	50.73	Peak	74	Pass
NVNT	b	2462	Ant1	2483.5	-57.55	2	39.71	Average	54	Pass
NVNT	b	2462	Ant1	2486.31	-45.73	2	51.53	Peak	74	Pass



NVNT	b	2462	Ant1	2486.2	-55.42	2	41.84	Average	54	Pass
NVNT	b	2462	Ant1	2500	-50.6	2	46.66	Peak	74	Pass
NVNT	b	2462	Ant1	2500	-58.69	2	38.57	Average	54	Pass
NVNT	g	2412	Ant1	2310	-49.67	2	47.59	Peak	74	Pass
NVNT	g	2412	Ant1	2310	-58.53	2	38.73	Average	54	Pass
NVNT	g	2412	Ant1	2389.31	-42.89	2	54.37	Peak	74	Pass
NVNT	g	2412	Ant1	2389.44	-54.19	2	43.07	Average	54	Pass
NVNT	g	2412	Ant1	2390	-44.87	2	52.39	Peak	74	Pass
NVNT	g	2412	Ant1	2390	-54.09	2	43.17	Average	54	Pass
NVNT	g	2462	Ant1	2483.5	-43.28	2	53.98	Peak	74	Pass
NVNT	g	2462	Ant1	2483.5	-53.64	2	43.62	Average	54	Pass
NVNT	g	2462	Ant1	2484	-42.09	2	55.17	Peak	74	Pass
NVNT	g	2462	Ant1	2483.56	-53.64	2	43.62	Average	54	Pass
NVNT	g	2462	Ant1	2500	-45.81	2	51.45	Peak	74	Pass
NVNT	g	2462	Ant1	2500	-55.88	2	41.38	Average	54	Pass
NVNT	n20	2412	Ant1	2310	-47.95	2	49.31	Peak	74	Pass
NVNT	n20	2412	Ant1	2310	-58.5	2	38.76	Average	54	Pass
NVNT	n20	2412	Ant1	2372.93	-43.33	2	53.93	Peak	74	Pass
NVNT	n20	2412	Ant1	2389.44	-54.12	2	43.14	Average	54	Pass
NVNT	n20	2412	Ant1	2390	-45.37	2	51.89	Peak	74	Pass
NVNT	n20	2412	Ant1	2390	-54.35	2	42.91	Average	54	Pass
NVNT	n20	2462	Ant1	2483.5	-42.57	2	54.69	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.5	-53.84	2	43.42	Average	54	Pass
NVNT	n20	2462	Ant1	2483.56	-42.57	2	54.69	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.89	-53.73	2	43.53	Average	54	Pass
NVNT	n20	2462	Ant1	2500	-47.71	2	49.55	Peak	74	Pass
NVNT	n20	2462	Ant1	2500	-55.91	2	41.35	Average	54	Pass
NVNT	n40	2422	Ant1	2310	-48.97	2	48.29	Peak	74	Pass
NVNT	n40	2422	Ant1	2310	-58.17	2	39.09	Average	54	Pass
NVNT	n40	2422	Ant1	2389.57	-40.9	2	56.36	Peak	74	Pass
NVNT	n40	2422	Ant1	2389.96	-51.28	2	45.98	Average	54	Pass
NVNT	n40	2422	Ant1	2390	-42.36	2	54.9	Peak	74	Pass
NVNT	n40	2422	Ant1	2390	-51.54	2	45.72	Average	54	Pass
NVNT	n40	2452	Ant1	2483.5	-43.1	2	54.16	Peak	74	Pass
NVNT	n40	2452	Ant1	2483.5	-51.91	2	45.35	Average	54	Pass
NVNT	n40	2452	Ant1	2484.55	-39.38	2	57.88	Peak	74	Pass
NVNT	n40	2452	Ant1	2483.89	-51.7	2	45.56	Average	54	Pass
NVNT	n40	2452	Ant1	2500	-46.13	2	51.13	Peak	74	Pass
NVNT	n40	2452	Ant1	2500	-55.8	2	41.46	Average	54	Pass
NVNT	ax20	2412	Ant1	2310	-50.14	2	47.12	Peak	74	Pass
NVNT	ax20	2412	Ant1	2310	-58.23	2	39.03	Average	54	Pass
NVNT	ax20	2412	Ant1	2389.18	-43.35	2	53.91	Peak	74	Pass
NVNT	ax20	2412	Ant1	2389.83	-53.64	2	43.62	Average	54	Pass
NVNT	ax20	2412	Ant1	2390	-44.94	2	52.32	Peak	74	Pass



NVNT	ax20	2412	Ant1	2390	-54.04	2	43.22	Average	54	Pass
NVNT	ax20	2462	Ant1	2483.5	-40.77	2	56.49	Peak	74	Pass
NVNT	ax20	2462	Ant1	2483.5	-54.3	2	42.96	Average	54	Pass
NVNT	ax20	2462	Ant1	2483.56	-40.77	2	56.49	Peak	74	Pass
NVNT	ax20	2462	Ant1	2483.56	-54.3	2	42.96	Average	54	Pass
NVNT	ax20	2462	Ant1	2500	-46.04	2	51.22	Peak	74	Pass
NVNT	ax20	2462	Ant1	2500	-56.23	2	41.03	Average	54	Pass
NVNT	ax40	2422	Ant1	2310	-50.37	2	46.89	Peak	74	Pass
NVNT	ax40	2422	Ant1	2310	-57.99	2	39.27	Average	54	Pass
NVNT	ax40	2422	Ant1	2386.84	-41.37	2	55.89	Peak	74	Pass
NVNT	ax40	2422	Ant1	2389.7	-52.06	2	45.2	Average	54	Pass
NVNT	ax40	2422	Ant1	2390	-43.84	2	53.42	Peak	74	Pass
NVNT	ax40	2422	Ant1	2390	-51.98	2	45.28	Average	54	Pass
NVNT	ax40	2452	Ant1	2483.5	-44.82	2	52.44	Peak	74	Pass
NVNT	ax40	2452	Ant1	2483.5	-52.59	2	44.67	Average	54	Pass
NVNT	ax40	2452	Ant1	2484	-42.13	2	55.13	Peak	74	Pass
NVNT	ax40	2452	Ant1	2484.22	-51.86	2	45.4	Average	54	Pass
NVNT	ax40	2452	Ant1	2500	-48.36	2	48.9	Peak	74	Pass
NVNT	ax40	2452	Ant1	2500	-55.51	2	41.75	Average	54	Pass

MIMO

Condition	Mode	Spur Freq (MHz)	Power (dBm)			Gain (dBi)	Ground Reflection Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
			Ant0	Ant1	MIMO						
NVNT	n20	2310	-49.29	-47.95	-45.56	4.51	0	54.18	Peak	74	Pass
NVNT	n20	2310	-58.44	-58.5	-55.46	4.51	0	44.28	Average	54	Pass
NVNT	n20	2372.93	-42.49	-43.33	-39.88	4.51	0	59.86	Peak	74	Pass
NVNT	n20	2389.44	-53.83	-54.12	-50.96	4.51	0	48.78	Average	54	Pass
NVNT	n20	2390	-44.59	-45.37	-41.95	4.51	0	57.79	Peak	74	Pass
NVNT	n20	2390	-53.84	-54.35	-51.08	4.51	0	48.66	Average	54	Pass
NVNT	n20	2483.5	-44.99	-42.57	-40.60	4.51	0	59.14	Peak	74	Pass
NVNT	n20	2483.5	-53.32	-53.84	-50.56	4.51	0	49.18	Average	54	Pass
NVNT	n20	2483.56	-42.3	-42.57	-39.42	4.51	0	60.32	Peak	74	Pass
NVNT	n20	2483.89	-53.31	-53.73	-50.50	4.51	0	49.24	Average	54	Pass
NVNT	n20	2500	-47.08	-47.71	-44.37	4.51	0	55.37	Peak	74	Pass
NVNT	n20	2500	-55.59	-55.91	-52.74	4.51	0	47.00	Average	54	Pass
NVNT	n40	2310	-49.76	-48.97	-46.34	4.51	0	53.40	Peak	74	Pass
NVNT	n40	2310	-59.12	-58.17	-55.61	4.51	0	44.13	Average	54	Pass
NVNT	n40	2389.57	-40.42	-40.9	-37.64	4.51	0	62.10	Peak	74	Pass
NVNT	n40	2389.96	-53.08	-51.28	-49.08	4.51	0	50.66	Average	54	Pass
NVNT	n40	2390	-42.33	-42.36	-39.33	4.51	0	60.41	Peak	74	Pass
NVNT	n40	2390	-53.17	-51.54	-49.27	4.51	0	50.47	Average	54	Pass




NVNT	n40	2483.5	-42.49	-43.1	-39.77	4.51	0	59.97	Peak	74	Pass
NVNT	n40	2483.5	-51.62	-51.91	-48.75	4.51	0	50.99	Average	54	Pass
NVNT	n40	2484.55	-40.93	-39.38	-37.08	4.51	0	62.66	Peak	74	Pass
NVNT	n40	2483.89	-51.11	-51.7	-48.38	4.51	0	51.36	Average	54	Pass
NVNT	n40	2500	-44.58	-46.13	-42.28	4.51	0	57.46	Peak	74	Pass
NVNT	n40	2500	-55.83	-55.8	-52.80	4.51	0	46.94	Average	54	Pass
NVNT	ax20	2310	-48.4	-50.14	-46.17	4.51	0	53.57	Peak	74	Pass
NVNT	ax20	2310	-58.33	-58.23	-55.27	4.51	0	44.47	Average	54	Pass
NVNT	ax20	2389.18	-41.66	-43.35	-39.41	4.51	0	60.33	Peak	74	Pass
NVNT	ax20	2389.83	-53.13	-53.64	-50.37	4.51	0	49.37	Average	54	Pass
NVNT	ax20	2390	-45.09	-44.94	-42.00	4.51	0	57.74	Peak	74	Pass
NVNT	ax20	2390	-53.27	-54.04	-50.63	4.51	0	49.11	Average	54	Pass
NVNT	ax20	2483.5	-43.54	-40.77	-38.93	4.51	0	60.81	Peak	74	Pass
NVNT	ax20	2483.5	-53.52	-54.3	-50.88	4.51	0	48.86	Average	54	Pass
NVNT	ax20	2483.56	-42.06	-40.77	-38.36	4.51	0	61.38	Peak	74	Pass
NVNT	ax20	2483.56	-53.47	-54.3	-50.85	4.51	0	48.89	Average	54	Pass
NVNT	ax20	2500	-46.06	-46.04	-43.04	4.51	0	56.70	Peak	74	Pass
NVNT	ax20	2500	-55.88	-56.23	-53.04	4.51	0	46.70	Average	54	Pass
NVNT	ax40	2310	-50.07	-50.37	-47.21	4.51	0	52.53	Peak	74	Pass
NVNT	ax40	2310	-57.98	-57.99	-54.97	4.51	0	44.77	Average	54	Pass
NVNT	ax40	2386.84	-39.86	-41.37	-37.54	4.51	0	62.20	Peak	74	Pass
NVNT	ax40	2389.7	-51.65	-52.06	-48.84	4.51	0	50.90	Average	54	Pass
NVNT	ax40	2390	-42.5	-43.84	-40.11	4.51	0	59.63	Peak	74	Pass
NVNT	ax40	2390	-51.9	-51.98	-48.93	4.51	0	50.81	Average	54	Pass
NVNT	ax40	2483.5	-45.28	-44.82	-42.03	4.51	0	57.71	Peak	74	Pass
NVNT	ax40	2483.5	-52.56	-52.59	-49.56	4.51	0	50.18	Average	54	Pass
NVNT	ax40	2484	-40.74	-42.13	-38.37	4.51	0	61.37	Peak	74	Pass
NVNT	ax40	2484.22	-51.88	-51.86	-48.86	4.51	0	50.88	Average	54	Pass
NVNT	ax40	2500	-44.91	-48.36	-43.29	4.51	0	56.45	Peak	74	Pass
NVNT	ax40	2500	-55.33	-55.51	-52.41	4.51	0	47.33	Average	54	Pass




Test Graphs

Restrict Band NVNT b 2412MHz Ant0 Peak




Restrict Band NVNT b 2412MHz Ant0 Average






Restrict Band NVNT b 2462MHz Ant0 Peak




Restrict Band NVNT b 2462MHz Ant0 Average










Restrict Band NVNT g 2412MHz Ant0 Peak



Restrict Band NVNT g 2412MHz Ant0 Average











Restrict Band NVNT n20 2462MHz Ant0 Peak




Restrict Band NVNT n20 2462MHz Ant0 Average









Restrict Band NVNT n40 2422MHz Ant0 Peak




Restrict Band NVNT n40 2422MHz Ant0 Average








Restrict Band NVNT ax20 2412MHz Ant0 Peak




Restrict Band NVNT ax20 2412MHz Ant0 Average






Restrict Band NVNT ax20 2462MHz Ant0 Peak




Restrict Band NVNT ax20 2462MHz Ant0 Average






Restrict Band NVNT ax40 2422MHz Ant0 Peak




Restrict Band NVNT ax40 2422MHz Ant0 Average






Restrict Band NVNT ax40 2452MHz Ant0 Peak




Restrict Band NVNT ax40 2452MHz Ant0 Average





Test Graphs

Restrict Band NVNT b 2412MHz Ant1 Peak




Restrict Band NVNT b 2412MHz Ant1 Average






Restrict Band NVNT b 2462MHz Ant1 Peak




Restrict Band NVNT b 2462MHz Ant1 Average






Restrict Band NVNT g 2412MHz Ant1 Peak




Restrict Band NVNT g 2412MHz Ant1 Average










Restrict Band NVNT g 2462MHz Ant1 Peak



Restrict Band NVNT g 2462MHz Ant1 Average














Restrict Band NVNT n40 2422MHz Ant1 Peak




Restrict Band NVNT n40 2422MHz Ant1 Average








Restrict Band NVNT ax20 2412MHz Ant1 Peak




Restrict Band NVNT ax20 2412MHz Ant1 Average






Restrict Band NVNT ax20 2462MHz Ant1 Peak




Restrict Band NVNT ax20 2462MHz Ant1 Average






Restrict Band NVNT ax40 2422MHz Ant1 Peak




Restrict Band NVNT ax40 2422MHz Ant1 Average





Restrict Band NVNT ax40 2452MHz Ant1 Peak



Restrict Band NVNT ax40 2452MHz Ant1 Average

