



Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.74	0.68	1.42	6.42	Complies
122	5610	0.63	0.68	1.31	6.42	Complies




Date: 29,MAR,2025 04:51:56




Date: 29,MAR,2025 04:52:25

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.52	0.68	1.20	6.42	Complies
122	5610	0.70	0.68	1.38	6.42	Complies



Date: 29,MAR,2025 04:48:12




Date: 29,MAR,2025 04:47:37

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.36	0.68	2.04	6.42	Complies
122	5610	1.50	0.68	2.18	6.42	Complies

CH106



Date: 29.MAR.2025 04:44:36

CH122




Date: 29.MAR.2025 04:45:19

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	6.34	6.42	Complies
122	5610	6.41	6.42	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-1.63	0.68	-0.95	6.42	Complies



Date: 29_MAR.2025 05:24:27

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-1.82	0.68	-1.14	6.42	Complies



Date: 29_MAR.2025 05:25:04

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-1.24	0.68	-0.56	6.42	Complies




Date: 29_MAR_2025 05:25:52

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	3.89	6.42	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.77	0.70	1.47	6.42	Complies
116	5580	0.76	0.70	1.46	6.42	Complies
140	5700	0.63	0.70	1.33	6.42	Complies



Date: 29_MAR_2025 02:55:59




Date: 29_MAR_2025 03:01:32




Date: 29_MAR_2025 03:02:39

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.72	0.70	1.42	6.42	Complies
116	5580	0.75	0.70	1.45	6.42	Complies
140	5700	0.61	0.70	1.31	6.42	Complies



Date: 29_MAR_2025 02:57:07




Date: 29_MAR_2025 03:00:24




Date: 29_MAR_2025 03:03:12

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.06	0.70	1.76	6.42	Complies
116	5580	1.22	0.70	1.92	6.42	Complies
140	5700	1.25	0.70	1.95	6.42	Complies



Date: 29_MAR_2025 02:57:58



Date: 29_MAR_2025 02:59:37




Date: 29_MAR_2025 03:03:52

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.32	6.42	Complies
116	5580	6.39	6.42	Complies
140	5700	6.31	6.42	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.41	0.79	1.20	6.42	Complies
110	5550	0.53	0.79	1.32	6.42	Complies
134	5670	0.62	0.79	1.41	6.42	Complies



Date: 29.MAR.2025 03:38:45




Date: 29.MAR.2025 03:43:01




Date: 29.MAR.2025 03:48:49

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.08	0.79	0.87	6.42	Complies
110	5550	0.45	0.79	1.24	6.42	Complies
134	5670	0.50	0.79	1.29	6.42	Complies



Date: 29.MAR.2025 03:39:33




Date: 29.MAR.2025 03:42:44



Date: 29.MAR.2025 03:47:57

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.84	0.79	1.63	6.42	Complies
110	5550	1.16	0.79	1.95	6.42	Complies
134	5670	1.15	0.79	1.94	6.42	Complies




Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	6.02	6.42	Complies
110	5550	6.29	6.42	Complies
134	5670	6.33	6.42	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.41	0.80	1.21	6.42	Complies
122	5610	0.30	0.80	1.10	6.42	Complies

CH106



Date: 29.MAR.2025 05:14:57

CH122




Date: 29.MAR.2025 05:15:56

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.23	0.80	1.03	6.42	Complies
122	5610	0.96	0.80	1.76	6.42	Complies

CH106



Date: 29.MAR.2025 05:12:47

CH122




Date: 29.MAR.2025 05:12:15

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.08	0.80	1.88	6.42	Complies
122	5610	1.14	0.80	1.94	6.42	Complies

CH106



Date: 29_MAR_2025 05:10:25

CH122




Date: 29_MAR_2025 05:11:23

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	6.16	6.42	Complies
122	5610	6.39	6.42	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-1.76	0.73	-1.03	6.42	Complies



Date: 29_MAR.2025 05:23:30

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-1.72	0.73	-0.99	6.42	Complies



Date: 29_MAR.2025 05:22:25

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-1.15	0.73	-0.42	6.42	Complies




Test Mode	UNII-2C_TX AX(HE160) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	3.97	6.42	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.27	0.18	11.45	25.42	Complies
157	5785	11.04	0.18	11.22	25.42	Complies
165	5825	10.94	0.18	11.12	25.42	Complies



Date: 29_MAR_2025 19:55:14




Date: 28_MAR_2025 19:56:35




Date: 28_MAR_2025 19:57:05

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.80	0.18	11.98	25.42	Complies
157	5785	11.47	0.18	11.65	25.42	Complies
165	5825	10.80	0.18	10.98	25.42	Complies



Date: 29_MAR_2025 19:58:18




Date: 28_MAR_2025 19:58:24




Date: 28_MAR_2025 19:57:57

Test Mode	UNII-3_TX A Mode_Ant. 3
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.97	0.18	11.15	25.42	Complies
157	5785	10.72	0.18	10.90	25.42	Complies
165	5825	10.79	0.18	10.97	25.42	Complies



Date: 28.MAR.2025 19:59:32



Date: 28.MAR.2025 20:00:11






Date: 28.MAR.2025 20:00:40

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	16.31	25.42	Complies
157	5785	16.04	25.42	Complies
165	5825	15.80	25.42	Complies




Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.47	0.18	9.65	25.42	Complies
157	5785	8.69	0.18	8.87	25.42	Complies
165	5825	8.70	0.18	8.88	25.42	Complies




Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.70	0.18	9.88	25.42	Complies
157	5785	9.56	0.18	9.74	25.42	Complies
165	5825	9.33	0.18	9.51	25.42	Complies




Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.08	0.18	9.26	25.42	Complies
157	5785	8.88	0.18	9.06	25.42	Complies
165	5825	9.18	0.18	9.36	25.42	Complies



Date: 29_MAR_2025 02:23:28



Date: 29_MAR_2025 02:27:37



Date: 29_MAR_2025 02:28:15


Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	14.37	25.42	Complies
157	5785	14.01	25.42	Complies
165	5825	14.03	25.42	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.08	0.35	6.43	25.42	Complies
159	5795	6.08	0.35	6.43	25.42	Complies

CH151



Date: 29.MAR.2025 04:27:35

CH159




Date: 29.MAR.2025 04:28:56

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.36	0.35	6.71	25.42	Complies
159	5795	6.54	0.35	6.89	25.42	Complies

CH151



Date: 29.MAR.2025 04:28:53


CH159




Date: 29.MAR.2025 04:29:43

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.98	0.35	6.33	25.42	Complies
159	5795	6.15	0.35	6.50	25.42	Complies



Date: 29.MAR.2025 04:22:58




Date: 29.MAR.2025 04:30:23

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	11.26	25.42	Complies
159	5795	11.38	25.42	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.70	0.68	3.38	25.42	Complies



Date: 29.MAR.2025 04:53:16

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.51	0.68	4.19	25.42	Complies



Date: 29.MAR.2025 04:46:48

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.24	0.68	3.92	25.42	Complies




Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	8.61	25.42	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.22	0.70	8.92	25.42	Complies
157	5785	8.18	0.70	8.88	25.42	Complies
165	5825	7.51	0.70	8.21	25.42	Complies



Date: 29_MAR.2025 03:06:28




Date: 29_MAR.2025 03:07:02




Date: 29_MAR.2025 03:11:03

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.46	0.70	9.16	25.42	Complies
157	5785	8.62	0.70	9.32	25.42	Complies
165	5825	7.99	0.70	8.69	25.42	Complies



Date: 29_MAR.2025 03:09:53






Date: 29_MAR.2025 03:07:43



Date: 29_MAR.2025 03:10:29

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.19	0.70	8.89	25.42	Complies
157	5785	8.49	0.70	9.19	25.42	Complies
165	5825	7.57	0.70	8.27	25.42	Complies




Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.76	25.42	Complies
157	5785	13.90	25.42	Complies
165	5825	13.17	25.42	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.86	0.79	6.65	25.42	Complies
159	5795	5.74	0.79	6.53	25.42	Complies

CH151



Date: 29.MAR.2025 03:49:44

CH159




Date: 29.MAR.2025 03:54:24

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.32	0.79	7.11	25.42	Complies
159	5795	6.49	0.79	7.28	25.42	Complies

CH151



Date: 29.MAR.2025 03:50:35


CH159



Date: 29.MAR.2025 03:53:44

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.88	0.79	6.67	25.42	Complies
159	5795	6.17	0.79	6.96	25.42	Complies




Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	11.59	25.42	Complies
159	5795	11.71	25.42	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.99	0.80	3.79	25.42	Complies



Date: 29.MAR.2025 04:56:32

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.43	0.80	4.23	25.42	Complies



Date: 29.MAR.2025 05:02:24

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.00	0.80	3.80	25.42	Complies



Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	8.72	25.42	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
132	5179.9800
120	5179.9950
108	5179.9800
Maximum Deviation (MHz)	0.0200
Maximum Deviation (ppm)	3.8634

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
0	5179.9799
10	5179.9550
20	5179.9800
30	5179.9702
40	5179.9902
Maximum Deviation (MHz)	0.0450
Maximum Deviation (ppm)	8.6873

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
132	5259.9950
120	5259.9800
108	5259.9750
Maximum Deviation (MHz)	0.0250
Maximum Deviation (ppm)	4.7505

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
0	5259.9950
10	5259.9950
20	5259.9750
30	5259.9799
40	5259.9950
Maximum Deviation (MHz)	0.0250
Maximum Deviation (ppm)	4.7505

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
132	5499.9800
120	5499.9800
108	5499.9950
Maximum Deviation (MHz)	0.0200
Maximum Deviation (ppm)	3.6386

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
00	5499.9548
10	5499.9750
20	5499.9800
30	5499.9800
40	5499.9799
Maximum Deviation (MHz)	0.0452
Maximum Deviation (ppm)	8.2159

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
132	5744.9950
120	5744.9550
108	5744.9600
Maximum Deviation (MHz)	0.0450
Maximum Deviation (ppm)	7.8329

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
0	5744.9750
10	5744.9548
20	5744.9599
30	5744.9751
40	5744.9750
Maximum Deviation (MHz)	0.0452
Maximum Deviation (ppm)	7.8677

End of Test Report