



|           |                                       |
|-----------|---------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ac(VHT160)_Ant. 1 |
|-----------|---------------------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 114     | 5570            | 154.03                | 154.400                       |

## CH114 26 dB Bandwidth



## 99 % Occupied Bandwidth




Date: 20-SEP-2024 12:03:15

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-2C_IEEE 802.11ax(HE20)_Ant. 1 |
|-----------|------------------------------------|


| Channel | Frequency<br>(MHz) | 26 dB Bandwidth<br>(MHz) | 99 % Occupied Bandwidth<br>(MHz) |
|---------|--------------------|--------------------------|----------------------------------|
| 100     | 5500               | 27.690                   | 19.300                           |
| 116     | 5580               | 22.300                   | 19.000                           |
| 140     | 5700               | 27.489                   | 19.200                           |

# CH100




Date: 20.SEP.2024 12:12:47

**CH116**  
26 dB Bandwidth




Date: 20.8BP.2024 12:14:00

CH140




Date: 20.SEP.2024 12:16:07


99 % Occupied Bandwidth



Date: 20.SEP.2024 12:12:21



Date: 20.8EP.2024 12:13:35




Date: 20.SEP.2024 12:15:45


|           |                                     |
|-----------|-------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ax(HE40)_Ant. 1 |
|-----------|-------------------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 102     | 5510            | 47.200                | 38.200                        |
| 110     | 5550            | 39.700                | 38.000                        |
| 134     | 5670            | 47.190                | 38.400                        |

CH102




Date: 20.SEP.2024 12:29:37

CH110  
26 dB Bandwidth



Date: 20.SEP.2024 12:31:43

CH134




Date: 20.SEP.2024 12:33:28


99 % Occupied Bandwidth



Date: 20.SEP.2024 12:29:01



Date: 20.SEP.2024 12:31:07




Date: 20.SEP.2024 12:32:51

|           |                                     |
|-----------|-------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ax(HE80)_Ant. 1 |
|-----------|-------------------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 106     | 5530            | 84.786                | 77.200                        |
| 122     | 5610            | 81.200                | 77.200                        |

CH106




Date: 20.SEP.2024 12:39:12

CH122  
26 dB Bandwidth




Date: 20.SEP.2024 12:40:37

99 % Occupied Bandwidth



Date: 20.SEP.2024 12:39:12




Date: 20.SEP.2024 12:40:02


|           |                                      |
|-----------|--------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ax(HE160)_Ant. 1 |
|-----------|--------------------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 114     | 5570            | 155.24                | 155.200                       |

## CH114 26 dB Bandwidth



## 99 % Occupied Bandwidth




Date: 20-SEP-2024 12:43:26


|           |                             |
|-----------|-----------------------------|
| Test Mode | UNII-3_ IEEE 802.11a_Ant. 1 |
|-----------|-----------------------------|

| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149     | 5745            | 16.350               | 20.500                        | 0.5                             | Complies |
| 157     | 5785            | 16.350               | 23.500                        | 0.5                             | Complies |
| 165     | 5825            | 16.350               | 23.200                        | 0.5                             | Complies |

CH149




Date: 2.SEP.2024 11:43:27

CH157  
6 dB Bandwidth



Date: 2.SEP.2024 11:44:35

CH165




Date: 2.SEP.2024 11:45:46


99 % Occupied Bandwidth



Date: 2.SEP.2024 11:43:00



Date: 2.SEP.2024 11:44:07




Date: 2.SEP.2024 11:45:19


|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-3_ IEEE 802.11n(HT20)_Ant. 1 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149     | 5745            | 17.550               | 21.600                        | 0.5                             | Complies |
| 157     | 5785            | 17.700               | 24.900                        | 0.5                             | Complies |
| 165     | 5825            | 17.599               | 24.600                        | 0.5                             | Complies |

CH149




Date: 2.8EP.2024 11:53:09

CH157  
6 dB Bandwidth



Date: 2.8EP.2024 11:54:23

CH165




Date: 2.8EP.2024 11:55:28


99 % Occupied Bandwidth



Date: 2.8EP.2024 11:53:42



Date: 2.8EP.2024 11:53:55




Date: 2.8EP.2024 11:55:01


|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-3_ IEEE 802.11n(HT40)_Ant. 1 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 151     | 5755            | 35.100               | 41.800                        | 0.5                             | Complies |
| 159     | 5795            | 33.900               | 44.600                        | 0.5                             | Complies |

CH151




Date: 2.SEP.2024 12:04:12


CH159  
6 dB Bandwidth


Date: 2.SEP.2024 12:06:23

99 % Occupied Bandwidth



Date: 2.SEP.2024 12:03:14




Date: 2.SEP.2024 12:05:39

|           |                                     |
|-----------|-------------------------------------|
| Test Mode | UNII-3_ IEEE 802.11ac(VHT80)_Ant. 1 |
|-----------|-------------------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 155     | 5775            | 71.590               | 99.600                        | 0.5                             | Complies |

**CH155**  
6 dB Bandwidth



Date: 2.SEP.2024 12:43:50

99 % Occupied Bandwidth




Date: 2.SEP.2024 12:43:07


|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-3_ IEEE 802.11ax(HE20)_Ant. 1 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149     | 5745            | 18.800               | 21.600                        | 0.5                             | Complies |
| 157     | 5785            | 18.599               | 22.000                        | 0.5                             | Complies |
| 165     | 5825            | 18.599               | 24.400                        | 0.5                             | Complies |

CH149




Date: 2.SEP.2024 12:54:26

CH157  
6 dB Bandwidth



Date: 2.SEP.2024 12:55:41

CH165




Date: 2.SEP.2024 12:58:12


99 % Occupied Bandwidth



Date: 2.SEP.2024 12:53:59



Date: 2.SEP.2024 12:55:14




Date: 2.SEP.2024 12:57:45

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-3_ IEEE 802.11ax(HE40)_Ant. 1 |
|-----------|------------------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 151     | 5755            | 35.400               | 41.600                        | 0.5                             | Complies |
| 159     | 5795            | 35.390               | 49.600                        | 0.5                             | Complies |

CH151




Date: 2.SEP.2024 13:09:20

**CH159**  
6 dB Bandwidth




Date: 2.SEP.2024 13:10:58

99 % Occupied Bandwidth



Date: 2.SEP.2024 13:08:37




Date: 2.SEP.2024 13:10:10

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-3_ IEEE 802.11ax(HE80)_Ant. 1 |
|-----------|------------------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 155     | 5775            | 74.792               | 93.600                        | 0.5                             | Complies |

## CH155 6 dB Bandwidth



Date: 2.8EP.2024 13:15:07

## 99 % Occupied Bandwidth



Date: 2.8EP.2024 13:14:25

## **APPENDIX E    MAXIMUM OUTPUT POWER**

|           |                             |
|-----------|-----------------------------|
| Test Mode | UNII-1_IIEEE 802.11a_Ant. 1 |
|-----------|-----------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 17.49              | 0.21        | 17.70                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 18.02              | 0.21        | 18.23                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 17.56              | 0.21        | 17.77                            | 30.00            | 1.0000         | Complies |

|           |                             |
|-----------|-----------------------------|
| Test Mode | UNII-1_IIEEE 802.11a_Ant. 2 |
|-----------|-----------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 17.64              | 0.21        | 17.85                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 17.87              | 0.21        | 18.08                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 17.53              | 0.21        | 17.74                            | 30.00            | 1.0000         | Complies |

|           |                             |
|-----------|-----------------------------|
| Test Mode | UNII-1_IIEEE 802.11a_Ant. 3 |
|-----------|-----------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 18.12              | 0.21        | 18.33                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 18.18              | 0.21        | 18.39                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 18.13              | 0.21        | 18.34                            | 30.00            | 1.0000         | Complies |

|           |                            |
|-----------|----------------------------|
| Test Mode | UNII-1_IIEEE 802.11a_Total |
|-----------|----------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 22.74              | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 23.01              | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 22.73              | 30.00            | 1.0000         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-1_IIEEE 802.11n(HT20)_Ant. 1 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 17.87              | 0.23        | 18.10                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 17.84              | 0.23        | 18.07                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 17.83              | 0.23        | 18.06                            | 30.00            | 1.0000         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-1_IIEEE 802.11n(HT20)_Ant. 2 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 17.85              | 0.23        | 18.08                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 17.86              | 0.23        | 18.09                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 17.84              | 0.23        | 18.07                            | 30.00            | 1.0000         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-1_IIEEE 802.11n(HT20)_Ant. 3 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 17.98              | 0.23        | 18.21                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 17.96              | 0.23        | 18.19                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 17.89              | 0.23        | 18.12                            | 30.00            | 1.0000         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-1_IIEEE 802.11n(HT20)_Total |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 22.90              | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 22.88              | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 22.85              | 30.00            | 1.0000         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-1_IIEEE 802.11n(HT40)_Ant. 1 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 18.81              | 0.38        | 19.19                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 17.88              | 0.38        | 18.26                            | 30.00            | 1.0000         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-1_IIEEE 802.11n(HT40)_Ant. 2 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 18.06              | 0.38        | 18.44                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 17.97              | 0.38        | 18.35                            | 30.00            | 1.0000         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-1_IIEEE 802.11n(HT40)_Ant. 3 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 18.21              | 0.38        | 18.59                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 18.01              | 0.38        | 18.39                            | 30.00            | 1.0000         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-1_IIEEE 802.11n(HT40)_Total |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38      | 5190            | 23.53              | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 23.11              | 30.00            | 1.0000         | Complies |

|           |                                     |
|-----------|-------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ac(VHT80)_Ant. 1 |
|-----------|-------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 13.96              | 0.73        | 14.69                            | 30.00            | 1.0000         | Complies |

|           |                                     |
|-----------|-------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ac(VHT80)_Ant. 2 |
|-----------|-------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 14.93              | 0.73        | 15.66                            | 30.00            | 1.0000         | Complies |

|           |                                     |
|-----------|-------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ac(VHT80)_Ant. 3 |
|-----------|-------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 15.01              | 0.73        | 15.74                            | 30.00            | 1.0000         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ac(VHT80)_Total |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 42      | 5210            | 20.16              | 30.00            | 1.0000         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ax(HE20)_Ant. 1 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 17.92              | 0.88        | 18.80                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 18.01              | 0.88        | 18.89                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 18.08              | 0.88        | 18.96                            | 30.00            | 1.0000         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ax(HE20)_Ant. 2 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 18.07              | 0.88        | 18.95                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 18.16              | 0.88        | 19.04                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 18.11              | 0.88        | 18.99                            | 30.00            | 1.0000         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ax(HE20)_Ant. 3 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 18.05              | 0.88        | 18.93                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 18.11              | 0.88        | 18.99                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 18.02              | 0.88        | 18.90                            | 30.00            | 1.0000         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ax(HE20)_Total |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 23.67              | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 23.75              | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 23.73              | 30.00            | 1.0000         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ax(HE40)_Ant. 1 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 18.19              | 0.77        | 18.96                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 17.76              | 0.77        | 18.53                            | 30.00            | 1.0000         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ax(HE40)_Ant. 2 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 18.24              | 0.77        | 19.01                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 17.85              | 0.77        | 18.62                            | 30.00            | 1.0000         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ax(HE40)_Ant. 3 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 18.37              | 0.77        | 19.14                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 18.04              | 0.77        | 18.81                            | 30.00            | 1.0000         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ax(HE40)_Total |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38      | 5190            | 23.81              | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 23.42              | 30.00            | 1.0000         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ax(HE80)_Ant. 1 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 16.59              | 1.06        | 17.65                            | 30.00            | 1.0000         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ax(HE80)_Ant. 2 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 16.67              | 1.06        | 17.73                            | 30.00            | 1.0000         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ax(HE80)_Ant. 3 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 16.65              | 1.06        | 17.71                            | 30.00            | 1.0000         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ax(HE80)_Total |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 42      | 5210            | 22.47              | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11a_ Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 14.97              | 0.21        | 15.18                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 14.57              | 0.21        | 14.78                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 14.64              | 0.21        | 14.85                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11a_ Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 14.32              | 0.21        | 14.53                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 14.31              | 0.21        | 14.52                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 14.35              | 0.21        | 14.56                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11a_ Ant. 3 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 14.26              | 0.21        | 14.47                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 14.03              | 0.21        | 14.24                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 14.07              | 0.21        | 14.28                            | 23.98            | 0.2500         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11a_ Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 19.51              | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 19.29              | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 19.34              | 23.98            | 0.2500         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11n(HT20)_Ant. 1 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 14.56              | 0.23        | 14.79                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 14.37              | 0.23        | 14.60                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 14.33              | 0.23        | 14.56                            | 23.98            | 0.2500         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11n(HT20)_Ant. 2 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 14.73              | 0.23        | 14.96                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 14.42              | 0.23        | 14.65                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 14.57              | 0.23        | 14.80                            | 23.98            | 0.2500         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11n(HT20)_Ant. 3 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 14.80              | 0.23        | 15.03                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 14.59              | 0.23        | 14.82                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 14.49              | 0.23        | 14.72                            | 23.98            | 0.2500         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11n(HT20)_Total |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 19.70              | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 19.46              | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 19.46              | 23.98            | 0.2500         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11n(HT40)_Ant. 1 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 14.39              | 0.38        | 14.77                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 14.23              | 0.38        | 14.61                            | 23.98            | 0.2500         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11n(HT40)_Ant. 2 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 14.52              | 0.38        | 14.90                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 14.82              | 0.38        | 15.20                            | 23.98            | 0.2500         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11n(HT40)_Ant. 3 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 14.35              | 0.38        | 14.73                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 14.71              | 0.38        | 15.09                            | 23.98            | 0.2500         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11n(HT40)_Total |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 54      | 5270            | 19.58              | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 19.75              | 23.98            | 0.2500         | Complies |

|           |                                      |
|-----------|--------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ac(VHT80)_Ant. 1 |
|-----------|--------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 14.22              | 0.73        | 14.95                            | 23.98            | 0.2500         | Complies |

|           |                                      |
|-----------|--------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ac(VHT80)_Ant. 2 |
|-----------|--------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 13.89              | 0.73        | 14.62                            | 23.98            | 0.2500         | Complies |

|           |                                      |
|-----------|--------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ac(VHT80)_Ant. 3 |
|-----------|--------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 14.26              | 0.73        | 14.99                            | 23.98            | 0.2500         | Complies |

|           |                                     |
|-----------|-------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ac(VHT80)_Total |
|-----------|-------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 58      | 5290            | 19.62              | 23.98            | 0.2500         | Complies |

|           |                                     |
|-----------|-------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ax(HE20)_Ant. 1 |
|-----------|-------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 14.19              | 0.88        | 15.07                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 14.18              | 0.88        | 15.06                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 14.24              | 0.88        | 15.12                            | 23.98            | 0.2500         | Complies |

|           |                                     |
|-----------|-------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ax(HE20)_Ant. 2 |
|-----------|-------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 14.08              | 0.88        | 14.96                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 14.03              | 0.88        | 14.91                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 13.97              | 0.88        | 14.85                            | 23.98            | 0.2500         | Complies |

|           |                                     |
|-----------|-------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ax(HE20)_Ant. 3 |
|-----------|-------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 14.22              | 0.88        | 15.10                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 14.07              | 0.88        | 14.95                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 14.13              | 0.88        | 15.01                            | 23.98            | 0.2500         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ax(HE20)_Total |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 19.82              | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 19.75              | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 19.77              | 23.98            | 0.2500         | Complies |

|           |                                      |
|-----------|--------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ax(HE40)_ Ant. 1 |
|-----------|--------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 14.02              | 0.77        | 14.79                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 14.19              | 0.77        | 14.96                            | 23.98            | 0.2500         | Complies |

|           |                                      |
|-----------|--------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ax(HE40)_ Ant. 2 |
|-----------|--------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 13.89              | 0.77        | 14.66                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 14.05              | 0.77        | 14.82                            | 23.98            | 0.2500         | Complies |

|           |                                      |
|-----------|--------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ax(HE40)_ Ant. 3 |
|-----------|--------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 14.28              | 0.77        | 15.05                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 14.48              | 0.77        | 15.25                            | 23.98            | 0.2500         | Complies |

|           |                                     |
|-----------|-------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ax(HE40)_ Total |
|-----------|-------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 54      | 5270            | 19.61              | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 19.78              | 23.98            | 0.2500         | Complies |

|           |                                     |
|-----------|-------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ax(HE80)_Ant. 1 |
|-----------|-------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 13.84              | 1.06        | 14.90                            | 23.98            | 0.2500         | Complies |

|           |                                     |
|-----------|-------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ax(HE80)_Ant. 2 |
|-----------|-------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 13.71              | 1.06        | 14.77                            | 23.98            | 0.2500         | Complies |

|           |                                     |
|-----------|-------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ax(HE80)_Ant. 3 |
|-----------|-------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 14.02              | 1.06        | 15.08                            | 23.98            | 0.2500         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ax(HE80)_Total |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 58      | 5290            | 19.69              | 23.98            | 0.2500         | Complies |

|           |                                              |
|-----------|----------------------------------------------|
| Test Mode | UNII-1+UNII-2A_ IEEE 802.11ac(VHT160)_Ant. 1 |
|-----------|----------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 50      | 5250            | 14.37              | 1.01        | 15.38                            | 23.98            | 0.2500         | Complies |

|           |                                              |
|-----------|----------------------------------------------|
| Test Mode | UNII-1+UNII-2A_ IEEE 802.11ac(VHT160)_Ant. 2 |
|-----------|----------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 50      | 5250            | 13.33              | 1.01        | 14.34                            | 23.98            | 0.2500         | Complies |

|           |                                              |
|-----------|----------------------------------------------|
| Test Mode | UNII-1+UNII-2A_ IEEE 802.11ac(VHT160)_Ant. 3 |
|-----------|----------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 50      | 5250            | 14.18              | 1.01        | 15.19                            | 23.98            | 0.2500         | Complies |

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-1+UNII-2A_ IEEE 802.11ac(VHT160)_Total |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 50      | 5250            | 19.77              | 23.98            | 0.2500         | Complies |

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-1+UNII-2A_ IEEE 802.11ax(HE160)_Ant. 1 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 50      | 5250            | 14.47              | 0.26        | 14.73                            | 23.98            | 0.2500         | Complies |

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-1+UNII-2A_ IEEE 802.11ax(HE160)_Ant. 2 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 50      | 5250            | 14.53              | 0.26        | 14.79                            | 23.98            | 0.2500         | Complies |

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-1+UNII-2A_ IEEE 802.11ax(HE160)_Ant. 3 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 50      | 5250            | 14.44              | 0.26        | 14.70                            | 23.98            | 0.2500         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-1+UNII-2A_ IEEE 802.11ax(HE160)_Total |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 50      | 5250            | 19.51              | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11a_ Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 14.63              | 0.21        | 14.84                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 14.76              | 0.21        | 14.97                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 14.68              | 0.21        | 14.89                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11a_ Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 14.42              | 0.21        | 14.63                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 14.68              | 0.21        | 14.89                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 14.03              | 0.21        | 14.24                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11a_ Ant. 3 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 14.18              | 0.21        | 14.39                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 13.89              | 0.21        | 14.10                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 14.48              | 0.21        | 14.69                            | 23.98            | 0.2500         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11a_ Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 19.40              | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 19.44              | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 19.39              | 23.98            | 0.2500         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11n(HT20)_Ant. 1 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 14.73              | 0.23        | 14.96                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 14.97              | 0.23        | 15.20                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 14.74              | 0.23        | 14.97                            | 23.98            | 0.2500         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11n(HT20)_Ant. 2 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 14.68              | 0.23        | 14.91                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 14.52              | 0.23        | 14.75                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 13.81              | 0.23        | 14.04                            | 23.98            | 0.2500         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11n(HT20)_Ant. 3 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 14.60              | 0.23        | 14.83                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 13.82              | 0.23        | 14.05                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 14.43              | 0.23        | 14.66                            | 23.98            | 0.2500         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11n(HT20)_Total |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 19.67              | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 19.46              | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 19.34              | 23.98            | 0.2500         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11n(HT40)_Ant. 1 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 14.26              | 0.38        | 14.64                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 14.38              | 0.38        | 14.76                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 14.82              | 0.38        | 15.20                            | 23.98            | 0.2500         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11n(HT40)_Ant. 2 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 14.18              | 0.38        | 14.56                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 14.35              | 0.38        | 14.73                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 14.02              | 0.38        | 14.40                            | 23.98            | 0.2500         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11n(HT40)_Ant. 3 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 14.32              | 0.38        | 14.70                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 14.27              | 0.38        | 14.65                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 14.66              | 0.38        | 15.04                            | 23.98            | 0.2500         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11n(HT40)_Total |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 102     | 5510            | 19.41              | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 19.49              | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 19.67              | 23.98            | 0.2500         | Complies |

|           |                                      |
|-----------|--------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ac(VHT80)_Ant. 1 |
|-----------|--------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 14.31              | 0.73        | 15.04                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 14.29              | 0.73        | 15.02                            | 23.98            | 0.2500         | Complies |

|           |                                      |
|-----------|--------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ac(VHT80)_Ant. 2 |
|-----------|--------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 13.91              | 0.73        | 14.64                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 13.89              | 0.73        | 14.62                            | 23.98            | 0.2500         | Complies |

|           |                                      |
|-----------|--------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ac(VHT80)_Ant. 3 |
|-----------|--------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 14.42              | 0.73        | 15.15                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 14.11              | 0.73        | 14.84                            | 23.98            | 0.2500         | Complies |

|           |                                     |
|-----------|-------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ac(VHT80)_Total |
|-----------|-------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 106     | 5530            | 19.72              | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 19.60              | 23.98            | 0.2500         | Complies |

|           |                                       |
|-----------|---------------------------------------|
| Test Mode | UNII-2C_IIEEE 802.11ac(VHT160)_Ant. 1 |
|-----------|---------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 114     | 5570            | 12.79              | 1.01        | 13.80                            | 23.98            | 0.2500         | Complies |

|           |                                       |
|-----------|---------------------------------------|
| Test Mode | UNII-2C_IIEEE 802.11ac(VHT160)_Ant. 2 |
|-----------|---------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 114     | 5570            | 13.07              | 1.01        | 14.08                            | 23.98            | 0.2500         | Complies |

|           |                                       |
|-----------|---------------------------------------|
| Test Mode | UNII-2C_IIEEE 802.11ac(VHT160)_Ant. 3 |
|-----------|---------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 114     | 5570            | 12.97              | 1.01        | 13.98                            | 23.98            | 0.2500         | Complies |

|           |                                      |
|-----------|--------------------------------------|
| Test Mode | UNII-2C_IIEEE 802.11ac(VHT160)_Total |
|-----------|--------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 114     | 5570            | 18.73              | 23.98            | 0.2500         | Complies |

|           |                                      |
|-----------|--------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ax(HE20)_ Ant. 1 |
|-----------|--------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 13.99              | 0.88        | 14.87                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 14.67              | 0.88        | 15.55                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 14.32              | 0.88        | 15.20                            | 23.98            | 0.2500         | Complies |

|           |                                      |
|-----------|--------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ax(HE20)_ Ant. 2 |
|-----------|--------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 13.88              | 0.88        | 14.76                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 13.91              | 0.88        | 14.79                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 13.56              | 0.88        | 14.44                            | 23.98            | 0.2500         | Complies |

|           |                                      |
|-----------|--------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ax(HE20)_ Ant. 3 |
|-----------|--------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 14.06              | 0.88        | 14.94                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 13.65              | 0.88        | 14.53                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 14.08              | 0.88        | 14.96                            | 23.98            | 0.2500         | Complies |

|           |                                     |
|-----------|-------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ax(HE20)_ Total |
|-----------|-------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 19.63              | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 19.75              | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 19.65              | 23.98            | 0.2500         | Complies |

|           |                                      |
|-----------|--------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ax(HE40)_ Ant. 1 |
|-----------|--------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 14.67              | 0.77        | 15.44                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 14.26              | 0.77        | 15.03                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 14.69              | 0.77        | 15.46                            | 23.98            | 0.2500         | Complies |

|           |                                      |
|-----------|--------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ax(HE40)_ Ant. 2 |
|-----------|--------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 14.02              | 0.77        | 14.79                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 13.67              | 0.77        | 14.44                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 13.19              | 0.77        | 13.96                            | 23.98            | 0.2500         | Complies |

|           |                                      |
|-----------|--------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ax(HE40)_ Ant. 3 |
|-----------|--------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 13.63              | 0.77        | 14.40                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 14.29              | 0.77        | 15.06                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 14.45              | 0.77        | 15.22                            | 23.98            | 0.2500         | Complies |

|           |                                     |
|-----------|-------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ax(HE40)_ Total |
|-----------|-------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 102     | 5510            | 19.67              | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 19.62              | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 19.70              | 23.98            | 0.2500         | Complies |

|           |                                     |
|-----------|-------------------------------------|
| Test Mode | UNII-2C_IIEEE 802.11ax(HE80)_Ant. 1 |
|-----------|-------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 14.23              | 1.06        | 15.29                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 14.51              | 1.06        | 15.57                            | 23.98            | 0.2500         | Complies |

|           |                                     |
|-----------|-------------------------------------|
| Test Mode | UNII-2C_IIEEE 802.11ax(HE80)_Ant. 2 |
|-----------|-------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 13.62              | 1.06        | 14.68                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 13.37              | 1.06        | 14.43                            | 23.98            | 0.2500         | Complies |

|           |                                     |
|-----------|-------------------------------------|
| Test Mode | UNII-2C_IIEEE 802.11ax(HE80)_Ant. 3 |
|-----------|-------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 13.97              | 1.06        | 15.03                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 13.29              | 1.06        | 14.35                            | 23.98            | 0.2500         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-2C_IIEEE 802.11ax(HE80)_Total |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 106     | 5530            | 19.78              | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 19.59              | 23.98            | 0.2500         | Complies |

|           |                                      |
|-----------|--------------------------------------|
| Test Mode | UNII-2C_IIEEE 802.11ax(HE160)_Ant. 1 |
|-----------|--------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 114     | 5570            | 14.95              | 0.26        | 15.21                            | 23.98            | 0.2500         | Complies |

|           |                                      |
|-----------|--------------------------------------|
| Test Mode | UNII-2C_IIEEE 802.11ax(HE160)_Ant. 2 |
|-----------|--------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 114     | 5570            | 14.68              | 0.26        | 14.94                            | 23.98            | 0.2500         | Complies |

|           |                                      |
|-----------|--------------------------------------|
| Test Mode | UNII-2C_IIEEE 802.11ax(HE160)_Ant. 3 |
|-----------|--------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 114     | 5570            | 14.60              | 0.26        | 14.86                            | 23.98            | 0.2500         | Complies |

|           |                                     |
|-----------|-------------------------------------|
| Test Mode | UNII-2C_IIEEE 802.11ax(HE160)_Total |
|-----------|-------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 114     | 5570            | 19.78              | 23.98            | 0.2500         | Complies |

|           |                             |
|-----------|-----------------------------|
| Test Mode | UNII-3_IIEEE 802.11a_Ant. 1 |
|-----------|-----------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 20.51              | 0.21        | 20.72                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 20.76              | 0.21        | 20.97                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 20.54              | 0.21        | 20.75                            | 30.00            | 1.0000         | Complies |

|           |                             |
|-----------|-----------------------------|
| Test Mode | UNII-3_IIEEE 802.11a_Ant. 2 |
|-----------|-----------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 20.07              | 0.21        | 20.28                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 20.35              | 0.21        | 20.56                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 20.15              | 0.21        | 20.36                            | 30.00            | 1.0000         | Complies |

|           |                             |
|-----------|-----------------------------|
| Test Mode | UNII-3_IIEEE 802.11a_Ant. 3 |
|-----------|-----------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 20.75              | 0.21        | 20.96                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 21.20              | 0.21        | 21.41                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 20.63              | 0.21        | 20.84                            | 30.00            | 1.0000         | Complies |

|           |                            |
|-----------|----------------------------|
| Test Mode | UNII-3_IIEEE 802.11a_Total |
|-----------|----------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 25.44              | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 25.77              | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 25.43              | 30.00            | 1.0000         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-3_IIEEE 802.11n(HT20)_Ant. 1 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 20.45              | 0.23        | 20.68                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 20.68              | 0.23        | 20.91                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 20.46              | 0.23        | 20.69                            | 30.00            | 1.0000         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-3_IIEEE 802.11n(HT20)_Ant. 2 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 20.24              | 0.23        | 20.47                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 20.67              | 0.23        | 20.90                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 20.13              | 0.23        | 20.36                            | 30.00            | 1.0000         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-3_IIEEE 802.11n(HT20)_Ant. 3 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 20.81              | 0.23        | 21.04                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 21.09              | 0.23        | 21.32                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 20.62              | 0.23        | 20.85                            | 30.00            | 1.0000         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-3_IIEEE 802.11n(HT20)_Total |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 25.50              | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 25.82              | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 25.41              | 30.00            | 1.0000         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-3_IIEEE 802.11n(HT40)_Ant. 1 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 20.41              | 0.38        | 20.79                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 20.33              | 0.38        | 20.71                            | 30.00            | 1.0000         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-3_IIEEE 802.11n(HT40)_Ant. 2 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 20.35              | 0.38        | 20.73                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 20.27              | 0.38        | 20.65                            | 30.00            | 1.0000         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-3_IIEEE 802.11n(HT40)_Ant. 3 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 20.85              | 0.38        | 21.23                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 20.77              | 0.38        | 21.15                            | 30.00            | 1.0000         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-3_IIEEE 802.11n(HT40)_Total |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151     | 5755            | 25.70              | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 25.62              | 30.00            | 1.0000         | Complies |

|           |                                     |
|-----------|-------------------------------------|
| Test Mode | UNII-3_IIEEE 802.11ac(VHT80)_Ant. 1 |
|-----------|-------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 19.98              | 0.73        | 20.71                            | 30.00            | 1.0000         | Complies |

|           |                                     |
|-----------|-------------------------------------|
| Test Mode | UNII-3_IIEEE 802.11ac(VHT80)_Ant. 2 |
|-----------|-------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 19.87              | 0.73        | 20.60                            | 30.00            | 1.0000         | Complies |

|           |                                     |
|-----------|-------------------------------------|
| Test Mode | UNII-3_IIEEE 802.11ac(VHT80)_Ant. 3 |
|-----------|-------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 20.42              | 0.73        | 21.15                            | 30.00            | 1.0000         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-3_IIEEE 802.11ac(VHT80)_Total |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 155     | 5775            | 25.59              | 30.00            | 1.0000         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-3_IIEEE 802.11ax(HE20)_Ant. 1 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 19.87              | 0.88        | 20.75                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 19.95              | 0.88        | 20.83                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 19.93              | 0.88        | 20.81                            | 30.00            | 1.0000         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-3_IIEEE 802.11ax(HE20)_Ant. 2 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 19.53              | 0.88        | 20.41                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 19.76              | 0.88        | 20.64                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 19.46              | 0.88        | 20.34                            | 30.00            | 1.0000         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-3_IIEEE 802.11ax(HE20)_Ant. 3 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 20.01              | 0.88        | 20.89                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 20.09              | 0.88        | 20.97                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 19.85              | 0.88        | 20.73                            | 30.00            | 1.0000         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-3_IIEEE 802.11ax(HE20)_Total |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 25.46              | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 25.59              | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 25.41              | 30.00            | 1.0000         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-3_IIEEE 802.11ax(HE40)_Ant. 1 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 20.23              | 0.77        | 21.00                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 20.04              | 0.77        | 20.81                            | 30.00            | 1.0000         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-3_IIEEE 802.11ax(HE40)_Ant. 2 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 20.12              | 0.77        | 20.89                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 20.07              | 0.77        | 20.84                            | 30.00            | 1.0000         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-3_IIEEE 802.11ax(HE40)_Ant. 3 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 20.31              | 0.77        | 21.08                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 20.22              | 0.77        | 20.99                            | 30.00            | 1.0000         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-3_IIEEE 802.11ax(HE40)_Total |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151     | 5755            | 25.76              | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 25.65              | 30.00            | 1.0000         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-3_IIEEE 802.11ax(HE80)_Ant. 1 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 20.01              | 1.06        | 21.07                            | 30.00            | 1.0000         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-3_IIEEE 802.11ax(HE80)_Ant. 2 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 19.97              | 1.06        | 21.03                            | 30.00            | 1.0000         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-3_IIEEE 802.11ax(HE80)_Ant. 3 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 19.97              | 1.06        | 21.03                            | 30.00            | 1.0000         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-3_IIEEE 802.11ax(HE80)_Total |
|-----------|-----------------------------------|


| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 155     | 5775            | 25.81              | 30.00            | 1.0000         | Complies |

Note: Output power = Measure result + Cable loss

## **APPENDIX F    POWER SPECTRAL DENSITY**


Test Mode UNII-1\_ IEEE 802.11a\_Ant. 1

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 3.01                             | 0.21        | 3.22                                           | 12.82                | Complies |
| 40      | 5200            | 2.39                             | 0.21        | 2.60                                           | 12.82                | Complies |
| 48      | 5240            | 3.15                             | 0.21        | 3.36                                           | 12.82                | Complies |




Test Mode UNII-1\_ IEEE 802.11a\_Ant. 2

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 4.00                             | 0.21        | 4.21                                           | 12.82                | Complies |
| 40      | 5200            | 3.31                             | 0.21        | 3.52                                           | 12.82                | Complies |
| 48      | 5240            | 3.74                             | 0.21        | 3.95                                           | 12.82                | Complies |



|           |                            |
|-----------|----------------------------|
| Test Mode | UNII-1_IEEE 802.11a_Ant. 3 |
|-----------|----------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 2.74                             | 0.21        | 2.95                                           | 12.82                | Complies |
| 40      | 5200            | -0.35                            | 0.21        | -0.14                                          | 12.82                | Complies |
| 48      | 5240            | 2.77                             | 0.21        | 2.98                                           | 12.82                | Complies |




|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-1_IEEE 802.11a_Total |
|-----------|---------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36      | 5180            | 8.27                             | 12.82                | Complies |
| 40      | 5200            | 7.02                             | 12.82                | Complies |
| 48      | 5240            | 8.22                             | 12.82                | Complies |


|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-1_IIEEE 802.11n(HT20)_Ant. 1 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 2.58                             | 0.23        | 2.81                                           | 12.82                | Complies |
| 40      | 5200            | 1.09                             | 0.23        | 1.32                                           | 12.82                | Complies |
| 48      | 5240            | 2.74                             | 0.23        | 2.97                                           | 12.82                | Complies |




|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-1_IIEEE 802.11n(HT20)_Ant. 2 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 4.12                             | 0.23        | 4.35                                           | 12.82                | Complies |
| 40      | 5200            | 3.93                             | 0.23        | 4.16                                           | 12.82                | Complies |
| 48      | 5240            | 3.62                             | 0.23        | 3.85                                           | 12.82                | Complies |



|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-1_ IEEE 802.11n(HT20)_Ant. 3 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 3.93                             | 0.23        | 4.16                                           | 12.82                | Complies |
| 40      | 5200            | 3.94                             | 0.23        | 4.17                                           | 12.82                | Complies |
| 48      | 5240            | 3.26                             | 0.23        | 3.49                                           | 12.82                | Complies |




|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-1_ IEEE 802.11n(HT20)_Total |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36      | 5180            | 8.59                             | 12.82                | Complies |
| 40      | 5200            | 8.17                             | 12.82                | Complies |
| 48      | 5240            | 8.22                             | 12.82                | Complies |


|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-1_ IEEE 802.11n(HT40)_Ant. 1 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 1.38                             | 0.38        | 1.76                                           | 12.82                | Complies |
| 46      | 5230            | 0.60                             | 0.38        | 0.98                                           | 12.82                | Complies |




|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-1_ IEEE 802.11n(HT40)_Ant. 2 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 2.62                             | 0.38        | 3.00                                           | 12.82                | Complies |
| 46      | 5230            | 1.48                             | 0.38        | 1.86                                           | 12.82                | Complies |



|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-1_IIEEE 802.11n(HT40)_Ant. 3 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 2.76                             | 0.38        | 3.14                                           | 12.82                | Complies |
| 46      | 5230            | 1.60                             | 0.38        | 1.98                                           | 12.82                | Complies |




|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-1_IIEEE 802.11n(HT40)_Total |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 38      | 5190            | 7.45                             | 12.82                | Complies |
| 46      | 5230            | 6.40                             | 12.82                | Complies |


|           |                                     |
|-----------|-------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ac(VHT80)_Ant. 1 |
|-----------|-------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -2.45                            | 0.73        | -1.72                                          | 12.82                | Complies |




|           |                                     |
|-----------|-------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ac(VHT80)_Ant. 2 |
|-----------|-------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -1.85                            | 0.73        | -1.12                                          | 12.82                | Complies |



|           |                                     |
|-----------|-------------------------------------|
| Test Mode | UNII-1_ IEEE 802.11ac(VHT80)_Ant. 3 |
|-----------|-------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -1.91                            | 0.73        | -1.18                                          | 12.82                | Complies |




|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-1_ IEEE 802.11ac(VHT80)_Total |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 42      | 5210            | 3.43                             | 12.82                | Complies |


|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ax(HE20)_Ant. 1 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 2.90                             | 0.88        | 3.78                                           | 12.82                | Complies |
| 40      | 5200            | 2.33                             | 0.88        | 3.21                                           | 12.82                | Complies |
| 48      | 5240            | 3.08                             | 0.88        | 3.96                                           | 12.82                | Complies |




|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ax(HE20)_Ant. 2 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 3.77                             | 0.88        | 4.65                                           | 12.82                | Complies |
| 40      | 5200            | 3.33                             | 0.88        | 4.21                                           | 12.82                | Complies |
| 48      | 5240            | 3.12                             | 0.88        | 4.00                                           | 12.82                | Complies |



|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-1_ IEEE 802.11ax(HE20)_Ant. 3 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 3.77                             | 0.88        | 4.65                                           | 12.82                | Complies |
| 40      | 5200            | 4.04                             | 0.88        | 4.92                                           | 12.82                | Complies |
| 48      | 5240            | 3.00                             | 0.88        | 3.88                                           | 12.82                | Complies |




|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-1_ IEEE 802.11ax(HE20)_Total |
|-----------|-----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36      | 5180            | 9.15                             | 12.82                | Complies |
| 40      | 5200            | 8.94                             | 12.82                | Complies |
| 48      | 5240            | 8.72                             | 12.82                | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-1_ IEEE 802.11ax(HE40)_Ant. 1 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 1.88                             | 0.77        | 2.65                                           | 12.82                | Complies |
| 46      | 5230            | 0.86                             | 0.77        | 1.63                                           | 12.82                | Complies |




Date: 2.SEP.2024 15:02:30




Date: 2.SEP.2024 15:03:13

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-1_ IEEE 802.11ax(HE40)_Ant. 2 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 1.67                             | 0.77        | 2.44                                           | 12.82                | Complies |
| 46      | 5230            | 0.72                             | 0.77        | 1.49                                           | 12.82                | Complies |




Date: 2.SEP.2024 16:20:40



Date: 2.SEP.2024 16:20:23

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-1_ IEEE 802.11ax(HE40)_Ant. 3 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 1.51                             | 0.77        | 2.28                                           | 12.82                | Complies |
| 46      | 5230            | 1.32                             | 0.77        | 2.09                                           | 12.82                | Complies |




|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-1_ IEEE 802.11ax(HE40)_Total |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 38      | 5190            | 7.23                             | 12.82                | Complies |
| 46      | 5230            | 6.51                             | 12.82                | Complies |


|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ax(HE80)_Ant. 1 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -1.69                            | 1.06        | -0.63                                          | 12.82                | Complies |




|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ax(HE80)_Ant. 2 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -3.36                            | 1.06        | -2.30                                          | 12.82                | Complies |



|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ax(HE80)_Ant. 3 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -1.59                            | 1.06        | -0.53                                          | 12.82                | Complies |




|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ax(HE80)_Total |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 42      | 5210            | 3.69                             | 12.82                | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11a_Ant. 1 |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 0.07                             | 0.21        | 0.28                                           | 6.82                 | Complies |
| 60      | 5300            | -0.92                            | 0.21        | -0.71                                          | 6.82                 | Complies |
| 64      | 5320            | -1.27                            | 0.21        | -1.06                                          | 6.82                 | Complies |



|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11a_Ant. 2 |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 0.25                             | 0.21        | 0.46                                           | 6.82                 | Complies |
| 60      | 5300            | -0.02                            | 0.21        | 0.19                                           | 6.82                 | Complies |
| 64      | 5320            | 0.27                             | 0.21        | 0.48                                           | 6.82                 | Complies |

