


Test Mode	UNII-2A_ IEEE 802.11a_ Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.45	0.21	0.66	6.82	Complies
60	5300	-0.58	0.21	-0.37	6.82	Complies
64	5320	-0.32	0.21	-0.11	6.82	Complies




Test Mode	UNII-2A_ IEEE 802.11a_ Total
-----------	------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.24	6.82	Complies
60	5300	4.49	6.82	Complies
64	5320	4.59	6.82	Complies


Test Mode	UNII-2A_ IEEE 802.11n(HT20)_Ant. 1
-----------	------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.30	0.23	0.53	6.82	Complies
60	5300	-0.02	0.23	0.21	6.82	Complies
64	5320	-0.52	0.23	-0.29	6.82	Complies




Test Mode	UNII-2A_ IEEE 802.11n(HT20)_Ant. 2
-----------	------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.73	0.23	0.96	6.82	Complies
60	5300	0.89	0.23	1.12	6.82	Complies
64	5320	0.61	0.23	0.84	6.82	Complies



Test Mode	UNII-2A_ IEEE 802.11n(HT20)_Ant. 3
-----------	------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.44	0.23	0.67	6.82	Complies
60	5300	0.32	0.23	0.55	6.82	Complies
64	5320	-1.12	0.23	-0.89	6.82	Complies




Test Mode	UNII-2A_ IEEE 802.11n(HT20)_Total
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.49	6.82	Complies
60	5300	5.41	6.82	Complies
64	5320	4.71	6.82	Complies

Test Mode	UNII-2A_ IEEE 802.11n(HT40)_Ant. 1
-----------	------------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-1.50	0.38	-1.12	6.82	Complies
62	5310	-1.67	0.38	-1.29	6.82	Complies

CH54



Date: 20.SEP.2024 12:19:10

CH62




Date: 20.SEP.2024 13:00:21

Test Mode	UNII-2A_ IEEE 802.11n(HT40)_Ant. 2
-----------	------------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-2.57	0.38	-2.19	6.82	Complies
62	5310	-2.31	0.38	-1.93	6.82	Complies

CH54



Date: 20.SEP.2024 15:23:21


CH62



Date: 20.SEP.2024 15:24:02

Test Mode	UNII-2A_IEEE 802.11n(HT40)_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-1.62	0.38	-1.24	6.82	Complies
62	5310	-1.43	0.38	-1.05	6.82	Complies




Test Mode	UNII-2A_IEEE 802.11n(HT40)_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.28	6.82	Complies
62	5310	3.37	6.82	Complies


Test Mode	UNII-2A_ IEEE 802.11ac(VHT80)_Ant. 1
-----------	--------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-4.78	0.73	-4.05	6.82	Complies




Test Mode	UNII-2A_ IEEE 802.11ac(VHT80)_Ant. 2
-----------	--------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-4.91	0.73	-4.18	6.82	Complies



Test Mode	UNII-2A_ IEEE 802.11ac(VHT80)_Ant. 3
-----------	--------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-4.49	0.73	-3.76	6.82	Complies




Test Mode	UNII-2A_ IEEE 802.11ac(VHT80)_Total
-----------	-------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.77	6.82	Complies

Test Mode UNII-2A_ IEEE 802.11ax(HE20)_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.40	0.88	0.48	6.82	Complies
60	5300	-0.51	0.88	0.37	6.82	Complies
64	5320	-0.69	0.88	0.19	6.82	Complies

CH52




Date: 20.SEP.2024 14:40:49

CH60



Date: 20.SEP.2024 14:41:30

CH64




Date: 20.SEP.2024 14:42:10

Test Mode UNII-2A_ IEEE 802.11ax(HE20)_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.50	0.88	1.38	6.82	Complies
60	5300	-0.28	0.88	0.60	6.82	Complies
64	5320	-0.55	0.88	0.33	6.82	Complies

CH52




Date: 20.SEP.2024 15:44:29

CH60



Date: 20.SEP.2024 15:45:11


CH64



Date: 20.SEP.2024 15:45:14

Test Mode	UNII-2A_ IEEE 802.11ax(HE20)_Ant. 3
-----------	-------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.54	0.88	1.42	6.82	Complies
60	5300	-0.15	0.88	0.73	6.82	Complies
64	5320	-0.76	0.88	0.12	6.82	Complies




Test Mode	UNII-2A_ IEEE 802.11ax(HE20)_Total
-----------	------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.89	6.82	Complies
60	5300	5.34	6.82	Complies
64	5320	4.99	6.82	Complies

Test Mode	UNII-2A_ IEEE 802.11ax(HE40)_Ant. 1
-----------	-------------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-2.38	0.77	-1.61	6.82	Complies
62	5310	-2.07	0.77	-1.30	6.82	Complies

CH54



Date: 20.SEP.2024 14:45:52

CH62




Date: 20.SEP.2024 14:46:25

Test Mode	UNII-2A_ IEEE 802.11ax(HE40)_Ant. 2
-----------	-------------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-2.47	0.77	-1.70	6.82	Complies
62	5310	-1.69	0.77	-0.92	6.82	Complies

CH54



Date: 20.SEP.2024 15:50:09


CH62




Date: 20.SEP.2024 15:51:15

Test Mode	UNII-2A_ IEEE 802.11ax(HE40)_Ant. 3
-----------	-------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-2.17	0.77	-1.40	6.82	Complies
62	5310	-1.39	0.77	-0.62	6.82	Complies



Date: 20 SEP. 2024 12:26:17




Date: 20 SEP. 2024 12:27:44

Test Mode	UNII-2A_ IEEE 802.11ax(HE40)_Total
-----------	------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.20	6.82	Complies
62	5310	3.83	6.82	Complies


Test Mode	UNII-2A_ IEEE 802.11ax(HE80)_Ant. 1
-----------	-------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-6.45	1.06	-5.39	6.82	Complies




Test Mode	UNII-2A_ IEEE 802.11ax(HE80)_Ant. 2
-----------	-------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-5.87	1.06	-4.81	6.82	Complies



Test Mode	UNII-2A_ IEEE 802.11ax(HE80)_Ant. 3
-----------	-------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-6.31	1.06	-5.25	6.82	Complies




Test Mode	UNII-2A_ IEEE 802.11ax(HE80)_Total
-----------	------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.37	6.82	Complies


Test Mode	UNII-1+UNII-2A_ IEEE 802.11ac(VHT160)_Ant. 1
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-5.71	1.01	-4.70	6.82	Complies




Test Mode	UNII-1+UNII-2A_ IEEE 802.11ac(VHT160)_Ant. 2
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-4.57	1.01	-3.56	6.82	Complies



Test Mode	UNII-1+UNII-2A_ IEEE 802.11ac(VHT160)_Ant. 3
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-3.38	1.01	-2.37	6.82	Complies




Test Mode	UNII-1+UNII-2A_ IEEE 802.11ac(VHT160)_Total
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	1.34	6.82	Complies


Test Mode	UNII-1+UNII-2A_ IEEE 802.11ax(HE160)_Ant. 1
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-5.03	0.26	-4.77	6.82	Complies




Test Mode	UNII-1+UNII-2A_ IEEE 802.11ax(HE160)_Ant. 2
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-6.06	0.26	-5.80	6.82	Complies



Test Mode	UNII-1+UNII-2A_ IEEE 802.11ax(HE160)_Ant. 3
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-4.77	0.26	-4.51	6.82	Complies




Test Mode	UNII-1+UNII-2A_ IEEE 802.11ax(HE160)_Total
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-0.22	6.82	Complies


Test Mode	UNII-2C_ IEEE 802.11a_ Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.11	0.21	0.10	6.82	Complies
116	5580	1.86	0.21	2.07	6.82	Complies
140	5700	2.32	0.21	2.53	6.82	Complies




Test Mode	UNII-2C_ IEEE 802.11a_ Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.37	0.21	1.58	6.82	Complies
116	5580	1.84	0.21	2.05	6.82	Complies
140	5700	0.80	0.21	1.01	6.82	Complies



Test Mode	UNII-2C_ IEEE 802.11a_ Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.47	0.21	0.68	6.82	Complies
116	5580	1.48	0.21	1.69	6.82	Complies
140	5700	0.24	0.21	0.45	6.82	Complies




Test Mode	UNII-2C_ IEEE 802.11a_ Total
-----------	------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.60	6.82	Complies
116	5580	6.71	6.82	Complies
140	5700	6.19	6.82	Complies


Test Mode	UNII-2C_ IEEE 802.11n(HT20)_Ant. 1
-----------	------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-2.98	0.23	-2.75	6.82	Complies
116	5580	2.45	0.23	2.68	6.82	Complies
140	5700	-0.56	0.23	-0.33	6.82	Complies




Test Mode	UNII-2C_ IEEE 802.11n(HT20)_Ant. 2
-----------	------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.45	0.23	1.68	6.82	Complies
116	5580	1.91	0.23	2.14	6.82	Complies
140	5700	1.04	0.23	1.27	6.82	Complies



Test Mode	UNII-2C_ IEEE 802.11n(HT20)_Ant. 3
-----------	------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.17	0.23	0.40	6.82	Complies
116	5580	0.80	0.23	1.03	6.82	Complies
140	5700	-0.40	0.23	-0.17	6.82	Complies




Test Mode	UNII-2C_ IEEE 802.11n(HT20)_Total
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.91	6.82	Complies
116	5580	6.77	6.82	Complies
140	5700	5.09	6.82	Complies


Test Mode	UNII-2C_ IEEE 802.11n(HT40)_Ant. 1
-----------	------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-1.46	0.38	-1.08	6.82	Complies
110	5550	-1.29	0.38	-0.91	6.82	Complies
134	5670	-1.27	0.38	-0.89	6.82	Complies




Test Mode	UNII-2C_ IEEE 802.11n(HT40)_Ant. 2
-----------	------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-1.18	0.38	-0.80	6.82	Complies
110	5550	-1.17	0.38	-0.79	6.82	Complies
134	5670	-1.30	0.38	-0.92	6.82	Complies



Test Mode	UNII-2C_ IEEE 802.11n(HT40)_Ant. 3
-----------	------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-1.06	0.38	-0.68	6.82	Complies
110	5550	-0.29	0.38	0.09	6.82	Complies
134	5670	-1.65	0.38	-1.27	6.82	Complies




Test Mode	UNII-2C_ IEEE 802.11n(HT40)_Total
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.92	6.82	Complies
110	5550	4.26	6.82	Complies
134	5670	3.75	6.82	Complies

Test Mode	UNII-2C_ IEEE 802.11ac(VHT80)_Ant. 1
-----------	--------------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-3.90	0.73	-3.17	6.82	Complies
122	5610	-3.19	0.73	-2.46	6.82	Complies

CH106



Date: 20.SEP.2024 14:35:23

CH122




Date: 20.SEP.2024 14:36:06

Test Mode	UNII-2C_ IEEE 802.11ac(VHT80)_Ant. 2
-----------	--------------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-3.84	0.73	-3.11	6.82	Complies
122	5610	-3.33	0.73	-2.60	6.82	Complies

CH106



Date: 20.SEP.2024 15:39:35


CH122



Date: 20.SEP.2024 15:40:42

Test Mode	UNII-2C_ IEEE 802.11ac(VHT80)_Ant. 3
-----------	--------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-3.78	0.73	-3.05	6.82	Complies
122	5610	-4.21	0.73	-3.48	6.82	Complies




Test Mode	UNII-2C_ IEEE 802.11ac(VHT80)_Total
-----------	-------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.66	6.82	Complies
122	5610	1.94	6.82	Complies


Test Mode	UNII-2C_ IEEE 802.11ac(VHT160)_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-5.65	1.01	-4.64	6.82	Complies




Test Mode	UNII-2C_ IEEE 802.11ac(VHT160)_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-5.95	1.01	-4.94	6.82	Complies



Test Mode	UNII-2C_ IEEE 802.11ac(VHT160)_Ant. 3
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-5.77	1.01	-4.76	6.82	Complies




Test Mode	UNII-2C_ IEEE 802.11ac(VHT160)_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	0.00	6.82	Complies


Test Mode	UNII-2C_ IEEE 802.11ax(HE20)_Ant. 1
-----------	-------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.40	0.88	1.28	6.82	Complies
116	5580	1.18	0.88	2.06	6.82	Complies
140	5700	-0.43	0.88	0.45	6.82	Complies




Test Mode	UNII-2C_ IEEE 802.11ax(HE20)_Ant. 2
-----------	-------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.65	0.88	1.53	6.82	Complies
116	5580	1.47	0.88	2.35	6.82	Complies
140	5700	0.68	0.88	1.56	6.82	Complies



Test Mode	UNII-2C_ IEEE 802.11ax(HE20)_Ant. 3
-----------	-------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.15	0.88	1.03	6.82	Complies
116	5580	0.43	0.88	1.31	6.82	Complies
140	5700	-0.03	0.88	0.85	6.82	Complies




Test Mode	UNII-2C_ IEEE 802.11ax(HE20)_Total
-----------	------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.06	6.82	Complies
116	5580	6.70	6.82	Complies
140	5700	5.75	6.82	Complies

Test Mode UNII-2C_ IEEE 802.11ax(HE40)_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-3.09	0.77	-2.32	6.82	Complies
110	5550	-1.52	0.77	-0.75	6.82	Complies
134	5670	-2.11	0.77	-1.34	6.82	Complies

CH102




Date: 20.SEP.2024 14:47:23

CH110



Date: 20.SEP.2024 14:48:26

CH134




Date: 20.SEP.2024 14:49:22

Test Mode UNII-2C_ IEEE 802.11ax(HE40)_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-2.56	0.77	-1.79	6.82	Complies
110	5550	-1.43	0.77	-0.66	6.82	Complies
134	5670	-1.78	0.77	-1.01	6.82	Complies

CH102




Date: 20.SEP.2024 15:52:09

CH110



Date: 20.SEP.2024 15:52:45


CH134



Date: 20.SEP.2024 15:53:17

Test Mode	UNII-2C_ IEEE 802.11ax(HE40)_Ant. 3
-----------	-------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-2.61	0.77	-1.84	6.82	Complies
110	5550	-1.51	0.77	-0.74	6.82	Complies
134	5670	-2.09	0.77	-1.32	6.82	Complies




Test Mode	UNII-2C_ IEEE 802.11ax(HE40)_Total
-----------	------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	2.79	6.82	Complies
110	5550	4.05	6.82	Complies
134	5670	3.55	6.82	Complies

Test Mode	UNII-2C_ IEEE 802.11ax(HE80)_Ant. 1
-----------	-------------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-5.34	1.06	-4.28	6.82	Complies
122	5610	-5.83	1.06	-4.77	6.82	Complies

CH106



Date: 20.SEP.2024 14:58:40

CH122




Date: 20.SEP.2024 14:59:33

Test Mode	UNII-2C_ IEEE 802.11ax(HE80)_Ant. 2
-----------	-------------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-4.73	1.06	-3.67	6.82	Complies
122	5610	-5.77	1.06	-4.71	6.82	Complies

CH106



Date: 20.SEP.2024 15:57:14


CH122



Date: 20.SEP.2024 15:57:59

Test Mode	UNII-2C_ IEEE 802.11ax(HE80)_Ant. 3
-----------	-------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-4.94	1.06	-3.88	6.82	Complies
122	5610	-6.10	1.06	-5.04	6.82	Complies




Test Mode	UNII-2C_ IEEE 802.11ax(HE80)_Total
-----------	------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.83	6.82	Complies
122	5610	-0.07	6.82	Complies


Test Mode	UNII-2C_ IEEE 802.11ax(HE160)_Ant. 1
-----------	--------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-9.63	0.26	-9.37	6.82	Complies




Test Mode	UNII-2C_ IEEE 802.11ax(HE160)_Ant. 2
-----------	--------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-6.99	0.26	-6.73	6.82	Complies



Test Mode	UNII-2C_ IEEE 802.11ax(HE160)_Ant. 3
-----------	--------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-9.43	0.26	-9.17	6.82	Complies




Test Mode	UNII-2C_ IEEE 802.11ax(HE160)_Total
-----------	-------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-3.48	6.82	Complies


Test Mode	UNII-3_IIEEE 802.11a_Ant. 1
-----------	-----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	4.26	0.21	4.47	25.82	Complies
157	5785	2.89	0.21	3.10	25.82	Complies
165	5825	3.66	0.21	3.87	25.82	Complies




Test Mode	UNII-3_IIEEE 802.11a_Ant. 2
-----------	-----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	4.70	0.21	4.91	25.82	Complies
157	5785	4.04	0.21	4.25	25.82	Complies
165	5825	4.53	0.21	4.74	25.82	Complies



Test Mode	UNII-3_ IEEE 802.11a_Ant. 3
-----------	-----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	3.98	0.21	4.19	25.82	Complies
157	5785	3.12	0.21	3.33	25.82	Complies
165	5825	3.93	0.21	4.14	25.82	Complies




Test Mode	UNII-3_ IEEE 802.11a_Total
-----------	----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.31	25.82	Complies
157	5785	8.36	25.82	Complies
165	5825	9.04	25.82	Complies


Test Mode	UNII-3_IIEEE 802.11n(HT20)_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	3.56	0.23	3.79	25.82	Complies
157	5785	2.12	0.23	2.35	25.82	Complies
165	5825	2.64	0.23	2.87	25.82	Complies




Test Mode	UNII-3_IIEEE 802.11n(HT20)_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	4.11	0.23	4.34	25.82	Complies
157	5785	2.91	0.23	3.14	25.82	Complies
165	5825	3.83	0.23	4.06	25.82	Complies



Test Mode	UNII-3_IEEE 802.11n(HT20)_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	4.02	0.23	4.25	25.82	Complies
157	5785	3.98	0.23	4.21	25.82	Complies
165	5825	3.19	0.23	3.42	25.82	Complies




Test Mode	UNII-3_IEEE 802.11n(HT20)_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.90	25.82	Complies
157	5785	8.07	25.82	Complies
165	5825	8.24	25.82	Complies

Test Mode	UNII-3_IEEE 802.11n(HT40)_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	1.38	0.38	1.76	25.82	Complies
159	5795	0.68	0.38	1.06	25.82	Complies

CH151



Date: 2.SEP.2024 14:38:15

CH159




Date: 2.SEP.2024 14:38:16

Test Mode	UNII-3_IEEE 802.11n(HT40)_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	1.58	0.38	1.96	25.82	Complies
159	5795	1.42	0.38	1.80	25.82	Complies

CH151



Date: 2.SEP.2024 15:53:23



CH159



Date: 2.SEP.2024 15:54:22

Test Mode	UNII-3_ IEEE 802.11n(HT40)_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	1.43	0.38	1.81	25.82	Complies
159	5795	1.07	0.38	1.45	25.82	Complies




Test Mode	UNII-3_ IEEE 802.11n(HT40)_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.62	25.82	Complies
159	5795	6.22	25.82	Complies


Test Mode	UNII-3_IIEEE 802.11ac(VHT80)_Ant. 1
-----------	-------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.61	0.73	-0.88	25.82	Complies




Test Mode	UNII-3_IIEEE 802.11ac(VHT80)_Ant. 2
-----------	-------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-0.98	0.73	-0.25	25.82	Complies



Test Mode	UNII-3_IIEEE 802.11ac(VHT80)_Ant. 3
-----------	-------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.72	0.73	-0.99	25.82	Complies




Test Mode	UNII-3_IIEEE 802.11ac(VHT80)_Total
-----------	------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	4.07	25.82	Complies


Test Mode	UNII-3_IIEEE 802.11ax(HE20)_Ant. 1
-----------	------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	3.09	0.88	3.97	25.82	Complies
157	5785	2.27	0.88	3.15	25.82	Complies
165	5825	2.93	0.88	3.81	25.82	Complies




Test Mode	UNII-3_IIEEE 802.11ax(HE20)_Ant. 2
-----------	------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.91	0.88	3.79	25.82	Complies
157	5785	2.02	0.88	2.90	25.82	Complies
165	5825	2.81	0.88	3.69	25.82	Complies



Test Mode	UNII-3_IEEE 802.11ax(HE20)_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.62	0.88	3.50	25.82	Complies
157	5785	1.22	0.88	2.10	25.82	Complies
165	5825	2.97	0.88	3.85	25.82	Complies




Test Mode	UNII-3_IEEE 802.11ax(HE20)_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.53	25.82	Complies
157	5785	7.51	25.82	Complies
165	5825	8.56	25.82	Complies


Test Mode	UNII-3_ IEEE 802.11ax(HE40)_Ant. 1
-----------	------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	1.63	0.77	2.40	25.82	Complies
159	5795	2.06	0.77	2.83	25.82	Complies




Test Mode	UNII-3_ IEEE 802.11ax(HE40)_Ant. 2
-----------	------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.03	0.77	2.80	25.82	Complies
159	5795	1.75	0.77	2.52	25.82	Complies



Test Mode	UNII-3_ IEEE 802.11ax(HE40)_Ant. 3
-----------	------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	1.43	0.77	2.20	25.82	Complies
159	5795	0.68	0.77	1.45	25.82	Complies




Test Mode	UNII-3_ IEEE 802.11ax(HE40)_Total
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.24	25.82	Complies
159	5795	7.08	25.82	Complies


Test Mode	UNII-3_IIEEE 802.11ax(HE80)_Ant. 1
-----------	------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.06	1.06	0.00	25.82	Complies




Test Mode	UNII-3_IIEEE 802.11ax(HE80)_Ant. 2
-----------	------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.56	1.06	-0.50	25.82	Complies



Test Mode	UNII-3_IIEEE 802.11ax(HE80)_Ant. 3
-----------	------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.98	1.06	-0.92	25.82	Complies



Test Mode	UNII-3_IIEEE 802.11ax(HE80)_Total
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	4.31	25.82	Complies

End of Test Report