| Test Mode | UNII-2C_TX AC(VHT80) Mode |
|---|---|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---|---|---|---|
| 106 | 5530 | 82.790 | 76.400 |
| 122 | 5610 | 83.000 | 76.400 |

**CH106**



**CH122**

26 dB Bandwidth



99 % Occupied Bandwidth





| Test Mode | UNII-2C_TX AC(VHT160) Mode |
|---|---|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---|---|---|---|
| 114 | 5570 | 250.794 | 156.000 |

**CH114**

26 dB Bandwidth



99 % Occupied Bandwidth



| Test Mode | UNII-2C_TX BE(EHT20) Mode |
|---|---|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---|---|---|---|
| 100 | 5500 | 21.890 | 19.300 |
| 116 | 5580 | 22.090 | 19.400 |
| 140 | 5700 | 22.090 | 19.300 |

**CH100**



**CH116**

26 dB Bandwidth



**CH140**



99 % Occupied Bandwidth







| Test Mode | UNII-2C_TX BE(EHT40) Mode |
|---|---|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---|---|---|---|
| 102 | 5510 | 41.209 | 38.200 |
| 110 | 5550 | 40.900 | 38.200 |
| 134 | 5670 | 40.800 | 38.200 |

**CH102**



**CH110**

26 dB Bandwidth



**CH134**



99 % Occupied Bandwidth







| Test Mode | UNII-2C_TX BE(EHT80) Mode |
|---|---|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---|---|---|---|
| 106 | 5530 | 83.400 | 77.600 |
| 122 | 5610 | 83.400 | 77.600 |

**CH106**



Date: 2.APR.2025 15:03:26

**CH122**

26 dB Bandwidth



Date: 2.APR.2025 15:05:46



Date: 2.APR.2025 13:39:51

99 % Occupied Bandwidth



Date: 2.APR.2025 13:40:33

| Test Mode | UNII-2C_TX BE(EHT160) Mode |
|---|---|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---|---|---|---|
| 114 | 5570 | 163.206 | 157.600 |

**CH114**

26 dB Bandwidth



99 % Occupied Bandwidth



| Test Mode | UNII-3_TX A Mode |
|---|---|

| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result |
|---|---|---|---|---|---|
| 149 | 5745 | 16.450 | 18.500 | 0.5 | Complies |
| 157 | 5785 | 16.450 | 18.400 | 0.5 | Complies |
| 165 | 5825 | 16.450 | 18.800 | 0.5 | Complies |

**CH149**

6 dB Bandwidth



99 % Occupied Bandwidth



**CH157**

6 dB Bandwidth



99 % Occupied Bandwidth



**CH165**

6 dB Bandwidth



99 % Occupied Bandwidth



| Test Mode | UNII-3_TX AC(VHT20) Mode |
|---|---|

| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result |
|---|---|---|---|---|---|
| 149 | 5745 | 17.800 | 19.700 | 0.5 | Complies |
| 157 | 5785 | 17.700 | 19.500 | 0.5 | Complies |
| 165 | 5825 | 17.650 | 19.600 | 0.5 | Complies |

**CH149**



**CH157**

6 dB Bandwidth



**CH165**



99 % Occupied Bandwidth







| Test Mode | UNII-3_TX AC(VHT40) Mode |
|---|---|

| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result |
|---|---|---|---|---|---|
| 151 | 5755 | 36.500 | 40.000 | 0.5 | Complies |
| 159 | 5795 | 36.500 | 39.600 | 0.5 | Complies |

**CH151**



**CH159**

6 dB Bandwidth



99 % Occupied Bandwidth





| Test Mode | UNII-3_TX AC(VHT80) Mode |
|---|---|

| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result |
|---|---|---|---|---|---|
| 155 | 5775 | 76.790 | 77.200 | 0.5 | Complies |

**CH155**

6 dB Bandwidth



99 % Occupied Bandwidth



| Test Mode | UNII-3_TX BE(EHT20) Mode |
|---|---|

| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result |
|---|---|---|---|---|---|
| 149 | 5745 | 19.100 | 19.800 | 0.5 | Complies |
| 157 | 5785 | 19.109 | 19.800 | 0.5 | Complies |
| 165 | 5825 | 19.000 | 20.000 | 0.5 | Complies |

**CH149**



**CH157**

6 dB Bandwidth



**CH165**



99 % Occupied Bandwidth







| Test Mode | UNII-3_TX BE(EHT40) Mode |
|---|---|

| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result |
|---|---|---|---|---|---|
| 151 | 5755 | 37.900 | 39.600 | 0.5 | Complies |
| 159 | 5795 | 37.999 | 39.600 | 0.5 | Complies |

**CH151**



**CH159**

6 dB Bandwidth





99 % Occupied Bandwidth



| Test Mode | UNII-3_TX BE(EHT80) Mode |
|---|---|

| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result |
|---|---|---|---|---|---|
| 155 | 5775 | 77.598 | 78.800 | 0.5 | Complies |

**CH155**

6 dB Bandwidth



99 % Occupied Bandwidth



# APPENDIX F - MAXIMUM OUTPUT POWER

| Test Mode | UNII-1_TX A Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 36 | 5180 | 20.43 | 0.23 | 20.66 | 29.08 | 0.8091 | Complies |
| 40 | 5200 | 21.61 | 0.23 | 21.84 | 29.08 | 0.8091 | Complies |
| 48 | 5240 | 23.34 | 0.23 | 23.57 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-1_TX A Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 36 | 5180 | 20.38 | 0.23 | 20.61 | 29.08 | 0.8091 | Complies |
| 40 | 5200 | 21.78 | 0.23 | 22.01 | 29.08 | 0.8091 | Complies |
| 48 | 5240 | 23.26 | 0.23 | 23.49 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-1_TX A Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 36 | 5180 | 23.64 | 29.08 | 0.8091 | Complies |
| 40 | 5200 | 24.93 | 29.08 | 0.8091 | Complies |
| 48 | 5240 | 26.54 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 36 | 5180 | 20.02 | 0.00 | 20.02 | 29.08 | 0.8091 | Complies |
| 40 | 5200 | 22.25 | 0.00 | 22.25 | 29.08 | 0.8091 | Complies |
| 48 | 5240 | 23.88 | 0.00 | 23.88 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 36 | 5180 | 19.71 | 0.00 | 19.71 | 29.08 | 0.8091 | Complies |
| 40 | 5200 | 22.15 | 0.00 | 22.15 | 29.08 | 0.8091 | Complies |
| 48 | 5240 | 23.75 | 0.00 | 23.75 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-1_TX AC(VHT20) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 36 | 5180 | 22.88 | 29.08 | 0.8091 | Complies |
| 40 | 5200 | 25.21 | 29.08 | 0.8091 | Complies |
| 48 | 5240 | 26.83 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 38 | 5190 | 17.05 | 0.13 | 17.18 | 29.08 | 0.8091 | Complies |
| 46 | 5230 | 22.86 | 0.13 | 22.99 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 38 | 5190 | 17.11 | 0.13 | 17.24 | 29.08 | 0.8091 | Complies |
| 46 | 5230 | 22.69 | 0.13 | 22.82 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-1_TX AC(VHT40) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 38 | 5190 | 20.22 | 29.08 | 0.8091 | Complies |
| 46 | 5230 | 25.92 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 42 | 5210 | 15.57 | 0.32 | 15.89 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 42 | 5210 | 15.17 | 0.32 | 15.49 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-1_TX AC(VHT80) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 42 | 5210 | 18.70 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-1_TX BE(EHT20) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 36 | 5180 | 18.75 | 0.10 | 18.85 | 29.08 | 0.8091 | Complies |
| 40 | 5200 | 22.43 | 0.10 | 22.53 | 29.08 | 0.8091 | Complies |
| 48 | 5240 | 22.49 | 0.10 | 22.59 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-1_TX AX(HE20) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 36 | 5180 | 18.79 | 0.10 | 18.89 | 29.08 | 0.8091 | Complies |
| 40 | 5200 | 22.47 | 0.10 | 22.57 | 29.08 | 0.8091 | Complies |
| 48 | 5240 | 22.47 | 0.10 | 22.57 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-1_TX BE(EHT20) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 36 | 5180 | 21.88 | 29.08 | 0.8091 | Complies |
| 40 | 5200 | 25.56 | 29.08 | 0.8091 | Complies |
| 48 | 5240 | 25.59 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-1_TX BE(EHT40) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 38 | 5190 | 16.64 | 0.19 | 16.83 | 29.08 | 0.8091 | Complies |
| 46 | 5230 | 22.92 | 0.19 | 23.11 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-1_TX BE(EHT40) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 38 | 5190 | 16.42 | 0.19 | 16.61 | 29.08 | 0.8091 | Complies |
| 46 | 5230 | 22.87 | 0.19 | 23.06 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-1_TX BE(EHT40) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 38 | 5190 | 19.73 | 29.08 | 0.8091 | Complies |
| 46 | 5230 | 26.10 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-1_TX BE(EHT80) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 42 | 5210 | 15.72 | 0.36 | 16.08 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-1_TX BE(EHT80) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 42 | 5210 | 15.43 | 0.36 | 15.79 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-1_TX BE(EHT80) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 42 | 5210 | 18.94 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-2A_TX A Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 52 | 5260 | 16.90 | 0.23 | 17.13 | 23.06 | 0.2023 | Complies |
| 60 | 5300 | 16.94 | 0.23 | 17.17 | 23.06 | 0.2023 | Complies |
| 64 | 5320 | 16.84 | 0.23 | 17.07 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2A_TX A Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 52 | 5260 | 16.88 | 0.23 | 17.11 | 23.06 | 0.2023 | Complies |
| 60 | 5300 | 16.75 | 0.23 | 16.98 | 23.06 | 0.2023 | Complies |
| 64 | 5320 | 16.87 | 0.23 | 17.10 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2A_TX A Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 52 | 5260 | 20.13 | 23.06 | 0.2023 | Complies |
| 60 | 5300 | 20.08 | 23.06 | 0.2023 | Complies |
| 64 | 5320 | 20.09 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 52 | 5260 | 17.57 | 0.00 | 17.57 | 23.06 | 0.2023 | Complies |
| 60 | 5300 | 17.59 | 0.00 | 17.59 | 23.06 | 0.2023 | Complies |
| 64 | 5320 | 17.31 | 0.00 | 17.31 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 52 | 5260 | 17.69 | 0.00 | 17.69 | 23.06 | 0.2023 | Complies |
| 60 | 5300 | 17.43 | 0.00 | 17.43 | 23.06 | 0.2023 | Complies |
| 64 | 5320 | 17.23 | 0.00 | 17.23 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2A_TX AC(VHT20) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 52 | 5260 | 20.64 | 23.06 | 0.2023 | Complies |
| 60 | 5300 | 20.52 | 23.06 | 0.2023 | Complies |
| 64 | 5320 | 20.28 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 54 | 5270 | 18.66 | 0.13 | 18.79 | 23.06 | 0.2023 | Complies |
| 62 | 5310 | 16.82 | 0.13 | 16.95 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 54 | 5270 | 18.72 | 0.13 | 18.85 | 23.06 | 0.2023 | Complies |
| 62 | 5310 | 16.96 | 0.13 | 17.09 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2A_TX AC(VHT40) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 54 | 5270 | 21.83 | 23.06 | 0.2023 | Complies |
| 62 | 5310 | 20.03 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 58 | 5290 | 15.44 | 0.32 | 15.76 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 58 | 5290 | 15.47 | 0.32 | 15.79 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2A_TX AC(VHT80) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 58 | 5290 | 18.78 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2A_TX BE(EHT20) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 52 | 5260 | 16.57 | 0.10 | 16.67 | 23.06 | 0.2023 | Complies |
| 60 | 5300 | 16.59 | 0.10 | 16.69 | 23.06 | 0.2023 | Complies |
| 64 | 5320 | 16.55 | 0.10 | 16.65 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2A_TX BE(EHT20) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 52 | 5260 | 16.77 | 0.10 | 16.87 | 23.06 | 0.2023 | Complies |
| 60 | 5300 | 16.60 | 0.10 | 16.70 | 23.06 | 0.2023 | Complies |
| 64 | 5320 | 16.41 | 0.10 | 16.51 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2A_TX BE(EHT20) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 52 | 5260 | 19.78 | 23.06 | 0.2023 | Complies |
| 60 | 5300 | 19.71 | 23.06 | 0.2023 | Complies |
| 64 | 5320 | 19.59 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2A_TX BE(EHT40) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 54 | 5270 | 18.93 | 0.19 | 19.12 | 23.06 | 0.2023 | Complies |
| 62 | 5310 | 16.72 | 0.19 | 16.91 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2A_TX BE(EHT40) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 54 | 5270 | 19.08 | 0.19 | 19.27 | 23.06 | 0.2023 | Complies |
| 62 | 5310 | 16.78 | 0.19 | 16.97 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2A_TX BE(EHT40) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 54 | 5270 | 22.21 | 23.06 | 0.2023 | Complies |
| 62 | 5310 | 19.95 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2A_TX BE(EHT80) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 58 | 5290 | 15.36 | 0.36 | 15.72 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2A_TX BE(EHT80) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 58 | 5290 | 15.38 | 0.36 | 15.74 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2A_TX BE(EHT80) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 58 | 5290 | 18.74 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 50 | 5250 | 15.92 | 0.56 | 16.48 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 50 | 5250 | 15.95 | 0.56 | 16.51 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-1+UNII-2A_TX AC(VHT160) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 50 | 5250 | 19.50 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 50 | 5250 | 15.92 | 0.59 | 16.51 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 50 | 5250 | 15.93 | 0.59 | 16.52 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-1+UNII-2A_TX BE(EHT160) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 50 | 5250 | 19.53 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2C_TX A Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 100 | 5500 | 16.61 | 0.23 | 16.84 | 23.06 | 0.2023 | Complies |
| 116 | 5580 | 16.96 | 0.23 | 17.19 | 23.06 | 0.2023 | Complies |
| 140 | 5700 | 16.92 | 0.23 | 17.15 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2C_TX A Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 100 | 5500 | 16.52 | 0.23 | 16.75 | 23.06 | 0.2023 | Complies |
| 116 | 5580 | 16.83 | 0.23 | 17.06 | 23.06 | 0.2023 | Complies |
| 140 | 5700 | 16.89 | 0.23 | 17.12 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2C_TX A Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 100 | 5500 | 19.80 | 23.06 | 0.2023 | Complies |
| 116 | 5580 | 20.13 | 23.06 | 0.2023 | Complies |
| 140 | 5700 | 20.14 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2C_TX AC(VHT20) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 100 | 5500 | 17.23 | 0.00 | 17.23 | 23.06 | 0.2023 | Complies |
| 116 | 5580 | 19.78 | 0.00 | 19.78 | 23.06 | 0.2023 | Complies |
| 140 | 5700 | 16.66 | 0.00 | 16.66 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2C_TX AC(VHT20) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 100 | 5500 | 17.31 | 0.00 | 17.31 | 23.06 | 0.2023 | Complies |
| 116 | 5580 | 20.02 | 0.00 | 20.02 | 23.06 | 0.2023 | Complies |
| 140 | 5700 | 17.05 | 0.00 | 17.05 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2C_TX AC(VHT20) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 100 | 5500 | 20.28 | 23.06 | 0.2023 | Complies |
| 116 | 5580 | 22.91 | 23.06 | 0.2023 | Complies |
| 140 | 5700 | 19.87 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2C_TX AC(VHT40) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 102 | 5510 | 18.43 | 0.13 | 18.56 | 23.06 | 0.2023 | Complies |
| 110 | 5550 | 18.71 | 0.13 | 18.84 | 23.06 | 0.2023 | Complies |
| 134 | 5670 | 18.52 | 0.13 | 18.65 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2C_TX AC(VHT40) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 102 | 5510 | 18.07 | 0.13 | 18.20 | 23.06 | 0.2023 | Complies |
| 110 | 5550 | 18.27 | 0.13 | 18.40 | 23.06 | 0.2023 | Complies |
| 134 | 5670 | 18.42 | 0.13 | 18.55 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2C_TX AC(VHT40) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 102 | 5510 | 21.40 | 23.06 | 0.2023 | Complies |
| 110 | 5550 | 21.64 | 23.06 | 0.2023 | Complies |
| 134 | 5670 | 21.61 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 106 | 5530 | 16.96 | 0.32 | 17.28 | 23.06 | 0.2023 | Complies |
| 122 | 5610 | 19.43 | 0.32 | 19.75 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 106 | 5530 | 17.04 | 0.32 | 17.36 | 23.06 | 0.2023 | Complies |
| 122 | 5610 | 19.35 | 0.32 | 19.67 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2C_TX AC(VHT80) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 106 | 5530 | 20.33 | 23.06 | 0.2023 | Complies |
| 122 | 5610 | 22.72 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2C_TX AC(VHT160) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 114 | 5570 | 17.56 | 0.56 | 18.12 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2C_TX AC(VHT160) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 114 | 5570 | 17.36 | 0.56 | 17.92 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2C_TX AC(VHT160) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 114 | 5570 | 21.03 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2C_TX BE(EHT20) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 100 | 5500 | 15.89 | 0.10 | 15.99 | 23.06 | 0.2023 | Complies |
| 116 | 5580 | 16.11 | 0.10 | 16.21 | 23.06 | 0.2023 | Complies |
| 140 | 5700 | 15.76 | 0.10 | 15.86 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2C_TX BE(EHT20) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 100 | 5500 | 15.96 | 0.10 | 16.06 | 23.06 | 0.2023 | Complies |
| 116 | 5580 | 16.26 | 0.10 | 16.36 | 23.06 | 0.2023 | Complies |
| 140 | 5700 | 16.11 | 0.10 | 16.21 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2C_TX BE(EHT20) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 100 | 5500 | 19.04 | 23.06 | 0.2023 | Complies |
| 116 | 5580 | 19.30 | 23.06 | 0.2023 | Complies |
| 140 | 5700 | 19.05 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2C_TX BE(EHT40) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 102 | 5510 | 18.60 | 0.19 | 18.79 | 23.06 | 0.2023 | Complies |
| 110 | 5550 | 18.83 | 0.19 | 19.02 | 23.06 | 0.2023 | Complies |
| 134 | 5670 | 18.71 | 0.19 | 18.90 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2C_TX BE(EHT40) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 102 | 5510 | 18.47 | 0.19 | 18.66 | 23.06 | 0.2023 | Complies |
| 110 | 5550 | 18.37 | 0.19 | 18.56 | 23.06 | 0.2023 | Complies |
| 134 | 5670 | 18.50 | 0.19 | 18.69 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2C_TX BE(EHT40) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 102 | 5510 | 21.74 | 23.06 | 0.2023 | Complies |
| 110 | 5550 | 21.81 | 23.06 | 0.2023 | Complies |
| 134 | 5670 | 21.81 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2C_TX BE(EHT80) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 106 | 5530 | 17.03 | 0.36 | 17.39 | 23.06 | 0.2023 | Complies |
| 122 | 5610 | 19.56 | 0.36 | 19.92 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2C_TX BE(EHT80) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 106 | 5530 | 17.19 | 0.36 | 17.55 | 23.06 | 0.2023 | Complies |
| 122 | 5610 | 19.44 | 0.36 | 19.80 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2C_TX BE(EHT80) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 106 | 5530 | 20.48 | 23.06 | 0.2023 | Complies |
| 122 | 5610 | 22.87 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2C_TX BE(EHT160) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 114 | 5570 | 18.10 | 0.59 | 18.69 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2C_TX BE(EHT160) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 114 | 5570 | 17.86 | 0.59 | 18.45 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-2C_TX BE(EHT160) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 114 | 5570 | 21.58 | 23.06 | 0.2023 | Complies |

| Test Mode | UNII-3_TX A Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 149 | 5745 | 24.02 | 0.23 | 24.25 | 29.08 | 0.8091 | Complies |
| 157 | 5785 | 23.48 | 0.23 | 23.71 | 29.08 | 0.8091 | Complies |
| 165 | 5825 | 23.16 | 0.23 | 23.39 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-3_TX A Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 149 | 5745 | 24.45 | 0.23 | 24.68 | 29.08 | 0.8091 | Complies |
| 157 | 5785 | 23.56 | 0.23 | 23.79 | 29.08 | 0.8091 | Complies |
| 165 | 5825 | 23.41 | 0.23 | 23.64 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-3_TX A Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 149 | 5745 | 27.48 | 29.08 | 0.8091 | Complies |
| 157 | 5785 | 26.76 | 29.08 | 0.8091 | Complies |
| 165 | 5825 | 26.53 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 149 | 5745 | 24.66 | 0.00 | 24.66 | 29.08 | 0.8091 | Complies |
| 157 | 5785 | 24.17 | 0.00 | 24.17 | 29.08 | 0.8091 | Complies |
| 165 | 5825 | 23.89 | 0.00 | 23.89 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 149 | 5745 | 24.22 | 0.00 | 24.22 | 29.08 | 0.8091 | Complies |
| 157 | 5785 | 23.80 | 0.00 | 23.80 | 29.08 | 0.8091 | Complies |
| 165 | 5825 | 23.52 | 0.00 | 23.52 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-3_TX AC(VHT20) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 149 | 5745 | 27.46 | 29.08 | 0.8091 | Complies |
| 157 | 5785 | 27.00 | 29.08 | 0.8091 | Complies |
| 165 | 5825 | 26.72 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 151 | 5755 | 25.44 | 0.13 | 25.57 | 29.08 | 0.8091 | Complies |
| 159 | 5795 | 25.98 | 0.13 | 26.11 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 151 | 5755 | 25.02 | 0.13 | 25.15 | 29.08 | 0.8091 | Complies |
| 159 | 5795 | 25.48 | 0.13 | 25.61 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-3_TX AC(VHT40) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 151 | 5755 | 28.38 | 29.08 | 0.8091 | Complies |
| 159 | 5795 | 28.88 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 155 | 5775 | 22.17 | 0.32 | 22.49 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 155 | 5775 | 22.52 | 0.32 | 22.84 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-3_TX AC(VHT80) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 155 | 5775 | 25.67 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-3_TX BE(EHT20) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 149 | 5745 | 25.99 | 0.10 | 26.09 | 29.08 | 0.8091 | Complies |
| 157 | 5785 | 25.56 | 0.10 | 25.66 | 29.08 | 0.8091 | Complies |
| 165 | 5825 | 25.20 | 0.10 | 25.30 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-3_TX BE(EHT20) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 149 | 5745 | 25.54 | 0.10 | 25.64 | 29.08 | 0.8091 | Complies |
| 157 | 5785 | 25.00 | 0.10 | 25.10 | 29.08 | 0.8091 | Complies |
| 165 | 5825 | 24.68 | 0.10 | 24.78 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-3_TX BE(EHT20) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 149 | 5745 | 28.88 | 29.08 | 0.8091 | Complies |
| 157 | 5785 | 28.40 | 29.08 | 0.8091 | Complies |
| 165 | 5825 | 28.06 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-3_TX BE(EHT40) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 151 | 5755 | 24.58 | 0.19 | 24.77 | 29.08 | 0.8091 | Complies |
| 159 | 5795 | 26.12 | 0.19 | 26.31 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-3_TX BE(EHT40) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 151 | 5755 | 24.09 | 0.19 | 24.28 | 29.08 | 0.8091 | Complies |
| 159 | 5795 | 25.54 | 0.19 | 25.73 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-3_TX BE(EHT40) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 151 | 5755 | 27.54 | 29.08 | 0.8091 | Complies |
| 159 | 5795 | 29.04 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-3_TX BE(EHT80) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 155 | 5775 | 21.08 | 0.36 | 21.44 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-3_TX BE(EHT80) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|---|---|
| 155 | 5775 | 21.26 | 0.36 | 21.62 | 29.08 | 0.8091 | Complies |

| Test Mode | UNII-3_TX BE(EHT80) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---|---|---|---|---|---|
| 155 | 5775 | 24.54 | 29.08 | 0.8091 | Complies |

Note: Output power = Measure result + Cable loss

# APPENDIX G - POWER SPECTRAL DENSITY

| Test Mode | UNII-1_TX A Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 36 | 5180 | 9.72 | 0.23 | 9.95 | 13.07 | Complies |
| 40 | 5200 | 9.64 | 0.23 | 9.87 | 13.07 | Complies |
| 48 | 5240 | 9.75 | 0.23 | 9.98 | 13.07 | Complies |

**CH36**



**CH40**



**CH48**



| Test Mode | UNII-1_TX A Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 36 | 5180 | 9.69 | 0.23 | 9.92 | 13.07 | Complies |
| 40 | 5200 | 9.59 | 0.23 | 9.82 | 13.07 | Complies |
| 48 | 5240 | 9.84 | 0.23 | 10.07 | 13.07 | Complies |

**CH36**



**CH40**

**CH48**

| Test Mode | UNII-1_TX A Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|
| 36 | 5180 | 12.94 | 13.07 | Complies |
| 40 | 5200 | 12.85 | 13.07 | Complies |
| 48 | 5240 | 13.03 | 13.07 | Complies |

| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 36 | 5180 | 9.66 | 0.00 | 9.66 | 13.07 | Complies |
| 40 | 5200 | 9.76 | 0.00 | 9.76 | 13.07 | Complies |
| 48 | 5240 | 9.84 | 0.00 | 9.84 | 13.07 | Complies |

**CH36**



**CH40**



**CH48**



| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 36 | 5180 | 9.62 | 0.00 | 9.62 | 13.07 | Complies |
| 40 | 5200 | 9.77 | 0.00 | 9.77 | 13.07 | Complies |
| 48 | 5240 | 9.31 | 0.00 | 9.31 | 13.07 | Complies |

**CH36**



**CH40**



**CH48**



| Test Mode | UNII-1_TX AC(VHT20) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|
| 36 | 5180 | 12.65 | 13.07 | Complies |
| 40 | 5200 | 12.78 | 13.07 | Complies |
| 48 | 5240 | 12.59 | 13.07 | Complies |

| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 38 | 5190 | 9.65 | 0.13 | 9.78 | 13.07 | Complies |
| 46 | 5230 | 9.85 | 0.13 | 9.98 | 13.07 | Complies |

**CH38**



**CH46**



| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 38 | 5190 | 9.56 | 0.13 | 9.69 | 13.07 | Complies |
| 46 | 5230 | 9.76 | 0.13 | 9.89 | 13.07 | Complies |

**CH38**



**CH46**



| Test Mode | UNII-1_TX AC(VHT40) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|
| 38 | 5190 | 12.75 | 13.07 | Complies |
| 46 | 5230 | 12.95 | 13.07 | Complies |

| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 42 | 5210 | 7.01 | 0.32 | 7.33 | 13.07 | Complies |

**CH42**



| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 42 | 5210 | 8.10 | 0.32 | 8.42 | 13.07 | Complies |

**CH42**



| Test Mode | UNII-1_TX AC(VHT80) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|
| 42 | 5210 | 10.91 | 13.07 | Complies |

| Test Mode | UNII-1_TX BE(EHT20) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 36 | 5180 | 9.48 | 0.10 | 9.58 | 13.07 | Complies |
| 40 | 5200 | 9.83 | 0.10 | 9.93 | 13.07 | Complies |
| 48 | 5240 | 9.86 | 0.10 | 9.96 | 13.07 | Complies |

**CH36**



**CH40**



**CH48**



| Test Mode | UNII-1_TX BE(EHT20) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 36 | 5180 | 9.60 | 0.10 | 9.70 | 13.07 | Complies |
| 40 | 5200 | 9.74 | 0.10 | 9.84 | 13.07 | Complies |
| 48 | 5240 | 9.63 | 0.10 | 9.73 | 13.07 | Complies |

**CH36**



**CH40**



**CH48**



| Test Mode | UNII-1_TX BE(EHT20) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|
| 36 | 5180 | 12.65 | 13.07 | Complies |
| 40 | 5200 | 12.90 | 13.07 | Complies |
| 48 | 5240 | 12.86 | 13.07 | Complies |

| Test Mode | UNII-1_TX BE(EHT40) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 38 | 5190 | 9.78 | 0.19 | 9.97 | 13.07 | Complies |
| 46 | 5230 | 9.54 | 0.19 | 9.73 | 13.07 | Complies |

**CH38**



**CH46**



| Test Mode | UNII-1_TX BE(EHT40) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 38 | 5190 | 9.65 | 0.19 | 9.84 | 13.07 | Complies |
| 46 | 5230 | 9.42 | 0.19 | 9.61 | 13.07 | Complies |

**CH38**



**CH46**



| Test Mode | UNII-1_TX BE(EHT40) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|
| 38 | 5190 | 12.92 | 13.07 | Complies |
| 46 | 5230 | 12.68 | 13.07 | Complies |

| Test Mode | UNII-1_TX BE(EHT80) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 42 | 5210 | 7.93 | 0.36 | 8.29 | 13.07 | Complies |

**CH42**



| Test Mode | UNII-1_TX BE(EHT80) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 42 | 5210 | 7.37 | 0.36 | 7.73 | 13.07 | Complies |

**CH42**



| Test Mode | UNII-1_TX BE(EHT80) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|
| 42 | 5210 | 11.03 | 13.07 | Complies |

| Test Mode | UNII-2A_TX A Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 52 | 5260 | 3.75 | 0.23 | 3.98 | 7.07 | Complies |
| 60 | 5300 | 3.74 | 0.23 | 3.97 | 7.07 | Complies |
| 64 | 5320 | 3.82 | 0.23 | 4.05 | 7.07 | Complies |

**CH52**



**CH60**



**CH64**



| Test Mode | UNII-2A_TX A Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 52 | 5260 | 3.60 | 0.23 | 3.83 | 7.07 | Complies |
| 60 | 5300 | 3.65 | 0.23 | 3.88 | 7.07 | Complies |
| 64 | 5320 | 3.59 | 0.23 | 3.82 | 7.07 | Complies |

**CH52**



**CH60**



**CH64**



| Test Mode | UNII-2A_TX A Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|
| 52 | 5260 | 6.91 | 7.07 | Complies |
| 60 | 5300 | 6.93 | 7.07 | Complies |
| 64 | 5320 | 6.95 | 7.07 | Complies |

| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 52 | 5260 | 3.32 | 0.00 | 3.32 | 7.07 | Complies |
| 60 | 5300 | 3.29 | 0.00 | 3.29 | 7.07 | Complies |
| 64 | 5320 | 3.48 | 0.00 | 3.48 | 7.07 | Complies |

**CH52**



**CH60**



**CH64**



| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 52 | 5260 | 3.22 | 0.00 | 3.22 | 7.07 | Complies |
| 60 | 5300 | 2.99 | 0.00 | 2.99 | 7.07 | Complies |
| 64 | 5320 | 3.41 | 0.00 | 3.41 | 7.07 | Complies |

**CH52**



**CH60**



**CH64**



| Test Mode | UNII-2A_TX AC(VHT20) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|
| 52 | 5260 | 6.28 | 7.07 | Complies |
| 60 | 5300 | 6.15 | 7.07 | Complies |
| 64 | 5320 | 6.46 | 7.07 | Complies |

| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 54 | 5270 | 3.55 | 0.13 | 3.68 | 7.07 | Complies |
| 62 | 5310 | 3.53 | 0.13 | 3.66 | 7.07 | Complies |

**CH54**



**CH62**



| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 54 | 5270 | 3.72 | 0.13 | 3.85 | 7.07 | Complies |
| 62 | 5310 | 3.55 | 0.13 | 3.68 | 7.07 | Complies |

**CH54**



**CH62**

| Test Mode | UNII-2A_TX AC(VHT40) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|
| 54 | 5270 | 6.78 | 7.07 | Complies |
| 62 | 5310 | 6.68 | 7.07 | Complies |

| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 58 | 5290 | 1.12 | 0.32 | 1.44 | 7.07 | Complies |

**CH58**



| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 58 | 5290 | 1.14 | 0.32 | 1.46 | 7.07 | Complies |

**CH58**



| Test Mode | UNII-2A_TX AC(VHT80) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|
| 58 | 5290 | 4.46 | 7.07 | Complies |

| Test Mode | UNII-2A_TX BE(EHT20) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 52 | 5260 | 3.69 | 0.10 | 3.79 | 7.07 | Complies |
| 60 | 5300 | 3.95 | 0.10 | 4.05 | 7.07 | Complies |
| 64 | 5320 | 3.67 | 0.10 | 3.77 | 7.07 | Complies |

**CH52**



**CH60**



**CH64**



| Test Mode | UNII-2A_TX BE(EHT20) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 52 | 5260 | 3.49 | 0.10 | 3.59 | 7.07 | Complies |
| 60 | 5300 | 3.35 | 0.10 | 3.45 | 7.07 | Complies |
| 64 | 5320 | 3.42 | 0.10 | 3.52 | 7.07 | Complies |

**CH52**



**CH60**



**CH64**



| Test Mode | UNII-2A_TX BE(EHT20) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|
| 52 | 5260 | 6.70 | 7.07 | Complies |
| 60 | 5300 | 6.77 | 7.07 | Complies |
| 64 | 5320 | 6.66 | 7.07 | Complies |

| Test Mode | UNII-2A_TX BE(EHT40) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 54 | 5270 | 3.35 | 0.19 | 3.54 | 7.07 | Complies |
| 62 | 5310 | 3.60 | 0.19 | 3.79 | 7.07 | Complies |

**CH54**



**CH62**



| Test Mode | UNII-2A_TX BE(EHT40) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 54 | 5270 | 3.64 | 0.19 | 3.83 | 7.07 | Complies |
| 62 | 5310 | 3.57 | 0.19 | 3.76 | 7.07 | Complies |

**CH54**



**CH62**



| Test Mode | UNII-2A_TX BE(EHT40) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|
| 54 | 5270 | 6.70 | 7.07 | Complies |
| 62 | 5310 | 6.79 | 7.07 | Complies |

| Test Mode | UNII-2A_TX BE(EHT80) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 58 | 5290 | 1.35 | 0.36 | 1.71 | 7.07 | Complies |

**CH58**



| Test Mode | UNII-2A_TX BE(EHT80) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 58 | 5290 | 1.56 | 0.36 | 1.92 | 7.07 | Complies |

**CH58**



| Test Mode | UNII-2A_TX BE(EHT80) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|
| 58 | 5290 | 4.82 | 7.07 | Complies |

| Test Mode | UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 50 | 5250 | -1.28 | 0.56 | -0.72 | 7.07 | Complies |

**CH50**



| Test Mode | UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 50 | 5250 | -2.02 | 0.56 | -1.46 | 7.07 | Complies |

**CH50**



| Test Mode | UNII-1+UNII-2A_TX AC(VHT160) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|
| 50 | 5250 | 1.93 | 7.07 | Complies |

| Test Mode | UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 50 | 5250 | -1.40 | 0.59 | -0.81 | 7.07 | Complies |

**CH50**



| Test Mode | UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 50 | 5250 | -1.39 | 0.59 | -0.80 | 7.07 | Complies |

**CH50**



| Test Mode | UNII-1+UNII-2A_TX BE(EHT160) Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|
| 50 | 5250 | 2.21 | 7.07 | Complies |

| Test Mode | UNII-2C_TX A Mode_Ant. 1 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 100 | 5500 | 3.70 | 0.23 | 3.93 | 7.07 | Complies |
| 116 | 5580 | 3.58 | 0.23 | 3.81 | 7.07 | Complies |
| 140 | 5700 | 3.71 | 0.23 | 3.94 | 7.07 | Complies |

**CH100**



**CH116**



**CH140**



| Test Mode | UNII-2C_TX A Mode_Ant. 2 |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|---|---|
| 100 | 5500 | 3.77 | 0.23 | 4.00 | 7.07 | Complies |
| 116 | 5580 | 3.68 | 0.23 | 3.91 | 7.07 | Complies |
| 140 | 5700 | 3.25 | 0.23 | 3.48 | 7.07 | Complies |

**CH100**



**CH116**



**CH140**



| Test Mode | UNII-2C_TX A Mode_Total |
|---|---|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---|---|---|---|---|
| 100 | 5500 | 6.97 | 7.07 | Complies |
| 116 | 5580 | 6.87 | 7.07 | Complies |
| 140 | 5700 | 6.73 | 7.07 | Complies |