



Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.60	0.00	3.60	7.07	Complies
116	5580	3.60	0.00	3.60	7.07	Complies
140	5700	3.83	0.00	3.83	7.07	Complies



Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.69	0.00	3.69	7.07	Complies
116	5580	3.73	0.00	3.73	7.07	Complies
140	5700	3.54	0.00	3.54	7.07	Complies




Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.66	7.07	Complies
116	5580	6.68	7.07	Complies
140	5700	6.70	7.07	Complies


Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.33	0.13	3.46	7.07	Complies
110	5550	3.70	0.13	3.83	7.07	Complies
134	5670	3.34	0.13	3.47	7.07	Complies



Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.47	0.13	3.60	7.07	Complies
110	5550	3.62	0.13	3.75	7.07	Complies
134	5670	3.44	0.13	3.57	7.07	Complies




Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	6.54	7.07	Complies
110	5550	6.80	7.07	Complies
134	5670	6.53	7.07	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.78	0.32	2.10	7.07	Complies
122	5610	1.11	0.32	1.43	7.07	Complies




Date: 27_MAR_2025 17:45:54




Date: 27_MAR_2025 17:48:22

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.57	0.32	1.89	7.07	Complies
122	5610	1.01	0.32	1.33	7.07	Complies



Date: 27_MAR_2025 17:46:34




Date: 27_MAR_2025 17:47:36

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	5.00	7.07	Complies
122	5610	4.39	7.07	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-1.34	0.56	-0.78	7.07	Complies



Date: 27_MAR_2025 17:38:12

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-1.56	0.56	-1.00	7.07	Complies




Date: 27_MAR_2025 17:39:06

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	2.12	7.07	Complies


Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.75	0.10	3.85	7.07	Complies
116	5580	3.74	0.10	3.84	7.07	Complies
140	5700	3.97	0.10	4.07	7.07	Complies



Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.77	0.10	3.87	7.07	Complies
116	5580	3.73	0.10	3.83	7.07	Complies
140	5700	3.61	0.10	3.71	7.07	Complies




Test Mode	UNII-2C_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.87	7.07	Complies
116	5580	6.85	7.07	Complies
140	5700	6.90	7.07	Complies


Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.97	0.19	4.16	7.07	Complies
110	5550	3.64	0.19	3.83	7.07	Complies
134	5670	3.13	0.19	3.32	7.07	Complies



Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.68	0.19	3.87	7.07	Complies
110	5550	3.68	0.19	3.87	7.07	Complies
134	5670	3.10	0.19	3.29	7.07	Complies




Test Mode	UNII-2C_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	7.03	7.07	Complies
110	5550	6.86	7.07	Complies
134	5670	6.32	7.07	Complies


Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	2.13	0.36	2.49	7.07	Complies
122	5610	1.32	0.36	1.68	7.07	Complies



Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.77	0.36	2.13	7.07	Complies
122	5610	1.27	0.36	1.63	7.07	Complies




Test Mode	UNII-2C_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	5.32	7.07	Complies
122	5610	4.66	7.07	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 1
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-1.05	0.59	-0.46	7.07	Complies



Date: 27_MAR_2025 17:33:17

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-1.04	0.59	-0.45	7.07	Complies




Date: 27_MAR_2025 17:34:24

Test Mode	UNII-2C_TX BE(EHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	2.56	7.07	Complies


Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.59	0.23	10.82	26.07	Complies
157	5785	10.55	0.23	10.78	26.07	Complies
165	5825	10.85	0.23	11.08	26.07	Complies



Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.03	0.23	11.26	26.07	Complies
157	5785	10.25	0.23	10.48	26.07	Complies
165	5825	10.32	0.23	10.55	26.07	Complies




Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	14.05	26.07	Complies
157	5785	13.64	26.07	Complies
165	5825	13.83	26.07	Complies

Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.21	0.00	11.21	26.07	Complies
157	5785	10.99	0.00	10.99	26.07	Complies
165	5825	10.79	0.00	10.79	26.07	Complies



Date: 27.MAR.2025 12:124:05




Date: 27.MAR.2025 12:129:40




Date: 27.MAR.2025 12:137:26

Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.76	0.00	10.76	26.07	Complies
157	5785	10.20	0.00	10.20	26.07	Complies
165	5825	10.26	0.00	10.26	26.07	Complies



Date: 27.MAR.2025 12:124:23



Date: 27.MAR.2025 12:130:32




Date: 27.MAR.2025 12:133:38

Test Mode UNII-3_TX AC(VHT20) Mode_Total


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	14.00	26.07	Complies
157	5785	13.62	26.07	Complies
165	5825	13.54	26.07	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.48	0.13	8.61	26.07	Complies
159	5795	8.70	0.13	8.83	26.07	Complies




Date: 27_MAR_2025 16:45:00




Date: 27_MAR_2025 16:46:03

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.06	0.13	8.19	26.07	Complies
159	5795	7.76	0.13	7.89	26.07	Complies



Date: 27_MAR_2025 16:44:20




Date: 27_MAR_2025 16:46:44

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	11.42	26.07	Complies
159	5795	11.40	26.07	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	4.59	0.32	4.91	26.07	Complies



Date: 27_MAR_2025 17:49:52

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	4.35	0.32	4.67	26.07	Complies




Date: 27_MAR_2025 17:50:32

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	7.80	26.07	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.04	0.10	11.14	26.07	Complies
157	5785	10.76	0.10	10.86	26.07	Complies
165	5825	11.17	0.10	11.27	26.07	Complies



Date: 27.MAR.2025 16:00:14




Date: 27.MAR.2025 16:03:51




Date: 27.MAR.2025 16:06:29

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.68	0.10	10.78	26.07	Complies
157	5785	10.22	0.10	10.32	26.07	Complies
165	5825	10.51	0.10	10.61	26.07	Complies



Date: 27.MAR.2025 16:01:21



Date: 27.MAR.2025 16:03:13



Date: 27.MAR.2025 16:07:05


Test Mode	UNII-3_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.97	26.07	Complies
157	5785	13.61	26.07	Complies
165	5825	13.96	26.07	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.02	0.19	8.21	26.07	Complies
159	5795	7.95	0.19	8.14	26.07	Complies

CH151



Date: 27_MAR_2025 16:48:36

CH159




Date: 27_MAR_2025 16:50:59

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.55	0.19	7.74	26.07	Complies
159	5795	7.46	0.19	7.65	26.07	Complies

CH151



Date: 27_MAR_2025 16:47:57

CH159




Date: 27_MAR_2025 16:51:25

Test Mode	UNII-3_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	10.99	26.07	Complies
159	5795	10.91	26.07	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	4.68	0.36	5.04	26.07	Complies



Date: 27_MAR_2025 17:28:102

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	4.25	0.36	4.61	26.07	Complies



Date: 27_MAR_2025 17:28:150

Test Mode	UNII-3_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	7.84	26.07	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
138	5179.9856
120	5179.9840
102	5179.9816
Maximum Deviation (MHz)	0.0184
Maximum Deviation (ppm)	3.5521

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
0	5179.9792
10	5179.9788
20	5179.9776
30	5179.9772
40	5179.9768
Maximum Deviation (MHz)	0.0232
Maximum Deviation (ppm)	4.4788

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
138	5259.9768
120	5259.9760
102	5259.9756
Maximum Deviation (MHz)	0.0244
Maximum Deviation (ppm)	4.6388

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
0	5259.9728
10	5259.9728
20	5259.9716
30	5259.9716
40	5259.9704
Maximum Deviation (MHz)	0.0296
Maximum Deviation (ppm)	5.6274

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
138	5499.9696
120	5499.9692
102	5499.9688
Maximum Deviation (MHz)	0.0312
Maximum Deviation (ppm)	5.6727

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
0	5499.9684
10	5499.9684
20	5499.9684
30	5499.9680
40	5499.9680
Maximum Deviation (MHz)	0.0320
Maximum Deviation (ppm)	5.8182

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
138	5744.9676
120	5744.9668
102	5744.9668
Maximum Deviation (MHz)	0.0332
Maximum Deviation (ppm)	5.7789

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
0	5744.9668
10	5744.9668
20	5744.9664
30	5744.9664
40	5744.9664
Maximum Deviation (MHz)	0.0336
Maximum Deviation (ppm)	5.8486

End of Test Report