




















































Appendix C: Maximum conducted output power

Test Result Channel Power

Test Mode	Antenna	Frequency[MHz]	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	14.59	97.20	0.12	14.71	≤23.98	PASS
11A	Ant1	5200	14.27	96.53	0.15	14.42	≤23.98	PASS
11A	Ant1	5240	14.54	97.20	0.12	14.66	≤23.98	PASS
11A	Ant1	5260	14.32	97.20	0.12	14.44	≤23.95	PASS
11A	Ant1	5300	14.06	97.20	0.12	14.18	≤23.98	PASS
11A	Ant1	5320	13.74	97.20	0.12	13.86	≤23.98	PASS
11A	Ant1	5500	14.00	96.24	0.17	14.17	≤23.98	PASS
11A	Ant1	5580	14.14	97.20	0.12	14.26	≤23.98	PASS
11A	Ant1	5700	14.80	96.53	0.15	14.95	≤23.98	PASS
11A	Ant1	5745	14.67	97.20	0.12	14.79	≤30.00	PASS
11A	Ant1	5785	14.27	97.20	0.12	14.39	≤30.00	PASS
11A	Ant1	5825	13.93	97.20	0.12	14.05	≤30.00	PASS
11N20SISO	Ant1	5180	14.25	96.99	0.13	14.38	≤23.98	PASS
11N20SISO	Ant1	5200	14.14	96.24	0.17	14.31	≤23.98	PASS
11N20SISO	Ant1	5240	14.33	96.99	0.13	14.46	≤23.98	PASS
11N20SISO	Ant1	5260	14.23	96.24	0.17	14.40	≤23.98	PASS
11N20SISO	Ant1	5300	14.05	96.24	0.17	14.22	≤23.98	PASS
11N20SISO	Ant1	5320	13.69	96.99	0.13	13.82	≤23.98	PASS
11N20SISO	Ant1	5500	14.06	96.99	0.13	14.19	≤23.98	PASS
11N20SISO	Ant1	5580	14.15	96.24	0.17	14.32	≤23.98	PASS
11N20SISO	Ant1	5700	14.58	96.24	0.17	14.75	≤23.98	PASS
11N20SISO	Ant1	5745	14.46	96.27	0.17	14.63	≤30.00	PASS
11N20SISO	Ant1	5785	14.12	96.99	0.13	14.25	≤30.00	PASS
11N20SISO	Ant1	5825	13.70	96.99	0.13	13.83	≤30.00	PASS
11N40SISO	Ant1	5190	14.01	94.12	0.26	14.27	≤23.98	PASS
11N40SISO	Ant1	5230	14.14	92.65	0.33	14.47	≤23.98	PASS
11N40SISO	Ant1	5270	13.99	92.65	0.33	14.32	≤23.98	PASS
11N40SISO	Ant1	5310	13.59	94.12	0.26	13.85	≤23.98	PASS
11N40SISO	Ant1	5510	13.75	94.12	0.26	14.01	≤23.98	PASS
11N40SISO	Ant1	5590	13.87	92.65	0.33	14.20	≤23.98	PASS
11N40SISO	Ant1	5670	14.42	94.12	0.26	14.68	≤23.98	PASS
11N40SISO	Ant1	5755	14.24	94.12	0.26	14.50	≤30.00	PASS
11N40SISO	Ant1	5795	14.08	94.12	0.26	14.34	≤30.00	PASS
11AC20SISO	Ant1	5180	14.16	96.32	0.16	14.32	≤23.98	PASS
11AC20SISO	Ant1	5200	14.10	96.32	0.16	14.26	≤23.98	PASS
11AC20SISO	Ant1	5240	14.27	97.04	0.13	14.40	≤23.98	PASS
11AC20SISO	Ant1	5260	14.24	97.04	0.13	14.37	≤23.98	PASS
11AC20SISO	Ant1	5300	14.07	96.32	0.16	14.23	≤23.98	PASS
11AC20SISO	Ant1	5320	13.70	96.32	0.16	13.86	≤23.98	PASS
11AC20SISO	Ant1	5500	14.05	97.04	0.13	14.18	≤23.98	PASS
11AC20SISO	Ant1	5580	14.15	96.32	0.16	14.31	≤23.98	PASS
11AC20SISO	Ant1	5700	14.71	96.32	0.16	14.87	≤23.98	PASS
11AC20SISO	Ant1	5745	14.55	96.32	0.16	14.71	≤30.00	PASS
11AC20SISO	Ant1	5785	14.21	96.32	0.16	14.37	≤30.00	PASS
11AC20SISO	Ant1	5825	13.76	97.04	0.13	13.89	≤30.00	PASS
11AC40SISO	Ant1	5190	14.08	92.86	0.32	14.40	≤23.98	PASS
11AC40SISO	Ant1	5230	14.09	92.86	0.32	14.41	≤23.98	PASS
11AC40SISO	Ant1	5270	14.03	94.20	0.26	14.29	≤23.98	PASS
11AC40SISO	Ant1	5310	13.52	92.86	0.32	13.84	≤23.98	PASS
11AC40SISO	Ant1	5510	13.67	94.20	0.26	13.93	≤23.98	PASS
11AC40SISO	Ant1	5590	13.90	94.20	0.26	14.16	≤23.98	PASS
11AC40SISO	Ant1	5670	14.39	92.86	0.32	14.71	≤23.98	PASS

11AC40SISO	Ant1	5755	14.25	92.86	0.32	14.57	≤30.00	PASS
11AC40SISO	Ant1	5795	13.84	94.20	0.26	14.10	≤30.00	PASS
11AC80SISO	Ant1	5210	13.48	86.49	0.63	14.11	≤23.98	PASS
11AC80SISO	Ant1	5290	13.56	88.89	0.51	14.07	≤23.98	PASS
11AC80SISO	Ant1	5530	13.98	89.19	0.50	14.48	≤23.98	PASS
11AC80SISO	Ant1	5610	13.28	88.89	0.51	13.79	≤23.98	PASS
11AC80SISO	Ant1	5775	13.65	88.89	0.51	14.16	≤30.00	PASS

Note : The Duty Cycle Factor is compensated in the graph.

Test Graphs Channel Power

