

Appendix: Bluetooth LE

Contents

Contents 2

Maximum Peak Conducted Output Power 3

-6dB Bandwidth 7

Occupied Channel Bandwidth 11


Maximum Power Spectral Density Level 15


Band Edge 19

Conducted RF Spurious Emission 24


Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE 1M	2402	Ant1	2.47	30	Pass
NVNT	BLE 1M	2440	Ant1	1.9	30	Pass
NVNT	BLE 1M	2480	Ant1	1.4	30	Pass
NVNT	BLE 2M	2402	Ant1	2.52	30	Pass
NVNT	BLE 2M	2440	Ant1	1.91	30	Pass
NVNT	BLE 2M	2480	Ant1	1.41	30	Pass







Date: 8.DEC.2023 09:51:41



Date: 8.DEC.2023 09:53:52




Date: 8.DEC.2023 09:57:53




Date: 8.DEC.2023 09:59:54


-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE 1M	2402	Ant1	0.667	0.5	Pass
NVNT	BLE 1M	2440	Ant1	0.672	0.5	Pass
NVNT	BLE 1M	2480	Ant1	0.68	0.5	Pass
NVNT	BLE 2M	2402	Ant1	1.112	0.5	Pass
NVNT	BLE 2M	2440	Ant1	1.116	0.5	Pass
NVNT	BLE 2M	2480	Ant1	1.126	0.5	Pass







Date: 8.DEC.2023 09:52:03



Date: 8.DEC.2023 09:54:23




Date: 8.DEC.2023 09:58:16




Date: 8.DEC.2023 10:00:16

Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE 1M	2402	Ant1	1.04
NVNT	BLE 1M	2440	Ant1	1.037
NVNT	BLE 1M	2480	Ant1	1.036
NVNT	BLE 2M	2402	Ant1	2.044
NVNT	BLE 2M	2440	Ant1	2.043
NVNT	BLE 2M	2480	Ant1	2.043




Date: 8.DEC.2023 09:47:22




Date: 8.DEC.2023 09:50:03




Date: 8.DEC.2023 09:51:52



Date: 8.DEC.2023 09:54:12




Date: 8.DEC.2023 09:58:04




Date: 8.DEC.2023 10:00:05


Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/3kHz)	Duty Factor (dB)	Total PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	BLE 1M	2402	Ant1	-12.71	0	-12.71	8	Pass
NVNT	BLE 1M	2440	Ant1	-13.45	0	-13.45	8	Pass
NVNT	BLE 1M	2480	Ant1	-14.33	0	-14.33	8	Pass
NVNT	BLE 2M	2402	Ant1	-15.2	0	-15.20	8	Pass
NVNT	BLE 2M	2440	Ant1	-15.85	0	-15.85	8	Pass
NVNT	BLE 2M	2480	Ant1	-16.35	0	-16.35	8	Pass







Date: 8.DEC.2023 09:52:21



Date: 8.DEC.2023 09:54:45




Date: 8.DEC.2023 09:58:37




Date: 8.DEC.2023 10:00:38


Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 1M	2402	Ant1	-46.3	-20	Pass
NVNT	BLE 1M	2480	Ant1	-42.6	-20	Pass
NVNT	BLE 2M	2402	Ant1	-35.15	-20	Pass
NVNT	BLE 2M	2480	Ant1	-42.17	-20	Pass






Date: 8.DEC.2023 09:52:24







Date: 8.DEC.2023 09:54:49



Date: 8.DEC.2023 09:54:52




Date: 8.DEC.2023 10:00:42




Date: 8.DEC.2023 10:00:44


Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 1M	2402	Ant1	-50.58	-20	Pass
NVNT	BLE 1M	2440	Ant1	-50.43	-20	Pass
NVNT	BLE 1M	2480	Ant1	-49.21	-20	Pass
NVNT	BLE 2M	2402	Ant1	-50.47	-20	Pass
NVNT	BLE 2M	2440	Ant1	-49.47	-20	Pass
NVNT	BLE 2M	2480	Ant1	-49.55	-20	Pass






Date: 8.DEC.2023 09:50:35







Date: 8.DEC.2023 09:52:29




Date: 8.DEC.2023 09:52:59




Date: 8.DEC.2023 09:54:55




Date: 8.DEC.2023 09:55:24




Date: 8.DEC.2023 09:58:40



Date: 8.DEC.2023 09:59:09



Date: 8.DEC.2023 10:00:47



Date: 8.DEC.2023 10:01:16

END OF REPORT