



No. I23Z61566-SEM05

For

Wingtech Group (Hong Kong) Limited

4G Mobile Hotspot

Model Name: ATTCKTHS02

With

Hardware Version: 80177_1_11

Software Version: ATTCKTHS02_0.00.010

FCC ID: 2APXW-ATTCKTHS02

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.


Test Laboratory:

CTTL-Telecommunication Technology Labs, CAICT

No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel: +86(0)10-62304633-2512, Fax: +86(0)10-62304633-2504


Email: ctl_terminals@caict.ac.cn, website: www.caict.ac.cn




Picture 1: Constituents of the sample

Test positions for body:

The Body SAR is tested at the following 17 test positions all with the distance =0/10/15mm between the EUT and the phantom bottom:




Picture 2: Front with 15mm



Picture 3: Front with 10mm



Picture 4: Front with 0mm




Picture 5: Rear with 15mm




Picture 6: Rear with 10mm




Picture 7: Rear with 0mm




Picture 8: Left with 15mm




Picture 9: Left with 10mm




Picture 10: Left with 0mm




Picture 11: Right with 15mm




Picture 12: Right with 10mm




Picture 13: Right with 0mm




Picture 14: Top edge with 15mm




Picture 15: Top edge with 10mm



Picture 16: Top edge with 10mm



Picture 17: Bottom edge with 10mm



Picture 18: Antenna Location