



No. 23T04Z80961-42

For

Wingtech Group (Hong Kong) Limited

5G Mobile Phone

Model Name: TMRV075G

with

Hardware Version: V1.0

Software Version: TMRV075G_0.03.03

FCC ID: 2APXW-TMRV075G

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

Test Laboratory:

CTTL, Telecommunication Technology Labs, CAICT


No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel: +86(0)10-62304633-2512, Fax: +86(0)10-62304633-2504


Email: ctl_terminals@caict.ac.cn, website: www.caict.ac.cn




Picture 1: Constituents of the sample




Picture 2: Left Head Touch Cheek Position



Picture 3: Left Head Tilt 15° Position



Picture 4: Right Head Touch Cheek Position



Picture 5: Right Head Tilt 15° Position

Test positions for body:


The Body SAR is tested at the following 13 test positions all with the distance =0/10/17/19 mm between the EUT and the phantom bottom:



Picture 6: Front 10mm




Picture 7: Front 17mm




Picture 8: Rear 10mm




Picture 9: Rear 19mm




Picture 10: Rear 0mm




Picture 11: Left 10mm



Picture 12: Left 17mm




Picture 13: Right 10mm




Picture 14: Right 17mm




Picture 15: Bottom 10mm



Picture 16: Bottom 19mm




Picture 17: Top 10mm



Picture 18: Top 17mm

Transmit Antenna Separation Distances



Picture 13: Antenna Locations