

Appendix A

RF Test Data for BT V5.0(BDR/EDR) (Conducted Measurement)

Product Name: Bluetooth speaker with wireless charger

Trade Mark: N/A

Test Model: B81

Environmental Conditions


Temperature:	24.6° C
Relative Humidity:	54.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Diamond Lu
Supervised by:	Li Huan

A.1 Maximum Conducted Peak Output Power


Mode	Channel.	Maximum Peak Output Power [dBm]	Limit [dBm]	Verdict
GFSK	LCH	2.586	21	PASS
	MCH	2.937	21	PASS
	HCH	2.991	21	PASS
π/4DQPSK	LCH	3.395	21	PASS
	MCH	3.701	21	PASS
	HCH	3.748	21	PASS

Test Graphs



GFSK/LCH





GFSK/MCH



GFSK/HCH


 π /4DQPSK/LCH

$\pi/4$ DQPSK/MCH $\pi/4$ DQPSK/HCH


A.2 20dB Bandwidth

Mode	Channel.	20dB Bandwidth [MHz]	Limit [MHz]	Verdict
GFSK	LCH	0.9538	Not Specified	PASS
	MCH	0.9535	Not Specified	PASS
	HCH	0.9533	Not Specified	PASS
$\pi/4$ DQPSK	LCH	1.311	Not Specified	PASS
	MCH	1.309	Not Specified	PASS
	HCH	1.313	Not Specified	PASS


Test Graphs






GFSK/MCH



GFSK/HCH




$\pi/4$ DQPSK/LCH $\pi/4$ DQPSK/MCH

$\pi/4$ DQPSK/HCH


A.3 Carrier Frequency Separation

Mode	Channel.	Carrier Frequency Separation [MHz]	Limit [MHz]	Verdict
GFSK	LCH	0.979	0.636	PASS
	MCH	0.978	0.636	PASS
	HCH	0.962	0.636	PASS
π /4DQPSK	LCH	1.166	0.875	PASS
	MCH	1.036	0.875	PASS
	HCH	0.988	0.875	PASS


Test Graphs




GFSK/MCH



GFSK/HCH



$\pi/4$ DQPSK/LCH

Frequency

Auto Tune


Center Freq
2.402500000 GHz

Start Freq
2.401500000 GHz

Stop Freq
2.403500000 GHz

CF Step
200.000 kHz
Man

Freq Offset
0 Hz

 $\pi/4$ DQPSK/MCH

Frequency

Auto Tune


Center Freq
2.441500000 GHz

Start Freq
2.440500000 GHz

Stop Freq
2.442500000 GHz

CF Step
200.000 kHz
Man

Freq Offset
0 Hz


$\pi/4$ DQPSK/HCH


A.4 Hopping Channel Number

Mode	Channel.	Number of Hopping Channel [N]	Limit [N]	Verdict
GFSK	Hop	79	≥ 15	PASS
$\pi/4$ DQPSK	Hop	79	≥ 15	PASS

Test Graphs

GFSK/Hop




$\pi/4$ DQPSK/Hop

A.5 Dwell Time


Mode	Packet	Channel	Burst Width [ms/hop/ch]	Total Hops[hop*ch]	Dwell Time[s]	Limit [s]	Verdict
GFSK	DH5	LCH	2.88	106.7	0.307	0.4	PASS
	DH5	MCH	2.88	106.7	0.307	0.4	PASS
	DH5	HCH	2.88	106.7	0.307	0.4	PASS
$\pi/4$ DQPSK	2DH5	LCH	2.88	106.7	0.308	0.4	PASS
	2DH5	MCH	2.88	106.7	0.307	0.4	PASS
	2DH5	HCH	2.88	106.7	0.307	0.4	PASS

Test Graphs


GFSK_DH5/LCH




GFSK_DH5/MCH




GFSK_DH5/HCH




$\pi/4$ DQPSK
_2DH5/LCH



$\pi/4$ DQPSK
_2DH5/MCH



$\pi/4$ DQPSK
_2DH5/HCH



Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
GFSK	LCH	2.164	-38.100	-17.836	PASS
	MCH	2.55	-38.042	-17.450	PASS
	HCH	2.437	-36.636	-17.563	PASS
$\pi/4$ DQPSK	LCH	2.378	-37.183	-17.622	PASS
	MCH	2.568	-38.064	-17.432	PASS
	HCH	2.725	-37.552	-17.275	PASS

