CONSTRUCTION PHOTOS OF EUT







ANT3
ANT2
ANT1
ANT0
Foxconn PN: T99W175.36
MO: 2192012057-02S2
IMEI: 355819110041716
DP/N: 0RPY3T
DW5930e
CN-0RPY3T-FCO00-161-005J-X02
Made in China
X02: Prototype sample
DO NOT use for A-Rev validation
WWAN
T99W175 REV.2 GP HF 4
V205
2102A6
WWAN Card
J201
JR101
RF SW D
12
13
2


ANT3
ANT2
ANT1
ANT0
Foxconn PN: T99W175.36
MO: 2192012057-02S2
IMEI: 355819110041716
DP/N: 0RPY3T
DW5930e
CN-0RPY3T-FCO00-161-005J-X02
Made in China
X02: Prototype sample
DO NOT use for A-Rev validation
WWAN
T99W175 REV.2 GP HF 4
V205
37
38
39
40
41
42
43
44
45
46


AT&S MX5 SH
94V-0 3720 08 4


WLAN
MAIN
AUX
MAC:B4B5B66F8F5B
NFA765 Made in China
2192012373-00S0
CN-02R8DY-FCO00
-17L-003O-X00

T99H294
V005
11
WLAN
MAIN
AUX
MAC: A8934AC8564D
NFA765 Made in China
2192012845-03S3
CN-02R8DY-FCO00
-1AD-017O-X02
CMIIT ID: 2021AJ3109(M)


Qualcomm Model: QCNFA765
CCAI21Y10040T2
IC: 2723A-QCNFA765
R-C-QTI-QCNFA765
FCC ID: J9C-QCNFA765
ANATEL: 11566-21-02245
R 003-210102
T D210057003
5GHz band (W52, W53): Indoor use only
(except communicate to high power radio)
25-19296
QUALCOMM


TOP
M2x3.5
PCB MADE IN CHINA
JFPBTN1
M2x3.5
SEC D5K
RFV-X81
DPN:XXXXX
JSEC1
JNFC1


BOT
VHSJ00.D2111.L0000
winbond
DELL
E89382


D5K NFC ASSY
1415-08BB000
2021/03/04
HB REV:X1
CN-0BB000-H0C00-
13A-00E6-X01
R1
R2
C01
C02
C03
C04
C05
C06
C07
C08
53
54
55
56
57
58
59
60
61
62
63


53
54
55
56
57
58
59
60
61
62




PJP9201
PJP9200
PJP9203
PJP9202
PJP9205
PJP9204
M25x5


H380M


36
24
JROM2800
JDEG1
S122NNB8
WGI219LI
12
1
T250
PADM
JWLAN1
6132
1
JESPI1


CE114
01910


DELL


PJP3001
JP3000
MEC5107-LJ
E2109B3Q32A
10999MA ES
ATC-CN
23017
E/ML
2118W06


D5K 5G AUX1 ASSY
1415-
2021/06/04
HB Rev:X02




D5K 5G MAIN ASSY
1415-
2021/06/04
HB Rev:X02






D5K 5G AUX1 ASSY
1415.
2021/06/04
HB Rev:X02



DELL
SLT-SWD
PROPERTY OF DELL
NOT FOR RESALE
P/N 0M9TN3
S/N CN-0M9TN3-SLW00-14G-4BC8-XG1

Disconnect the battery before accessing any parts or devices. Note: Longer POST time may occur if battery cable was disconnected for service/repair.
DELL
Battery Questions?
Go to www.dell.com/regulatory_compliance
Cells made in China/
Assembled in China/
Rechargeable Li-ion Battery/
Model/型号/型號：XVJNP
Rated Capacity/
Limited Charging Voltage/
CAUTION Do not expose the battery to temperatures above 65 °C (149°F). See the manual for safety instructions.
PRÉCAUTION Ne pas soumettre la batterie à des temperatures supérieures à 65 °C (149 °F). Voir le manuel pour des instructions de sécurité.
This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:
(1) This device may not cause harmful interference, and
(2) this device must accept any interference received, including interference that may cause undesired operation.
CAN ICES-3(B)/NMB-3(B)
DELL
53.5Wh
Standard
Rechargeable
Li-ion Battery
Type XVJNP
11.4V
For EU only
Raheen Business Park
Limerick Ireland
For UK only
Cain Road, Bracknell,
RG12 1LF
Simplo Technology
(Chong Qing) Inc.
A/S 연락처: 080-854-0066
LISTED
TIS 2217-2548
Importer:
Dell Corporation (Thailand) Co., Ltd.
3ICP6/56/77
Li-ion 00
Japan Only
RECYCLE
1.800.822.8837
CN-0M0TN3-SLW00-14G-40C0-X01
DP/N 0M0TN3
PROPERTY OF DELL,
NOT FOR RESALE