




FR1 n77 / 80MHz / DFT-S OFDM / QPSK

Middle Channel

Full RB






FR1 n77 / 80MHz / DFT-S OFDM / QPSK

Highest Channel

Full RB






FR1 n77 / 80MHz / DFT-S OFDM / 16QAM

Lowest Channel

Full RB






FR1 n77 / 80MHz / DFT-S OFDM / 16QAM

Middle Channel

Full RB






FR1 n77 / 80MHz / DFT-S OFDM / 16QAM

Highest Channel

Full RB






FR1 n77 / 80MHz / DFT-S OFDM / 64QAM

Lowest Channel

Full RB






FR1 n77 / 80MHz / DFT-S OFDM / 64QAM

Middle Channel

Full RB






FR1 n77 / 80MHz / DFT-S OFDM / 64QAM

Highest Channel

Full RB






FR1 n77 / 80MHz / DFT-S OFDM / 256QAM

Lowest Channel

Full RB






FR1 n77 / 80MHz / DFT-S OFDM / 256QAM

Middle Channel

Full RB






FR1 n77 / 80MHz / DFT-S OFDM / 256QAM

Highest Channel

Full RB






FR1 n77 / 90MHz / DFT-S OFDM / PI/2 BPSK

Lowest Channel

Full RB






FR1 n77 / 90MHz / DFT-S OFDM / PI/2 BPSK

Middle Channel

Full RB






FR1 n77 / 90MHz / DFT-S OFDM / PI/2 BPSK

Highest Channel

Full RB






FR1 n77 / 90MHz / DFT-S OFDM / QPSK

Lowest Channel

Full RB






FR1 n77 / 90MHz / DFT-S OFDM / QPSK

Middle Channel

Full RB






FR1 n77 / 90MHz / DFT-S OFDM / QPSK

Highest Channel

Full RB






FR1 n77 / 90MHz / DFT-S OFDM / 16QAM

Lowest Channel

Full RB






FR1 n77 / 90MHz / DFT-S OFDM / 16QAM

Middle Channel

Full RB






FR1 n77 / 90MHz / DFT-S OFDM / 16QAM

Highest Channel

Full RB






FR1 n77 / 90MHz / DFT-S OFDM / 64QAM

Lowest Channel

Full RB






FR1 n77 / 90MHz / DFT-S OFDM / 64QAM

Middle Channel

Full RB






FR1 n77 / 90MHz / DFT-S OFDM / 64QAM

Highest Channel

Full RB






FR1 n77 / 90MHz / DFT-S OFDM / 256QAM

Lowest Channel

Full RB






FR1 n77 / 90MHz / DFT-S OFDM / 256QAM

Middle Channel

Full RB






FR1 n77 / 90MHz / DFT-S OFDM / 256QAM

Highest Channel

Full RB







FR1 n77 / 100MHz / DFT-S OFDM / PI/2 BPSK

Lowest Channel

1RB0



1RBmax



Full RB







FR1 n77 / 100MHz / DFT-S OFDM / PI/2 BPSK

Middle Channel


1RB0



1RBmax



Full RB







FR1 n77 / 100MHz / DFT-S OFDM / PI/2 BPSK

Highest Channel

1RB0



1RBmax



Full RB







FR1 n77 / 100MHz / DFT-S OFDM / QPSK

Lowest Channel


1RB0



1RBmax



Full RB







FR1 n77 / 100MHz / DFT-S OFDM / QPSK

Middle Channel


1RB0



1RBmax



Full RB







FR1 n77 / 100MHz / DFT-S OFDM / QPSK

Highest Channel


1RB0



1RBmax



Full RB







FR1 n77 / 100MHz / DFT-S OFDM / 16QAM

Lowest Channel


1RB0



1RBmax



Full RB







FR1 n77 / 100MHz / DFT-S OFDM / 16QAM

Middle Channel

1RB0



1RBmax



Full RB







FR1 n77 / 100MHz / DFT-S OFDM / 16QAM

Highest Channel


1RB0



1RBmax



Full RB







FR1 n77 / 100MHz / DFT-S OFDM / 64QAM

Lowest Channel


1RB0



1RBmax



Full RB







FR1 n77 / 100MHz / DFT-S OFDM / 64QAM

Middle Channel


1RB0



1RBmax



Full RB







FR1 n77 / 100MHz / DFT-S OFDM / 64QAM

Highest Channel


1RB0



1RBmax



Full RB







FR1 n77 / 100MHz / DFT-S OFDM / 256QAM

Lowest Channel

1RB0



1RBmax



Full RB







FR1 n77 / 100MHz / DFT-S OFDM / 256QAM

Middle Channel


1RB0



1RBmax



Full RB







FR1 n77 / 100MHz / DFT-S OFDM / 256QAM

Highest Channel

1RB0



1RBmax




Full RB






FR1 n77 / 10MHz / CP OFDM / QPSK / Full RB


Lowest Channel



Middle Channel




Highest Channel






FR1 n77 / 15MHz / CP OFDM / QPSK / Full RB


Lowest Channel



Middle Channel




Highest Channel






FR1 n77 / 20MHz / CP OFDM / QPSK / Full RB


Lowest Channel



Middle Channel




Highest Channel






FR1 n77 / 30MHz / CP OFDM / QPSK / Full RB

Lowest Channel



Middle Channel




Highest Channel






FR1 n77 / 40MHz / CP OFDM / QPSK / Full RB


Lowest Channel



Middle Channel




Highest Channel






FR1 n77 / 50MHz / CP OFDM / QPSK / Full RB


Lowest Channel



Middle Channel




Highest Channel






FR1 n77 / 60MHz / CP OFDM / QPSK / Full RB


Lowest Channel



Middle Channel




Highest Channel






FR1 n77 / 70MHz / CP OFDM / QPSK / Full RB


Lowest Channel



Middle Channel




Highest Channel






FR1 n77 / 80MHz / CP OFDM / QPSK / Full RB


Lowest Channel



Middle Channel




Highest Channel






FR1 n77 / 90MHz / CP OFDM / QPSK / Full RB


Lowest Channel



Middle Channel




Highest Channel






FR1 n77 / 100MHz / CP OFDM / QPSK / Full RB


Lowest Channel



Middle Channel



Highest Channel







Conducted Spurious Emission

FR1 n77 / 10MHz / DFT-S OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel



Frequency Stability

Test Conditions		FR1 n77 (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0018	PASS
40	Normal Voltage	0.0026	
30	Normal Voltage	0.0012	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0015	
0	Normal Voltage	0.0021	
-10	Normal Voltage	0.0018	
-20	Normal Voltage	0.0033	
-30	Normal Voltage	0.0028	
20	Maximum Voltage	0.0033	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0033	

Note:

1. Normal Voltage = 3.3 V. ; Battery End Point (BEP) = 3.135 V. ; Maximum Voltage = 3.63 V.
2. The frequency fundamental emissions stay within the authorized frequency block.

**Appendix B. Test Results of Radiated Test**

<MIMO Mode>

MIMO <Ant. 0+2>

5G NR n77 (HPUE)

5G NR n77 / 100MHz / PI/2 BPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Margin (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	7102	-62.19	-40	-22.19	-55.78	-71.59	1.30	10.69	H
	10653	-59.79	-40	-19.79	-57.28	-70.15	1.56	11.92	H
	14204	-59.15	-40	-19.15	-59.3	-70.06	1.87	12.78	H
	21306	-70.78	-40	-30.78	-78.34	-87.38	2.26	18.86	H
	24857	-67.97	-40	-27.97	-78.65	-84.82	2.23	19.07	H
	28408	-66.13	-40	-26.13	-77.87	-82.40	2.86	19.14	H
									H
	7102	-59.50	-40	-19.50	-54.54	-68.90	1.30	10.69	V
	10653	-59.64	-40	-19.64	-55.91	-70.00	1.56	11.92	V
	14204	-57.97	-40	-17.97	-58.31	-68.88	1.87	12.78	V
	21306	-70.36	-40	-30.36	-78.36	-86.96	2.26	18.86	V
	24857	-67.34	-40	-27.34	-78.46	-84.19	2.23	19.07	V
	28408	-65.73	-40	-25.73	-77.89	-82.00	2.86	19.14	V
									V



Middle	7152	-63.44	-40	-23.44	-56.94	-72.63	1.30	10.49	H
	10728	-59.67	-40	-19.67	-57.28	-70.08	1.58	11.98	H
	14303	-59.25	-40	-19.25	-59.46	-70.17	1.90	12.82	H
	21457	-69.16	-40	-29.16	-77.02	-85.95	2.10	18.89	H
	25033	-67.71	-40	-27.71	-78.45	-84.43	2.21	18.93	H
	28610	-66.20	-40	-26.20	-78.06	-82.39	2.87	19.06	H
									H
	7152	-62.17	-40	-22.17	-57.13	-71.36	1.30	10.49	V
	10728	-59.77	-40	-19.77	-56.23	-70.18	1.58	11.98	V
	14303	-59.20	-40	-19.20	-59.67	-70.12	1.90	12.82	V
	21457	-68.97	-40	-28.97	-77.3	-85.76	2.10	18.89	V
	25033	-67.41	-40	-27.41	-78.56	-84.13	2.21	18.93	V
	28610	-65.74	-40	-25.74	-78.03	-81.93	2.87	19.06	V
									V
Highest	7203	-62.88	-40	-22.88	-56.32	-71.89	1.30	10.31	H
	10804	-58.91	-40	-18.91	-56.65	-69.36	1.59	12.04	H
	14405	-58.84	-40	-18.84	-59.09	-69.78	1.93	12.86	H
	18006	-67.32	-40	-27.32	-72.91	-83.55	1.97	18.20	H
	21607	-70.00	-40	-30.00	-77.81	-86.78	2.10	18.88	H
	25208	-67.69	-40	-27.69	-78.31	-84.49	2.27	19.07	H
									H
	7203	-61.40	-40	-21.40	-56.3	-70.41	1.30	10.31	V
	10804	-59.44	-40	-19.44	-56.1	-69.89	1.59	12.04	V
	14405	-58.49	-40	-18.49	-59.07	-69.43	1.93	12.86	V
	18006	-68.00	-40	-28.00	-73.63	-84.23	1.97	18.20	V
	21607	-69.35	-40	-29.35	-77.65	-86.13	2.10	18.88	V
	25208	-67.13	-40	-27.13	-78.21	-83.93	2.27	19.07	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<SRS Mode>
MIMO <Ant. 0+1>

5G NR n77 (HPUE)

5G NR n77 / 100MHz / PI/2 BPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Margin (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	7102	-57.10	-40	-17.10	-50.69	-66.50	1.30	10.69	H
	10653	-56.24	-40	-16.24	-53.73	-66.60	1.56	11.92	H
	14204	-58.43	-40	-18.43	-58.43	-69.34	1.87	12.78	H
	21306	-71.04	-40	-31.04	-78.6	-87.64	2.26	18.86	H
	24857	-67.89	-40	-27.89	-78.57	-84.74	2.23	19.07	H
	28408	-66.07	-40	-26.07	-77.81	-82.34	2.86	19.14	H
									H
	7102	-52.25	-40	-12.25	-52.25	-61.65	1.30	10.69	V
	10653	-51.74	-40	-11.74	-48.01	-62.10	1.56	11.92	V
	14204	-57.96	-40	-17.96	-57.96	-68.87	1.87	12.78	V
	21306	-69.99	-40	-29.99	-77.99	-86.59	2.26	18.86	V
	24857	-67.41	-40	-27.41	-78.53	-84.26	2.23	19.07	V
	28408	-65.64	-40	-25.64	-77.8	-81.91	2.86	19.14	V
									V
Middle	7152	-62.91	-40	-22.91	-56.41	-72.10	1.30	10.49	H
	10728	-57.88	-40	-17.88	-55.49	-68.29	1.58	11.98	H
	14303	-58.88	-40	-18.88	-59.09	-69.80	1.90	12.82	H
	21457	-69.22	-40	-29.22	-77.08	-86.01	2.10	18.89	H
	25033	-67.93	-40	-27.93	-78.67	-84.65	2.21	18.93	H
	28610	-66.32	-40	-26.32	-78.18	-82.51	2.87	19.06	H
									H
	7152	-61.03	-40	-21.03	-55.99	-70.22	1.30	10.49	V
	10728	-55.44	-40	-15.44	-51.9	-65.85	1.58	11.98	V
	14303	-56.62	-40	-16.62	-57.09	-67.54	1.90	12.82	V
	21457	-68.70	-40	-28.70	-77.03	-85.49	2.10	18.89	V
	25033	-67.48	-40	-27.48	-78.63	-84.20	2.21	18.93	V
	28610	-65.63	-40	-25.63	-77.92	-81.82	2.87	19.06	V
									V



Highest	7203	-61.04	-40	-21.04	-54.48	-70.05	1.30	10.31	H
	10804	-52.61	-40	-12.61	-50.35	-63.06	1.59	12.04	H
	14405	-58.26	-40	-18.26	-58.51	-69.20	1.93	12.86	H
	18006	-67.96	-40	-27.96	-73.55	-84.19	1.97	18.20	H
	21607	-70.32	-40	-30.32	-78.13	-87.10	2.10	18.88	H
	25208	-67.61	-40	-27.61	-78.23	-84.41	2.27	19.07	H
									H
	7203	-59.94	-40	-19.94	-54.84	-68.95	1.30	10.31	V
	10804	-51.94	-40	-11.94	-48.6	-62.39	1.59	12.04	V
	14405	-56.09	-40	-16.09	-56.67	-67.03	1.93	12.86	V
	18006	-68.02	-40	-28.02	-73.65	-84.25	1.97	18.20	V
	21607	-69.40	-40	-29.40	-77.7	-86.18	2.10	18.88	V
	25208	-67.16	-40	-27.16	-78.24	-83.96	2.27	19.07	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



MIMO <Ant. 1+3>

5G NR n77 (HPUE)

5G NR n77 / 100MHz / PI/2 BPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Margin (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	7102	-59.03	-40	-19.03	-52.62	-68.43	1.30	10.69	H
	10653	-54.87	-40	-14.87	-52.36	-65.23	1.56	11.92	H
	14204	-57.83	-40	-17.83	-57.98	-68.74	1.87	12.78	H
	21306	-71.03	-40	-31.03	-78.59	-87.63	2.26	18.86	H
	24857	-68.08	-40	-28.08	-78.76	-84.93	2.23	19.07	H
	28408	-66.00	-40	-26.00	-77.74	-82.27	2.86	19.14	H
									H
	7102	-56.98	-40	-16.98	-52.02	-66.38	1.30	10.69	V
	10653	-53.51	-40	-13.51	-49.78	-63.87	1.56	11.92	V
	14204	-57.35	-40	-17.35	-57.69	-68.26	1.87	12.78	V
	21306	-70.29	-40	-30.29	-78.29	-86.89	2.26	18.86	V
	24857	-67.52	-40	-27.52	-78.64	-84.37	2.23	19.07	V
	28408	-65.55	-40	-25.55	-77.71	-81.82	2.86	19.14	V
									V
Middle	7152	-59.59	-40	-19.59	-53.09	-68.78	1.30	10.49	H
	10728	-51.61	-40	-11.61	-49.22	-62.02	1.58	11.98	H
	14303	-58.31	-40	-18.31	-58.52	-69.23	1.90	12.82	H
	21457	-69.04	-40	-29.04	-76.9	-85.83	2.10	18.89	H
	25033	-67.26	-40	-27.26	-78	-83.98	2.21	18.93	H
	28610	-66.13	-40	-26.13	-77.99	-82.32	2.87	19.06	H
									H
	7152	-53.48	-40	-13.48	-48.44	-62.67	1.30	10.49	V
	10728	-45.54	-40	-5.54	-42	-55.95	1.58	11.98	V
	14303	-55.78	-40	-15.78	-56.25	-66.70	1.90	12.82	V
	21457	-68.87	-40	-28.87	-77.2	-85.66	2.10	18.89	V
	25033	-67.09	-40	-27.09	-78.24	-83.81	2.21	18.93	V
	28610	-65.51	-40	-25.51	-77.8	-81.70	2.87	19.06	V
									V



Highest	7203	-56.74	-40	-16.74	-50.18	-65.75	1.30	10.31	H
	10804	-50.07	-40	-10.07	-47.81	-60.52	1.59	12.04	H
	14405	-58.24	-40	-18.24	-58.49	-69.18	1.93	12.86	H
	18006	-67.99	-40	-27.99	-73.58	-84.22	1.97	18.20	H
	21607	-69.62	-40	-29.62	-77.43	-86.40	2.10	18.88	H
	25208	-67.30	-40	-27.30	-77.92	-84.10	2.27	19.07	H
									H
	7203	-56.32	-40	-16.32	-51.22	-65.33	1.30	10.31	V
	10804	-52.23	-40	-12.23	-48.89	-62.68	1.59	12.04	V
	14405	-57.17	-40	-17.17	-57.75	-68.11	1.93	12.86	V
	18006	-67.63	-40	-27.63	-73.26	-83.86	1.97	18.20	V
	21607	-69.68	-40	-29.68	-77.98	-86.46	2.10	18.88	V
	25208	-66.91	-40	-26.91	-77.99	-83.71	2.27	19.07	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



MIMO <Ant. 2+3>

5G NR n77 (HPUE)

5G NR n77 / 100MHz / PI/2 BPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Margin (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	7102	-60.07	-40	-20.07	-53.66	-69.47	1.30	10.69	H
	10653	-54.81	-40	-14.81	-52.3	-65.17	1.56	11.92	H
	14204	-59.29	-40	-19.29	-59.44	-70.20	1.87	12.78	H
	21306	-71.06	-40	-31.06	-78.62	-87.66	2.26	18.86	H
	24857	-67.85	-40	-27.85	-78.53	-84.70	2.23	19.07	H
	28408	-65.89	-40	-25.89	-77.63	-82.16	2.86	19.14	H
									H
	7102	-58.87	-40	-18.87	-53.91	-68.27	1.30	10.69	V
	10653	-54.41	-40	-14.41	-50.68	-64.77	1.56	11.92	V
	14204	-58.52	-40	-18.52	-58.86	-69.43	1.87	12.78	V
	21306	-70.28	-40	-30.28	-78.28	-86.88	2.26	18.86	V
	24857	-67.30	-40	-27.30	-78.42	-84.15	2.23	19.07	V
	28408	-65.30	-40	-25.30	-77.46	-81.57	2.86	19.14	V
									V
Middle	7152	-59.91	-40	-19.91	-53.41	-69.10	1.30	10.49	H
	10728	-54.02	-40	-14.02	-51.63	-64.43	1.58	11.98	H
	14303	-58.39	-40	-18.39	-58.6	-69.31	1.90	12.82	H
	21457	-69.50	-40	-29.50	-77.36	-86.29	2.10	18.89	H
	25033	-67.56	-40	-27.56	-78.3	-84.28	2.21	18.93	H
	28610	-66.56	-40	-26.56	-78.42	-82.75	2.87	19.06	H
									H
	7152	-56.42	-40	-16.42	-51.38	-65.61	1.30	10.49	V
	10728	-50.03	-40	-10.03	-46.49	-60.44	1.58	11.98	V
	14303	-56.43	-40	-16.43	-56.9	-67.35	1.90	12.82	V
	21457	-68.79	-40	-28.79	-77.12	-85.58	2.10	18.89	V
	25033	-67.38	-40	-27.38	-78.53	-84.10	2.21	18.93	V
	28610	-65.86	-40	-25.86	-78.15	-82.05	2.87	19.06	V
									V



Highest	7203	-57.88	-40	-17.88	-51.32	-66.89	1.30	10.31	H
	10804	-57.06	-40	-17.06	-54.8	-67.51	1.59	12.04	H
	14405	-58.70	-40	-18.70	-58.95	-69.64	1.93	12.86	H
	18006	-68.10	-40	-28.10	-73.69	-84.33	1.97	18.20	H
	21607	-70.08	-40	-30.08	-77.89	-86.86	2.10	18.88	H
	25208	-67.55	-40	-27.55	-78.17	-84.35	2.27	19.07	H
									H
	7203	-56.99	-40	-16.99	-51.89	-66.00	1.30	10.31	V
	10804	-54.38	-40	-14.38	-51.04	-64.83	1.59	12.04	V
	14405	-55.25	-40	-15.25	-55.83	-66.19	1.93	12.86	V
	18006	-67.52	-40	-27.52	-73.15	-83.75	1.97	18.20	V
	21607	-69.77	-40	-29.77	-78.07	-86.55	2.10	18.88	V
	25208	-67.16	-40	-27.16	-78.24	-83.96	2.27	19.07	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.