




Ant.1

Part 22H Mode 3

NR SA n5 20M Ch167300 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Horizontal

Mode : NR n5 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			1			g			
1	1656.00	-64.78	RMS	25.30	-32.33	0.35	-95.23	37.13	-13.00	-51.78	Horizontal
2	2483.00	-62.55	RMS	27.80	-31.10	0.22	-95.23	35.76	-13.00	-49.55	Horizontal
3	3312.00	-61.15	RMS	29.60	-30.19	0.25	-95.23	34.42	-13.00	-48.15	Horizontal



Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Vertical

Mode : NR n5 20M Ch167300 1RB1 BPSK


	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			1			g			
1	1656.00	-63.03	RMS	25.30	-32.33	0.35	-95.23	38.88	-13.00	-50.03	Vertical
2	2483.00	-61.12	RMS	27.80	-31.10	0.22	-95.23	37.19	-13.00	-48.12	Vertical
3	3312.00	-59.22	RMS	29.60	-30.19	0.25	-95.23	36.35	-13.00	-46.22	Vertical

Ant.1

Part 22H Mode 3


NR SA n5 20M Ch167800 1RB1 BPSK

H



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Horizontal
Mode : NR n5 20M Ch167800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1660.00	-62.90	RMS	25.30	-32.32	0.34	-95.23	39.01	-13.00	-49.90	Horizontal
2	2488.00	-63.15	RMS	27.83	-31.09	0.22	-95.23	35.12	-13.00	-50.15	Horizontal
3	3320.00	-60.66	RMS	29.60	-30.19	0.25	-95.23	34.91	-13.00	-47.66	Horizontal



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Vertical
Mode : NR n5 20M Ch167800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1660.00	-57.89	RMS	25.30	-32.32	0.34	-95.23	44.02	-13.00	-44.89	Vertical
2	2488.00	-62.76	RMS	27.83	-31.09	0.22	-95.23	35.51	-13.00	-49.76	Vertical
3	3320.00	-59.87	RMS	29.60	-30.19	0.25	-95.23	35.70	-13.00	-46.87	Vertical




Ant.1+Ant.0

Part 24E Mode 6


EN-DC B5+n2 10M + 40M Ch20525 1RB0 QPSK + Ch374000 1RB1 BPSK

L



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Horizontal
: LTE Band 5 10M Ch 20525 1RB0 QPSK
: SA n2 40M Ch374000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	3705.00	-62.33	RMS	29.84	-51.15	0.80	-95.23	53.41	-13.00	-49.33	Horizontal
2	5550.00	-65.24	RMS	33.00	-49.73	0.35	-95.23	46.37	-13.00	-52.24	Horizontal
3	7410.00	-60.12	RMS	36.38	-49.03	0.26	-95.23	47.50	-13.00	-47.12	Horizontal



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Vertical
: LTE Band 5 10M Ch 20525 1RB0 QPSK
: SA n2 40M Ch374000 1RB1 BPSK


	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	3705.00	-56.39	RMS	29.84	-51.15	0.80	-95.23	59.35	-13.00	-43.39	Vertical
2	5550.00	-59.95	RMS	33.00	-49.73	0.35	-95.23	51.66	-13.00	-46.95	Vertical
3	7410.00	-56.64	RMS	36.38	-49.03	0.26	-95.23	50.98	-13.00	-43.64	Vertical

Ant.1+Ant.0


Part 24E Mode 6

EN-DC B5+n2 10M + 40M Ch20525 1RB0 QPSK + Ch376000 1RB1 BPSK

M



	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	3735.00	-63.16	RMS	30.08	-51.10	0.76	-95.23	52.33	-13.00	-50.16	Horizontal
2	5580.00	-65.45	RMS	33.00	-49.73	0.34	-95.23	46.17	-13.00	-52.45	Horizontal
3	7440.00	-60.80	RMS	36.32	-49.05	0.24	-95.23	46.92	-13.00	-47.80	Horizontal




	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	3735.00	-60.00	RMS	30.08	-51.10	0.76	-95.23	55.49	-13.00	-47.00	Vertical
2	5595.00	-60.04	RMS	33.00	-49.73	0.34	-95.23	51.58	-13.00	-47.04	Vertical
3	7440.00	-60.88	RMS	36.32	-49.05	0.24	-95.23	46.84	-13.00	-47.88	Vertical

Ant.1+Ant.0

Part 24E Mode 6


EN-DC B5+n2 10M + 40M Ch20525 1RB0 QPSK + Ch376578 1RB1 BPSK

H



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Horizontal
: LTE Band 5 10M Ch 20525 1RB0 QPSK
: SA n2 40M Ch376578 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3735.00	-65.79	RMS	30.08	-51.10	0.76	-95.23	49.70	-13.00	-52.79	Horizontal
2	5610.00	-64.99	RMS	33.06	-49.72	0.34	-95.23	46.56	-13.00	-51.99	Horizontal
3	7485.00	-61.45	RMS	36.23	-49.07	0.21	-95.23	46.41	-13.00	-48.45	Horizontal



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Vertical
: LTE Band 5 10M Ch 20525 1RB0 QPSK
: SA n2 40M Ch376578 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3735.00	-62.00	RMS	30.08	-51.10	0.76	-95.23	53.49	-13.00	-49.00	Vertical
2	5595.00	-61.27	RMS	33.00	-49.73	0.34	-95.23	50.35	-13.00	-48.27	Vertical
3	7480.00	-61.75	RMS	36.24	-49.07	0.21	-95.23	46.10	-13.00	-48.75	Vertical




Ant.1

Part 24E Mode 3


NR SA n2 40M Ch374000 1RB1 BPSK

L



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Horizontal
: SA n2 40M Ch374000 1RB1 BPSK

Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		Factor	1			g			
1	3704.00	-46.88 RMS	29.83	-51.15	0.80	-95.23	68.87	-13.00	-33.88	Horizontal
2	5556.00	-62.21 RMS	33.00	-49.73	0.35	-95.23	49.40	-13.00	-49.21	Horizontal
3	7409.00	-54.12 RMS	36.38	-49.03	0.26	-95.23	53.50	-13.00	-41.12	Horizontal
4	9261.00	-50.98 RMS	38.20	-47.68	0.10	-95.23	53.63	-13.00	-37.98	Horizontal
5	11113.00	-58.37 RMS	38.61	-45.44	0.18	-95.23	43.51	-13.00	-45.37	Horizontal
6	12965.00	-54.30 RMS	39.90	-43.83	0.15	-95.23	44.71	-13.00	-41.30	Horizontal



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Vertical
: SA n2 40M Ch374000 1RB1 BPSK

Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		Factor	1			g			
1	3704.00	-40.13 RMS	29.83	-51.15	0.80	-95.23	75.62	-13.00	-27.13	Vertical
2	5556.00	-55.06 RMS	33.00	-49.73	0.35	-95.23	56.55	-13.00	-42.06	Vertical
3	7409.00	-48.53 RMS	36.38	-49.03	0.26	-95.23	59.09	-13.00	-35.53	Vertical
4	9261.00	-51.54 RMS	38.20	-47.68	0.10	-95.23	53.07	-13.00	-38.54	Vertical
5	11113.00	-56.34 RMS	38.61	-45.44	0.18	-95.23	45.54	-13.00	-43.34	Vertical
6	12965.00	-53.40 RMS	39.90	-43.83	0.15	-95.23	45.61	-13.00	-40.40	Vertical




Ant.1

Part 24E Mode 3

NR SA n2 40M Ch376000 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Horizontal

: SA n2 40M Ch376000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3724.00	-55.60	RMS	29.99	-51.12	0.78	-95.23	59.98	-13.00	-42.60	Horizontal
2	5586.00	-63.49	RMS	33.00	-49.73	0.34	-95.23	48.13	-13.00	-50.49	Horizontal
3	7449.00	-60.06	RMS	36.30	-49.05	0.23	-95.23	47.69	-13.00	-47.06	Horizontal



Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Vertical

: SA n2 40M Ch376000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3724.00	-47.91	RMS	29.99	-51.12	0.78	-95.23	67.67	-13.00	-34.91	Vertical
2	5586.00	-58.77	RMS	33.00	-49.73	0.34	-95.23	52.85	-13.00	-45.77	Vertical
3	7449.00	-53.30	RMS	36.30	-49.05	0.23	-95.23	54.45	-13.00	-40.30	Vertical




Ant.1

Part 24E Mode 3

NR SA n2 40M Ch376578 1RB1 BPSK

H




Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Horizontal

: SA n2 40M Ch376578 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3730.00	-56.62	RMS	30.04	-51.11	0.77	-95.23	58.91	-13.00	-43.62	Horizontal
2	5595.00	-64.76	RMS	33.00	-49.73	0.34	-95.23	46.86	-13.00	-51.76	Horizontal
3	7460.00	-60.36	RMS	36.28	-49.06	0.22	-95.23	47.43	-13.00	-47.36	Horizontal



Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Vertical

: SA n2 40M Ch376578 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3730.00	-49.76	RMS	30.04	-51.11	0.77	-95.23	65.77	-13.00	-36.76	Vertical
2	5595.00	-62.03	RMS	33.00	-49.73	0.34	-95.23	49.59	-13.00	-49.03	Vertical
3	7460.00	-57.66	RMS	36.28	-49.06	0.22	-95.23	50.13	-13.00	-44.66	Vertical




Ant.1+Ant.0

Part 27L Mode 6


EN-DC B5+n66 Ch20525 + Ch346500

L



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Horizontal
: LTE Band 5 10M Ch 20525 1RB0 QPSK
: SA n66 45M Ch346500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3425.00	-68.96	RMS	29.65	-51.55	1.04	-95.23	0.00	-13.00	-55.96	Horizontal
2	5137.00	-65.40	RMS	33.15	-49.82	0.50	-95.23	46.00	-13.00	-52.40	Horizontal
3	6850.00	-61.52	RMS	35.80	-49.05	0.31	-95.23	46.66	-13.00	-48.52	Horizontal



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Vertical
: LTE Band 5 10M Ch 20525 1RB0 QPSK
: SA n66 45M Ch346500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3425.00	-64.42	RMS	29.65	-51.55	1.04	-95.23	51.67	-13.00	-51.42	Vertical
2	5137.00	-65.27	RMS	33.15	-49.82	0.50	-95.23	46.13	-13.00	-52.27	Vertical
3	6850.00	-60.95	RMS	35.80	-49.05	0.31	-95.23	47.23	-13.00	-47.95	Vertical




Ant.1+Ant.0

Part 27L Mode 6


EN-DC B5+n66 Ch20525 + Ch349000

M



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Horizontal
: LTE Band 5 10M Ch 20525 1RB0 QPSK
: SA n66 45M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3450.00	-62.21	RMS	29.60	-51.53	1.03	-95.23	53.92	-13.00	-49.21	Horizontal
2	5175.00	-61.93	RMS	33.10	-49.81	0.50	-95.23	49.51	-13.00	-48.93	Horizontal
3	6900.00	-61.15	RMS	35.80	-49.04	0.25	-95.23	47.07	-13.00	-48.15	Horizontal



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Vertical
: LTE Band 5 10M Ch 20525 1RB0 QPSK
: SA n66 45M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3450.00	-52.85	RMS	29.60	-51.53	1.03	-95.23	63.28	-13.00	-39.85	Vertical
2	5175.00	-57.31	RMS	33.10	-49.81	0.50	-95.23	54.13	-13.00	-44.31	Vertical
3	6900.00	-57.91	RMS	35.80	-49.04	0.25	-95.23	50.31	-13.00	-44.91	Vertical




Ant.1+Ant.0

Part 27L Mode 6


EN-DC B5+n66 Ch20525 + Ch351500

H



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Horizontal
: LTE Band 5 10M Ch 20525 1RB0 QPSK
: SA n66 45M Ch351500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1				dBm	dB		
1	3475.00	-60.85	RMS	29.55	-51.50	1.01	-95.23	55.32	-13.00	-47.85	Horizontal	
2	5212.00	-61.15	RMS	33.00	-49.80	0.50	-95.23	50.38	-13.00	-48.15	Horizontal	
3	6950.00	-58.34	RMS	35.80	-49.02	0.19	-95.23	49.91	-13.00	-45.34	Horizontal	
4	8687.00	-58.33	RMS	37.90	-48.42	0.37	-95.23	47.05	-13.00	-45.33	Horizontal	



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Vertical
: LTE Band 5 10M Ch 20525 1RB0 QPSK
: SA n66 45M Ch351500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1				dBm	dB		
1	3475.00	-51.41	RMS	29.55	-51.50	1.01	-95.23	64.76	-13.00	-38.41	Vertical	
2	5212.00	-57.37	RMS	33.00	-49.80	0.50	-95.23	54.16	-13.00	-44.37	Vertical	
3	6950.00	-56.40	RMS	35.80	-49.02	0.19	-95.23	51.85	-13.00	-43.40	Vertical	
4	8687.00	-57.49	RMS	37.90	-48.42	0.37	-95.23	47.89	-13.00	-44.49	Vertical	




Ant.1

Part 27L Mode 5

NR SA n66 45M Ch346500 1RB1 BPSK

L




Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Horizontal

: SA n66 45M Ch346500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3425.00	-49.12	RMS	29.65	-51.55	1.04	-95.23	66.97	-13.00	-36.12	Horizontal
2	5137.00	-64.88	RMS	33.15	-49.82	0.50	-95.23	46.52	-13.00	-51.88	Horizontal
3	6850.00	-54.48	RMS	35.80	-49.05	0.31	-95.23	53.70	-13.00	-41.48	Horizontal



Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Vertical

: SA n66 45M Ch346500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3425.00	-42.59	RMS	29.65	-51.55	1.04	-95.23	73.50	-13.00	-29.59	Vertical
2	5137.00	-65.21	RMS	33.15	-49.82	0.50	-95.23	46.19	-13.00	-52.21	Vertical
3	6850.00	-51.98	RMS	35.80	-49.05	0.31	-95.23	56.20	-13.00	-38.98	Vertical




Ant.1

Part 27L Mode 5


NR SA n66 45M Ch349000 1RB1 BPSK

M



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Horizontal
: SA n66 45M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3450.00	-45.01	RMS	29.60	-51.53	1.03	-95.23	71.12	-13.00	-32.01	Horizontal
2	5175.00	-60.35	RMS	33.10	-49.81	0.50	-95.23	51.09	-13.00	-47.35	Horizontal
3	6900.00	-52.91	RMS	35.80	-49.04	0.25	-95.23	55.31	-13.00	-39.91	Horizontal
4	6900.00	-61.93	RMS	35.80	-49.04	0.25	-95.23	46.29	-13.00	-48.93	Horizontal
5	10350.00	-58.41	RMS	38.60	-46.20	0.23	-95.23	44.19	-13.00	-45.41	Horizontal
6	12075.00	-57.70	RMS	39.35	-44.22	0.13	-95.23	42.27	-13.00	-44.70	Horizontal
7	13800.00	-54.23	RMS	39.90	-42.99	0.17	-95.23	43.92	-13.00	-41.23	Horizontal



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Vertical
: SA n66 45M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3450.00	-39.61	RMS	29.60	-51.53	1.03	-95.23	76.52	-13.00	-26.61	Vertical
2	5175.00	-56.76	RMS	33.10	-49.81	0.50	-95.23	54.68	-13.00	-43.76	Vertical
3	6900.00	-49.30	RMS	35.80	-49.04	0.25	-95.23	58.92	-13.00	-36.30	Vertical
4	6900.00	-57.85	RMS	35.80	-49.04	0.25	-95.23	50.37	-13.00	-44.85	Vertical
5	10350.00	-55.77	RMS	38.60	-46.20	0.23	-95.23	46.83	-13.00	-42.77	Vertical
6	12075.00	-57.33	RMS	39.35	-44.22	0.13	-95.23	42.64	-13.00	-44.33	Vertical
7	13800.00	-51.46	RMS	39.90	-42.99	0.17	-95.23	46.69	-13.00	-38.46	Vertical




Ant.1

Part 27L Mode 5


NR SA n66 45M Ch351500 1RB1 BPSK

H



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Horizontal
: SA n66 45M Ch351500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3475.00	-52.29	RMS	29.55	-51.50	1.01	-95.23	63.88	-13.00	-39.29	Horizontal
2	5212.00	-62.26	RMS	33.00	-49.80	0.50	-95.23	49.27	-13.00	-49.26	Horizontal
3	6950.00	-54.47	RMS	35.80	-49.02	0.19	-95.23	53.78	-13.00	-41.47	Horizontal
4	8687.00	-58.06	RMS	37.90	-48.42	0.37	-95.23	47.32	-13.00	-45.06	Horizontal
5	10425.00	-57.89	RMS	38.60	-46.09	0.22	-95.23	44.61	-13.00	-44.89	Horizontal
6	12162.00	-57.22	RMS	39.40	-44.19	0.13	-95.23	42.67	-13.00	-44.22	Horizontal
7	13900.00	-55.73	RMS	40.10	-42.85	0.17	-95.23	42.08	-13.00	-42.73	Horizontal



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Vertical
: SA n66 45M Ch351500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3475.00	-45.34	RMS	29.55	-51.50	1.01	-95.23	70.83	-13.00	-32.34	Vertical
2	5212.00	-58.98	RMS	33.00	-49.80	0.50	-95.23	52.55	-13.00	-45.98	Vertical
3	6950.00	-50.71	RMS	35.80	-49.02	0.19	-95.23	57.54	-13.00	-37.71	Vertical
4	8687.00	-55.36	RMS	37.90	-48.42	0.37	-95.23	50.02	-13.00	-42.36	Vertical
5	10425.00	-55.86	RMS	38.60	-46.09	0.22	-95.23	46.64	-13.00	-42.86	Vertical
6	12162.00	-56.90	RMS	39.40	-44.19	0.13	-95.23	42.99	-13.00	-43.90	Vertical
7	13900.00	-54.63	RMS	40.10	-42.85	0.17	-95.23	43.18	-13.00	-41.63	Vertical




Ant.0

Part 27D Mode 2

NR SA n30 5M Ch461500 1RB1 BPSK

L




Site : 03CH15-HY

Condition: PART 96 LIMIT -40 3m 9120D-02294_240620 Horizontal

Mode : NR SA n30 5M Ch461500 1RB1 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4611.00	-61.69	RMS	31.72	-50.43	0.15	-95.23	52.10	-40.00	-21.69	Horizontal
2	6916.00	-62.10	RMS	35.80	-49.03	0.23	-95.23	46.13	-40.00	-22.10	Horizontal
3	9222.00	-56.66	RMS	38.14	-47.75	0.09	-95.23	48.09	-40.00	-16.66	Horizontal



Site : 03CH15-HY

Condition: PART 96 LIMIT -40 3m 9120D-02294_240620 Vertical

Mode : NR SA n30 5M Ch461500 1RB1 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4611.00	-60.75	RMS	31.72	-50.43	0.15	-95.23	53.04	-40.00	-20.75	Vertical
2	6916.00	-60.90	RMS	35.80	-49.03	0.23	-95.23	47.33	-40.00	-20.90	Vertical
3	9222.00	-55.47	RMS	38.14	-47.75	0.09	-95.23	49.28	-40.00	-15.47	Vertical




Ant.0

Part 27D Mode 2

NR SA n30 5M Ch462000 1RB1 BPSK

M




Site : 03CH15-HY

Condition: PART 96 LIMIT -40 3m 9120D-02294_240620 Horizontal

Mode : NR SA n30 5M Ch462000 1RB1 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	4616.00	-62.97	RMS	31.73	-50.42	0.16	-95.23	50.79	-40.00	-22.97	Horizontal
2	6924.00	-61.25	RMS	35.80	-49.03	0.22	-95.23	46.99	-40.00	-21.25	Horizontal
3	9232.00	-56.68	RMS	38.16	-47.74	0.09	-95.23	48.04	-40.00	-16.68	Horizontal
4	11540.00	-58.52	RMS	38.74	-44.79	0.16	-95.23	42.60	-40.00	-18.52	Horizontal
5	13848.00	-54.97	RMS	40.00	-42.92	0.17	-95.23	43.01	-40.00	-14.97	Horizontal



Site : 03CH15-HY

Condition: PART 96 LIMIT -40 3m 9120D-02294_240620 Vertical

Mode : NR SA n30 5M Ch462000 1RB1 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	4616.00	-60.49	RMS	31.73	-50.42	0.16	-95.23	53.27	-40.00	-20.49	Vertical
2	6924.00	-59.82	RMS	35.80	-49.03	0.22	-95.23	48.42	-40.00	-19.82	Vertical
3	9232.00	-54.05	RMS	38.16	-47.74	0.09	-95.23	50.67	-40.00	-14.05	Vertical
4	11540.00	-58.02	RMS	38.74	-44.79	0.16	-95.23	43.10	-40.00	-18.02	Vertical
5	13848.00	-54.16	RMS	40.00	-42.92	0.17	-95.23	43.82	-40.00	-14.16	Vertical




Ant.0

Part 27D Mode 2

NR SA n30 5M Ch462500 1RB1 BPSK

H




Site : 03CH15-HY

Condition: PART 96 LIMIT -40 3m 9120D-02294_240620 Horizontal

Mode : NR SA n30 5M Ch462500 1RB1 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm						g			
1	4621.00	-61.74	RMS	31.74	-50.41	0.16	-95.23	52.00	-40.00	-21.74	Horizontal
2	6931.00	-61.70	RMS	35.80	-49.03	0.22	-95.23	46.54	-40.00	-21.70	Horizontal
3	9242.00	-56.90	RMS	38.18	-47.72	0.09	-95.23	47.78	-40.00	-16.90	Horizontal
4	11552.00	-58.69	RMS	38.69	-44.78	0.16	-95.23	42.47	-40.00	-18.69	Horizontal
5	13863.00	-56.16	RMS	40.03	-42.90	0.17	-95.23	41.77	-40.00	-16.16	Horizontal



Site : 03CH15-HY

Condition: PART 96 LIMIT -40 3m 9120D-02294_240620 Vertical

Mode : NR SA n30 5M Ch462500 1RB1 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm						g			
1	4621.00	-61.08	RMS	31.74	-50.41	0.16	-95.23	52.66	-40.00	-21.08	Vertical
2	6931.00	-60.35	RMS	35.80	-49.03	0.22	-95.23	47.89	-40.00	-20.35	Vertical
3	9242.00	-54.93	RMS	38.18	-47.72	0.09	-95.23	49.75	-40.00	-14.93	Vertical
4	11552.00	-58.57	RMS	38.69	-44.78	0.16	-95.23	42.59	-40.00	-18.57	Vertical
5	13863.00	-53.35	RMS	40.03	-42.90	0.17	-95.23	44.58	-40.00	-13.35	Vertical




Ant.0

Part 27D Mode 3

NR SA n30 10M Ch462000 1RB1 BPSK

M




Site : 03CH15-HY

Condition: PART 96 LIMIT -40 3m 9120D-02294_240620 Horizontal

Mode : NR SA n30 10M Ch462000 1RB1 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	4620.00	-62.48	RMS	31.74	-50.41	0.16	-95.23	51.26	-40.00	-22.48	Horizontal
2	9225.00	-55.52	RMS	38.15	-47.75	0.09	-95.23	49.22	-40.00	-15.52	Horizontal
3	13845.00	-54.60	RMS	39.99	-42.93	0.17	-95.23	43.40	-40.00	-14.60	Horizontal



Site : 03CH15-HY

Condition: PART 96 LIMIT -40 3m 9120D-02294_240620 Vertical

Mode : NR SA n30 10M Ch462000 1RB1 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	4620.00	-60.56	RMS	31.74	-50.41	0.16	-95.23	53.18	-40.00	-20.56	Vertical
2	9225.00	-54.29	RMS	38.15	-47.75	0.09	-95.23	50.45	-40.00	-14.29	Vertical
3	13845.00	-56.24	RMS	39.99	-42.93	0.17	-95.23	41.76	-40.00	-16.24	Vertical




Ant.1

Part 90R Mode 2

NR SA n14 5M Ch158100 1RB1 BPSK

L




Site : 03CH15-HY

Condition: 700 AC BAND 3m 9120D-02294_240620 Horizontal

: SA n14 5M Ch158100 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1576.00	-56.00	RMS	25.60	-32.46	0.43	-95.23	45.66	-42.15	-13.85	Horizontal
2	2368.00	-63.29	RMS	27.34	-31.27	0.23	-95.23	35.64	-13.00	-50.29	Horizontal
3	3152.00	-60.12	RMS	29.70	-30.35	0.27	-95.23	35.49	-13.00	-47.12	Horizontal



Site : 03CH15-HY

Condition: 700 AC BAND 3m 9120D-02294_240620 Vertical

: SA n14 5M Ch158100 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1576.00	-56.65	RMS	25.60	-32.46	0.43	-95.23	45.01	-42.15	-14.50	Vertical
2	2368.00	-63.55	RMS	27.34	-31.27	0.23	-95.23	35.38	-13.00	-50.55	Vertical
3	3152.00	-60.55	RMS	29.70	-30.35	0.27	-95.23	35.06	-13.00	-47.55	Vertical




Ant.1

Part 90R Mode 2

NR SA n14 5M Ch158600 1RB1 BPSK

M




Site : 03CH15-HY

Condition: 700 AC BAND 3m 9120D-02294_240620 Horizontal

: SA n14 5M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1584.00	-57.11	RMS	25.60	-32.45	0.42	-95.23	44.55	-42.15	-14.96	Horizontal
2	2376.00	-63.23	RMS	27.35	-31.26	0.23	-95.23	35.68	-13.00	-50.23	Horizontal
3	3168.00	-60.66	RMS	29.70	-30.33	0.27	-95.23	34.93	-13.00	-47.66	Horizontal



Site : 03CH15-HY

Condition: 700 AC BAND 3m 9120D-02294_240620 Vertical

: SA n14 5M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1584.00	-55.91	RMS	25.60	-32.45	0.42	-95.23	45.75	-42.15	-13.76	Vertical
2	2376.00	-63.13	RMS	27.35	-31.26	0.23	-95.23	35.78	-13.00	-50.13	Vertical
3	3168.00	-57.76	RMS	29.70	-30.33	0.27	-95.23	37.83	-13.00	-44.76	Vertical




Ant.1

Part 90R Mode 2

NR SA n14 5M Ch159100 1RB1 BPSK

H




Site : 03CH15-HY

Condition: 700 AC BAND 3m 9120D-02294_240620 Horizontal

: SA n14 5M Ch159100 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1592.00	-58.77	RMS	25.60	-32.43	0.41	-95.23	42.88	-42.15	-16.62	Horizontal
2	2384.00	-63.10	RMS	27.37	-31.25	0.23	-95.23	35.78	-13.00	-50.10	Horizontal
3	3176.00	-60.43	RMS	29.70	-30.32	0.28	-95.23	35.14	-13.00	-47.43	Horizontal



Site : 03CH15-HY

Condition: 700 AC BAND 3m 9120D-02294_240620 Vertical

: SA n14 5M Ch159100 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1592.00	-58.12	RMS	25.60	-32.43	0.41	-95.23	43.53	-42.15	-15.97	Vertical
2	2384.00	-62.23	RMS	27.37	-31.25	0.23	-95.23	36.65	-13.00	-49.23	Vertical
3	3176.00	-58.17	RMS	29.70	-30.32	0.28	-95.23	37.40	-13.00	-45.17	Vertical




Ant.0

Part 27D Mode 2


NR SA n30 5M Ch462500 1RB1 BPSK

H



Site : 03CH15-HY
Condition: PART 96 LIMIT -40 3m 9120D-02294_240620 Horizontal
Mode : NR SA n30 5M Ch462500 1RB1 QPSK
: #1 is fundamental signal which can be ignored.

1	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	2312.00	-30.07	RMS		27.15	5.54	0.00	-95.23	32.47	-40.00	9.93	Horizontal



Site : 03CH15-HY
Condition: PART 96 LIMIT -40 3m 9120D-02294_240620 Vertical
Mode : NR SA n30 5M Ch462500 1RB1 QPSK
: #1 is fundamental signal which can be ignored.

1	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	2312.00	-25.64	RMS		27.15	5.54	0.00	-95.23	36.90	-40.00	14.36	Vertical

Remark: #1 is fundamental signal which can be ignored.




Ant.1

Part 27Q Mode 1


NR SA n77 90M Ch633000 1RB1 BPSK

L



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Horizontal
: SA n77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6912.00	-46.20	RMS	35.80	-49.03	1.07	-95.23	61.19	-13.00	-33.20	Horizontal
2	10361.60	-36.44	RMS	38.60	-46.18	0.88	-95.23	65.49	-13.00	-23.44	Horizontal
3	13811.20	-33.48	RMS	39.92	-42.97	0.64	-95.23	64.16	-13.00	-20.48	Horizontal
4	17260.80	-42.31	RMS	38.20	-43.75	0.94	-95.23	57.53	-13.00	-29.31	Horizontal



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Vertical
: SA n77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6912.00	-34.13	RMS	35.80	-49.03	1.07	-95.23	73.26	-13.00	-21.13	Vertical
2	10361.60	-32.46	RMS	38.60	-46.18	0.88	-95.23	69.47	-13.00	-19.46	Vertical
3	13811.20	-27.78	RMS	39.92	-42.97	0.64	-95.23	69.86	-13.00	-14.78	Vertical
4	17260.80	-35.17	RMS	38.20	-43.75	0.94	-95.23	64.67	-13.00	-22.17	Vertical




Ant.1

Part 27Q Mode 1


NR SA n77 90M Ch633334 1RB1 BPSK

M



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Horizontal
: SA n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.20	-44.21	RMS	35.80	-49.03	1.07	-95.23	63.18	-13.00	-31.21	Horizontal
2	10372.80	-39.47	RMS	38.60	-46.17	0.88	-95.23	62.45	-13.00	-26.47	Horizontal
3	13833.60	-32.35	RMS	39.97	-42.94	0.64	-95.23	65.21	-13.00	-19.35	Horizontal
4	17283.20	-41.36	RMS	38.20	-43.73	0.94	-95.23	58.46	-13.00	-28.36	Horizontal



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Vertical
: SA n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.20	-34.79	RMS	35.80	-49.03	1.07	-95.23	72.60	-13.00	-21.79	Vertical
2	10372.80	-34.17	RMS	38.60	-46.17	0.88	-95.23	67.75	-13.00	-21.17	Vertical
3	13833.60	-25.73	RMS	39.97	-42.94	0.64	-95.23	71.83	-13.00	-12.73	Vertical
4	17283.20	-33.53	RMS	38.20	-43.73	0.94	-95.23	66.29	-13.00	-20.53	Vertical




Ant.1

Part 27Q Mode 1


NR SA n77 90M Ch633666 1RB1 BPSK

H



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Horizontal
: SA n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.20	-44.51	RMS	35.80	-49.03	1.07	-95.23	62.88	-13.00	-31.51	Horizontal
2	10384.00	-34.41	RMS	38.60	-46.15	0.88	-95.23	67.49	-13.00	-21.41	Horizontal
3	13856.00	-29.37	RMS	40.01	-42.91	0.63	-95.23	68.13	-13.00	-16.37	Horizontal
4	17316.80	-37.40	RMS	38.25	-43.69	0.94	-95.23	62.33	-13.00	-24.40	Horizontal



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Vertical
: SA n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.20	-36.43	RMS	35.80	-49.03	1.07	-95.23	70.96	-13.00	-23.43	Vertical
2	10384.00	-33.37	RMS	38.60	-46.15	0.88	-95.23	68.53	-13.00	-20.37	Vertical
3	13856.00	-26.32	RMS	40.01	-42.91	0.63	-95.23	71.18	-13.00	-13.32	Vertical
4	17316.80	-35.99	RMS	38.25	-43.69	0.94	-95.23	63.74	-13.00	-22.99	Vertical




Ant.0

Part 27Q Mode 2

NR SA n77 100M Ch633334 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Horizontal

: SA n77 100M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	6918.75	-45.99	RMS		35.80	-49.03	1.07	-95.23	61.41	-13.00	-32.99 Horizontal
2	10372.50	-51.20	RMS		38.60	-46.17	0.88	-95.23	50.72	-13.00	-38.20 Horizontal
3	13826.25	-44.97	RMS		39.95	-42.95	0.64	-95.23	52.62	-13.00	-31.97 Horizontal




Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Vertical


: SA n77 100M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	6918.75	-37.34	RMS		35.80	-49.03	1.07	-95.23	70.05	-13.00	-24.34 Vertical
2	10372.50	-44.43	RMS		38.60	-46.17	0.88	-95.23	57.49	-13.00	-31.43 Vertical
3	13826.25	-38.92	RMS		39.95	-42.95	0.64	-95.23	58.67	-13.00	-25.92 Vertical

Ant.4
Part 27Q Mode 3
NR SA n77 100M Ch633334 1RB1 BPSK
M


Site : 03CH15-HY
 Condition: -13 3m 9120D-02294_240620 Horizontal
 : SA n77 100M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	6912.00	-47.68	RMS	35.80	-49.03	1.07	-95.23	59.71	-13.00	-34.68	Horizontal
2	10361.60	-48.27	RMS	38.60	-46.18	0.88	-95.23	53.66	-13.00	-35.27	Horizontal
3	13811.20	-43.86	RMS	39.92	-42.97	0.64	-95.23	53.78	-13.00	-30.86	Horizontal
4	17260.80	-56.25	RMS	38.20	-43.75	0.94	-95.23	43.59	-13.00	-43.25	Horizontal



Site : 03CH15-HY
 Condition: -13 3m 9120D-02294_240620 Vertical
 : SA n77 100M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7259.20	-59.56	RMS	36.90	-49.02	1.02	-95.23	46.77	-13.00	-46.56	Vertical
2	10361.60	-42.08	RMS	38.60	-46.18	0.88	-95.23	59.85	-13.00	-29.08	Vertical
3	13811.20	-34.91	RMS	39.92	-42.97	0.64	-95.23	62.73	-13.00	-21.91	Vertical
4	17260.80	-48.22	RMS	38.20	-43.75	0.94	-95.23	51.62	-13.00	-35.22	Vertical




Ant.5

Part 27Q Mode 4

NR SA n77 100M Ch633334 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Horizontal

: SA n77 100M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	6912.00	-47.70	RMS	35.80	-49.03	1.07	-95.23	59.69	-13.00	-34.70	Horizontal		
2	10361.60	-47.75	RMS	38.60	-46.18	0.88	-95.23	54.18	-13.00	-34.75	Horizontal		
3	13811.20	-48.43	RMS	39.92	-42.97	0.64	-95.23	49.21	-13.00	-35.43	Horizontal		



Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Vertical

: SA n77 100M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	6912.00	-39.11	RMS	35.80	-49.03	1.07	-95.23	68.28	-13.00	-26.11	Vertical		
2	10361.60	-44.22	RMS	38.60	-46.18	0.88	-95.23	57.71	-13.00	-31.22	Vertical		
3	13811.20	-45.38	RMS	39.92	-42.97	0.64	-95.23	52.26	-13.00	-32.38	Vertical		




MIMO <Ant.0+1>

Part 27Q Mode 5


NR SA n77 90M Ch633000 1RB1 BPSK

L




Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Horizontal
: SA n77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6912.00	-37.29	RMS	35.80	-49.03	1.07	-95.23	70.10	-13.00	-24.29	Horizontal
2	10361.60	-44.91	RMS	38.60	-46.18	0.88	-95.23	57.02	-13.00	-31.91	Horizontal
3	13811.20	-36.83	RMS	39.92	-42.97	0.64	-95.23	60.81	-13.00	-23.83	Horizontal
4	17260.80	-55.19	RMS	38.20	-43.75	0.94	-95.23	44.65	-13.00	-42.19	Horizontal




Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Vertical
: SA n77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6912.00	-35.61	RMS	35.80	-49.03	1.07	-95.23	71.78	-13.00	-22.61	Vertical
2	10361.60	-37.19	RMS	38.60	-46.18	0.88	-95.23	64.74	-13.00	-24.19	Vertical
3	13811.20	-38.23	RMS	39.92	-42.97	0.64	-95.23	59.41	-13.00	-25.23	Vertical
4	17260.80	-49.15	RMS	38.20	-43.75	0.94	-95.23	50.69	-13.00	-36.15	Vertical

MIMO <Ant.0+1>
Part 27Q Mode 5
NR SA n77 90M Ch633334 1RB1 BPSK
M


Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Horizontal
: SA n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.20	-47.46	RMS	35.80	-49.03	1.07	-95.23	59.93	-13.00	-34.46	Horizontal
2	10372.80	-48.14	RMS	38.60	-46.17	0.88	-95.23	53.78	-13.00	-35.14	Horizontal
3	13833.60	-39.60	RMS	39.97	-42.94	0.64	-95.23	57.96	-13.00	-26.60	Horizontal
4	17283.20	-56.02	RMS	38.20	-43.73	0.94	-95.23	43.80	-13.00	-43.02	Horizontal



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Vertical
: SA n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.20	-40.53	RMS	35.80	-49.03	1.07	-95.23	66.86	-13.00	-27.53	Vertical
2	10372.80	-40.67	RMS	38.60	-46.17	0.88	-95.23	61.25	-13.00	-27.67	Vertical
3	13833.60	-36.51	RMS	39.97	-42.94	0.64	-95.23	61.05	-13.00	-23.51	Vertical
4	17283.20	-50.00	RMS	38.20	-43.73	0.94	-95.23	49.82	-13.00	-37.00	Vertical




MIMO <Ant.0+1>

Part 27Q Mode 5


NR SA n77 90M Ch633666 1RB1 BPSK

H



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Horizontal
: SA n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.20	-44.57	RMS	35.80	-49.03	1.07	-95.23	62.82	-13.00	-31.57	Horizontal
2	10395.20	-42.93	RMS	38.60	-46.13	0.88	-95.23	58.95	-13.00	-29.93	Horizontal
3	13856.00	-35.22	RMS	40.01	-42.91	0.63	-95.23	62.28	-13.00	-22.22	Horizontal
4	17316.80	-53.32	RMS	38.25	-43.69	0.94	-95.23	46.41	-13.00	-40.32	Horizontal



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Vertical
: SA n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.20	-32.86	RMS	35.80	-49.03	1.07	-95.23	74.53	-13.00	-19.86	Vertical
2	10384.00	-37.66	RMS	38.60	-46.15	0.88	-95.23	64.24	-13.00	-24.66	Vertical
3	13856.00	-35.38	RMS	40.01	-42.91	0.63	-95.23	62.12	-13.00	-22.38	Vertical
4	17316.80	-47.77	RMS	38.25	-43.69	0.94	-95.23	51.96	-13.00	-34.77	Vertical




MIMO <Ant.0+5>

Part 27Q Mode 6


NR SA n77 100M Ch633334 1RB1 BPSK

M



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Horizontal
: SA n77 100M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6912.00	-43.95	RMS	35.80	-49.03	1.07	-95.23	63.44	-13.00	-30.95	Horizontal
2	10361.60	-47.52	RMS	38.60	-46.18	0.88	-95.23	54.41	-13.00	-34.52	Horizontal
3	13811.20	-45.57	RMS	39.92	-42.97	0.64	-95.23	52.07	-13.00	-32.57	Horizontal
4	17260.80	-58.13	RMS	38.20	-43.75	0.94	-95.23	41.71	-13.00	-45.13	Horizontal



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Vertical
: SA n77 100M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6912.00	-43.26	RMS	35.80	-49.03	1.07	-95.23	64.13	-13.00	-30.26	Vertical
2	10361.60	-43.38	RMS	38.60	-46.18	0.88	-95.23	58.55	-13.00	-30.38	Vertical
3	13811.20	-42.48	RMS	39.92	-42.97	0.64	-95.23	55.16	-13.00	-29.48	Vertical
4	17260.80	-52.61	RMS	38.20	-43.75	0.94	-95.23	47.23	-13.00	-39.61	Vertical




MIMO <Ant.4+1>

Part 27Q Mode 7


NR SA n77 100M Ch633334 1RB1 BPSK

M



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Horizontal
: SA n77 100M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6912.00	-44.98	RMS	35.80	-49.03	1.07	-95.23	62.41	-13.00	-31.98	Horizontal
2	10361.60	-41.93	RMS	38.60	-46.18	0.88	-95.23	60.00	-13.00	-28.93	Horizontal
3	13811.20	-37.72	RMS	39.92	-42.97	0.64	-95.23	59.92	-13.00	-24.72	Horizontal
4	17260.80	-55.78	RMS	38.20	-43.75	0.94	-95.23	44.06	-13.00	-42.78	Horizontal



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Vertical
: SA n77 100M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6912.00	-38.59	RMS	35.80	-49.03	1.07	-95.23	68.80	-13.00	-25.59	Vertical
2	10361.60	-36.38	RMS	38.60	-46.18	0.88	-95.23	65.55	-13.00	-23.38	Vertical
3	13811.20	-40.39	RMS	39.92	-42.97	0.64	-95.23	57.25	-13.00	-27.39	Vertical
4	17260.80	-54.66	RMS	38.20	-43.75	0.94	-95.23	45.18	-13.00	-41.66	Vertical




MIMO <Ant.4+5>

Part 27Q Mode 8


NR SA n77 100M Ch633334 1RB1 BPSK

M



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Horizontal
: SA n77 100M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6912.00	-45.89	RMS	35.80	-49.03	1.07	-95.23	61.50	-13.00	-32.89	Horizontal
2	10361.60	-39.21	RMS	38.60	-46.18	0.88	-95.23	62.72	-13.00	-26.21	Horizontal
3	13811.20	-40.07	RMS	39.92	-42.97	0.64	-95.23	57.57	-13.00	-27.07	Horizontal
4	17260.80	-54.46	RMS	38.20	-43.75	0.94	-95.23	45.38	-13.00	-41.46	Horizontal



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Vertical
: SA n77 100M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6912.00	-38.92	RMS	35.80	-49.03	1.07	-95.23	68.47	-13.00	-25.92	Vertical
2	10361.60	-39.46	RMS	38.60	-46.18	0.88	-95.23	62.47	-13.00	-26.46	Vertical
3	13811.20	-37.93	RMS	39.92	-42.97	0.64	-95.23	59.71	-13.00	-24.93	Vertical
4	17260.80	-51.02	RMS	38.20	-43.75	0.94	-95.23	48.82	-13.00	-38.02	Vertical




Ant.1

Part 270 Mode 1

NR SA n77 100M Ch650000 1RB1 BPSK

L




Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Horizontal

: SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7407.00	-45.56	RMS	36.39	-49.03	1.08	-95.23	61.23	-13.00	-32.56	Horizontal
2	11114.00	-53.08	RMS	38.61	-45.43	0.91	-95.23	48.06	-13.00	-40.08	Horizontal
3	14810.00	-45.25	RMS	39.66	-42.76	0.76	-95.23	52.32	-13.00	-32.25	Horizontal



Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Vertical

: SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7407.00	-34.94	RMS	36.39	-49.03	1.08	-95.23	71.85	-13.00	-21.94	Vertical
2	11114.00	-43.76	RMS	38.61	-45.43	0.91	-95.23	57.38	-13.00	-30.76	Vertical
3	14810.00	-32.74	RMS	39.66	-42.76	0.76	-95.23	64.83	-13.00	-19.74	Vertical




Ant.1

Part 270 Mode 1

NR SA n77 100M Ch656000 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Horizontal

: SA n77 100M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin Pol	
	MHz	dBm		Factor	1		g		dB	
1	7583.00	-48.16	RMS	36.17	-49.14	1.02	-95.23	59.02	-13.00	-35.16 Horizontal
2	11378.00	-50.12	RMS	38.98	-45.03	0.92	-95.23	50.24	-13.00	-37.12 Horizontal
3	15173.00	-41.18	RMS	39.03	-42.74	0.83	-95.23	56.93	-13.00	-28.18 Horizontal



Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Vertical

: SA n77 100M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin Pol	
	MHz	dBm		Factor	1		g		dB	
1	7583.00	-33.43	RMS	36.17	-49.14	1.02	-95.23	73.75	-13.00	-20.43 Vertical
2	11378.00	-38.27	RMS	38.98	-45.03	0.92	-95.23	62.09	-13.00	-25.27 Vertical
3	15173.00	-30.06	RMS	39.03	-42.74	0.83	-95.23	68.05	-13.00	-17.06 Vertical




Ant.1

Part 270 Mode 1

NR SA n77 100M Ch662000 1RB1 BPSK

H




Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Horizontal

: SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7770.00	-35.91	RMS	36.78	-49.27	0.89	-95.23	70.92	-13.00	-22.91	Horizontal
2	11653.00	-38.12	RMS	38.55	-44.66	0.93	-95.23	62.29	-13.00	-25.12	Horizontal
3	15536.00	-38.73	RMS	38.06	-42.76	0.89	-95.23	60.31	-13.00	-25.73	Horizontal



Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Vertical

: SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7770.00	-27.57	RMS	36.78	-49.27	0.89	-95.23	79.26	-13.00	-14.57	Vertical
2	11653.00	-33.20	RMS	38.55	-44.66	0.93	-95.23	67.21	-13.00	-20.20	Vertical
3	15536.00	-34.78	RMS	38.06	-42.76	0.89	-95.23	64.26	-13.00	-21.78	Vertical




Ant.0

Part 270 Mode 2

NR SA n77 100M Ch656000 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Horizontal

: SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7594.00	-43.16	RMS	36.19	-49.15	1.01	-95.23	64.02	-13.00	-30.16	Horizontal
2	11389.00	-43.77	RMS	38.99	-45.01	0.92	-95.23	56.56	-13.00	-30.77	Horizontal
3	15195.00	-33.02	RMS	39.01	-42.74	0.83	-95.23	65.11	-13.00	-20.02	Horizontal



Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Vertical

: SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7594.00	-29.20	RMS	36.19	-49.15	1.01	-95.23	77.98	-13.00	-16.20	Vertical
2	11400.00	-37.26	RMS	39.00	-44.99	0.92	-95.23	63.04	-13.00	-24.26	Vertical
3	15195.00	-32.37	RMS	39.01	-42.74	0.83	-95.23	65.76	-13.00	-19.37	Vertical




Ant.4

Part 270 Mode 3

NR SA n77 100M Ch656000 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Horizontal

: SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
					dB/m	dB				dBuV	dBm	dB	
1	7583.00	-39.25	RMS	36.17	-49.14	1.02	-95.23	-95.23	67.93	-13.00	-26.25	Horizontal	
2	11378.00	-38.45	RMS	38.98	-45.03	0.92	-95.23	-95.23	61.91	-13.00	-25.45	Horizontal	
3	15173.00	-39.91	RMS	39.03	-42.74	0.83	-95.23	-95.23	58.20	-13.00	-26.91	Horizontal	



Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Vertical

: SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
					dB/m	dB				dBuV	dBm	dB	
1	7583.00	-25.57	RMS	36.17	-49.14	1.02	-95.23	-95.23	81.61	-13.00	-12.57	Vertical	
2	11378.00	-33.22	RMS	38.98	-45.03	0.92	-95.23	-95.23	67.14	-13.00	-20.22	Vertical	
3	15173.00	-33.61	RMS	39.03	-42.74	0.83	-95.23	-95.23	64.50	-13.00	-20.61	Vertical	




Ant.5

Part 270 Mode 4

NR SA n77 100M Ch656000 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Horizontal

: SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7583.00	-46.71	RMS	36.17	-49.14	1.02	-95.23	60.47	-13.00	-33.71	Horizontal	
2	11378.00	-43.64	RMS	38.98	-45.03	0.92	-95.23	56.72	-13.00	-30.64	Horizontal	
3	15173.00	-41.69	RMS	39.03	-42.74	0.83	-95.23	56.42	-13.00	-28.69	Horizontal	



Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Vertical

: SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7583.00	-30.66	RMS	36.17	-49.14	1.02	-95.23	76.52	-13.00	-17.66	Vertical	
2	11378.00	-37.98	RMS	38.98	-45.03	0.92	-95.23	62.38	-13.00	-24.98	Vertical	
3	15173.00	-27.13	RMS	39.03	-42.74	0.83	-95.23	70.98	-13.00	-14.13	Vertical	




MIMO <Ant.0+1>

Part 270 Mode 5

NR SA n77 100M Ch650000 1RB1 BPSK

L




Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Horizontal

: SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7407.00	-33.44	RMS	36.39	-49.03	1.08	-95.23	73.35	-13.00	-20.44	Horizontal
2	11114.00	-43.20	RMS	38.61	-45.43	0.91	-95.23	57.94	-13.00	-30.20	Horizontal
3	14810.00	-39.31	RMS	39.66	-42.76	0.76	-95.23	58.26	-13.00	-26.31	Horizontal



Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Vertical

: SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7407.00	-36.12	RMS	36.39	-49.03	1.08	-95.23	70.67	-13.00	-23.12	Vertical
2	11114.00	-38.07	RMS	38.61	-45.43	0.91	-95.23	63.07	-13.00	-25.07	Vertical
3	14810.00	-31.76	RMS	39.66	-42.76	0.76	-95.23	65.81	-13.00	-18.76	Vertical




MIMO <Ant.0+1>

Part 270 Mode 5

NR SA n77 100M Ch656000 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Horizontal

: SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7583.00	-41.00	RMS	36.17	-49.14	1.02	-95.23	66.18	-13.00	-28.00	Horizontal
2	11378.00	-42.79	RMS	38.98	-45.03	0.92	-95.23	57.57	-13.00	-29.79	Horizontal
3	15173.00	-37.00	RMS	39.03	-42.74	0.83	-95.23	61.11	-13.00	-24.00	Horizontal



Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Vertical

: SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7583.00	-36.54	RMS	36.17	-49.14	1.02	-95.23	70.64	-13.00	-23.54	Vertical
2	11378.00	-38.27	RMS	38.98	-45.03	0.92	-95.23	62.09	-13.00	-25.27	Vertical
3	15173.00	-30.07	RMS	39.03	-42.74	0.83	-95.23	68.04	-13.00	-17.07	Vertical




MIMO <Ant.0+1>

Part 270 Mode 5

NR SA n77 100M Ch662000 1RB1 BPSK

H




Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Horizontal

: SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7770.00	-27.82	RMS	36.78	-49.27	0.89	-95.23	79.01	-13.00	-14.82	Horizontal
2	11653.00	-39.93	RMS	38.55	-44.66	0.93	-95.23	60.48	-13.00	-26.93	Horizontal
3	15536.00	-34.19	RMS	38.06	-42.76	0.89	-95.23	64.85	-13.00	-21.19	Horizontal



Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Vertical

: SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7770.00	-32.25	RMS	36.78	-49.27	0.89	-95.23	74.58	-13.00	-19.25	Vertical
2	11653.00	-37.82	RMS	38.55	-44.66	0.93	-95.23	62.59	-13.00	-24.82	Vertical
3	15536.00	-29.97	RMS	38.06	-42.76	0.89	-95.23	69.07	-13.00	-16.97	Vertical




MIMO <Ant.0+5>

Part 270 Mode 6

NR SA n77 100M Ch656000 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Horizontal

: SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin		Limit	Margin	Pol
				Factor	Amp\Cb			g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7583.00	-44.17	RMS	36.17	-49.14	1.02	-95.23	63.01	-13.00	-31.17	Horizontal	
2	11378.00	-41.08	RMS	38.98	-45.03	0.92	-95.23	59.28	-13.00	-28.08	Horizontal	
3	15173.00	-37.71	RMS	39.03	-42.74	0.83	-95.23	60.40	-13.00	-24.71	Horizontal	



Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Vertical

: SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin		Limit	Margin	Pol
				Factor	Amp\Cb			g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7583.00	-34.80	RMS	36.17	-49.14	1.02	-95.23	72.38	-13.00	-21.80	Vertical	
2	11378.00	-40.12	RMS	38.98	-45.03	0.92	-95.23	60.24	-13.00	-27.12	Vertical	
3	15173.00	-32.70	RMS	39.03	-42.74	0.83	-95.23	65.41	-13.00	-19.70	Vertical	




MIMO <Ant.4+1>

Part 270 Mode 7

NR SA n77 100M Ch656000 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Horizontal

: SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7583.00	-50.90	RMS	36.17	-49.14	1.02	-95.23	56.28	-13.00	-37.90	Horizontal
2	11378.00	-53.69	RMS	38.98	-45.03	0.92	-95.23	46.67	-13.00	-40.69	Horizontal
3	15173.00	-50.08	RMS	39.03	-42.74	0.83	-95.23	48.03	-13.00	-37.08	Horizontal



Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Vertical

: SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7583.00	-37.25	RMS	36.17	-49.14	1.02	-95.23	69.93	-13.00	-24.25	Vertical
2	11378.00	-45.20	RMS	38.98	-45.03	0.92	-95.23	55.16	-13.00	-32.20	Vertical
3	15173.00	-33.82	RMS	39.03	-42.74	0.83	-95.23	64.29	-13.00	-20.82	Vertical




MIMO <Ant.4+5>

Part 270 Mode 8

NR SA n77 100M Ch656000 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Horizontal

: SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7583.00	-37.05	RMS	36.17	-49.14	1.02	-95.23	70.13	-13.00	-24.05	Horizontal
2	11378.00	-41.17	RMS	38.98	-45.03	0.92	-95.23	59.19	-13.00	-28.17	Horizontal
3	15173.00	-35.23	RMS	39.03	-42.74	0.83	-95.23	62.88	-13.00	-22.23	Horizontal



Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Vertical

: SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7583.00	-30.88	RMS	36.17	-49.14	1.02	-95.23	76.30	-13.00	-17.88	Vertical
2	11378.00	-37.83	RMS	38.98	-45.03	0.92	-95.23	62.53	-13.00	-24.83	Vertical
3	15173.00	-31.53	RMS	39.03	-42.74	0.83	-95.23	66.58	-13.00	-18.53	Vertical




Ant.4

Part 270 Mode 3

NR SA n77 100M Ch656000 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Horizontal

: SA n77 100M Ch656000 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
1	3802.00	20.89	RMS								
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
				30.52	7.17	0.00	-95.23	78.43	-13.00	33.89	Horizontal



Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Vertical

: SA n77 100M Ch656000 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
1	3802.00	19.60	RMS								
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
				30.52	7.17	0.00	-95.23	77.14	-13.00	32.60	Vertical

Remark: #1 is fundamental signal which can be ignored.