





FR1 n77 / 40MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 40MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB






FR1 n77 / 50MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB


Highest Band Edge / Full RB



FR1 n77 / 50MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 60MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 60MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 70MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 70MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 80MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 80MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 90MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 90MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 100MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 100MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







Conducted Spurious Emission

FR1 n77 / 10MHz / DFT-S OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel



Frequency Stability

Test Conditions		FR1 n77 (BPSK) / Middle Channel 10M			
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Frequency Offset (Δf) (Hz)	Within Authorized Frequency Block(Hz)	Result
50	Normal Voltage	0.0005	1.8	Yes	PASS
40	Normal Voltage	0.0015	5.4	Yes	
30	Normal Voltage	0.0010	3.6	Yes	
20(Ref.)	Normal Voltage	0.0000	0	Yes	
10	Normal Voltage	0.0009	-3.3	Yes	
0	Normal Voltage	0.0002	0.8	Yes	
-10	Normal Voltage	0.0016	5.6	Yes	
-20	Normal Voltage	0.0015	5.2	Yes	
-30	Normal Voltage	0.0004	1.3	Yes	
20	Maximum Voltage	0.0017	6	Yes	
20	Normal Voltage	0.0000	0	Yes	
20	Minimum Voltage	0.0024	8.4	Yes	

Note:

1. Normal Voltage = 3.3 V. ; Minimum Voltage = 3.135 V. ; Maximum Voltage = 3.63 V.
2. The frequency fundamental emissions stay within the authorized frequency block.
3. The frequency variation is sufficient to ensure that the occupied bandwidth of all operation channels stay within the operating frequency block or frequency block group.



Appendix B. Test Results of Radiated Test

B1. Summary of each worse mode

Mode	Band	Part	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	AmplCbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	PoI	Ant
1	NR SA n26	Part 22H	H	2490	-46.60	RMS	28.00	-27.49	0.41	-95.23	47.71	-13.00	-33.60	V	0
1	NR SA n25	Part 24E	H	22527	-56.76	RMS	38.45	-32.86	-9.54	-95.23	42.42	-13.00	-43.76	V	0
2	EN-DC B5+N25	Part 24E	H	7509	-56.25	RMS	36.38	-23.06	0.40	-95.23	25.26	-13.00	-43.25	H	0+2
1	NR SA n71	Part 27N	M	2015	-40.98	RMS	26.60	-28.25	0.20	-95.23	55.70	-13.00	-27.98	H	0
1	NR SA n12	Part 27H	L	2800	-62.61	RMS	28.60	-26.76	0.36	-95.23	30.42	-13.00	-49.61	V	0
1	NR SA n13	Part 27F	H	1565	-63.81	RMS	25.15	-28.89	0.54	-95.23	34.62	-42.15	-21.66	V	0
2	NR SA n13	Part 27F	M	3111	-63.08	RMS	29.64	-26.23	0.32	-95.23	28.42	-13.00	-50.08	V	0
1	NR SA n66	Part 27L	H	6969	-56.86	RMS	35.88	-23.24	0.57	-95.23	25.16	-13.00	-43.86	H	0
9	EN-DC B5+N66	Part 27L	H	6969	-56.56	RMS	35.88	-23.24	0.57	-95.23	25.46	-13.00	-43.56	H	0+2
1	EN-DC B5+N30	Part 27D	M	9232	-52.98	RMS	37.99	-23.08	0.42	-95.23	26.92	-40.00	-12.98	V	0+2
2	NR SA n30	Part 27D	M	9223	-54.32	RMS	37.94	-23.08	0.42	-95.23	25.63	-40.00	-14.32	V	0
3	NR SA n30	Part 27D	M	9232	-54.44	RMS	37.99	-23.08	0.42	-95.23	25.46	-40.00	-14.44	V	0
1	NR SA n7	Part 27M	H	17725	-46.50	RMS	41.25	-20.78	0.61	-95.23	27.65	-25.00	-21.50	V	0
2	EN-DC B5+n7	Part 27M	H	10129	-47.33	RMS	38.50	-23.06	0.40	-95.23	32.06	-25.00	-22.33	V	0+2
3	NR SA n41 PC2	Part 27M	L	9989	-37.99	RMS	38.26	-23.12	0.40	-95.23	41.70	-25.00	-12.99	V	0
4	NR SA n41 PC2	Part 27M	L	9989	-42.34	RMS	38.26	-23.12	0.40	-95.23	37.35	-25.00	-17.34	V	1
5	NR SA n41 PC2	Part 27M	M	10177	-40.38	RMS	38.61	-23.04	0.40	-95.23	38.88	-25.00	-15.38	V	2
6	NR SA n41 PC2	Part 27M	M	10177	-41.96	RMS	38.61	-23.04	0.40	-95.23	37.30	-25.00	-16.96	V	3
7	NR n41 PC1.5 MIMO(DFT-S)	Part 27M	M	10177	-38.23	RMS	38.61	-23.04	0.40	-95.23	41.03	-25.00	-13.23	V	0+1
8	NR n41 PC1.5 MIMO(DFT-S)	Part 27M	M	10177	-36.26	RMS	38.61	-23.04	0.40	-95.23	43.00	-25.00	-11.26	V	0+2
9	NR n41 PC1.5 MIMO(DFT-S)	Part 27M	M	10177	-39.54	RMS	38.61	-23.04	0.40	-95.23	39.72	-25.00	-14.54	V	0+3
10	NR n41 PC1.5 MIMO(DFT-S)	Part 27M	M	10177	-42.23	RMS	38.61	-23.04	0.40	-95.23	37.03	-25.00	-17.23	V	2+1
11	NR n41 PC1.5 MIMO(DFT-S)	Part 27M	M	10177	-41.84	RMS	38.61	-23.04	0.40	-95.23	37.42	-25.00	-16.84	V	2+3
12	NR n41 PC1.5 MIMO(DFT-S)	Part 27M	M	10177	-41.85	RMS	38.61	-23.04	0.40	-95.23	37.41	-25.00	-16.85	V	1+3
1	NR SA n77 PC2	Part 27Q	M	13827	-51.28	RMS	38.95	-22.06	0.64	-95.23	26.42	-13.00	-38.28	V	0
2	NR SA n77 PC2	Part 27Q	H	6923	-49.42	RMS	35.80	-23.27	1.07	-95.23	32.21	-13.00	-36.42	V	1



Mode	Band	Part	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp/Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
3	NR SA n77 PC2	Part 27Q	H	6923	-48.89	RMS	35.80	-23.27	1.07	-95.23	32.74	-13.00	-35.89	V	2
4	NR SA n77 PC2	Part 27Q	M	6913	-50.57	RMS	35.80	-23.27	1.07	-95.23	31.06	-13.00	-37.57	V	3
5	NR n77 PC1.5 MIMO(DFT-S)	Part 27Q	M	6913	-50.33	RMS	35.80	-23.27	1.07	-95.23	31.30	-13.00	-37.33	V	0+1
6	NR n77 PC1.5 MIMO(DFT-S)	Part 27Q	L	13807	-52.05	RMS	38.99	-22.07	0.55	-95.23	25.71	-13.00	-39.05	H	0+2
7	NR n77 PC1.5 MIMO(DFT-S)	Part 27Q	L	13807	-52.11	RMS	38.99	-22.07	0.55	-95.23	25.65	-13.00	-39.11	V	0+3
8	NR n77 PC1.5 MIMO(DFT-S)	Part 27Q	M	6913	-51.24	RMS	35.80	-23.27	1.08	-95.23	30.38	-13.00	-38.24	V	2+1
9	NR n77 PC1.5 MIMO(DFT-S)	Part 27Q	H	13847	-51.74	RMS	38.91	-22.06	0.55	-95.23	26.09	-13.00	-38.74	V	2+3
10	NR n77 PC1.5 MIMO(DFT-S)	Part 27Q	L	13807	-51.70	RMS	38.99	-22.07	0.55	-95.23	26.06	-13.00	-38.70	V	1+3
1	NR SA n77 PC2	Part 27O	L	7402	-42.64	RMS	36.30	-23.07	0.85	-95.23	38.51	-13.00	-29.64	V	0
2	NR SA n77 PC2	Part 27O	L	7402	-48.79	RMS	36.30	-23.07	0.85	-95.23	32.36	-13.00	-35.79	V	1
3	NR SA n77 PC2	Part 27O	L	7402	-45.88	RMS	36.30	-23.07	0.85	-95.23	35.27	-13.00	-32.88	V	2
4	NR SA n77 PC2	Part 27O	L	7402	-44.22	RMS	36.30	-23.07	0.85	-95.23	36.93	-13.00	-31.22	V	3
5	NR n77 PC1.5 MIMO(DFT-S)	Part 27O	L	7402	-44.61	RMS	36.29	-23.07	0.85	-95.23	36.54	-13.00	-31.61	V	0+1
6	NR n77 PC1.5 MIMO(DFT-S)	Part 27O	L	7402	-44.48	RMS	36.30	-23.07	0.85	-95.23	36.67	-13.00	-31.48	V	0+2
7	NR n77 PC1.5 MIMO(DFT-S)	Part 27O	L	7402	-46.79	RMS	36.30	-23.07	0.85	-95.23	34.36	-13.00	-33.79	V	0+3
8	NR n77 PC1.5 MIMO(DFT-S)	Part 27O	M	11373	-46.24	RMS	39.10	-23.04	0.60	-95.23	32.33	-13.00	-33.24	V	2+1
9	NR n77 PC1.5 MIMO(DFT-S)	Part 27O	M	15165	-51.07	RMS	39.43	-22.44	0.50	-95.23	26.67	-13.00	-38.07	V	2+3
10	NR n77 PC1.5 MIMO(DFT-S)	Part 27O	L	7402	-49.05	RMS	36.30	-23.07	0.85	-95.23	32.10	-13.00	-36.05	V	1+3
1	NR SA n14	Part 90R	L	1577	-65.40	RMS	25.34	-28.88	0.53	-95.23	32.84	-42.15	-23.25	V	0
1	NR SA n26	Part 90S	H	1639	-54.81	RMS	25.22	-28.78	0.49	-95.23	43.49	-13.00	-41.81	V	0
2	NR SA n26	Part 90S	M	1629	-57.18	RMS	25.41	-28.80	0.50	-95.23	40.94	-13.00	-44.18	V	0
3	NR SA n26	Part 90S	M	1635	-55.98	RMS	25.30	-28.79	0.49	-95.23	42.25	-13.00	-42.98	V	0
4	NR SA n26	Part 90S	M	1630	-57.53	RMS	25.40	-28.80	0.49	-95.23	40.61	-13.00	-44.53	V	0




Ant. 0

Part 22H Mode 1

NR SA n26 20M Ch166800 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Horizontal

: SA n26 20M Ch166800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	1650.00	-68.00	RMS	25.20	-28.77	0.48	-95.23	30.32	-13.00	-55.00	Horizontal
2	2475.00	-64.94	RMS	27.85	-27.51	0.41	-95.23	29.54	-13.00	-51.94	Horizontal
3	3301.00	-63.27	RMS	29.50	-26.13	0.43	-95.23	28.16	-13.00	-50.27	Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Vertical

: SA n26 20M Ch166800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	1650.00	-62.36	RMS	25.20	-28.77	0.48	-95.23	35.96	-13.00	-49.36	Vertical
2	2475.00	-65.08	RMS	27.85	-27.51	0.41	-95.23	29.40	-13.00	-52.08	Vertical
3	3301.00	-63.57	RMS	29.50	-26.13	0.43	-95.23	27.86	-13.00	-50.57	Vertical




Ant. 0

Part 22H Mode 1

NR SA n26 20M Ch167300 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Horizontal

: SA n26 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1655.00	-67.68	RMS	25.25	-28.76	0.47	-95.23	30.59	-13.00	-54.68	Horizontal
2	2483.00	-64.89	RMS	27.93	-27.50	0.41	-95.23	29.50	-13.00	-51.89	Horizontal
3	3311.00	-63.12	RMS	29.52	-26.12	0.43	-95.23	28.28	-13.00	-50.12	Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Vertical

: SA n26 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1655.00	-62.48	RMS	25.25	-28.76	0.47	-95.23	35.79	-13.00	-49.48	Vertical
2	2483.00	-63.67	RMS	27.93	-27.50	0.41	-95.23	30.72	-13.00	-50.67	Vertical
3	3311.00	-63.20	RMS	29.52	-26.12	0.43	-95.23	28.20	-13.00	-50.20	Vertical




Ant. 0

Part 22H Mode 1

NR SA n26 20M Ch167800 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Horizontal

: SA n26 20M Ch167800 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1		g			
	MHz	dBm										
1	1660.00	-67.86	RMS	25.30	-28.75	0.47	-95.23	30.35	-13.00	-54.86	Horizontal	
2	2490.00	-65.36	RMS	28.00	-27.49	0.41	-95.23	28.95	-13.00	-52.36	Horizontal	
3	3321.00	-63.28	RMS	29.54	-26.11	0.43	-95.23	28.09	-13.00	-50.28	Horizontal	



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Vertical

: SA n26 20M Ch167800 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1		g			
	MHz	dBm										
1	1660.00	-59.88	RMS	25.30	-28.75	0.47	-95.23	38.33	-13.00	-46.88	Vertical	
2	2490.00	-46.60	RMS	28.00	-27.49	0.41	-95.23	47.71	-13.00	-33.60	Vertical	
3	3321.00	-62.90	RMS	29.54	-26.11	0.43	-95.23	28.47	-13.00	-49.90	Vertical	




Ant. 0

Part 24E Mode 1

NR SA n25 40M Ch374000 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n25 40M Ch374000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm						g			
1	3705.00	-61.38	RMS	29.75	-25.62	0.67	-95.23	0.00	-13.00	-48.38	Horizontal
2	5556.00	-61.12	RMS	32.91	-24.62	0.47	-95.23	25.35	-13.00	-48.12	Horizontal
3	7409.00	-57.54	RMS	36.28	-23.07	0.42	-95.23	24.06	-13.00	-44.54	Horizontal
4	18522.00	-64.46	RMS	38.01	-38.88	-9.54	-95.23	41.18	-13.00	-51.46	Horizontal
5	22227.00	-64.00	RMS	38.21	-33.21	-9.54	-95.23	35.77	-13.00	-51.00	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n25 40M Ch374000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm						g			
1	3704.00	-63.23	RMS	29.74	-25.62	0.67	-95.23	27.21	-13.00	-50.23	Vertical
2	5556.00	-61.03	RMS	32.91	-24.62	0.47	-95.23	25.44	-13.00	-48.03	Vertical
3	7409.00	-57.02	RMS	36.28	-23.07	0.42	-95.23	24.58	-13.00	-44.02	Vertical
4	18522.00	-61.96	RMS	38.01	-38.88	-9.54	-95.23	43.68	-13.00	-48.96	Vertical
5	22227.00	-60.34	RMS	38.21	-33.21	-9.54	-95.23	39.43	-13.00	-47.34	Vertical




Ant. 0

Part 24E Mode 1

NR SA n25 40M Ch376500 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n25 40M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3729.00	-60.68	RMS	29.99	-25.61	0.69	-95.23	29.48	-13.00	-47.68	Horizontal
2	5594.00	-60.55	RMS	32.99	-24.58	0.47	-95.23	25.80	-13.00	-47.55	Horizontal
3	7459.00	-57.56	RMS	36.24	-23.07	0.41	-95.23	24.09	-13.00	-44.56	Horizontal
4	18647.00	-63.67	RMS	38.11	-38.76	-9.54	-95.23	41.75	-13.00	-50.67	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n25 40M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3729.00	-62.22	RMS	29.99	-25.61	0.69	-95.23	27.94	-13.00	-49.22	Vertical
2	5594.00	-60.73	RMS	32.99	-24.58	0.47	-95.23	25.62	-13.00	-47.73	Vertical
3	7459.00	-57.64	RMS	36.24	-23.07	0.41	-95.23	24.01	-13.00	-44.64	Vertical
4	18647.00	-60.71	RMS	38.11	-38.76	-9.54	-95.23	44.71	-13.00	-47.71	Vertical




Ant. 0

Part 24E Mode 1

NR SA n25 40M Ch379000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

NR SA n25 40M Ch379000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3754.00	-61.15	RMS	30.25	-25.61	0.71	-95.23	28.73	-13.00	-48.15	Horizontal
2	5631.00	-60.31	RMS	33.12	-24.53	0.47	-95.23	25.86	-13.00	-47.31	Horizontal
3	7509.00	-57.20	RMS	36.38	-23.06	0.40	-95.23	24.31	-13.00	-44.20	Horizontal
4	18772.00	-60.89	RMS	38.20	-38.65	-9.54	-95.23	44.33	-13.00	-47.89	Horizontal
5	22527.00	-59.20	RMS	38.45	-32.86	-9.54	-95.23	39.98	-13.00	-46.20	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

NR SA n25 40M Ch379000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3754.00	-63.34	RMS	30.25	-25.61	0.71	-95.23	26.54	-13.00	-50.34	Vertical
2	5631.00	-60.35	RMS	33.12	-24.53	0.47	-95.23	25.82	-13.00	-47.35	Vertical
3	7509.00	-57.38	RMS	36.38	-23.06	0.40	-95.23	24.13	-13.00	-44.38	Vertical
4	18772.00	-57.16	RMS	38.20	-38.65	-9.54	-95.23	48.06	-13.00	-44.16	Vertical
5	22527.00	-56.76	RMS	38.45	-32.86	-9.54	-95.23	42.42	-13.00	-43.76	Vertical




Ant. 0+2

Part 24E Mode 2

EN-DC B5+N25 10M + 40M Ch20525 1RB0 QPSK + Ch374000 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: LTE B5 10M Ch20525 1RB0 QPSK

: NR SA n25 40M Ch374000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3704.00	-62.72	RMS	29.74	-25.62	0.67	-95.23	27.72	-13.00	-49.72	Horizontal
2	5556.00	-59.91	RMS	32.91	-24.62	0.47	-95.23	26.56	-13.00	-46.91	Horizontal
3	7409.00	-56.51	RMS	36.28	-23.07	0.42	-95.23	25.09	-13.00	-43.51	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: LTE B5 10M Ch20525 1RB0 QPSK

: NR SA n25 40M Ch374000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3704.00	-62.92	RMS	29.74	-25.62	0.67	-95.23	27.52	-13.00	-49.92	Vertical
2	5556.00	-60.21	RMS	32.91	-24.62	0.47	-95.23	26.26	-13.00	-47.21	Vertical
3	7409.00	-56.52	RMS	36.28	-23.07	0.42	-95.23	25.08	-13.00	-43.52	Vertical




Ant. 0+2

Part 24E Mode 2

EN-DC B5+N25 10M + 40M Ch20525 1RB0 QPSK + Ch376500 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: LTE B5 10M Ch20525 1RB0 QPSK

: NR SA n25 40M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm						g		dB	
1	3729.00	-62.43	RMS	29.99	-25.61	0.69	-95.23	27.73	-13.00	-49.43	Horizontal
2	5594.00	-59.87	RMS	32.99	-24.58	0.47	-95.23	26.48	-13.00	-46.87	Horizontal
3	7459.00	-56.52	RMS	36.24	-23.07	0.41	-95.23	25.13	-13.00	-43.52	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: LTE B5 10M Ch20525 1RB0 QPSK

: NR SA n25 40M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm						g		dB	
1	3729.00	-62.09	RMS	29.99	-25.61	0.69	-95.23	28.07	-13.00	-49.09	Vertical
2	5594.00	-59.74	RMS	32.99	-24.58	0.47	-95.23	26.61	-13.00	-46.74	Vertical
3	7459.00	-56.69	RMS	36.24	-23.07	0.41	-95.23	24.96	-13.00	-43.69	Vertical




Ant. 0+2

Part 24E Mode 2

EN-DC B5+N25 10M + 40M Ch20525 1RB0 QPSK + Ch379000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: LTE B5 10M Ch20525 1RB0 QPSK

: NR SA n25 40M Ch379000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3754.00	-62.18	RMS	30.25	-25.61	0.71	-95.23	27.70	-13.00	-49.18	Horizontal
2	5631.00	-59.22	RMS	33.12	-24.53	0.47	-95.23	26.95	-13.00	-46.22	Horizontal
3	7509.00	-56.25	RMS	36.38	-23.06	0.40	-95.23	25.26	-13.00	-43.25	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: LTE B5 10M Ch20525 1RB0 QPSK

: NR SA n25 40M Ch379000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3754.00	-62.34	RMS	30.25	-25.61	0.71	-95.23	27.54	-13.00	-49.34	Vertical
2	5631.00	-59.67	RMS	33.12	-24.53	0.47	-95.23	26.50	-13.00	-46.67	Vertical
3	7509.00	-56.60	RMS	36.38	-23.06	0.40	-95.23	24.91	-13.00	-43.60	Vertical




Ant. 0

Part 27N Mode 1

NR SA n71 20M Ch134600 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Horizontal

: NR SA n71 20M Ch134600 1RB1 BPSK

	Freq		Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
	MHz	dBm			Factor	Amp\Cb		EIRPCF	g			
1	1328.00	-59.38	RMS		25.72	-29.32	0.76	-95.23	38.69	-13.00	-46.38	Horizontal
2	1992.00	-44.47	RMS		26.48	-28.29	0.20	-95.23	52.37	-13.00	-31.47	Horizontal
3	2657.00	-65.77	RMS		27.97	-27.10	0.37	-95.23	28.22	-13.00	-52.77	Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Vertical

: NR SA n71 20M Ch134600 1RB1 BPSK

	Freq		Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
	MHz	dBm			Factor	Amp\Cb		EIRPCF	g			
1	1328.00	-59.18	RMS		25.72	-29.32	0.76	-95.23	38.89	-13.00	-46.18	Vertical
2	1992.00	-47.66	RMS		26.48	-28.29	0.20	-95.23	49.18	-13.00	-34.66	Vertical
3	2657.00	-65.80	RMS		27.97	-27.10	0.37	-95.23	28.19	-13.00	-52.80	Vertical




Ant. 0

Part 27N Mode 1


NR SA n71 20M Ch136100 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Horizontal
: NR SA n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1343.00	-61.23	RMS	25.60	-29.29	0.73	-95.23	36.96	-13.00	-48.23	Horizontal
2	2015.00	-40.98	RMS	26.60	-28.25	0.20	-95.23	55.70	-13.00	-27.98	Horizontal
3	2687.00	-63.97	RMS	28.23	-27.03	0.37	-95.23	29.69	-13.00	-50.97	Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Vertical
: NR SA n71 20M Ch136100 1RB1 BPSK

	Freq		Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
	Factor	1			dB/m	dB						
1	MHz	dBm					dB	dB				
1	1343.00	-59.73	RMS		25.60	-29.29	0.73	-95.23	38.46	-13.00	-46.73	Vertical
2	2015.00	-41.85	RMS		26.60	-28.25	0.20	-95.23	54.83	-13.00	-28.85	Vertical
3	2687.00	-61.35	RMS		28.23	-27.03	0.37	-95.23	32.31	-13.00	-48.35	Vertical




Ant. 0

Part 27N Mode 1

NR SA n71 20M Ch137600 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Horizontal

: NR SA n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB			dB	dB	
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	dB	
1	1358.00	-56.08	RMS		25.52	-29.26	0.70	-95.23	42.19	-13.00	-43.08		Horizontal
2	2037.00	-43.01	RMS		27.14	-28.22	0.21	-95.23	53.09	-13.00	-30.01		Horizontal
3	2717.00	-64.85	RMS		28.50	-26.96	0.37	-95.23	28.47	-13.00	-51.85		Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Vertical

: NR SA n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB			dB	dB	
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	dB	
1	1358.00	-58.96	RMS		25.52	-29.26	0.70	-95.23	39.31	-13.00	-45.96		Vertical
2	2037.00	-46.28	RMS		27.14	-28.22	0.21	-95.23	49.82	-13.00	-33.28		Vertical
3	2717.00	-63.41	RMS		28.50	-26.96	0.37	-95.23	29.91	-13.00	-50.41		Vertical




Ant. 0

Part 27H Mode 1

NR SA n12 15M Ch141300 1RB1 BPSK

L




Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Horizontal

: NR SA n12 15M Ch141300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
				Factor	1			g			
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1400.00	-65.54	RMS	25.70	-29.18	0.61	-95.23	32.56	-13.00	-52.54	Horizontal
2	2100.00	-64.89	RMS	27.40	-28.11	0.25	-95.23	30.80	-13.00	-51.89	Horizontal
3	2800.00	-64.88	RMS	28.60	-26.76	0.36	-95.23	28.15	-13.00	-51.88	Horizontal



Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Vertical

: NR SA n12 15M Ch141300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
				Factor	1			g			
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1400.00	-63.60	RMS	25.70	-29.18	0.61	-95.23	34.50	-13.00	-50.60	Vertical
2	2100.00	-64.92	RMS	27.40	-28.11	0.25	-95.23	30.77	-13.00	-51.92	Vertical
3	2800.00	-62.61	RMS	28.60	-26.76	0.36	-95.23	30.42	-13.00	-49.61	Vertical




Ant. 0

Part 27H Mode 1

NR SA n12 15M Ch141500 1RB1 BPSK

M




Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Horizontal

: NR SA n12 15M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
				Factor	1			g			
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1402.00	-65.33	RMS	25.68	-29.17	0.61	-95.23	32.78	-13.00	-52.33	Horizontal
2	2103.00	-64.85	RMS	27.46	-28.10	0.25	-95.23	30.77	-13.00	-51.85	Horizontal
3	2804.00	-64.36	RMS	28.60	-26.75	0.36	-95.23	28.66	-13.00	-51.36	Horizontal



Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Vertical

: NR SA n12 15M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
				Factor	1			g			
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1402.00	-64.24	RMS	25.68	-29.17	0.61	-95.23	33.87	-13.00	-51.24	Vertical
2	2103.00	-65.06	RMS	27.46	-28.10	0.25	-95.23	30.56	-13.00	-52.06	Vertical
3	2804.00	-62.80	RMS	28.60	-26.75	0.36	-95.23	30.22	-13.00	-49.80	Vertical




Ant. 0

Part 27H Mode 1

NR SA n12 15M Ch141700 1RB1 BPSK

H




Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Horizontal

: NR SA n12 15M Ch141700 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
				Factor	1	dB	dB	dBuV	dBm	dB	
1	1404.00	-65.80	RMS	25.66	-29.17	0.61	-95.23	32.33	-13.00	-52.80	Horizontal
2	2106.00	-64.98	RMS	27.52	-28.10	0.25	-95.23	30.58	-13.00	-51.98	Horizontal
3	2808.00	-64.44	RMS	28.60	-26.74	0.36	-95.23	28.57	-13.00	-51.44	Horizontal



Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Vertical

: NR SA n12 15M Ch141700 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
				Factor	1	dB	dB	dBuV	dBm	dB	
1	1404.00	-64.35	RMS	25.66	-29.17	0.61	-95.23	33.78	-13.00	-51.35	Vertical
2	2106.00	-65.33	RMS	27.52	-28.10	0.25	-95.23	30.23	-13.00	-52.33	Vertical
3	2808.00	-62.69	RMS	28.60	-26.74	0.36	-95.23	30.32	-13.00	-49.69	Vertical




Ant. 0

Part 27F Mode 1

NR SA n13 5M Ch155900 1RB1 BPSK

L




Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Horizontal

: NR SA n13 5M Ch155900 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g	g			
	MHz	dBm			1	EIRPCF					
1	1555.00	-65.80	RMS	25.15	-28.91	0.54	-95.23	32.65	-13.00	-52.80	Horizontal
2	2333.00	-65.78	RMS	27.27	-27.73	0.39	-95.23	29.52	-13.00	-52.78	Horizontal
3	3110.00	-63.07	RMS	29.64	-26.23	0.45	-95.23	28.30	-13.00	-50.07	Horizontal



Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Vertical

: NR SA n13 5M Ch155900 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g	g			
	MHz	dBm			1	EIRPCF					
1	1555.00	-64.87	RMS	25.15	-28.91	0.54	-95.23	33.58	-13.00	-51.87	Vertical
2	2333.00	-65.77	RMS	27.27	-27.73	0.39	-95.23	29.53	-13.00	-52.77	Vertical
3	3110.00	-63.04	RMS	29.64	-26.23	0.45	-95.23	28.33	-13.00	-50.04	Vertical




Ant. 0

Part 27F Mode 1


NR SA n13 5M Ch156400 1RB1 BPSK

M



Site : 03CH20-HY
Condition: 700 AC BAND 3m HF_9120D_02360_241101 Horizontal
: NR SA n13 5M Ch156400 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin	Pol
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm		
1	1560.00	-65.21	RMS	25.10	-28.90	0.54	-95.23	33.28	-42.15	-23.06	Horizontal
2	2340.00	-65.95	RMS	27.20	-27.72	0.39	-95.23	29.41	-13.00	-52.95	Horizontal
3	3120.00	-63.15	RMS	29.68	-26.23	0.45	-95.23	28.18	-13.00	-50.15	Horizontal



Site : 03CH20-HY
Condition: 700 AC BAND 3m HF_9120D_02360_241101 Vertical
: NR SA n13 5M Ch156400 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin	Pol
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm		
1	1560.00	-65.49	RMS	25.10	-28.90	0.54	-95.23	33.00	-42.15	-23.34	Vertical
2	2340.00	-65.56	RMS	27.20	-27.72	0.39	-95.23	29.80	-13.00	-52.56	Vertical
3	3120.00	-62.95	RMS	29.68	-26.23	0.45	-95.23	28.38	-13.00	-49.95	Vertical




Ant. 0

Part 27F Mode 1

NR SA n13 5M Ch156900 1RB1 BPSK

H




Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Horizontal

: NR SA n13 5M Ch156900 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		EIRPCF	g			
	MHz	dBm			1						
1	1565.00	-65.57	RMS	25.15	-28.89	0.54	-95.23	32.86	-42.15	-23.42	Horizontal
2	2348.00	-65.87	RMS	27.28	-27.71	0.40	-95.23	29.39	-13.00	-52.87	Horizontal
3	3130.00	-63.48	RMS	29.72	-26.23	0.45	-95.23	27.81	-13.00	-50.48	Horizontal



Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Vertical

: NR SA n13 5M Ch156900 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		EIRPCF	g			
	MHz	dBm			1						
1	1565.00	-63.81	RMS	25.15	-28.89	0.54	-95.23	34.62	-42.15	-21.66	Vertical
2	2348.00	-65.74	RMS	27.28	-27.71	0.40	-95.23	29.52	-13.00	-52.74	Vertical
3	3130.00	-62.97	RMS	29.72	-26.23	0.45	-95.23	28.32	-13.00	-49.97	Vertical




Ant. 0

Part 27F Mode 2

NR SA n13 10M Ch156400 1RB1 BPSK

M




Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Horizontal

Mode : SA N13 10M Ch156400 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		dB	dB				
	MHz	dBm			1				g	dBm	dB	
1	1556.00	-66.97	RMS	25.14	-28.91	0.55	-95.23	31.48	-13.00	-53.97	Horizontal	
2	2333.00	-65.12	RMS	27.27	-27.73	0.37	-95.23	30.20	-13.00	-52.12	Horizontal	
3	3111.00	-63.19	RMS	29.64	-26.23	0.32	-95.23	28.31	-13.00	-50.19	Horizontal	



Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Vertical

Mode : SA N13 10M Ch156400 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		dB	dB				
	MHz	dBm			1				g	dBm	dB	
1	1556.00	-66.46	RMS	25.14	-28.91	0.55	-95.23	31.99	-13.00	-53.46	Vertical	
2	2333.00	-65.47	RMS	27.27	-27.73	0.37	-95.23	29.85	-13.00	-52.47	Vertical	
3	3111.00	-63.08	RMS	29.64	-26.23	0.32	-95.23	28.42	-13.00	-50.08	Vertical	




Ant. 0

Part 27L Mode 1

NR SA n66 40M Ch346000 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Horizontal

: NR SA n66 40M Ch346000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3424.00	-60.40	RMS	29.60	-26.01	0.57	-95.23	30.67	-13.00	-47.40
2	5136.00	-59.19	RMS	33.27	-24.95	0.56	-95.23	27.16	-13.00	-46.19
3	6849.00	-57.45	RMS	35.80	-23.31	0.63	-95.23	24.66	-13.00	-44.45



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Vertical

: NR SA n66 40M Ch346000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3424.00	-58.99	RMS	29.60	-26.01	0.57	-95.23	32.08	-13.00	-45.99
2	5136.00	-59.50	RMS	33.27	-24.95	0.56	-95.23	26.85	-13.00	-46.50
3	6849.00	-57.15	RMS	35.80	-23.31	0.63	-95.23	24.96	-13.00	-44.15




Ant. 0

Part 27L Mode 1

NR SA n66 40M Ch349000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Horizontal

: NR SA n66 40M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3455.00	-60.31	RMS	29.49	-25.96	0.58	-95.23	30.81	-13.00	-47.31
2	5182.00	-59.11	RMS	32.98	-24.91	0.54	-95.23	27.51	-13.00	-46.11
3	6909.00	-57.00	RMS	35.80	-23.27	0.60	-95.23	25.10	-13.00	-44.00



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Vertical

: NR SA n66 40M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3455.00	-57.79	RMS	29.49	-25.96	0.58	-95.23	33.33	-13.00	-44.79
2	5182.00	-59.30	RMS	32.98	-24.91	0.54	-95.23	27.32	-13.00	-46.30
3	6909.00	-57.05	RMS	35.80	-23.27	0.60	-95.23	25.05	-13.00	-44.05




Ant. 0

Part 27L Mode 1

NR SA n66 40M Ch352000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Horizontal

: NR SA n66 40M Ch352000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3484.00	-60.01	RMS	29.43	-25.91	0.58	-95.23	31.12	-13.00	-47.01
2	5226.00	-59.88	RMS	32.85	-24.88	0.52	-95.23	26.86	-13.00	-46.88
3	6969.00	-56.86	RMS	35.88	-23.24	0.57	-95.23	25.16	-13.00	-43.86



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Vertical

: NR SA n66 40M Ch352000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3484.00	-57.96	RMS	29.43	-25.91	0.58	-95.23	33.17	-13.00	-44.96
2	5226.00	-58.42	RMS	32.85	-24.88	0.52	-95.23	28.32	-13.00	-45.42
3	6969.00	-57.22	RMS	35.88	-23.24	0.57	-95.23	24.80	-13.00	-44.22




Ant. 0+2

Part 27L Mode 9

EN-DC B5+N66 10M + 40M Ch20525 1RB0 QPSK + Ch346000 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Horizontal

: LTE B5 10M Ch20525 1RB0 QPSK

: NR SA n66 40M Ch346000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g	g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3424.00	-62.74	RMS	29.60	-26.01	0.57	-95.23	28.33	-13.00	-49.74	Horizontal
2	5136.00	-59.30	RMS	33.27	-24.95	0.56	-95.23	27.05	-13.00	-46.30	Horizontal
3	6849.00	-56.77	RMS	35.80	-23.31	0.63	-95.23	25.34	-13.00	-43.77	Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Vertical

: LTE B5 10M Ch20525 1RB0 QPSK

: NR SA n66 40M Ch346000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g	g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3424.00	-62.94	RMS	29.60	-26.01	0.57	-95.23	28.13	-13.00	-49.94	Vertical
2	5136.00	-59.01	RMS	33.27	-24.95	0.56	-95.23	27.34	-13.00	-46.01	Vertical
3	6849.00	-56.94	RMS	35.80	-23.31	0.63	-95.23	25.17	-13.00	-43.94	Vertical




Ant. 0+2

Part 27L Mode 9

EN-DC B5+N66 10M + 40M Ch20525 1RB0 QPSK + Ch349000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Horizontal

: LTE B5 10M Ch20525 1RB0 QPSK

: NR SA n66 40M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm						g		dB	
1	3454.00	-62.99	RMS	29.49	-25.96	0.58	-95.23	28.13	-13.00	-49.99	Horizontal
2	5181.00	-59.60	RMS	32.99	-24.91	0.54	-95.23	27.01	-13.00	-46.60	Horizontal
3	6909.00	-56.88	RMS	35.80	-23.27	0.60	-95.23	25.22	-13.00	-43.88	Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Vertical

: LTE B5 10M Ch20525 1RB0 QPSK

: NR SA n66 40M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm						g		dB	
1	3454.00	-62.91	RMS	29.49	-25.96	0.58	-95.23	28.21	-13.00	-49.91	Vertical
2	5181.00	-59.68	RMS	32.99	-24.91	0.54	-95.23	26.93	-13.00	-46.68	Vertical
3	6909.00	-56.95	RMS	35.80	-23.27	0.60	-95.23	25.15	-13.00	-43.95	Vertical




Ant. 0+2

Part 27L Mode 9

EN-DC B5+N66 10M + 40M Ch20525 1RB0 QPSK + Ch352000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Horizontal

: LTE B5 10M Ch20525 1RB0 QPSK

: NR SA n66 40M Ch352000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		EIRPCF	g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3484.00	-62.61	RMS	29.43	-25.91	0.58	-95.23	28.52	-13.00	-49.61	Horizontal
2	5226.00	-59.68	RMS	32.85	-24.88	0.52	-95.23	27.06	-13.00	-46.68	Horizontal
3	6969.00	-56.56	RMS	35.88	-23.24	0.57	-95.23	25.46	-13.00	-43.56	Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Vertical

: LTE B5 10M Ch20525 1RB0 QPSK

: NR SA n66 40M Ch352000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		EIRPCF	g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3484.00	-62.47	RMS	29.43	-25.91	0.58	-95.23	28.66	-13.00	-49.47	Vertical
2	5226.00	-59.68	RMS	32.85	-24.88	0.52	-95.23	27.06	-13.00	-46.68	Vertical
3	6969.00	-56.89	RMS	35.88	-23.24	0.57	-95.23	25.13	-13.00	-43.89	Vertical




Ant. 0+2

Part 27D Mode 1

EN-DC B5+N30 10M + 5M Ch20525 1RB0 QPSK + Ch461500 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -40 1m BBHA9170_1230_241025 Horizontal

: NR SA n30 5M Ch461500 1RB1 BPSK

: LTE Band 5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	4611.00	-60.87	RMS	31.82	-25.30	0.74	-95.23	27.10	-40.00	-20.87	Horizontal
2	6917.00	-56.62	RMS	35.80	-23.27	0.59	-95.23	25.49	-40.00	-16.62	Horizontal
3	9222.00	-54.52	RMS	37.93	-23.08	0.42	-95.23	25.44	-40.00	-14.52	Horizontal
4	18444.00	-64.46	RMS	37.90	-38.96	-9.54	-95.23	41.37	-40.00	-24.46	Horizontal



Site : 03CH20-HY

Condition: -40 1m BBHA9170_1230_241025 Vertical

: NR SA n30 5M Ch461500 1RB1 BPSK

: LTE Band 5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	4611.00	-60.88	RMS	31.82	-25.30	0.74	-95.23	27.09	-40.00	-20.88	Vertical
2	6917.00	-56.78	RMS	35.80	-23.27	0.59	-95.23	25.33	-40.00	-16.78	Vertical
3	9222.00	-54.07	RMS	37.93	-23.08	0.42	-95.23	25.89	-40.00	-14.07	Vertical
4	18444.00	-58.86	RMS	37.90	-38.96	-9.54	-95.23	46.97	-40.00	-18.86	Vertical




Ant. 0+2

Part 27D Mode 1

EN-DC B5+N30 10M + 5M Ch20525 1RB0 QPSK + Ch462000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -40 1m BBHA9170_1230_241025 Horizontal

: NR SA n30 5M Ch462000 1RB1 BPSK

: LTE Band 5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g	g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4616.00	-61.10	RMS	31.83	-25.30	0.74	-95.23	26.86	-40.00	-21.10	Horizontal
2	6924.00	-56.90	RMS	35.80	-23.27	0.59	-95.23	25.21	-40.00	-16.90	Horizontal
3	9232.00	-54.40	RMS	37.99	-23.08	0.42	-95.23	25.50	-40.00	-14.40	Horizontal



Site : 03CH20-HY

Condition: -40 1m BBHA9170_1230_241025 Vertical

: NR SA n30 5M Ch462000 1RB1 BPSK

: LTE Band 5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g	g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4616.00	-61.00	RMS	31.83	-25.30	0.74	-95.23	26.96	-40.00	-21.00	Vertical
2	6924.00	-56.36	RMS	35.80	-23.27	0.59	-95.23	25.75	-40.00	-16.36	Vertical
3	9232.00	-52.98	RMS	37.99	-23.08	0.42	-95.23	26.92	-40.00	-12.98	Vertical




Ant. 0+2

Part 27D Mode 1

EN-DC B5+N30 10M + 5M Ch20525 1RB0 QPSK + Ch462500 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -40 1m BBHA9170_1230_241025 Horizontal

: NR SA n30 5M Ch462500 1RB1 BPSK

: LTE Band 5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	4621.00	-60.61	RMS	31.84	-25.30	0.74	-95.23	27.34	-40.00	-20.61	Horizontal
2	6932.00	-56.59	RMS	35.80	-23.26	0.58	-95.23	25.52	-40.00	-16.59	Horizontal
3	9242.00	-54.31	RMS	38.05	-23.08	0.42	-95.23	25.53	-40.00	-14.31	Horizontal
4	18484.00	-63.76	RMS	38.04	-38.92	-9.54	-95.23	41.89	-40.00	-23.76	Horizontal



Site : 03CH20-HY

Condition: -40 1m BBHA9170_1230_241025 Vertical

: NR SA n30 5M Ch462500 1RB1 BPSK

: LTE Band 5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	4621.00	-60.63	RMS	31.84	-25.30	0.74	-95.23	27.32	-40.00	-20.63	Vertical
2	6932.00	-56.40	RMS	35.80	-23.26	0.58	-95.23	25.71	-40.00	-16.40	Vertical
3	9242.00	-53.65	RMS	38.05	-23.08	0.42	-95.23	26.19	-40.00	-13.65	Vertical
4	18484.00	-59.61	RMS	38.04	-38.92	-9.54	-95.23	46.04	-40.00	-19.61	Vertical




Ant. 0

Part 27D Mode 2

NR SA n30 10M Ch462000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -40 1m BBHA9170_1230_241025 Horizontal

: NR SA n30 10M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4612.00	-60.76	RMS	31.82	-25.30	0.74	-95.23	27.21	-40.00	-20.76	Horizontal
2	6917.00	-57.26	RMS	35.80	-23.27	0.59	-95.23	24.85	-40.00	-17.26	Horizontal
3	9223.00	-54.64	RMS	37.94	-23.08	0.42	-95.23	25.31	-40.00	-14.64	Horizontal



Site : 03CH20-HY

Condition: -40 1m BBHA9170_1230_241025 Vertical

: NR SA n30 10M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4612.00	-60.87	RMS	31.82	-25.30	0.74	-95.23	27.10	-40.00	-20.87	Vertical
2	6917.00	-57.16	RMS	35.80	-23.27	0.59	-95.23	24.95	-40.00	-17.16	Vertical
3	9223.00	-54.32	RMS	37.94	-23.08	0.42	-95.23	25.63	-40.00	-14.32	Vertical




Ant. 0

Part 27D Mode 3

NR SA n30 5M Ch461500 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -40 1m BBHA9170_1230_241025 Horizontal

: NR SA n30 5M Ch461500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4611.00	-60.93	RMS	31.82	-25.30	0.74	-95.23	27.04	-40.00	-20.93
2	6917.00	-57.01	RMS	35.80	-23.27	0.59	-95.23	25.10	-40.00	-17.01
3	9222.00	-54.97	RMS	37.93	-23.08	0.42	-95.23	24.99	-40.00	-14.97



Site : 03CH20-HY

Condition: -40 1m BBHA9170_1230_241025 Vertical

: NR SA n30 5M Ch461500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4611.00	-60.97	RMS	31.82	-25.30	0.74	-95.23	27.00	-40.00	-20.97
2	6917.00	-56.65	RMS	35.80	-23.27	0.59	-95.23	25.46	-40.00	-16.65
3	9222.00	-54.83	RMS	37.93	-23.08	0.42	-95.23	25.13	-40.00	-14.83




Ant. 0

Part 27D Mode 3

NR SA n30 5M Ch462000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -40 1m BBHA9170_1230_241025 Horizontal

: NR SA n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm						g	dBm	dB	
1	4616.00	-61.68	RMS	31.83	-25.30	0.74	-95.23	26.28	-40.00	-21.68	Horizontal
2	6924.00	-57.16	RMS	35.80	-23.27	0.59	-95.23	24.95	-40.00	-17.16	Horizontal
3	9232.00	-54.68	RMS	37.99	-23.08	0.42	-95.23	25.22	-40.00	-14.68	Horizontal



Site : 03CH20-HY

Condition: -40 1m BBHA9170_1230_241025 Vertical

: NR SA n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm						g	dBm	dB	
1	4616.00	-61.31	RMS	31.83	-25.30	0.74	-95.23	26.65	-40.00	-21.31	Vertical
2	6924.00	-57.24	RMS	35.80	-23.27	0.59	-95.23	24.87	-40.00	-17.24	Vertical
3	9232.00	-54.44	RMS	37.99	-23.08	0.42	-95.23	25.46	-40.00	-14.44	Vertical




Ant. 0

Part 27D Mode 3

NR SA n30 5M Ch462500 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -40 1m BBHA9170_1230_241025 Horizontal

: NR SA n30 5M Ch462500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4621.00	-61.05	RMS	31.84	-25.30	0.74	-95.23	26.90	-40.00	-21.05
2	6932.00	-57.30	RMS	35.80	-23.26	0.58	-95.23	24.81	-40.00	-17.30
3	9242.00	-54.54	RMS	38.05	-23.08	0.42	-95.23	25.30	-40.00	-14.54



Site : 03CH20-HY

Condition: -40 1m BBHA9170_1230_241025 Vertical

: NR SA n30 5M Ch462500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4621.00	-61.06	RMS	31.84	-25.30	0.74	-95.23	26.89	-40.00	-21.06
2	6932.00	-57.00	RMS	35.80	-23.26	0.58	-95.23	25.11	-40.00	-17.00
3	9242.00	-54.47	RMS	38.05	-23.08	0.42	-95.23	25.37	-40.00	-14.47




Ant. 0

Part 27M Mode 1

NR SA n7 40M Ch504000 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n7 40M Ch504000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	5004.00	-59.49	RMS	33.39	-25.06	0.62	-95.23	26.79	-25.00	-34.49	Horizontal
2	7560.00	-56.29	RMS	36.26	-23.06	0.39	-95.23	25.35	-25.00	-31.29	Horizontal
3	10009.00	-51.50	RMS	38.34	-23.12	0.40	-95.23	28.11	-25.00	-26.50	Horizontal
4	12585.00	-49.29	RMS	39.10	-22.58	0.42	-95.23	29.00	-25.00	-24.29	Horizontal
5	20018.00	-60.22	RMS	38.06	-36.90	-9.54	-95.23	43.39	-25.00	-35.22	Horizontal
6	22520.00	-59.97	RMS	38.44	-32.87	-9.54	-95.23	39.23	-25.00	-34.97	Horizontal
7	25022.00	-59.94	RMS	39.30	-31.23	-9.54	-95.23	36.76	-25.00	-34.94	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n7 40M Ch504000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	5004.00	-59.56	RMS	33.39	-25.06	0.62	-95.23	26.72	-25.00	-34.56	Vertical
2	7560.00	-53.67	RMS	36.26	-23.06	0.39	-95.23	27.97	-25.00	-28.67	Vertical
3	10009.00	-47.55	RMS	38.34	-23.12	0.40	-95.23	32.06	-25.00	-22.55	Vertical
4	12585.00	-50.34	RMS	39.10	-22.58	0.42	-95.23	27.95	-25.00	-25.34	Vertical
5	20018.00	-54.91	RMS	38.06	-36.90	-9.54	-95.23	48.70	-25.00	-29.91	Vertical
6	22520.00	-57.04	RMS	38.44	-32.87	-9.54	-95.23	42.16	-25.00	-32.04	Vertical
7	25022.00	-55.29	RMS	39.30	-31.23	-9.54	-95.23	41.41	-25.00	-30.29	Vertical




Ant. 0

Part 27M Mode 1

NR SA n7 40M Ch507000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n7 40M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5034.00	-59.20	RMS	33.33	-25.03	0.60	-95.23	27.13	-25.00	-34.20	Horizontal
2	7551.00	-56.73	RMS	36.30	-23.06	0.39	-95.23	24.87	-25.00	-31.73	Horizontal
3	10069.00	-51.59	RMS	38.50	-23.09	0.40	-95.23	27.83	-25.00	-26.59	Horizontal
4	12586.00	-50.18	RMS	39.10	-22.58	0.42	-95.23	28.11	-25.00	-25.18	Horizontal
5	20138.00	-64.33	RMS	38.12	-36.62	-9.54	-95.23	38.94	-25.00	-39.33	Horizontal
6	22655.00	-64.51	RMS	38.69	-32.76	-9.54	-95.23	34.33	-25.00	-39.51	Horizontal
7	25172.00	-64.70	RMS	39.26	-31.21	-9.54	-95.23	32.02	-25.00	-39.70	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n7 40M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5034.00	-59.42	RMS	33.33	-25.03	0.60	-95.23	26.91	-25.00	-34.42	Vertical
2	7551.00	-53.36	RMS	36.30	-23.06	0.39	-95.23	28.24	-25.00	-28.36	Vertical
3	10069.00	-48.76	RMS	38.50	-23.09	0.40	-95.23	30.66	-25.00	-23.76	Vertical
4	12586.00	-50.54	RMS	39.10	-22.58	0.42	-95.23	27.75	-25.00	-25.54	Vertical
5	20138.00	-55.07	RMS	38.12	-36.62	-9.54	-95.23	48.20	-25.00	-30.07	Vertical
6	22655.00	-61.99	RMS	38.69	-32.76	-9.54	-95.23	36.85	-25.00	-36.99	Vertical
7	25172.00	-60.53	RMS	39.26	-31.21	-9.54	-95.23	36.19	-25.00	-35.53	Vertical




Ant. 0

Part 27M Mode 1

NR SA n7 40M Ch510000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n7 40M Ch510000 1RB1 BPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	1			g	dBm	dB	
1	5064.00	-59.47	RMS	33.27	-25.01	0.59	-95.23	26.91	-25.00	-34.47	Horizontal
2	7596.00	-57.14	RMS	36.12	-23.06	0.38	-95.23	24.65	-25.00	-32.14	Horizontal
3	10129.00	-52.41	RMS	38.50	-23.06	0.40	-95.23	26.98	-25.00	-27.41	Horizontal
4	12661.00	-50.34	RMS	39.32	-22.50	0.42	-95.23	27.65	-25.00	-25.34	Horizontal
5	17725.00	-47.27	RMS	41.25	-20.78	0.61	-95.23	26.88	-25.00	-22.27	Horizontal
6	20258.00	-64.20	RMS	38.10	-36.34	-9.54	-95.23	38.81	-25.00	-39.20	Horizontal
7	22790.00	-57.88	RMS	38.76	-32.66	-9.54	-95.23	40.79	-25.00	-32.88	Horizontal
8	25322.00	-64.08	RMS	39.16	-31.19	-9.54	-95.23	32.72	-25.00	-39.08	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n7 40M Ch510000 1RB1 BPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	1			g	dBm	dB	
1	5064.00	-58.65	RMS	33.27	-25.01	0.59	-95.23	27.73	-25.00	-33.65	Vertical
2	7596.00	-55.19	RMS	36.12	-23.06	0.38	-95.23	26.60	-25.00	-30.19	Vertical
3	10129.00	-48.24	RMS	38.50	-23.06	0.40	-95.23	31.15	-25.00	-23.24	Vertical
4	12661.00	-49.33	RMS	39.32	-22.50	0.42	-95.23	28.66	-25.00	-24.33	Vertical
5	17725.00	-46.50	RMS	41.25	-20.78	0.61	-95.23	27.65	-25.00	-21.50	Vertical
6	20258.00	-59.26	RMS	38.10	-36.34	-9.54	-95.23	43.75	-25.00	-34.26	Vertical
7	22790.00	-56.41	RMS	38.76	-32.66	-9.54	-95.23	42.26	-25.00	-31.41	Vertical
8	25322.00	-59.51	RMS	39.16	-31.19	-9.54	-95.23	37.29	-25.00	-34.51	Vertical




Ant. 0

Part 27M Mode 3

NR SA n41 PC2 100M Ch509202 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter		Readin	Limit		
	MHz	dBm		Factor	1		EIRPCF	g	dBm	dB	Pol
1	4994.00	-58.91	RMS	33.36	-25.07	0.62	-95.23	27.41	-25.00	-33.91	Horizontal
2	7491.00	-56.76	RMS	36.36	-23.07	0.40	-95.23	24.78	-25.00	-31.76	Horizontal
3	9989.00	-44.62	RMS	38.26	-23.12	0.40	-95.23	35.07	-25.00	-19.62	Horizontal
4	12486.00	-51.75	RMS	38.97	-22.68	0.41	-95.23	26.78	-25.00	-26.75	Horizontal
5	14983.00	-51.05	RMS	39.57	-22.64	0.64	-95.23	26.61	-25.00	-26.05	Horizontal
6	19978.00	-58.38	RMS	38.10	-36.98	-9.54	-95.23	45.27	-25.00	-33.38	Horizontal
7	22475.00	-62.24	RMS	38.35	-32.91	-9.54	-95.23	37.09	-25.00	-37.24	Horizontal
8	24972.00	-57.49	RMS	39.36	-31.23	-9.54	-95.23	39.15	-25.00	-32.49	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter		Readin	Limit		
	MHz	dBm		Factor	1		EIRPCF	g	dBm	dB	Pol
1	4994.00	-59.27	RMS	33.36	-25.07	0.62	-95.23	27.05	-25.00	-34.27	Vertical
2	7491.00	-56.74	RMS	36.36	-23.07	0.40	-95.23	24.80	-25.00	-31.74	Vertical
3	9989.00	-37.99	RMS	38.26	-23.12	0.40	-95.23	41.70	-25.00	-12.99	Vertical
4	12486.00	-49.65	RMS	38.97	-22.68	0.41	-95.23	28.88	-25.00	-24.65	Vertical
5	14983.00	-49.27	RMS	39.57	-22.64	0.64	-95.23	28.39	-25.00	-24.27	Vertical
6	19978.00	-54.59	RMS	38.10	-36.98	-9.54	-95.23	49.06	-25.00	-29.59	Vertical
7	22475.00	-61.82	RMS	38.35	-32.91	-9.54	-95.23	37.51	-25.00	-36.82	Vertical
8	24972.00	-52.83	RMS	39.36	-31.23	-9.54	-95.23	43.81	-25.00	-27.83	Vertical




Ant. 0

Part 27M Mode 3

NR SA n41 PC2 100M Ch518598 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n41 100M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5088.00	-59.28	RMS	33.22	-24.99	0.58	-95.23	27.14	-25.00	-34.28	Horizontal
2	7632.00	-56.87	RMS	36.16	-23.06	0.40	-95.23	24.86	-25.00	-31.87	Horizontal
3	10177.00	-45.41	RMS	38.61	-23.04	0.40	-95.23	33.85	-25.00	-20.41	Horizontal
4	12721.00	-50.20	RMS	39.44	-22.43	0.42	-95.23	27.60	-25.00	-25.20	Horizontal
5	20354.00	-59.36	RMS	38.10	-36.12	-9.54	-95.23	43.43	-25.00	-34.36	Horizontal
6	22898.00	-61.75	RMS	38.89	-32.57	-9.54	-95.23	36.70	-25.00	-36.75	Horizontal
7	25442.00	-64.00	RMS	39.00	-31.17	-9.54	-95.23	32.94	-25.00	-39.00	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n41 100M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5088.00	-57.81	RMS	33.22	-24.99	0.58	-95.23	28.61	-25.00	-32.81	Vertical
2	7632.00	-56.67	RMS	36.16	-23.06	0.40	-95.23	25.06	-25.00	-31.67	Vertical
3	10177.00	-41.70	RMS	38.61	-23.04	0.40	-95.23	37.56	-25.00	-16.70	Vertical
4	12721.00	-45.05	RMS	39.44	-22.43	0.42	-95.23	32.75	-25.00	-20.05	Vertical
5	20354.00	-55.64	RMS	38.10	-36.12	-9.54	-95.23	47.15	-25.00	-30.64	Vertical
6	22898.00	-60.65	RMS	38.89	-32.57	-9.54	-95.23	37.80	-25.00	-35.65	Vertical
7	25442.00	-57.91	RMS	39.00	-31.17	-9.54	-95.23	39.03	-25.00	-32.91	Vertical




Ant. 0

Part 27M Mode 3

NR SA n41 PC2 100M Ch528000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	5182.00	-59.32	RMS	32.98	-24.91	0.54	-95.23	27.30	-25.00	-34.32	Horizontal
2	7773.00	-56.17	RMS	36.74	-23.05	0.51	-95.23	24.86	-25.00	-31.17	Horizontal
3	10365.00	-47.34	RMS	38.80	-22.95	0.40	-95.23	31.64	-25.00	-22.34	Horizontal
4	12956.00	-52.31	RMS	39.61	-22.17	0.44	-95.23	25.04	-25.00	-27.31	Horizontal
5	18138.00	-62.41	RMS	37.62	-39.31	-9.54	-95.23	44.05	-25.00	-37.41	Horizontal
6	23321.00	-60.51	RMS	39.06	-32.10	-9.54	-95.23	37.30	-25.00	-35.51	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	5182.00	-59.89	RMS	32.98	-24.91	0.54	-95.23	26.73	-25.00	-34.89	Vertical
2	7773.00	-55.82	RMS	36.74	-23.05	0.51	-95.23	25.21	-25.00	-30.82	Vertical
3	10365.00	-41.06	RMS	38.80	-22.95	0.40	-95.23	37.92	-25.00	-16.06	Vertical
4	12956.00	-50.23	RMS	39.61	-22.17	0.44	-95.23	27.12	-25.00	-25.23	Vertical
5	18138.00	-57.07	RMS	37.62	-39.31	-9.54	-95.23	49.39	-25.00	-32.07	Vertical
6	23321.00	-58.49	RMS	39.06	-32.10	-9.54	-95.23	39.32	-25.00	-33.49	Vertical




Ant. 0+2

Part 27M Mode 2

EN-DC B5+n7 10M + 40M Ch20525 1RB0 QPSK + Ch504000 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: LTE B5 10M Ch20525 1RB0 QPSK

: NR SA n7 40M Ch504000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	5004.00	-58.54	RMS	33.39	-25.06	0.62	-95.23	27.74	-25.00	-33.54	Horizontal
2	7506.00	-56.58	RMS	36.39	-23.06	0.40	-95.23	24.92	-25.00	-31.58	Horizontal
3	10009.00	-52.36	RMS	38.34	-23.12	0.40	-95.23	27.25	-25.00	-27.36	Horizontal
4	12511.00	-52.80	RMS	39.02	-22.66	0.41	-95.23	25.66	-25.00	-27.80	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: LTE B5 10M Ch20525 1RB0 QPSK

: NR SA n7 40M Ch504000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	5004.00	-59.28	RMS	33.39	-25.06	0.62	-95.23	27.00	-25.00	-34.28	Vertical
2	7506.00	-56.58	RMS	36.39	-23.06	0.40	-95.23	24.92	-25.00	-31.58	Vertical
3	10006.00	-47.93	RMS	38.32	-23.12	0.40	-95.23	31.70	-25.00	-22.93	Vertical
4	12510.00	-51.24	RMS	39.02	-22.66	0.41	-95.23	27.22	-25.00	-26.24	Vertical




Ant. 0+2

Part 27M Mode 2

EN-DC B5+n7 10M + 40M Ch20525 1RB0 QPSK + Ch507000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: LTE B5 10M Ch20525 1RB0 QPSK

: NR SA n7 40M Ch507000 1RB1 BPSK

	Freq		Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor		1			g	g		
	MHz		dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5034.00	-59.02	RMS		33.33	-25.03	0.60	-95.23	27.31	-25.00	-34.02	Horizontal
2	7551.00	-56.16	RMS		36.30	-23.06	0.39	-95.23	25.44	-25.00	-31.16	Horizontal
3	10069.00	-51.54	RMS		38.50	-23.09	0.40	-95.23	27.88	-25.00	-26.54	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: LTE B5 10M Ch20525 1RB0 QPSK

: NR SA n7 40M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit g	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5034.00	-59.17	RMS	33.33	-25.03	0.60	-95.23	27.16	-25.00	-34.17	Vertical
2	7551.00	-56.64	RMS	36.30	-23.06	0.39	-95.23	24.96	-25.00	-31.64	Vertical
3	10069.00	-49.33	RMS	38.50	-23.09	0.40	-95.23	30.09	-25.00	-24.33	Vertical




Ant. 0+2

Part 27M Mode 2

EN-DC B5+n7 10M + 40M Ch20525 1RB0 QPSK + Ch510000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: LTE B5 10M Ch20525 1RB0 QPSK

: NR SA n7 40M Ch510000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	5064.00	-59.20	RMS	33.27	-25.01	0.59 -95.23	27.18	-25.00	-34.20	Horizontal
2	7596.00	-56.51	RMS	36.12	-23.06	0.38 -95.23	25.28	-25.00	-31.51	Horizontal
3	10129.00	-51.27	RMS	38.50	-23.06	0.40 -95.23	28.12	-25.00	-26.27	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: LTE B5 10M Ch20525 1RB0 QPSK

: NR SA n7 40M Ch510000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	5064.00	-58.93	RMS	33.27	-25.01	0.59 -95.23	27.45	-25.00	-33.93	Vertical
2	7596.00	-56.40	RMS	36.12	-23.06	0.38 -95.23	25.39	-25.00	-31.40	Vertical
3	10129.00	-47.33	RMS	38.50	-23.06	0.40 -95.23	32.06	-25.00	-22.33	Vertical




Ant. 0+2

Part 27M Mode 8

NR SA n41 PC1.5 MIMO(DFT-S) 100M Ch509202 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	4994.00	-53.94	RMS	33.36	-25.07	0.62	-95.23	32.38	-25.00	-28.94	Horizontal
2	7491.00	-56.40	RMS	36.36	-23.07	0.40	-95.23	25.14	-25.00	-31.40	Horizontal
3	9989.00	-48.53	RMS	38.26	-23.12	0.40	-95.23	31.16	-25.00	-23.53	Horizontal
4	12486.00	-51.56	RMS	38.97	-22.68	0.41	-95.23	26.97	-25.00	-26.56	Horizontal
5	19978.00	-62.86	RMS	38.10	-36.98	-9.54	-95.23	40.79	-25.00	-37.86	Horizontal
6	24973.00	-63.76	RMS	39.35	-31.23	-9.54	-95.23	32.89	-25.00	-38.76	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	4994.00	-52.52	RMS	33.36	-25.07	0.62	-95.23	33.80	-25.00	-27.52	Vertical
2	7491.00	-55.38	RMS	36.36	-23.07	0.40	-95.23	26.16	-25.00	-30.38	Vertical
3	9989.00	-44.96	RMS	38.26	-23.12	0.40	-95.23	34.73	-25.00	-19.96	Vertical
4	12486.00	-50.54	RMS	38.97	-22.68	0.41	-95.23	27.99	-25.00	-25.54	Vertical
5	19978.00	-60.77	RMS	38.10	-36.98	-9.54	-95.23	42.88	-25.00	-35.77	Vertical
6	24973.00	-62.57	RMS	39.35	-31.23	-9.54	-95.23	34.08	-25.00	-37.57	Vertical




Ant. 0+2

Part 27M Mode 8

NR SA n41 PC1.5 MIMO(DFT-S) 100M Ch518598 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n41 100M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Factor		Filter	EIRPCF		Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	5088.00	-59.17	RMS	33.22	-24.99	0.58	-95.23	27.25	-25.00	-34.17	Horizontal	
2	7632.00	-55.89	RMS	36.16	-23.06	0.40	-95.23	25.84	-25.00	-30.89	Horizontal	
3	10177.00	-41.63	RMS	38.61	-23.04	0.40	-95.23	37.63	-25.00	-16.63	Horizontal	
4	12721.00	-48.58	RMS	39.44	-22.43	0.42	-95.23	29.22	-25.00	-23.58	Horizontal	
5	15265.00	-50.89	RMS	39.34	-22.31	0.68	-95.23	26.63	-25.00	-25.89	Horizontal	
6	20354.00	-61.98	RMS	38.10	-36.12	-9.54	-95.23	40.81	-25.00	-36.98	Horizontal	
7	25443.00	-64.85	RMS	39.00	-31.17	-9.54	-95.23	32.09	-25.00	-39.85	Horizontal	



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n41 100M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Factor		Filter	EIRPCF		Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	5088.00	-58.08	RMS	33.22	-24.99	0.58	-95.23	28.34	-25.00	-33.08	Vertical	
2	7632.00	-53.66	RMS	36.16	-23.06	0.40	-95.23	28.07	-25.00	-28.66	Vertical	
3	10177.00	-36.26	RMS	38.61	-23.04	0.40	-95.23	43.00	-25.00	-11.26	Vertical	
4	12721.00	-46.41	RMS	39.44	-22.43	0.42	-95.23	31.39	-25.00	-21.41	Vertical	
5	15265.00	-49.39	RMS	39.34	-22.31	0.68	-95.23	28.13	-25.00	-24.39	Vertical	
6	20354.00	-60.17	RMS	38.10	-36.12	-9.54	-95.23	42.62	-25.00	-35.17	Vertical	
7	25443.00	-62.18	RMS	39.00	-31.17	-9.54	-95.23	34.76	-25.00	-37.18	Vertical	




Ant. 0+2

Part 27M Mode 8


NR SA n41 PC1.5 MIMO(DFT-S) 100M Ch528000 1RB1 BPSK

H



Site : 03CH20-HY
Condition: -25 1m BBHA9170_1230_241025 Horizontal
: NR SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5182.00	-59.56	RMS	32.98	-24.91	0.54	-95.23	27.06	-25.00	-34.56	Horizontal
2	7773.00	-55.81	RMS	36.74	-23.05	0.51	-95.23	25.22	-25.00	-30.81	Horizontal
3	10365.00	-48.18	RMS	38.80	-22.96	0.40	-95.23	30.81	-25.00	-23.18	Horizontal
4	12956.00	-48.91	RMS	39.61	-22.17	0.44	-95.23	28.44	-25.00	-23.91	Horizontal
5	15547.00	-51.90	RMS	39.09	-21.93	0.72	-95.23	25.45	-25.00	-26.90	Horizontal
6	18139.00	-63.45	RMS	37.62	-39.30	-9.54	-95.23	43.00	-25.00	-38.45	Horizontal
7	23321.00	-64.11	RMS	39.06	-32.10	-9.54	-95.23	33.70	-25.00	-39.11	Horizontal



Site : 03CH20-HY
Condition: -25 1m BBHA9170_1230_241025 Vertical
: NR SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5182.00	-59.90	RMS	32.98	-24.91	0.54	-95.23	26.72	-25.00	-34.90	Vertical
2	7773.00	-53.74	RMS	36.74	-23.05	0.51	-95.23	27.29	-25.00	-28.74	Vertical
3	10365.00	-44.49	RMS	38.80	-22.96	0.40	-95.23	34.50	-25.00	-19.49	Vertical
4	12956.00	-46.74	RMS	39.61	-22.17	0.44	-95.23	30.61	-25.00	-21.74	Vertical
5	15547.00	-50.05	RMS	39.09	-21.93	0.72	-95.23	27.30	-25.00	-25.05	Vertical
6	18139.00	-57.59	RMS	37.62	-39.30	-9.54	-95.23	48.86	-25.00	-32.59	Vertical
7	23321.00	-62.19	RMS	39.06	-32.10	-9.54	-95.23	35.62	-25.00	-37.19	Vertical




Ant. 1

Part 27M Mode 4

NR SA n41 PC2 100M Ch509202 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	4995.00	-58.93	RMS	33.37	-25.07	0.62	-95.23	27.38	-25.00	-33.93	Horizontal
2	7492.00	-56.53	RMS	36.37	-23.07	0.40	-95.23	25.00	-25.00	-31.53	Horizontal
3	9989.00	-47.49	RMS	38.26	-23.12	0.40	-95.23	32.20	-25.00	-22.49	Horizontal
4	12486.00	-52.75	RMS	38.97	-22.68	0.41	-95.23	25.78	-25.00	-27.75	Horizontal
5	19978.00	-63.59	RMS	38.10	-36.98	-9.54	-95.23	40.06	-25.00	-38.59	Horizontal
6	24973.00	-64.69	RMS	39.35	-31.23	-9.54	-95.23	31.96	-25.00	-39.69	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	4995.00	-58.29	RMS	33.37	-25.07	0.62	-95.23	28.02	-25.00	-33.29	Vertical
2	7492.00	-56.23	RMS	36.37	-23.07	0.40	-95.23	25.30	-25.00	-31.23	Vertical
3	9989.00	-42.34	RMS	38.26	-23.12	0.40	-95.23	37.35	-25.00	-17.34	Vertical
4	12486.00	-50.67	RMS	38.97	-22.68	0.41	-95.23	27.86	-25.00	-25.67	Vertical
5	19978.00	-59.75	RMS	38.10	-36.98	-9.54	-95.23	43.90	-25.00	-34.75	Vertical
6	24973.00	-60.19	RMS	39.35	-31.23	-9.54	-95.23	36.46	-25.00	-35.19	Vertical




Ant. 1

Part 27M Mode 4

NR SA n41 PC2 100M Ch518598 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n41 100M Ch518598 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	5088.00	-58.39 RMS	33.22	-24.99	0.58	-95.23	28.03	-25.00	-33.39	Horizontal
2	7632.00	-56.04 RMS	36.16	-23.06	0.40	-95.23	25.69	-25.00	-31.04	Horizontal
3	10177.00	-49.94 RMS	38.61	-23.04	0.40	-95.23	29.32	-25.00	-24.94	Horizontal
4	12721.00	-50.63 RMS	39.44	-22.43	0.42	-95.23	27.17	-25.00	-25.63	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n41 100M Ch518598 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	5088.00	-58.91 RMS	33.22	-24.99	0.58	-95.23	27.51	-25.00	-33.91	Vertical
2	7632.00	-56.31 RMS	36.16	-23.06	0.40	-95.23	25.42	-25.00	-31.31	Vertical
3	10177.00	-44.44 RMS	38.61	-23.04	0.40	-95.23	34.82	-25.00	-19.44	Vertical
4	12721.00	-47.31 RMS	39.44	-22.43	0.42	-95.23	30.49	-25.00	-22.31	Vertical




Ant. 1

Part 27M Mode 4

NR SA n41 PC2 100M Ch528000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm						g			
1	5182.00	-59.17	RMS	32.98	-24.91	0.54	-95.23	27.45	-25.00	-34.17	Horizontal
2	7773.00	-55.75	RMS	36.74	-23.05	0.51	-95.23	25.28	-25.00	-30.75	Horizontal
3	10365.00	-47.92	RMS	38.80	-22.96	0.40	-95.23	31.07	-25.00	-22.92	Horizontal
4	12956.00	-51.08	RMS	39.61	-22.17	0.44	-95.23	26.27	-25.00	-26.08	Horizontal
5	18139.00	-64.15	RMS	37.62	-39.30	-9.54	-95.23	42.30	-25.00	-39.15	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm						g			
1	5182.00	-58.89	RMS	32.98	-24.91	0.54	-95.23	27.73	-25.00	-33.89	Vertical
2	7773.00	-54.71	RMS	36.74	-23.05	0.51	-95.23	26.32	-25.00	-29.71	Vertical
3	10365.00	-43.55	RMS	38.80	-22.96	0.40	-95.23	35.44	-25.00	-18.55	Vertical
4	12956.00	-49.04	RMS	39.61	-22.17	0.44	-95.23	28.31	-25.00	-24.04	Vertical
5	18139.00	-58.71	RMS	37.62	-39.30	-9.54	-95.23	47.74	-25.00	-33.71	Vertical




Ant. 2

Part 27M Mode 5

NR SA n41 PC2 100M Ch509202 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	4995.00	-58.82	RMS	33.37	-25.07	0.62	-95.23	27.49	-25.00	-33.82	Horizontal
2	7492.00	-56.02	RMS	36.37	-23.07	0.40	-95.23	25.51	-25.00	-31.02	Horizontal
3	9989.00	-48.61	RMS	38.26	-23.12	0.40	-95.23	31.08	-25.00	-23.61	Horizontal
4	12486.00	-51.88	RMS	38.97	-22.68	0.41	-95.23	26.65	-25.00	-26.88	Horizontal
5	19978.00	-65.23	RMS	38.10	-36.98	-9.54	-95.23	38.42	-25.00	-40.23	Horizontal
6	24972.00	-64.80	RMS	39.36	-31.23	-9.54	-95.23	31.84	-25.00	-39.80	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	4995.00	-59.08	RMS	33.37	-25.07	0.62	-95.23	27.23	-25.00	-34.08	Vertical
2	7492.00	-56.32	RMS	36.37	-23.07	0.40	-95.23	25.21	-25.00	-31.32	Vertical
3	9989.00	-44.40	RMS	38.26	-23.12	0.40	-95.23	35.29	-25.00	-19.40	Vertical
4	12486.00	-50.95	RMS	38.97	-22.68	0.41	-95.23	27.58	-25.00	-25.95	Vertical
5	19978.00	-63.63	RMS	38.10	-36.98	-9.54	-95.23	40.02	-25.00	-38.63	Vertical
6	24972.00	-63.07	RMS	39.36	-31.23	-9.54	-95.23	33.57	-25.00	-38.07	Vertical




Ant. 2

Part 27M Mode 5

NR SA n41 PC2 100M Ch518598 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n41 100M Ch518598 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	5088.00	-59.03 RMS	33.22	-24.99	0.58	-95.23	27.39	-25.00	-34.03	Horizontal
2	7632.00	-55.87 RMS	36.16	-23.06	0.40	-95.23	25.86	-25.00	-30.87	Horizontal
3	10177.00	-48.30 RMS	38.61	-23.04	0.40	-95.23	30.96	-25.00	-23.30	Horizontal
4	12721.00	-50.15 RMS	39.44	-22.43	0.42	-95.23	27.65	-25.00	-25.15	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n41 100M Ch518598 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	5088.00	-58.68 RMS	33.22	-24.99	0.58	-95.23	27.74	-25.00	-33.68	Vertical
2	7632.00	-56.23 RMS	36.16	-23.06	0.40	-95.23	25.50	-25.00	-31.23	Vertical
3	10177.00	-40.38 RMS	38.61	-23.04	0.40	-95.23	38.88	-25.00	-15.38	Vertical
4	12721.00	-47.93 RMS	39.44	-22.43	0.42	-95.23	29.87	-25.00	-22.93	Vertical




Ant. 2

Part 27M Mode 5

NR SA n41 PC2 100M Ch528000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm						g			
1	5182.00	-59.11	RMS	32.98	-24.91	0.54	-95.23	27.51	-25.00	-34.11	Horizontal
2	7773.00	-55.65	RMS	36.74	-23.05	0.51	-95.23	25.38	-25.00	-30.65	Horizontal
3	10365.00	-49.90	RMS	38.80	-22.96	0.40	-95.23	29.09	-25.00	-24.90	Horizontal
4	12956.00	-50.41	RMS	39.61	-22.17	0.44	-95.23	26.94	-25.00	-25.41	Horizontal
5	18138.00	-64.49	RMS	37.62	-39.31	-9.54	-95.23	41.97	-25.00	-39.49	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm						g			
1	5182.00	-58.71	RMS	32.98	-24.91	0.54	-95.23	27.91	-25.00	-33.71	Vertical
2	7773.00	-54.85	RMS	36.74	-23.05	0.51	-95.23	26.18	-25.00	-29.85	Vertical
3	10365.00	-43.82	RMS	38.80	-22.96	0.40	-95.23	35.17	-25.00	-18.82	Vertical
4	12956.00	-48.26	RMS	39.61	-22.17	0.44	-95.23	29.09	-25.00	-23.26	Vertical
5	18138.00	-59.48	RMS	37.62	-39.31	-9.54	-95.23	46.98	-25.00	-34.48	Vertical




Ant. 3

Part 27M Mode 6

NR SA n41 PC2 100M Ch509202 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4995.00	-58.78	RMS	33.37	-25.07	0.62	-95.23	27.53	-25.00	-33.78	Horizontal
2	7492.00	-56.35	RMS	36.37	-23.07	0.40	-95.23	25.18	-25.00	-31.35	Horizontal
3	9989.00	-48.56	RMS	38.26	-23.12	0.40	-95.23	31.13	-25.00	-23.56	Horizontal
4	12486.00	-52.91	RMS	38.97	-22.68	0.41	-95.23	25.62	-25.00	-27.91	Horizontal
5	19978.00	-64.92	RMS	38.10	-36.98	-9.54	-95.23	38.73	-25.00	-39.92	Horizontal
6	24972.00	-64.99	RMS	39.36	-31.23	-9.54	-95.23	31.65	-25.00	-39.99	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4995.00	-58.62	RMS	33.37	-25.07	0.62	-95.23	27.69	-25.00	-33.62	Vertical
2	7492.00	-56.11	RMS	36.37	-23.07	0.40	-95.23	25.42	-25.00	-31.11	Vertical
3	9989.00	-42.42	RMS	38.26	-23.12	0.40	-95.23	37.27	-25.00	-17.42	Vertical
4	12486.00	-50.75	RMS	38.97	-22.68	0.41	-95.23	27.78	-25.00	-25.75	Vertical
5	19978.00	-63.48	RMS	38.10	-36.98	-9.54	-95.23	40.17	-25.00	-38.48	Vertical
6	24972.00	-62.34	RMS	39.36	-31.23	-9.54	-95.23	34.30	-25.00	-37.34	Vertical




Ant. 3

Part 27M Mode 6

NR SA n41 PC2 100M Ch518598 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n41 100M Ch518598 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	5088.00	-59.04 RMS	33.22	-24.99	0.58	-95.23	27.38	-25.00	-34.04	Horizontal
2	7632.00	-56.36 RMS	36.16	-23.06	0.40	-95.23	25.37	-25.00	-31.36	Horizontal
3	10177.00	-48.15 RMS	38.61	-23.04	0.40	-95.23	31.11	-25.00	-23.15	Horizontal
4	12721.00	-49.88 RMS	39.44	-22.43	0.42	-95.23	27.92	-25.00	-24.88	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n41 100M Ch518598 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	5088.00	-58.95 RMS	33.22	-24.99	0.58	-95.23	27.47	-25.00	-33.95	Vertical
2	7632.00	-55.85 RMS	36.16	-23.06	0.40	-95.23	25.88	-25.00	-30.85	Vertical
3	10177.00	-41.96 RMS	38.61	-23.04	0.40	-95.23	37.30	-25.00	-16.96	Vertical
4	12721.00	-47.60 RMS	39.44	-22.43	0.42	-95.23	30.20	-25.00	-22.60	Vertical




Ant. 3

Part 27M Mode 6

NR SA n41 PC2 100M Ch528000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	5182.00	-59.09	RMS	32.98	-24.91	0.54	-95.23	27.53	-25.00	-34.09	Horizontal
2	7773.00	-55.64	RMS	36.74	-23.05	0.51	-95.23	25.39	-25.00	-30.64	Horizontal
3	10365.00	-49.28	RMS	38.80	-22.96	0.40	-95.23	29.71	-25.00	-24.28	Horizontal
4	12956.00	-50.69	RMS	39.61	-22.17	0.44	-95.23	26.66	-25.00	-25.69	Horizontal
5	18138.00	-65.93	RMS	37.62	-39.31	-9.54	-95.23	40.53	-25.00	-40.93	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	5182.00	-59.14	RMS	32.98	-24.91	0.54	-95.23	27.48	-25.00	-34.14	Vertical
2	7773.00	-54.46	RMS	36.74	-23.05	0.51	-95.23	26.57	-25.00	-29.46	Vertical
3	10365.00	-43.95	RMS	38.80	-22.96	0.40	-95.23	35.04	-25.00	-18.95	Vertical
4	12956.00	-48.02	RMS	39.61	-22.17	0.44	-95.23	29.33	-25.00	-23.02	Vertical
5	18138.00	-60.45	RMS	37.62	-39.31	-9.54	-95.23	46.01	-25.00	-35.45	Vertical




Ant. 0+1

Part 27M Mode 7

NR SA n41 PC1.5 MIMO(DFT-S) 100M Ch509202 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB		dB	dBuV	dBm	dB	
1	4994.00	-58.38	RMS	33.36	-25.07	0.62	-95.23	27.94	-25.00	-33.38	Horizontal
2	7491.00	-56.46	RMS	36.36	-23.07	0.40	-95.23	25.08	-25.00	-31.46	Horizontal
3	9989.00	-46.17	RMS	38.26	-23.12	0.40	-95.23	33.52	-25.00	-21.17	Horizontal
4	12486.00	-49.67	RMS	38.97	-22.68	0.41	-95.23	28.86	-25.00	-24.67	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB		dB	dBuV	dBm	dB	
1	4994.00	-56.17	RMS	33.36	-25.07	0.62	-95.23	30.15	-25.00	-31.17	Vertical
2	7491.00	-55.74	RMS	36.36	-23.07	0.40	-95.23	25.80	-25.00	-30.74	Vertical
3	9989.00	-41.52	RMS	38.26	-23.12	0.40	-95.23	38.17	-25.00	-16.52	Vertical
4	12486.00	-46.36	RMS	38.97	-22.68	0.41	-95.23	32.17	-25.00	-21.36	Vertical




Ant. 0+1

Part 27M Mode 7

NR SA n41 PC1.5 MIMO(DFT-S) 100M Ch518598 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n41 100M Ch518598 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	5088.00	-59.36 RMS	33.22	-24.99	0.58	-95.23	27.06	-25.00	-34.36	Horizontal
2	7632.00	-56.45 RMS	36.16	-23.06	0.40	-95.23	25.28	-25.00	-31.45	Horizontal
3	10177.00	-42.34 RMS	38.61	-23.04	0.40	-95.23	36.92	-25.00	-17.34	Horizontal
4	12721.00	-46.55 RMS	39.44	-22.43	0.42	-95.23	31.25	-25.00	-21.55	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n41 100M Ch518598 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	5088.00	-57.31 RMS	33.22	-24.99	0.58	-95.23	29.11	-25.00	-32.31	Vertical
2	7632.00	-55.24 RMS	36.16	-23.06	0.40	-95.23	26.49	-25.00	-30.24	Vertical
3	10177.00	-38.23 RMS	38.61	-23.04	0.40	-95.23	41.03	-25.00	-13.23	Vertical
4	12721.00	-45.10 RMS	39.44	-22.43	0.42	-95.23	32.70	-25.00	-20.10	Vertical




Ant. 0+1

Part 27M Mode 7

NR SA n41 PC1.5 MIMO(DFT-S) 100M Ch528000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm						g		dB	
1	5182.00	-59.21	RMS	32.98	-24.91	0.54	-95.23	27.41	-25.00	-34.21	Horizontal
2	7773.00	-55.49	RMS	36.74	-23.05	0.51	-95.23	25.54	-25.00	-30.49	Horizontal
3	10365.00	-47.46	RMS	38.80	-22.96	0.40	-95.23	31.53	-25.00	-22.46	Horizontal
4	12956.00	-48.42	RMS	39.61	-22.17	0.44	-95.23	28.93	-25.00	-23.42	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm						g		dB	
1	5182.00	-59.40	RMS	32.98	-24.91	0.54	-95.23	27.22	-25.00	-34.40	Vertical
2	7773.00	-54.65	RMS	36.74	-23.05	0.51	-95.23	26.38	-25.00	-29.65	Vertical
3	10365.00	-41.63	RMS	38.80	-22.96	0.40	-95.23	37.36	-25.00	-16.63	Vertical
4	12956.00	-44.01	RMS	39.61	-22.17	0.44	-95.23	33.34	-25.00	-19.01	Vertical




Ant. 0+3

Part 27M Mode 9

NR SA n41 PC1.5 MIMO(DFT-S) 100M Ch509202 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm						g			
1	4994.00	-56.19	RMS	33.36	-25.07	0.62	-95.23	30.13	-25.00	-31.19	Horizontal
2	7491.00	-56.15	RMS	36.36	-23.07	0.40	-95.23	25.39	-25.00	-31.15	Horizontal
3	9989.00	-47.29	RMS	38.26	-23.12	0.40	-95.23	32.40	-25.00	-22.29	Horizontal
4	12486.00	-53.34	RMS	38.97	-22.68	0.41	-95.23	25.19	-25.00	-28.34	Horizontal
5	19978.00	-60.00	RMS	38.10	-36.98	-9.54	-95.23	43.65	-25.00	-35.00	Horizontal
6	22476.00	-63.60	RMS	38.35	-32.91	-9.54	-95.23	35.73	-25.00	-38.60	Horizontal
7	24973.00	-62.16	RMS	39.35	-31.23	-9.54	-95.23	34.49	-25.00	-37.16	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm						g			
1	4994.00	-52.77	RMS	33.36	-25.07	0.62	-95.23	33.55	-25.00	-27.77	Vertical
2	7491.00	-55.33	RMS	36.36	-23.07	0.40	-95.23	26.21	-25.00	-30.33	Vertical
3	9989.00	-42.64	RMS	38.26	-23.12	0.40	-95.23	37.05	-25.00	-17.64	Vertical
4	12486.00	-50.37	RMS	38.97	-22.68	0.41	-95.23	28.16	-25.00	-25.37	Vertical
5	19978.00	-57.67	RMS	38.10	-36.98	-9.54	-95.23	45.98	-25.00	-32.67	Vertical
6	22476.00	-63.00	RMS	38.35	-32.91	-9.54	-95.23	36.33	-25.00	-38.00	Vertical
7	24973.00	-59.19	RMS	39.35	-31.23	-9.54	-95.23	37.46	-25.00	-34.19	Vertical




Ant. 0+3

Part 27M Mode 9

NR SA n41 PC1.5 MIMO(DFT-S) 100M Ch518598 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n41 100M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	5088.00	-59.45	RMS	33.22	-24.99	0.58	-95.23	26.97	-25.00	-34.45	Horizontal
2	7632.00	-56.03	RMS	36.16	-23.06	0.40	-95.23	25.70	-25.00	-31.03	Horizontal
3	10177.00	-43.93	RMS	38.61	-23.04	0.40	-95.23	35.33	-25.00	-18.93	Horizontal
4	12721.00	-49.69	RMS	39.44	-22.43	0.42	-95.23	28.11	-25.00	-24.69	Horizontal
5	20354.00	-60.54	RMS	38.10	-36.12	-9.54	-95.23	42.25	-25.00	-35.54	Horizontal
6	25443.00	-63.57	RMS	39.00	-31.17	-9.54	-95.23	33.37	-25.00	-38.57	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n41 100M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	5088.00	-56.87	RMS	33.22	-24.99	0.58	-95.23	29.55	-25.00	-31.87	Vertical
2	7632.00	-54.21	RMS	36.16	-23.06	0.40	-95.23	27.52	-25.00	-29.21	Vertical
3	10177.00	-39.54	RMS	38.61	-23.04	0.40	-95.23	39.72	-25.00	-14.54	Vertical
4	12721.00	-47.67	RMS	39.44	-22.43	0.42	-95.23	30.13	-25.00	-22.67	Vertical
5	20354.00	-55.57	RMS	38.10	-36.12	-9.54	-95.23	47.22	-25.00	-30.57	Vertical
6	25443.00	-60.34	RMS	39.00	-31.17	-9.54	-95.23	36.60	-25.00	-35.34	Vertical




Ant. 0+3

Part 27M Mode 9

NR SA n41 PC1.5 MIMO(DFT-S) 100M Ch528000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		dB	dB				
	MHz	dBm			dB				dBuV	dBm	dB	
1	5182.00	-59.58	RMS	32.98	-24.91	0.54	-95.23	-95.23	27.04	-25.00	-34.58	Horizontal
2	7773.00	-55.29	RMS	36.74	-23.05	0.51	-95.23	-95.23	25.74	-25.00	-30.29	Horizontal
3	10365.00	-45.88	RMS	38.80	-22.96	0.40	-95.23	-95.23	33.11	-25.00	-20.88	Horizontal
4	12956.00	-48.22	RMS	39.61	-22.17	0.44	-95.23	-95.23	29.13	-25.00	-23.22	Horizontal
5	18139.00	-65.17	RMS	37.62	-39.30	-9.54	-95.23	-95.23	41.28	-25.00	-40.17	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		dB	dB				
	MHz	dBm			dB				dBuV	dBm	dB	
1	5182.00	-59.59	RMS	32.98	-24.91	0.54	-95.23	-95.23	27.03	-25.00	-34.59	Vertical
2	7773.00	-53.93	RMS	36.74	-23.05	0.51	-95.23	-95.23	27.10	-25.00	-28.93	Vertical
3	10365.00	-40.39	RMS	38.80	-22.96	0.40	-95.23	-95.23	38.60	-25.00	-15.39	Vertical
4	12956.00	-47.23	RMS	39.61	-22.17	0.44	-95.23	-95.23	30.12	-25.00	-22.23	Vertical
5	18139.00	-60.24	RMS	37.62	-39.30	-9.54	-95.23	-95.23	46.21	-25.00	-35.24	Vertical




Ant. 2+1

Part 27M Mode 10

NR SA n41 PC1.5 MIMO(DFT-S) 100M Ch509202 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	4994.00	-54.14	RMS	33.36	-25.07	0.62	-95.23	32.18	-25.00	-29.14	Horizontal
2	7491.00	-55.51	RMS	36.36	-23.07	0.40	-95.23	26.03	-25.00	-30.51	Horizontal
3	9989.00	-49.00	RMS	38.26	-23.12	0.40	-95.23	30.69	-25.00	-24.00	Horizontal
4	19978.00	-59.68	RMS	38.10	-36.98	-9.54	-95.23	43.97	-25.00	-34.68	Horizontal
5	22476.00	-63.53	RMS	38.35	-32.91	-9.54	-95.23	35.80	-25.00	-38.53	Horizontal
6	24973.00	-63.39	RMS	39.35	-31.23	-9.54	-95.23	33.26	-25.00	-38.39	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	4994.00	-52.42	RMS	33.36	-25.07	0.62	-95.23	33.90	-25.00	-27.42	Vertical
2	7491.00	-54.63	RMS	36.36	-23.07	0.40	-95.23	26.91	-25.00	-29.63	Vertical
3	9989.00	-46.02	RMS	38.26	-23.12	0.40	-95.23	33.67	-25.00	-21.02	Vertical
4	19978.00	-56.73	RMS	38.10	-36.98	-9.54	-95.23	46.92	-25.00	-31.73	Vertical
5	22476.00	-62.99	RMS	38.35	-32.91	-9.54	-95.23	36.34	-25.00	-37.99	Vertical
6	24973.00	-58.45	RMS	39.35	-31.23	-9.54	-95.23	38.20	-25.00	-33.45	Vertical




Ant. 2+1

Part 27M Mode 10

NR SA n41 PC1.5 MIMO(DFT-S) 100M Ch518598 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n41 100M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5088.00	-59.09	RMS	33.22	-24.99	0.58	-95.23	27.33	-25.00	-34.09	Horizontal	
2	7632.00	-55.45	RMS	36.16	-23.06	0.40	-95.23	26.28	-25.00	-30.45	Horizontal	
3	10177.00	-47.90	RMS	38.61	-23.04	0.40	-95.23	31.36	-25.00	-22.90	Horizontal	
4	20354.00	-60.16	RMS	38.10	-36.12	-9.54	-95.23	42.63	-25.00	-35.16	Horizontal	
5	22898.00	-64.86	RMS	38.89	-32.57	-9.54	-95.23	33.59	-25.00	-39.86	Horizontal	



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n41 100M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5088.00	-58.77	RMS	33.22	-24.99	0.58	-95.23	27.65	-25.00	-33.77	Vertical	
2	7632.00	-53.48	RMS	36.16	-23.06	0.40	-95.23	28.25	-25.00	-28.48	Vertical	
3	10177.00	-42.23	RMS	38.61	-23.04	0.40	-95.23	37.03	-25.00	-17.23	Vertical	
4	20354.00	-55.45	RMS	38.10	-36.12	-9.54	-95.23	47.34	-25.00	-30.45	Vertical	
5	22898.00	-62.35	RMS	38.89	-32.57	-9.54	-95.23	36.10	-25.00	-37.35	Vertical	