




Ant. 2+1

Part 27M Mode 10

NR SA n41 PC1.5 MIMO(DFT-S) 100M Ch528000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5182.00	-59.26	RMS	32.98	-24.91	0.54	-95.23	27.36	-25.00	-34.26	Horizontal
2	7773.00	-55.19	RMS	36.74	-23.05	0.51	-95.23	25.84	-25.00	-30.19	Horizontal
3	10365.00	-49.97	RMS	38.80	-22.96	0.40	-95.23	29.02	-25.00	-24.97	Horizontal
4	12956.00	-50.39	RMS	39.61	-22.17	0.44	-95.23	26.96	-25.00	-25.39	Horizontal
5	18139.00	-63.69	RMS	37.62	-39.30	-9.54	-95.23	42.76	-25.00	-38.69	Horizontal
6	20730.00	-65.02	RMS	38.10	-35.53	-9.54	-95.23	37.18	-25.00	-40.02	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5182.00	-58.89	RMS	32.98	-24.91	0.54	-95.23	27.73	-25.00	-33.89	Vertical
2	7773.00	-53.64	RMS	36.74	-23.05	0.51	-95.23	27.39	-25.00	-28.64	Vertical
3	10365.00	-44.97	RMS	38.80	-22.96	0.40	-95.23	34.02	-25.00	-19.97	Vertical
4	12956.00	-50.03	RMS	39.61	-22.17	0.44	-95.23	27.32	-25.00	-25.03	Vertical
5	18139.00	-60.43	RMS	37.62	-39.30	-9.54	-95.23	46.02	-25.00	-35.43	Vertical
6	20730.00	-63.15	RMS	38.10	-35.53	-9.54	-95.23	39.05	-25.00	-38.15	Vertical




Ant. 2+3

Part 27M Mode 11

NR SA n41 PC1.5 MIMO(DFT-S) 100M Ch509202 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	4994.00	-53.82	RMS	33.36	-25.07	0.62	-95.23	32.50	-25.00	-28.82	Horizontal
2	7491.00	-55.35	RMS	36.36	-23.07	0.40	-95.23	26.19	-25.00	-30.35	Horizontal
3	9989.00	-48.45	RMS	38.26	-23.12	0.40	-95.23	31.24	-25.00	-23.45	Horizontal
4	19978.00	-61.27	RMS	38.10	-36.98	-9.54	-95.23	42.38	-25.00	-36.27	Horizontal
5	22476.00	-64.07	RMS	38.35	-32.91	-9.54	-95.23	35.26	-25.00	-39.07	Horizontal
6	24973.00	-63.61	RMS	39.35	-31.23	-9.54	-95.23	33.04	-25.00	-38.61	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	4994.00	-51.92	RMS	33.36	-25.07	0.62	-95.23	34.40	-25.00	-26.92	Vertical
2	7491.00	-54.30	RMS	36.36	-23.07	0.40	-95.23	27.24	-25.00	-29.30	Vertical
3	9989.00	-45.14	RMS	38.26	-23.12	0.40	-95.23	34.55	-25.00	-20.14	Vertical
4	19978.00	-57.59	RMS	38.10	-36.98	-9.54	-95.23	46.06	-25.00	-32.59	Vertical
5	22476.00	-62.39	RMS	38.35	-32.91	-9.54	-95.23	36.94	-25.00	-37.39	Vertical
6	24973.00	-59.08	RMS	39.35	-31.23	-9.54	-95.23	37.57	-25.00	-34.08	Vertical




Ant. 2+3

Part 27M Mode 11

NR SA n41 PC1.5 MIMO(DFT-S) 100M Ch518598 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n41 100M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5088.00	-58.98	RMS	33.22	-24.99	0.58	-95.23	27.44	-25.00	-33.98	Horizontal
2	7632.00	-55.03	RMS	36.16	-23.06	0.40	-95.23	26.70	-25.00	-30.03	Horizontal
3	10177.00	-47.46	RMS	38.61	-23.04	0.40	-95.23	31.80	-25.00	-22.46	Horizontal
4	20354.00	-59.63	RMS	38.10	-36.12	-9.54	-95.23	43.16	-25.00	-34.63	Horizontal
5	22898.00	-64.98	RMS	38.89	-32.57	-9.54	-95.23	33.47	-25.00	-39.98	Horizontal
6	25443.00	-65.18	RMS	39.00	-31.17	-9.54	-95.23	31.76	-25.00	-40.18	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n41 100M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5088.00	-58.81	RMS	33.22	-24.99	0.58	-95.23	27.61	-25.00	-33.81	Vertical
2	7632.00	-53.99	RMS	36.16	-23.06	0.40	-95.23	27.74	-25.00	-28.99	Vertical
3	10177.00	-41.84	RMS	38.61	-23.04	0.40	-95.23	37.42	-25.00	-16.84	Vertical
4	20354.00	-56.71	RMS	38.10	-36.12	-9.54	-95.23	46.08	-25.00	-31.71	Vertical
5	22898.00	-61.47	RMS	38.89	-32.57	-9.54	-95.23	36.98	-25.00	-36.47	Vertical
6	25443.00	-62.19	RMS	39.00	-31.17	-9.54	-95.23	34.75	-25.00	-37.19	Vertical




Ant. 2+3

Part 27M Mode 11

NR SA n41 PC1.5 MIMO(DFT-S) 100M Ch528000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5182.00	-59.10	RMS	32.98	-24.91	0.54	-95.23	27.52	-25.00	-34.10	Horizontal
2	7773.00	-54.68	RMS	36.74	-23.05	0.51	-95.23	26.35	-25.00	-29.68	Horizontal
3	10365.00	-49.72	RMS	38.80	-22.96	0.40	-95.23	29.27	-25.00	-24.72	Horizontal
4	12956.00	-50.38	RMS	39.61	-22.17	0.44	-95.23	26.97	-25.00	-25.38	Horizontal
5	18139.00	-62.05	RMS	37.62	-39.30	-9.54	-95.23	44.40	-25.00	-37.05	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5182.00	-59.21	RMS	32.98	-24.91	0.54	-95.23	27.41	-25.00	-34.21	Vertical
2	7773.00	-53.40	RMS	36.74	-23.05	0.51	-95.23	27.63	-25.00	-28.40	Vertical
3	10365.00	-44.45	RMS	38.80	-22.96	0.40	-95.23	34.54	-25.00	-19.45	Vertical
4	12956.00	-49.07	RMS	39.61	-22.17	0.44	-95.23	28.28	-25.00	-24.07	Vertical
5	18139.00	-56.12	RMS	37.62	-39.30	-9.54	-95.23	50.33	-25.00	-31.12	Vertical




Ant. 1+3

Part 27M Mode 12

NR SA n41 PC1.5 MIMO(DFT-S) 100M Ch509202 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4994.00	-54.02	RMS	33.36	-25.07	0.62	-95.23	32.30	-25.00	-29.02
2	7491.00	-55.67	RMS	36.36	-23.07	0.40	-95.23	25.87	-25.00	-30.67
3	9989.00	-48.93	RMS	38.26	-23.12	0.40	-95.23	30.76	-25.00	-23.93



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4994.00	-51.53	RMS	33.36	-25.07	0.62	-95.23	34.79	-25.00	-26.53
2	7491.00	-54.64	RMS	36.36	-23.07	0.40	-95.23	26.90	-25.00	-29.64
3	9989.00	-44.50	RMS	38.26	-23.12	0.40	-95.23	35.19	-25.00	-19.50




Ant. 1+3

Part 27M Mode 12

NR SA n41 PC1.5 MIMO(DFT-S) 100M Ch518598 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n41 100M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter		Readin	Limit		
	MHz	dBm		Factor	1		EIRPCF	g	dBm	dB	Pol
1	5088.00	-58.66	RMS	33.22	-24.99	0.58	-95.23	27.76	-25.00	-33.66	Horizontal
2	7632.00	-54.14	RMS	36.16	-23.06	0.40	-95.23	27.59	-25.00	-29.14	Horizontal
3	10177.00	-47.53	RMS	38.61	-23.04	0.40	-95.23	31.73	-25.00	-22.53	Horizontal
4	12721.00	-51.98	RMS	39.44	-22.43	0.42	-95.23	25.82	-25.00	-26.98	Horizontal
5	20354.00	-61.67	RMS	38.10	-36.12	-9.54	-95.23	41.12	-25.00	-36.67	Horizontal
6	22898.00	-62.66	RMS	38.89	-32.57	-9.54	-95.23	35.79	-25.00	-37.66	Horizontal
7	25443.00	-64.82	RMS	39.00	-31.17	-9.54	-95.23	32.12	-25.00	-39.82	Horizontal
8	27987.00	-63.18	RMS	39.50	-30.88	-9.54	-95.23	32.97	-25.00	-38.18	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n41 100M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter		Readin	Limit		
	MHz	dBm		Factor	1		EIRPCF	g	dBm	dB	Pol
1	5088.00	-58.75	RMS	33.22	-24.99	0.58	-95.23	27.67	-25.00	-33.75	Vertical
2	7632.00	-53.59	RMS	36.16	-23.06	0.40	-95.23	28.14	-25.00	-28.59	Vertical
3	10177.00	-41.85	RMS	38.61	-23.04	0.40	-95.23	37.41	-25.00	-16.85	Vertical
4	12721.00	-50.38	RMS	39.44	-22.43	0.42	-95.23	27.42	-25.00	-25.38	Vertical
5	20354.00	-56.21	RMS	38.10	-36.12	-9.54	-95.23	46.58	-25.00	-31.21	Vertical
6	22898.00	-61.49	RMS	38.89	-32.57	-9.54	-95.23	36.96	-25.00	-36.49	Vertical
7	25443.00	-63.32	RMS	39.00	-31.17	-9.54	-95.23	33.62	-25.00	-38.32	Vertical
8	27987.00	-61.11	RMS	39.50	-30.88	-9.54	-95.23	35.04	-25.00	-36.11	Vertical




Ant. 1+3

Part 27M Mode 12

NR SA n41 PC1.5 MIMO(DFT-S) 100M Ch528000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Horizontal

: NR SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	5182.00	-58.91	RMS	32.98	-24.91	0.54	-95.23	27.71	-25.00	-33.91	Horizontal
2	7773.00	-54.93	RMS	36.74	-23.05	0.51	-95.23	26.10	-25.00	-29.93	Horizontal
3	10365.00	-49.03	RMS	38.80	-22.96	0.40	-95.23	29.96	-25.00	-24.03	Horizontal
4	12956.00	-50.56	RMS	39.61	-22.17	0.44	-95.23	26.79	-25.00	-25.56	Horizontal
5	18139.00	-64.11	RMS	37.62	-39.30	-9.54	-95.23	42.34	-25.00	-39.11	Horizontal
6	23321.00	-64.56	RMS	39.06	-32.10	-9.54	-95.23	33.25	-25.00	-39.56	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1230_241025 Vertical

: NR SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	5182.00	-59.00	RMS	32.98	-24.91	0.54	-95.23	27.62	-25.00	-34.00	Vertical
2	7773.00	-53.11	RMS	36.74	-23.05	0.51	-95.23	27.92	-25.00	-28.11	Vertical
3	10365.00	-44.38	RMS	38.80	-22.96	0.40	-95.23	34.61	-25.00	-19.38	Vertical
4	12956.00	-49.10	RMS	39.61	-22.17	0.44	-95.23	28.25	-25.00	-24.10	Vertical
5	18139.00	-60.66	RMS	37.62	-39.30	-9.54	-95.23	45.79	-25.00	-35.66	Vertical
6	23328.00	-62.88	RMS	39.04	-32.09	-9.54	-95.23	34.94	-25.00	-37.88	Vertical




Ant. 0

Part 27Q Mode 1

NR SA n77 PC1.5 90M Ch633000 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-55.74	RMS	35.80	-23.28	1.08	-95.23	25.89	-13.00	-42.74	Horizontal
2	10355.00	-52.95	RMS	38.80	-22.96	0.88	-95.23	25.56	-13.00	-39.95	Horizontal
3	13807.00	-51.78	RMS	38.99	-22.07	0.64	-95.23	25.89	-13.00	-38.78	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-53.59	RMS	35.80	-23.28	1.08	-95.23	28.04	-13.00	-40.59	Vertical
2	10355.00	-52.81	RMS	38.80	-22.96	0.88	-95.23	25.70	-13.00	-39.81	Vertical
3	13807.00	-51.84	RMS	38.99	-22.07	0.64	-95.23	25.83	-13.00	-38.84	Vertical




Ant. 0

Part 27Q Mode 1

NR SA n77 PC1.5 90M Ch633334 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6913.00	-56.84	RMS	35.80	-23.27	1.07	-95.23	24.79	-13.00	-43.84	Horizontal
2	10370.00	-53.06	RMS	38.80	-22.95	0.88	-95.23	25.44	-13.00	-40.06	Horizontal
3	13827.00	-51.70	RMS	38.95	-22.06	0.64	-95.23	26.00	-13.00	-38.70	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6913.00	-52.82	RMS	35.80	-23.27	1.07	-95.23	28.81	-13.00	-39.82	Vertical
2	10370.00	-52.52	RMS	38.80	-22.95	0.88	-95.23	25.98	-13.00	-39.52	Vertical
3	13827.00	-51.28	RMS	38.95	-22.06	0.64	-95.23	26.42	-13.00	-38.28	Vertical




Ant. 0

Part 27Q Mode 1

NR SA n77 PC1.5 90M Ch633666 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6923.00	-54.80	RMS	35.80	-23.27	1.07	-95.23	26.83	-13.00	-41.80
2	10385.00	-52.77	RMS	38.80	-22.95	0.88	-95.23	25.73	-13.00	-39.77
3	13847.00	-51.76	RMS	38.91	-22.06	0.64	-95.23	25.98	-13.00	-38.76



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6923.00	-53.16	RMS	35.80	-23.27	1.07	-95.23	28.47	-13.00	-40.16
2	10385.00	-53.23	RMS	38.80	-22.95	0.88	-95.23	25.27	-13.00	-40.23
3	13847.00	-51.76	RMS	38.91	-22.06	0.64	-95.23	25.98	-13.00	-38.76




Ant. 1

Part 27Q Mode 2

NR SA n77 PC2 90M Ch633000 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6913.00	-54.78	RMS	35.80	-23.27	1.07	-95.23	26.85	-13.00	-41.78
2	10355.00	-52.83	RMS	38.80	-22.96	0.88	-95.23	25.68	-13.00	-39.83
3	13807.00	-51.36	RMS	38.99	-22.07	0.64	-95.23	26.31	-13.00	-38.36



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6913.00	-50.99	RMS	35.80	-23.27	1.07	-95.23	30.64	-13.00	-37.99
2	10355.00	-52.41	RMS	38.80	-22.96	0.88	-95.23	26.10	-13.00	-39.41
3	13807.00	-51.70	RMS	38.99	-22.07	0.64	-95.23	25.97	-13.00	-38.70




Ant. 1

Part 27Q Mode 2

NR SA n77 PC2 90M Ch633334 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm										
1	6913.00	-54.84	RMS	35.80	-23.27	1.07	-95.23	26.79	-13.00	-41.84	Horizontal	
2	10385.00	-52.58	RMS	38.80	-22.95	0.88	-95.23	25.92	-13.00	-39.58	Horizontal	
3	13847.00	-51.32	RMS	38.91	-22.06	0.64	-95.23	26.42	-13.00	-38.32	Horizontal	



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm										
1	6913.00	-50.51	RMS	35.80	-23.27	1.07	-95.23	31.12	-13.00	-37.51	Vertical	
2	10370.00	-52.67	RMS	38.80	-22.95	0.88	-95.23	25.83	-13.00	-39.67	Vertical	
3	13827.00	-51.42	RMS	38.95	-22.06	0.64	-95.23	26.28	-13.00	-38.42	Vertical	




Ant. 1

Part 27Q Mode 2

NR SA n77 PC2 90M Ch633666 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm										
1	6923.00	-55.30	RMS	35.80	-23.27	1.07	-95.23	26.33	-13.00	-42.30	Horizontal	
2	10385.00	-52.59	RMS	38.80	-22.95	0.88	-95.23	25.91	-13.00	-39.59	Horizontal	
3	13847.00	-51.47	RMS	38.91	-22.06	0.64	-95.23	26.27	-13.00	-38.47	Horizontal	



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm										
1	6923.00	-49.42	RMS	35.80	-23.27	1.07	-95.23	32.21	-13.00	-36.42	Vertical	
2	10385.00	-52.68	RMS	38.80	-22.95	0.88	-95.23	25.82	-13.00	-39.68	Vertical	
3	13847.00	-51.59	RMS	38.91	-22.06	0.64	-95.23	26.15	-13.00	-38.59	Vertical	




Ant. 2

Part 27Q Mode 3

NR SA n77 PC2 90M Ch633000 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 90M Ch633000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-54.75 RMS	35.80	-23.28	1.08	-95.23	26.88	-13.00	-41.75	Horizontal
2	10355.00	-52.23 RMS	38.80	-22.96	0.88	-95.23	26.28	-13.00	-39.23	Horizontal
3	13807.00	-51.24 RMS	38.99	-22.07	0.64	-95.23	26.43	-13.00	-38.24	Horizontal
4	24162.00	-62.84 RMS	39.00	-31.47	-9.54	-95.23	34.40	-13.00	-49.84	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 90M Ch633000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-50.09 RMS	35.80	-23.28	1.08	-95.23	31.54	-13.00	-37.09	Vertical
2	10355.00	-52.47 RMS	38.80	-22.96	0.88	-95.23	26.04	-13.00	-39.47	Vertical
3	13807.00	-51.45 RMS	38.99	-22.07	0.64	-95.23	26.22	-13.00	-38.45	Vertical
4	24162.00	-64.05 RMS	39.00	-31.47	-9.54	-95.23	33.19	-13.00	-51.05	Vertical




Ant. 2

Part 27Q Mode 3

NR SA n77 PC2 90M Ch633334 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6913.00	-54.59	RMS	35.80	-23.27	1.07	-95.23	27.04	-13.00	-41.59
2	10370.00	-52.58	RMS	38.80	-22.95	0.88	-95.23	25.92	-13.00	-39.58
3	13827.00	-51.36	RMS	38.95	-22.06	0.64	-95.23	26.34	-13.00	-38.36



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6913.00	-49.26	RMS	35.80	-23.27	1.07	-95.23	32.37	-13.00	-36.26
2	10370.00	-52.50	RMS	38.80	-22.95	0.88	-95.23	26.00	-13.00	-39.50
3	13827.00	-51.30	RMS	38.95	-22.06	0.64	-95.23	26.40	-13.00	-38.30




Ant. 2

Part 27Q Mode 3

NR SA n77 PC2 90M Ch633666 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6923.00	-54.49	RMS	35.80	-23.27	1.07	-95.23	27.14	-13.00	-41.49
2	10385.00	-52.73	RMS	38.80	-22.95	0.88	-95.23	25.77	-13.00	-39.73
3	13847.00	-51.59	RMS	38.91	-22.06	0.64	-95.23	26.15	-13.00	-38.59



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6923.00	-48.89	RMS	35.80	-23.27	1.07	-95.23	32.74	-13.00	-35.89
2	10385.00	-52.45	RMS	38.80	-22.95	0.88	-95.23	26.05	-13.00	-39.45
3	13847.00	-51.50	RMS	38.91	-22.06	0.64	-95.23	26.24	-13.00	-38.50




Ant. 3

Part 27Q Mode 4

NR SA n77 PC2 90M Ch633000 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6903.00	-56.06	RMS	35.80	-23.28	1.08	-95.23	25.57	-13.00	-43.06
2	10355.00	-52.06	RMS	38.80	-22.96	0.88	-95.23	26.45	-13.00	-39.06
3	13807.00	-51.00	RMS	38.99	-22.07	0.64	-95.23	26.67	-13.00	-38.00



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6903.00	-55.72	RMS	35.80	-23.28	1.08	-95.23	25.91	-13.00	-42.72
2	10355.00	-52.68	RMS	38.80	-22.96	0.88	-95.23	25.83	-13.00	-39.68
3	13807.00	-51.46	RMS	38.99	-22.07	0.64	-95.23	26.21	-13.00	-38.46




Ant. 3

Part 27Q Mode 4

NR SA n77 PC2 90M Ch633334 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6913.00	-55.47	RMS	35.80	-23.27	1.07	-95.23	26.16	-13.00	-42.47
2	10370.00	-52.65	RMS	38.80	-22.95	0.88	-95.23	25.85	-13.00	-39.65
3	13827.00	-51.57	RMS	38.95	-22.06	0.64	-95.23	26.13	-13.00	-38.57



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6913.00	-50.57	RMS	35.80	-23.27	1.07	-95.23	31.06	-13.00	-37.57
2	10370.00	-51.92	RMS	38.80	-22.95	0.88	-95.23	26.58	-13.00	-38.92
3	13827.00	-51.34	RMS	38.95	-22.06	0.64	-95.23	26.36	-13.00	-38.34




Ant. 3

Part 27Q Mode 4

NR SA n77 PC2 90M Ch633666 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm				dB/m	dB	dB	dB	dBuV	dBm	dB
1	6923.00	-54.14	RMS	35.80	-23.27	1.07	-95.23	27.49	-13.00	-41.14	Horizontal	
2	10385.00	-52.82	RMS	38.80	-22.95	0.88	-95.23	25.68	-13.00	-39.82	Horizontal	
3	13847.00	-51.51	RMS	38.91	-22.06	0.64	-95.23	26.23	-13.00	-38.51	Horizontal	



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm				dB/m	dB	dB	dB	dBuV	dBm	dB
1	6923.00	-50.60	RMS	35.80	-23.27	1.07	-95.23	31.03	-13.00	-37.60	Vertical	
2	10385.00	-52.61	RMS	38.80	-22.95	0.88	-95.23	25.89	-13.00	-39.61	Vertical	
3	13847.00	-51.64	RMS	38.91	-22.06	0.64	-95.23	26.10	-13.00	-38.64	Vertical	




Ant. 0+1

Part 27Q Mode 5

NR SA n77 PC1.5 MIMO(DFT-S) 90M Ch633000 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6903.00	-55.22	RMS	35.80	-23.28	1.08	-95.23	26.41	-13.00	-42.22
2	10355.00	-52.87	RMS	38.80	-22.96	0.88	-95.23	25.64	-13.00	-39.87
3	13807.00	-51.65	RMS	38.99	-22.07	0.64	-95.23	26.02	-13.00	-38.65



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6903.00	-51.82	RMS	35.80	-23.28	1.08	-95.23	29.81	-13.00	-38.82
2	10355.00	-52.31	RMS	38.80	-22.96	0.88	-95.23	26.20	-13.00	-39.31
3	13807.00	-51.76	RMS	38.99	-22.07	0.64	-95.23	25.91	-13.00	-38.76




Ant. 0+1

Part 27Q Mode 5

NR SA n77 PC1.5 MIMO(DFT-S) 90M Ch633334 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm										
1	6913.00	-55.35	RMS	35.80	-23.27	1.07	-95.23	26.28	-13.00	-42.35	Horizontal	
2	10370.00	-52.86	RMS	38.80	-22.95	0.88	-95.23	25.64	-13.00	-39.86	Horizontal	
3	13827.00	-51.62	RMS	38.95	-22.06	0.64	-95.23	26.08	-13.00	-38.62	Horizontal	



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm										
1	6913.00	-50.33	RMS	35.80	-23.27	1.07	-95.23	31.30	-13.00	-37.33	Vertical	
2	10370.00	-52.98	RMS	38.80	-22.95	0.88	-95.23	25.52	-13.00	-39.98	Vertical	
3	13827.00	-51.79	RMS	38.95	-22.06	0.64	-95.23	25.91	-13.00	-38.79	Vertical	




Ant. 0+1

Part 27Q Mode 5

NR SA n77 PC1.5 MIMO(DFT-S) 90M Ch633666 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor		Amp\Cb		Filter	EIRPCF		Reading	Limit	Margin	Pol
				dB/m	dB	dB	dB		dB	dB	dBuV	dBm	dB	
1	6923.00	-55.05	RMS	35.80	-23.27	1.07	-95.23	26.58	-13.00	-42.05	Horizontal			
2	10385.00	-52.81	RMS	38.80	-22.95	0.88	-95.23	25.69	-13.00	-39.81	Horizontal			
3	13847.00	-51.62	RMS	38.91	-22.06	0.64	-95.23	26.12	-13.00	-38.62	Horizontal			



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor		Amp\Cb		Filter	EIRPCF		Reading	Limit	Margin	Pol
				dB/m	dB	dB	dB		dB	dB	dBuV	dBm	dB	
1	6923.00	-50.42	RMS	35.80	-23.27	1.07	-95.23	31.21	-13.00	-37.42	Vertical			
2	10385.00	-52.81	RMS	38.80	-22.95	0.88	-95.23	25.69	-13.00	-39.81	Vertical			
3	13847.00	-51.67	RMS	38.91	-22.06	0.64	-95.23	26.07	-13.00	-38.67	Vertical			




Ant. 0+2

Part 27Q Mode 6

NR SA n77 PC1.5 MIMO(DFT-S) 90M Ch633000 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	6903.00	-53.27	RMS	35.80	-23.28	1.08	-95.23	28.36	-13.00	-40.27	Horizontal
2	10355.00	-54.15	RMS	38.80	-22.96	0.72	-95.23	24.52	-13.00	-41.15	Horizontal
3	13807.00	-52.05	RMS	38.99	-22.07	0.55	-95.23	25.71	-13.00	-39.05	Horizontal
4	20710.00	-65.12	RMS	38.10	-35.55	-9.54	-95.23	37.10	-13.00	-52.12	Horizontal
5	24162.00	-62.15	RMS	39.00	-31.47	-9.54	-95.23	35.09	-13.00	-49.15	Horizontal
6	27614.00	-63.59	RMS	39.33	-30.96	-9.54	-95.23	32.81	-13.00	-50.59	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	6903.00	-53.76	RMS	35.80	-23.28	1.08	-95.23	27.87	-13.00	-40.76	Vertical
2	10355.00	-53.98	RMS	38.80	-22.96	0.72	-95.23	24.69	-13.00	-40.98	Vertical
3	13807.00	-52.20	RMS	38.99	-22.07	0.55	-95.23	25.56	-13.00	-39.20	Vertical
4	20710.00	-65.05	RMS	38.10	-35.55	-9.54	-95.23	37.17	-13.00	-52.05	Vertical
5	24162.00	-62.59	RMS	39.00	-31.47	-9.54	-95.23	34.65	-13.00	-49.59	Vertical
6	27614.00	-63.62	RMS	39.33	-30.96	-9.54	-95.23	32.78	-13.00	-50.62	Vertical




Ant. 0+2

Part 27Q Mode 6

NR SA n77 PC1.5 MIMO(DFT-S) 90M Ch633334 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	6913.00	-52.85	RMS	35.80	-23.27	1.08	-95.23	28.77	-13.00	-39.85	Horizontal
2	10370.00	-53.82	RMS	38.80	-22.95	0.72	-95.23	24.84	-13.00	-40.82	Horizontal
3	13827.00	-52.35	RMS	38.95	-22.06	0.55	-95.23	25.44	-13.00	-39.35	Horizontal
4	20740.00	-64.88	RMS	38.10	-35.52	-9.54	-95.23	37.31	-13.00	-51.88	Horizontal
5	24197.00	-63.55	RMS	39.00	-31.45	-9.54	-95.23	33.67	-13.00	-50.55	Horizontal
6	27654.00	-63.44	RMS	39.39	-30.95	-9.54	-95.23	32.89	-13.00	-50.44	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	6913.00	-52.85	RMS	35.80	-23.27	1.08	-95.23	28.85	-13.00	-39.77	Vertical
2	10370.00	-53.99	RMS	38.80	-22.95	0.72	-95.23	24.67	-13.00	-40.99	Vertical
3	13827.00	-52.47	RMS	38.95	-22.06	0.55	-95.23	25.32	-13.00	-39.47	Vertical
4	20740.00	-65.09	RMS	38.10	-35.52	-9.54	-95.23	37.10	-13.00	-52.09	Vertical
5	24197.00	-63.07	RMS	39.00	-31.45	-9.54	-95.23	34.15	-13.00	-50.07	Vertical
6	27654.00	-63.45	RMS	39.39	-30.95	-9.54	-95.23	32.88	-13.00	-50.45	Vertical




Ant. 0+2

Part 27Q Mode 6

NR SA n77 PC1.5 MIMO(DFT-S) 90M Ch633666 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	6923.00	-53.14	RMS	35.80	-23.27	1.08	-95.23	28.48	-13.00	-40.14	Horizontal
2	10385.00	-54.01	RMS	38.80	-22.95	0.71	-95.23	24.66	-13.00	-41.01	Horizontal
3	13847.00	-52.18	RMS	38.91	-22.06	0.55	-95.23	25.65	-13.00	-39.18	Horizontal
4	20770.00	-65.22	RMS	38.06	-35.49	-9.54	-95.23	36.98	-13.00	-52.22	Horizontal
5	24232.00	-61.53	RMS	38.94	-31.43	-9.54	-95.23	35.73	-13.00	-48.53	Horizontal
6	27694.00	-63.59	RMS	39.31	-30.94	-9.54	-95.23	32.81	-13.00	-50.59	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	6923.00	-53.29	RMS	35.80	-23.27	1.08	-95.23	28.33	-13.00	-40.29	Vertical
2	10385.00	-53.78	RMS	38.80	-22.95	0.71	-95.23	24.89	-13.00	-40.78	Vertical
3	13847.00	-52.62	RMS	38.91	-22.06	0.55	-95.23	25.21	-13.00	-39.62	Vertical
4	20770.00	-64.87	RMS	38.06	-35.49	-9.54	-95.23	37.33	-13.00	-51.87	Vertical
5	24232.00	-63.11	RMS	38.94	-31.43	-9.54	-95.23	34.15	-13.00	-50.11	Vertical
6	27694.00	-63.27	RMS	39.31	-30.94	-9.54	-95.23	33.13	-13.00	-50.27	Vertical




Ant. 0+3

Part 27Q Mode 7

NR SA n77 PC1.5 MIMO(DFT-S) 90M Ch633000 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	6903.00	-55.48	RMS	35.80	-23.28	1.08	-95.23	26.15	-13.00	-42.48	Horizontal
2	10355.00	-54.03	RMS	38.80	-22.96	0.72	-95.23	24.64	-13.00	-41.03	Horizontal
3	13807.00	-52.34	RMS	38.99	-22.07	0.55	-95.23	25.42	-13.00	-39.34	Horizontal
4	20710.00	-65.12	RMS	38.10	-35.55	-9.54	-95.23	37.10	-13.00	-52.12	Horizontal
5	24162.00	-60.82	RMS	39.00	-31.47	-9.54	-95.23	36.42	-13.00	-47.82	Horizontal
6	27614.00	-63.64	RMS	39.33	-30.96	-9.54	-95.23	32.76	-13.00	-50.64	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	6903.00	-56.03	RMS	35.80	-23.28	1.08	-95.23	25.60	-13.00	-43.03	Vertical
2	10355.00	-54.03	RMS	38.80	-22.96	0.72	-95.23	24.64	-13.00	-41.03	Vertical
3	13807.00	-52.11	RMS	38.99	-22.07	0.55	-95.23	25.65	-13.00	-39.11	Vertical
4	20710.00	-65.23	RMS	38.10	-35.55	-9.54	-95.23	36.99	-13.00	-52.23	Vertical
5	24162.00	-62.88	RMS	39.00	-31.47	-9.54	-95.23	34.36	-13.00	-49.88	Vertical
6	27614.00	-62.43	RMS	39.33	-30.96	-9.54	-95.23	33.97	-13.00	-49.43	Vertical




Ant. 0+3

Part 27Q Mode 7

NR SA n77 PC1.5 MIMO(DFT-S) 90M Ch633334 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	6913.00	-55.14	RMS	35.80	-23.27	1.08	-95.23	26.48	-13.00	-42.14	Horizontal
2	10370.00	-53.68	RMS	38.80	-22.95	0.72	-95.23	24.98	-13.00	-40.68	Horizontal
3	13827.00	-52.20	RMS	38.95	-22.06	0.55	-95.23	25.59	-13.00	-39.20	Horizontal
4	20740.00	-64.92	RMS	38.10	-35.52	-9.54	-95.23	37.27	-13.00	-51.92	Horizontal
5	24197.00	-60.84	RMS	39.00	-31.45	-9.54	-95.23	36.38	-13.00	-47.84	Horizontal
6	27654.00	-63.01	RMS	39.39	-30.95	-9.54	-95.23	33.32	-13.00	-50.01	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	6913.00	-55.95	RMS	35.80	-23.27	1.08	-95.23	25.67	-13.00	-42.95	Vertical
2	10370.00	-53.39	RMS	38.80	-22.95	0.72	-95.23	25.27	-13.00	-40.39	Vertical
3	13827.00	-52.16	RMS	38.95	-22.06	0.55	-95.23	25.63	-13.00	-39.16	Vertical
4	20740.00	-64.59	RMS	38.10	-35.52	-9.54	-95.23	37.60	-13.00	-51.59	Vertical
5	24197.00	-63.44	RMS	39.00	-31.45	-9.54	-95.23	33.78	-13.00	-50.44	Vertical
6	27654.00	-63.81	RMS	39.39	-30.95	-9.54	-95.23	32.52	-13.00	-50.81	Vertical




Ant. 0+3

Part 27Q Mode 7

NR SA n77 PC1.5 MIMO(DFT-S) 90M Ch633666 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	6923.00	-55.20	RMS	35.80	-23.27	1.08	-95.23	26.42	-13.00	-42.20	Horizontal
2	10385.00	-53.82	RMS	38.80	-22.95	0.71	-95.23	24.85	-13.00	-40.82	Horizontal
3	13847.00	-52.36	RMS	38.91	-22.06	0.55	-95.23	25.47	-13.00	-39.36	Horizontal
4	20770.00	-65.25	RMS	38.06	-35.49	-9.54	-95.23	36.95	-13.00	-52.25	Horizontal
5	24232.00	-62.28	RMS	38.94	-31.43	-9.54	-95.23	34.98	-13.00	-49.28	Horizontal
6	27694.00	-63.81	RMS	39.31	-30.94	-9.54	-95.23	32.59	-13.00	-50.81	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	6923.00	-55.73	RMS	35.80	-23.27	1.08	-95.23	25.89	-13.00	-42.73	Vertical
2	10385.00	-53.96	RMS	38.80	-22.95	0.71	-95.23	24.71	-13.00	-40.96	Vertical
3	13847.00	-52.36	RMS	38.91	-22.06	0.55	-95.23	25.47	-13.00	-39.36	Vertical
4	20770.00	-64.98	RMS	38.06	-35.49	-9.54	-95.23	37.22	-13.00	-51.98	Vertical
5	24232.00	-63.37	RMS	38.94	-31.43	-9.54	-95.23	33.89	-13.00	-50.37	Vertical
6	27694.00	-63.84	RMS	39.31	-30.94	-9.54	-95.23	32.56	-13.00	-50.84	Vertical




Ant. 2+1

Part 27Q Mode 8

NR SA n77 PC1.5 MIMO(DFT-S) 90M Ch633000 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 90M Ch633000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-55.81 RMS	35.80	-23.28	1.08	-95.23	25.82	-13.00	-42.81	Horizontal
2	10355.00	-53.92 RMS	38.80	-22.96	0.72	-95.23	24.75	-13.00	-40.92	Horizontal
3	13807.00	-52.48 RMS	38.99	-22.07	0.55	-95.23	25.28	-13.00	-39.48	Horizontal
4	24162.00	-62.03 RMS	39.00	-31.47	-9.54	-95.23	35.21	-13.00	-49.03	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 90M Ch633000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-52.08 RMS	35.80	-23.28	1.08	-95.23	29.55	-13.00	-39.08	Vertical
2	10355.00	-53.86 RMS	38.80	-22.96	0.72	-95.23	24.81	-13.00	-40.86	Vertical
3	13807.00	-52.21 RMS	38.99	-22.07	0.55	-95.23	25.55	-13.00	-39.21	Vertical
4	24162.00	-62.31 RMS	39.00	-31.47	-9.54	-95.23	34.93	-13.00	-49.31	Vertical




Ant. 2+1

Part 27Q Mode 8

NR SA n77 PC1.5 MIMO(DFT-S) 90M Ch633334 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	6913.00	-55.60	RMS	35.80	-23.27	1.08	-95.23	26.02	-13.00	-42.60	Horizontal
2	10370.00	-53.28	RMS	38.80	-22.95	0.72	-95.23	25.38	-13.00	-40.28	Horizontal
3	13827.00	-52.34	RMS	38.95	-22.06	0.55	-95.23	25.45	-13.00	-39.34	Horizontal
4	24197.00	-61.43	RMS	39.00	-31.45	-9.54	-95.23	35.79	-13.00	-48.43	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	6913.00	-51.24	RMS	35.80	-23.27	1.08	-95.23	30.38	-13.00	-38.24	Vertical
2	10370.00	-53.79	RMS	38.80	-22.95	0.72	-95.23	24.87	-13.00	-40.79	Vertical
3	13827.00	-52.09	RMS	38.95	-22.06	0.55	-95.23	25.70	-13.00	-39.09	Vertical
4	24197.00	-63.35	RMS	39.00	-31.45	-9.54	-95.23	33.87	-13.00	-50.35	Vertical




Ant. 2+1

Part 27Q Mode 8

NR SA n77 PC1.5 MIMO(DFT-S) 90M Ch633666 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-55.59	RMS	35.80	-23.27	1.08	-95.23	26.03	-13.00	-42.59	Horizontal
2	10385.00	-53.87	RMS	38.80	-22.95	0.71	-95.23	24.80	-13.00	-40.87	Horizontal
3	13847.00	-52.58	RMS	38.91	-22.06	0.55	-95.23	25.25	-13.00	-39.58	Horizontal
4	24232.00	-62.75	RMS	38.94	-31.43	-9.54	-95.23	34.51	-13.00	-49.75	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-52.14	RMS	35.80	-23.27	1.08	-95.23	29.48	-13.00	-39.14	Vertical
2	10385.00	-53.96	RMS	38.80	-22.95	0.71	-95.23	24.71	-13.00	-40.96	Vertical
3	13847.00	-52.52	RMS	38.91	-22.06	0.55	-95.23	25.31	-13.00	-39.52	Vertical
4	24232.00	-63.72	RMS	38.94	-31.43	-9.54	-95.23	33.54	-13.00	-50.72	Vertical




Ant. 2+3

Part 27Q Mode 9

NR SA n77 PC1.5 MIMO(DFT-S) 90M Ch633000 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 90M Ch633000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-57.45 RMS	35.80	-23.28	1.08	-95.23	24.18	-13.00	-44.45	Horizontal
2	10355.00	-54.12 RMS	38.80	-22.96	0.72	-95.23	24.55	-13.00	-41.12	Horizontal
3	13807.00	-52.31 RMS	38.99	-22.07	0.55	-95.23	25.45	-13.00	-39.31	Horizontal
4	24162.00	-61.31 RMS	39.00	-31.47	-9.54	-95.23	35.93	-13.00	-48.31	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 90M Ch633000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-54.94 RMS	35.80	-23.28	1.08	-95.23	26.69	-13.00	-41.94	Vertical
2	10355.00	-53.88 RMS	38.80	-22.96	0.72	-95.23	24.79	-13.00	-40.88	Vertical
3	13807.00	-52.12 RMS	38.99	-22.07	0.55	-95.23	25.64	-13.00	-39.12	Vertical
4	24162.00	-62.62 RMS	39.00	-31.47	-9.54	-95.23	34.62	-13.00	-49.62	Vertical




Ant. 2+3

Part 27Q Mode 9

NR SA n77 PC1.5 MIMO(DFT-S) 90M Ch633334 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6913.00	-57.52	RMS	35.80	-23.27	1.08	-95.23	24.10	-13.00	-44.52	Horizontal
2	10370.00	-53.86	RMS	38.80	-22.95	0.72	-95.23	24.80	-13.00	-40.86	Horizontal
3	13827.00	-52.20	RMS	38.95	-22.06	0.55	-95.23	25.59	-13.00	-39.20	Horizontal
4	24197.00	-62.88	RMS	39.00	-31.45	-9.54	-95.23	34.34	-13.00	-49.88	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6913.00	-54.33	RMS	35.80	-23.27	1.08	-95.23	27.29	-13.00	-41.33	Vertical
2	10370.00	-53.83	RMS	38.80	-22.95	0.72	-95.23	24.83	-13.00	-40.83	Vertical
3	13827.00	-52.42	RMS	38.95	-22.06	0.55	-95.23	25.37	-13.00	-39.42	Vertical
4	24197.00	-63.44	RMS	39.00	-31.45	-9.54	-95.23	33.78	-13.00	-50.44	Vertical




Ant. 2+3

Part 27Q Mode 9

NR SA n77 PC1.5 MIMO(DFT-S) 90M Ch633666 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-57.36	RMS	35.80	-23.27	1.08	-95.23	24.26	-13.00	-44.36	Horizontal
2	10385.00	-53.99	RMS	38.80	-22.95	0.71	-95.23	24.68	-13.00	-40.99	Horizontal
3	13847.00	-52.64	RMS	38.91	-22.06	0.55	-95.23	25.19	-13.00	-39.64	Horizontal
4	24232.00	-62.50	RMS	38.94	-31.43	-9.54	-95.23	34.76	-13.00	-49.50	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-54.06	RMS	35.80	-23.27	1.08	-95.23	27.56	-13.00	-41.06	Vertical
2	10385.00	-54.05	RMS	38.80	-22.95	0.71	-95.23	24.62	-13.00	-41.05	Vertical
3	13847.00	-51.74	RMS	38.91	-22.06	0.55	-95.23	26.09	-13.00	-38.74	Vertical
4	24232.00	-63.13	RMS	38.94	-31.43	-9.54	-95.23	34.13	-13.00	-50.13	Vertical




Ant. 1+3

Part 27Q Mode 10

NR SA n77 PC1.5 MIMO(DFT-S) 90M Ch633000 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 90M Ch633000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1 6903.00	-56.69	RMS	35.80	-23.28	1.08	-95.23	24.94	-13.00	-43.69	Horizontal
2 10355.00	-54.29	RMS	38.80	-22.96	0.72	-95.23	24.38	-13.00	-41.29	Horizontal
3 13807.00	-52.64	RMS	38.99	-22.07	0.55	-95.23	25.12	-13.00	-39.64	Horizontal
4 24162.00	-62.37	RMS	39.00	-31.47	-9.54	-95.23	34.87	-13.00	-49.37	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 90M Ch633000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1 6903.00	-53.86	RMS	35.80	-23.28	1.08	-95.23	27.77	-13.00	-40.86	Vertical
2 10355.00	-54.16	RMS	38.80	-22.96	0.72	-95.23	24.51	-13.00	-41.16	Vertical
3 13807.00	-51.70	RMS	38.99	-22.07	0.55	-95.23	26.06	-13.00	-38.70	Vertical
4 24162.00	-63.08	RMS	39.00	-31.47	-9.54	-95.23	34.16	-13.00	-50.08	Vertical




Ant. 1+3

Part 27Q Mode 10

NR SA n77 PC1.5 MIMO(DFT-S) 90M Ch633334 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 90M Ch633334 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	6913.00	-56.22 RMS	35.80	-23.27	1.08	-95.23	25.40	-13.00	-43.22	Horizontal
2	10370.00	-53.91 RMS	38.80	-22.95	0.72	-95.23	24.75	-13.00	-40.91	Horizontal
3	13827.00	-52.44 RMS	38.95	-22.06	0.55	-95.23	25.35	-13.00	-39.44	Horizontal
4	24197.00	-62.64 RMS	39.00	-31.45	-9.54	-95.23	34.58	-13.00	-49.64	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 90M Ch633334 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	6913.00	-52.86 RMS	35.80	-23.27	1.08	-95.23	28.76	-13.00	-39.86	Vertical
2	10370.00	-53.85 RMS	38.80	-22.95	0.72	-95.23	24.81	-13.00	-40.85	Vertical
3	13827.00	-51.96 RMS	38.95	-22.06	0.55	-95.23	25.83	-13.00	-38.96	Vertical
4	24197.00	-63.45 RMS	39.00	-31.45	-9.54	-95.23	33.77	-13.00	-50.45	Vertical




Ant. 1+3

Part 27Q Mode 10

NR SA n77 PC1.5 MIMO(DFT-S) 90M Ch633666 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-57.63	RMS	35.80	-23.27	1.08	-95.23	23.99	-13.00	-44.63	Horizontal
2	10385.00	-54.02	RMS	38.80	-22.95	0.71	-95.23	24.65	-13.00	-41.02	Horizontal
3	13847.00	-52.64	RMS	38.91	-22.06	0.55	-95.23	25.19	-13.00	-39.64	Horizontal
4	24232.00	-63.37	RMS	38.94	-31.43	-9.54	-95.23	33.89	-13.00	-50.37	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-53.51	RMS	35.80	-23.27	1.08	-95.23	28.11	-13.00	-40.51	Vertical
2	10385.00	-54.00	RMS	38.80	-22.95	0.71	-95.23	24.67	-13.00	-41.00	Vertical
3	13847.00	-52.69	RMS	38.91	-22.06	0.55	-95.23	25.14	-13.00	-39.69	Vertical
4	24232.00	-63.15	RMS	38.94	-31.43	-9.54	-95.23	34.11	-13.00	-50.15	Vertical




Ant. 0

Part 270 Mode 1

NR SA n77 PC2 100M Ch650000 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 100M Ch650000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7402.00	-48.19 RMS	36.30	-23.07	0.85	-95.23	32.96	-13.00	-35.19	Horizontal
2	11103.00	-52.90 RMS	38.91	-22.98	0.63	-95.23	25.77	-13.00	-39.90	Horizontal
3	14805.00	-51.35 RMS	39.69	-22.56	0.51	-95.23	26.24	-13.00	-38.35	Horizontal
4	25908.00	-60.75 RMS	38.83	-30.95	-9.54	-95.23	36.14	-13.00	-47.75	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 100M Ch650000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7402.00	-42.64 RMS	36.30	-23.07	0.85	-95.23	38.51	-13.00	-29.64	Vertical
2	11103.00	-52.82 RMS	38.91	-22.98	0.63	-95.23	25.85	-13.00	-39.82	Vertical
3	14805.00	-51.05 RMS	39.69	-22.56	0.51	-95.23	26.54	-13.00	-38.05	Vertical
4	25908.00	-61.98 RMS	38.83	-30.95	-9.54	-95.23	34.91	-13.00	-48.98	Vertical




Ant. 0

Part 270 Mode 1

NR SA n77 PC2 100M Ch656000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	7582.00	-52.92	RMS	36.17	-23.06	0.78	-95.23	28.42	-13.00	-39.92	Horizontal
2	11373.00	-52.74	RMS	39.10	-23.04	0.60	-95.23	25.83	-13.00	-39.74	Horizontal
3	15165.00	-51.50	RMS	39.43	-22.44	0.50	-95.23	26.24	-13.00	-38.50	Horizontal
4	26538.00	-62.21	RMS	39.58	-31.14	-9.54	-95.23	34.12	-13.00	-49.21	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	7582.00	-48.91	RMS	36.17	-23.06	0.78	-95.23	32.43	-13.00	-35.91	Vertical
2	11373.00	-53.09	RMS	39.10	-23.04	0.60	-95.23	25.48	-13.00	-40.09	Vertical
3	15165.00	-51.65	RMS	39.43	-22.44	0.50	-95.23	26.09	-13.00	-38.65	Vertical
4	26538.00	-61.08	RMS	39.58	-31.14	-9.54	-95.23	35.25	-13.00	-48.08	Vertical




Ant. 0

Part 270 Mode 1

NR SA n77 PC2 100M Ch662000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 100M Ch662000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7762.00	-52.35 RMS	36.67	-23.05	0.70	-95.23	28.56	-13.00	-39.35	Horizontal
2	11643.00	-53.25 RMS	38.70	-23.05	0.56	-95.23	25.77	-13.00	-40.25	Horizontal
3	15525.00	-51.97 RMS	39.05	-21.97	0.48	-95.23	25.70	-13.00	-38.97	Horizontal
4	27168.00	-54.82 RMS	39.25	-31.04	-9.54	-95.23	41.74	-13.00	-41.82	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 100M Ch662000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7762.00	-49.16 RMS	36.67	-23.05	0.70	-95.23	31.75	-13.00	-36.16	Vertical
2	11643.00	-53.30 RMS	38.70	-23.05	0.56	-95.23	25.72	-13.00	-40.30	Vertical
3	15525.00	-51.78 RMS	39.05	-21.97	0.48	-95.23	25.89	-13.00	-38.78	Vertical
4	27168.00	-60.45 RMS	39.25	-31.04	-9.54	-95.23	36.11	-13.00	-47.45	Vertical




Ant. 1

Part 270 Mode 2

NR SA n77 PC2 100M Ch650000 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	7402.00	-52.47	RMS	36.30	-23.07	0.85	-95.23	28.68	-13.00	-39.47	Horizontal
2	11103.00	-52.84	RMS	38.91	-22.98	0.63	-95.23	25.83	-13.00	-39.84	Horizontal
3	14805.00	-51.76	RMS	39.69	-22.56	0.51	-95.23	25.83	-13.00	-38.76	Horizontal
4	18506.00	-64.62	RMS	38.08	-38.89	-9.54	-95.23	40.96	-13.00	-51.62	Horizontal
5	22208.00	-64.45	RMS	38.13	-33.23	-9.54	-95.23	35.42	-13.00	-51.45	Horizontal
6	25909.00	-55.53	RMS	38.84	-30.95	-9.54	-95.23	41.35	-13.00	-42.53	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	7402.00	-48.79	RMS	36.30	-23.07	0.85	-95.23	32.36	-13.00	-35.79	Vertical
2	11103.00	-53.06	RMS	38.91	-22.98	0.63	-95.23	25.61	-13.00	-40.06	Vertical
3	14805.00	-51.72	RMS	39.69	-22.56	0.51	-95.23	25.87	-13.00	-38.72	Vertical
4	18506.00	-64.56	RMS	38.08	-38.89	-9.54	-95.23	41.02	-13.00	-51.56	Vertical
5	22208.00	-64.43	RMS	38.13	-33.23	-9.54	-95.23	35.44	-13.00	-51.43	Vertical
6	25909.00	-59.69	RMS	38.84	-30.95	-9.54	-95.23	37.19	-13.00	-46.69	Vertical




Ant. 1

Part 270 Mode 2

NR SA n77 PC2 100M Ch656000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 100M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7582.00	-52.76	RMS	36.17	-23.06	0.78	-95.23	28.58	-13.00	-39.76
2	11373.00	-52.98	RMS	39.10	-23.04	0.60	-95.23	25.59	-13.00	-39.98
3	15165.00	-51.54	RMS	39.43	-22.44	0.50	-95.23	26.20	-13.00	-38.54
4	18956.00	-64.07	RMS	38.21	-38.48	-9.54	-95.23	40.97	-13.00	-51.07
5	22748.00	-61.81	RMS	38.60	-32.69	-9.54	-95.23	37.05	-13.00	-48.81
6	26539.00	-59.74	RMS	39.58	-31.14	-9.54	-95.23	36.59	-13.00	-46.74



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 100M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7582.00	-50.50	RMS	36.17	-23.06	0.78	-95.23	30.84	-13.00	-37.50
2	11373.00	-53.04	RMS	39.10	-23.04	0.60	-95.23	25.53	-13.00	-40.04
3	15165.00	-51.92	RMS	39.43	-22.44	0.50	-95.23	25.82	-13.00	-38.92
4	18956.00	-64.46	RMS	38.21	-38.48	-9.54	-95.23	40.58	-13.00	-51.46
5	22748.00	-63.10	RMS	38.60	-32.69	-9.54	-95.23	35.76	-13.00	-50.10
6	26539.00	-57.81	RMS	39.58	-31.14	-9.54	-95.23	38.52	-13.00	-44.81




Ant. 1

Part 270 Mode 2

NR SA n77 PC2 100M Ch662000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	7762.00	-54.19	RMS	36.67	-23.05	0.70	-95.23	26.72	-13.00	-41.19	Horizontal
2	11643.00	-53.37	RMS	38.70	-23.05	0.56	-95.23	25.65	-13.00	-40.37	Horizontal
3	15525.00	-52.20	RMS	39.05	-21.97	0.48	-95.23	25.47	-13.00	-39.20	Horizontal
4	19406.00	-64.59	RMS	38.10	-37.87	-9.54	-95.23	39.95	-13.00	-51.59	Horizontal
5	23288.00	-61.79	RMS	39.08	-32.14	-9.54	-95.23	36.04	-13.00	-48.79	Horizontal
6	27169.00	-54.73	RMS	39.26	-31.05	-9.54	-95.23	41.83	-13.00	-41.73	Horizontal



Site : 03CH20-HY


Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	7762.00	-51.70	RMS	36.67	-23.05	0.70	-95.23	29.21	-13.00	-38.70	Vertical
2	11643.00	-53.21	RMS	38.70	-23.05	0.56	-95.23	25.81	-13.00	-40.21	Vertical
3	15525.00	-52.10	RMS	39.05	-21.97	0.48	-95.23	25.57	-13.00	-39.10	Vertical
4	19406.00	-64.34	RMS	38.10	-37.87	-9.54	-95.23	40.20	-13.00	-51.34	Vertical
5	23288.00	-64.00	RMS	39.08	-32.14	-9.54	-95.23	33.83	-13.00	-51.00	Vertical
6	27169.00	-58.04	RMS	39.26	-31.05	-9.54	-95.23	38.52	-13.00	-45.04	Vertical



Ant. 2


Part 270 Mode 3**NR SA n77 PC2 100M Ch650000 1RB1 BPSK****L**

Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	7402.00	-49.78	RMS	36.30	-23.07	0.85	-95.23	31.37	-13.00	-36.78	Horizontal
2	11103.00	-52.98	RMS	38.91	-22.98	0.63	-95.23	25.69	-13.00	-39.98	Horizontal
3	14805.00	-51.82	RMS	39.69	-22.56	0.51	-95.23	25.77	-13.00	-38.82	Horizontal
4	18506.00	-64.36	RMS	38.08	-38.89	-9.54	-95.23	41.22	-13.00	-51.36	Horizontal
5	22208.00	-64.55	RMS	38.13	-33.23	-9.54	-95.23	35.32	-13.00	-51.55	Horizontal
6	25909.00	-55.04	RMS	38.84	-30.95	-9.54	-95.23	41.84	-13.00	-42.04	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	7402.00	-45.88	RMS	36.30	-23.07	0.85	-95.23	35.27	-13.00	-32.88	Vertical
2	11103.00	-53.10	RMS	38.91	-22.98	0.63	-95.23	25.57	-13.00	-40.10	Vertical
3	14805.00	-51.85	RMS	39.69	-22.56	0.51	-95.23	25.74	-13.00	-38.85	Vertical
4	18506.00	-64.27	RMS	38.08	-38.89	-9.54	-95.23	41.31	-13.00	-51.27	Vertical
5	22208.00	-64.41	RMS	38.13	-33.23	-9.54	-95.23	35.46	-13.00	-51.41	Vertical
6	25909.00	-58.76	RMS	38.84	-30.95	-9.54	-95.23	38.12	-13.00	-45.76	Vertical




Ant. 2

Part 270 Mode 3

NR SA n77 PC2 100M Ch656000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7582.00	-53.25	RMS	36.17	-23.06	0.78	-95.23	28.09	-13.00	-40.25	Horizontal
2	11373.00	-53.17	RMS	39.10	-23.04	0.60	-95.23	25.40	-13.00	-40.17	Horizontal
3	15165.00	-51.69	RMS	39.43	-22.44	0.50	-95.23	26.05	-13.00	-38.69	Horizontal
4	18956.00	-64.49	RMS	38.21	-38.48	-9.54	-95.23	40.55	-13.00	-51.49	Horizontal
5	22748.00	-61.55	RMS	38.60	-32.69	-9.54	-95.23	37.31	-13.00	-48.55	Horizontal
6	26539.00	-60.70	RMS	39.58	-31.14	-9.54	-95.23	35.63	-13.00	-47.70	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7582.00	-48.32	RMS	36.17	-23.06	0.78	-95.23	33.02	-13.00	-35.32	Vertical
2	11373.00	-52.94	RMS	39.10	-23.04	0.60	-95.23	25.63	-13.00	-39.94	Vertical
3	15165.00	-51.83	RMS	39.43	-22.44	0.50	-95.23	25.91	-13.00	-38.83	Vertical
4	18956.00	-64.29	RMS	38.21	-38.48	-9.54	-95.23	40.75	-13.00	-51.29	Vertical
5	22748.00	-63.99	RMS	38.60	-32.69	-9.54	-95.23	34.87	-13.00	-50.99	Vertical
6	26539.00	-57.92	RMS	39.58	-31.14	-9.54	-95.23	38.41	-13.00	-44.92	Vertical




Ant. 2

Part 270 Mode 3

NR SA n77 PC2 100M Ch662000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7762.00	-51.68	RMS	36.67	-23.05	0.70	-95.23	29.23	-13.00	-38.68	Horizontal
2	11643.00	-53.66	RMS	38.70	-23.05	0.56	-95.23	25.36	-13.00	-40.66	Horizontal
3	15525.00	-51.94	RMS	39.05	-21.97	0.48	-95.23	25.73	-13.00	-38.94	Horizontal
4	19406.00	-64.40	RMS	38.10	-37.87	-9.54	-95.23	40.14	-13.00	-51.40	Horizontal
5	23288.00	-62.29	RMS	39.08	-32.14	-9.54	-95.23	35.54	-13.00	-49.29	Horizontal
6	27169.00	-53.24	RMS	39.26	-31.05	-9.54	-95.23	43.32	-13.00	-40.24	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7762.00	-50.84	RMS	36.67	-23.05	0.70	-95.23	30.07	-13.00	-37.84	Vertical
2	11643.00	-53.64	RMS	38.70	-23.05	0.56	-95.23	25.38	-13.00	-40.64	Vertical
3	15525.00	-52.31	RMS	39.05	-21.97	0.48	-95.23	25.36	-13.00	-39.31	Vertical
4	19406.00	-64.59	RMS	38.10	-37.87	-9.54	-95.23	39.95	-13.00	-51.59	Vertical
5	23288.00	-64.06	RMS	39.08	-32.14	-9.54	-95.23	33.77	-13.00	-51.06	Vertical
6	27169.00	-54.87	RMS	39.26	-31.05	-9.54	-95.23	41.69	-13.00	-41.87	Vertical




Ant. 3

Part 270 Mode 4

NR SA n77 PC2 100M Ch650000 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 100M Ch650000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7402.00	-49.15 RMS	36.30	-23.07	0.85	-95.23	32.00	-13.00	-36.15	Horizontal
2	11103.00	-52.53 RMS	38.91	-22.98	0.63	-95.23	26.14	-13.00	-39.53	Horizontal
3	14805.00	-51.30 RMS	39.69	-22.56	0.51	-95.23	26.29	-13.00	-38.30	Horizontal
4	18506.00	-64.57 RMS	38.08	-38.89	-9.54	-95.23	41.01	-13.00	-51.57	Horizontal
5	22208.00	-64.67 RMS	38.13	-33.23	-9.54	-95.23	35.20	-13.00	-51.67	Horizontal
6	25909.00	-55.48 RMS	38.84	-30.95	-9.54	-95.23	41.40	-13.00	-42.48	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 100M Ch650000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7402.00	-44.22 RMS	36.30	-23.07	0.85	-95.23	36.93	-13.00	-31.22	Vertical
2	11103.00	-52.58 RMS	38.91	-22.98	0.63	-95.23	26.09	-13.00	-39.58	Vertical
3	14805.00	-51.05 RMS	39.69	-22.56	0.51	-95.23	26.54	-13.00	-38.05	Vertical
4	18506.00	-64.63 RMS	38.08	-38.89	-9.54	-95.23	40.95	-13.00	-51.63	Vertical
5	22208.00	-63.06 RMS	38.13	-33.23	-9.54	-95.23	36.81	-13.00	-50.06	Vertical
6	25909.00	-59.59 RMS	38.84	-30.95	-9.54	-95.23	37.29	-13.00	-46.59	Vertical




Ant. 3

Part 270 Mode 4

NR SA n77 PC2 100M Ch656000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 100M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7582.00	-54.85 RMS	36.17	-23.06	0.78	-95.23	26.49	-13.00	-41.85	Horizontal
2	11373.00	-52.71 RMS	39.10	-23.04	0.60	-95.23	25.86	-13.00	-39.71	Horizontal
3	15165.00	-51.31 RMS	39.43	-22.44	0.50	-95.23	26.43	-13.00	-38.31	Horizontal
4	18956.00	-64.28 RMS	38.21	-38.48	-9.54	-95.23	40.76	-13.00	-51.28	Horizontal
5	22748.00	-64.49 RMS	38.60	-32.69	-9.54	-95.23	34.37	-13.00	-51.49	Horizontal
6	26539.00	-59.64 RMS	39.58	-31.14	-9.54	-95.23	36.69	-13.00	-46.64	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 100M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7582.00	-51.37 RMS	36.17	-23.06	0.78	-95.23	29.97	-13.00	-38.37	Vertical
2	11373.00	-52.88 RMS	39.10	-23.04	0.60	-95.23	25.69	-13.00	-39.88	Vertical
3	15165.00	-51.70 RMS	39.43	-22.44	0.50	-95.23	26.04	-13.00	-38.70	Vertical
4	18956.00	-63.92 RMS	38.21	-38.48	-9.54	-95.23	41.12	-13.00	-50.92	Vertical
5	22748.00	-64.71 RMS	38.60	-32.69	-9.54	-95.23	34.15	-13.00	-51.71	Vertical
6	26539.00	-58.86 RMS	39.58	-31.14	-9.54	-95.23	37.47	-13.00	-45.86	Vertical




Ant. 3

Part 270 Mode 4

NR SA n77 PC2 100M Ch662000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	7762.00	-53.41	RMS	36.67	-23.05	0.70	-95.23	27.50	-13.00	-40.41	Horizontal
2	11643.00	-52.78	RMS	38.70	-23.05	0.56	-95.23	26.24	-13.00	-39.78	Horizontal
3	15525.00	-51.73	RMS	39.05	-21.97	0.48	-95.23	25.94	-13.00	-38.73	Horizontal
4	19406.00	-64.75	RMS	38.10	-37.87	-9.54	-95.23	39.79	-13.00	-51.75	Horizontal
5	23288.00	-63.95	RMS	39.08	-32.14	-9.54	-95.23	33.88	-13.00	-50.95	Horizontal
6	27169.00	-60.82	RMS	39.26	-31.05	-9.54	-95.23	35.74	-13.00	-47.82	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	7762.00	-52.12	RMS	36.67	-23.05	0.70	-95.23	28.79	-13.00	-39.12	Vertical
2	11643.00	-53.18	RMS	38.70	-23.05	0.56	-95.23	25.84	-13.00	-40.18	Vertical
3	15525.00	-51.71	RMS	39.05	-21.97	0.48	-95.23	25.96	-13.00	-38.71	Vertical
4	19406.00	-64.69	RMS	38.10	-37.87	-9.54	-95.23	39.85	-13.00	-51.69	Vertical
5	23288.00	-63.77	RMS	39.08	-32.14	-9.54	-95.23	34.06	-13.00	-50.77	Vertical
6	27169.00	-62.91	RMS	39.26	-31.05	-9.54	-95.23	33.65	-13.00	-49.91	Vertical




Ant. 0+1

Part 270 Mode 5

NR SA n77 PC1.5 MIMO(DFT-S) 100M Ch650000 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7402.00	-50.94	RMS	36.30	-23.07	0.85	-95.23	30.21	-13.00	-37.94	Horizontal
2	11103.00	-53.01	RMS	38.91	-22.98	0.63	-95.23	25.66	-13.00	-40.01	Horizontal
3	14805.00	-51.92	RMS	39.69	-22.56	0.51	-95.23	25.67	-13.00	-38.92	Horizontal
4	18506.00	-64.62	RMS	38.08	-38.89	-9.54	-95.23	40.96	-13.00	-51.62	Horizontal
5	22208.00	-64.80	RMS	38.13	-33.23	-9.54	-95.23	35.07	-13.00	-51.80	Horizontal
6	25909.00	-64.47	RMS	38.84	-30.95	-9.54	-95.23	32.41	-13.00	-51.47	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7402.00	-44.61	RMS	36.29	-23.07	0.85	-95.23	36.54	-13.00	-31.61	Vertical
2	11103.00	-53.19	RMS	38.91	-22.98	0.63	-95.23	25.48	-13.00	-40.19	Vertical
3	14805.00	-51.36	RMS	39.69	-22.56	0.51	-95.23	26.23	-13.00	-38.36	Vertical
4	18506.00	-64.93	RMS	38.08	-38.89	-9.54	-95.23	40.65	-13.00	-51.93	Vertical
5	22208.00	-64.68	RMS	38.13	-33.23	-9.54	-95.23	35.19	-13.00	-51.68	Vertical
6	25909.00	-60.44	RMS	38.84	-30.95	-9.54	-95.23	36.44	-13.00	-47.44	Vertical




Ant. 0+1

Part 270 Mode 5

NR SA n77 PC1.5 MIMO(DFT-S) 100M Ch656000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	7582.00	-51.19	RMS	36.17	-23.06	0.78	-95.23	30.15	-13.00	-38.19	Horizontal
2	11373.00	-52.88	RMS	39.10	-23.04	0.60	-95.23	25.69	-13.00	-39.88	Horizontal
3	15165.00	-51.71	RMS	39.43	-22.44	0.50	-95.23	26.03	-13.00	-38.71	Horizontal
4	18956.00	-64.37	RMS	38.21	-38.48	-9.54	-95.23	40.67	-13.00	-51.37	Horizontal
5	22748.00	-64.54	RMS	38.60	-32.69	-9.54	-95.23	34.32	-13.00	-51.54	Horizontal
6	26539.00	-63.50	RMS	39.58	-31.14	-9.54	-95.23	32.83	-13.00	-50.50	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	7582.00	-48.58	RMS	36.17	-23.06	0.78	-95.23	32.76	-13.00	-35.58	Vertical
2	11373.00	-53.28	RMS	39.10	-23.04	0.60	-95.23	25.29	-13.00	-40.28	Vertical
3	15165.00	-50.97	RMS	39.43	-22.44	0.50	-95.23	26.77	-13.00	-37.97	Vertical
4	18956.00	-64.17	RMS	38.21	-38.48	-9.54	-95.23	40.87	-13.00	-51.17	Vertical
5	22748.00	-64.88	RMS	38.60	-32.69	-9.54	-95.23	33.98	-13.00	-51.88	Vertical
6	26539.00	-64.30	RMS	39.58	-31.14	-9.54	-95.23	32.03	-13.00	-51.30	Vertical




Ant. 0+1

Part 270 Mode 5

NR SA n77 PC1.5 MIMO(DFT-S) 100M Ch662000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	7762.00	-51.60	RMS	36.67	-23.05	0.70	-95.23	29.31	-13.00	-38.60	Horizontal
2	11643.00	-53.28	RMS	38.70	-23.05	0.56	-95.23	25.74	-13.00	-40.28	Horizontal
3	15525.00	-52.05	RMS	39.05	-21.97	0.48	-95.23	25.62	-13.00	-39.05	Horizontal
4	19406.00	-65.29	RMS	38.10	-37.87	-9.54	-95.23	39.25	-13.00	-52.29	Horizontal
5	23288.00	-64.19	RMS	39.08	-32.14	-9.54	-95.23	33.64	-13.00	-51.19	Horizontal
6	27169.00	-58.86	RMS	39.26	-31.05	-9.54	-95.23	37.70	-13.00	-45.86	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	7762.00	-49.99	RMS	36.67	-23.05	0.70	-95.23	30.92	-13.00	-36.99	Vertical
2	11643.00	-52.89	RMS	38.70	-23.05	0.56	-95.23	26.13	-13.00	-39.89	Vertical
3	15525.00	-52.13	RMS	39.05	-21.97	0.48	-95.23	25.54	-13.00	-39.13	Vertical
4	19406.00	-64.78	RMS	38.10	-37.87	-9.54	-95.23	39.76	-13.00	-51.78	Vertical
5	23288.00	-64.46	RMS	39.08	-32.14	-9.54	-95.23	33.37	-13.00	-51.46	Vertical
6	27169.00	-61.38	RMS	39.26	-31.05	-9.54	-95.23	35.18	-13.00	-48.38	Vertical




Ant. 0+2

Part 270 Mode 6

NR SA n77 PC1.5 MIMO(DFT-S) 100M Ch650000 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 100M Ch650000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7402.00	-48.50 RMS	36.30	-23.07	0.85	-95.23	32.65	-13.00	-35.50	Horizontal
2	11103.00	-52.67 RMS	38.91	-22.98	0.63	-95.23	26.00	-13.00	-39.67	Horizontal
3	14805.00	-51.09 RMS	39.69	-22.56	0.51	-95.23	26.50	-13.00	-38.09	Horizontal
4	18506.00	-64.60 RMS	38.08	-38.89	-9.54	-95.23	40.98	-13.00	-51.60	Horizontal
5	22208.00	-63.94 RMS	38.13	-33.23	-9.54	-95.23	35.93	-13.00	-50.94	Horizontal
6	25909.00	-64.03 RMS	38.84	-30.95	-9.54	-95.23	32.85	-13.00	-51.03	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 100M Ch650000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7402.00	-44.48 RMS	36.30	-23.07	0.85	-95.23	36.67	-13.00	-31.48	Vertical
2	11103.00	-52.41 RMS	38.91	-22.98	0.63	-95.23	26.26	-13.00	-39.41	Vertical
3	14805.00	-49.22 RMS	39.69	-22.56	0.51	-95.23	28.37	-13.00	-36.22	Vertical
4	18506.00	-63.44 RMS	38.08	-38.89	-9.54	-95.23	42.14	-13.00	-50.44	Vertical
5	22208.00	-64.46 RMS	38.13	-33.23	-9.54	-95.23	35.41	-13.00	-51.46	Vertical
6	25909.00	-64.32 RMS	38.84	-30.95	-9.54	-95.23	32.56	-13.00	-51.32	Vertical




Ant. 0+2

Part 270 Mode 6

NR SA n77 PC1.5 MIMO(DFT-S) 100M Ch656000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	7582.00	-54.42	RMS	36.17	-23.06	0.78	-95.23	26.92	-13.00	-41.42	Horizontal
2	11373.00	-52.76	RMS	39.10	-23.04	0.60	-95.23	25.81	-13.00	-39.76	Horizontal
3	15165.00	-51.35	RMS	39.43	-22.44	0.50	-95.23	26.39	-13.00	-38.35	Horizontal
4	18956.00	-64.26	RMS	38.21	-38.48	-9.54	-95.23	40.78	-13.00	-51.26	Horizontal
5	22748.00	-63.75	RMS	38.60	-32.69	-9.54	-95.23	35.11	-13.00	-50.75	Horizontal
6	26539.00	-64.05	RMS	39.58	-31.14	-9.54	-95.23	32.28	-13.00	-51.05	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	7582.00	-50.06	RMS	36.17	-23.06	0.78	-95.23	31.28	-13.00	-37.06	Vertical
2	11373.00	-52.70	RMS	39.10	-23.04	0.60	-95.23	25.87	-13.00	-39.70	Vertical
3	15165.00	-48.45	RMS	39.43	-22.44	0.50	-95.23	29.29	-13.00	-35.45	Vertical
4	18956.00	-64.08	RMS	38.21	-38.48	-9.54	-95.23	40.96	-13.00	-51.08	Vertical
5	22748.00	-63.47	RMS	38.60	-32.69	-9.54	-95.23	35.39	-13.00	-50.47	Vertical
6	26539.00	-64.16	RMS	39.58	-31.14	-9.54	-95.23	32.17	-13.00	-51.16	Vertical




Ant. 0+2

Part 270 Mode 6

NR SA n77 PC1.5 MIMO(DFT-S) 100M Ch662000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm						dBuV	dBm	dB	
1	7762.00	-53.45	RMS	36.67	-23.05	0.70	-95.23	27.46	-13.00	-40.45	Horizontal
2	11643.00	-53.25	RMS	38.70	-23.05	0.56	-95.23	25.77	-13.00	-40.25	Horizontal
3	15525.00	-51.89	RMS	39.05	-21.97	0.48	-95.23	25.78	-13.00	-38.89	Horizontal
4	19406.00	-64.65	RMS	38.10	-37.87	-9.54	-95.23	39.89	-13.00	-51.65	Horizontal
5	23288.00	-63.72	RMS	39.08	-32.14	-9.54	-95.23	34.11	-13.00	-50.72	Horizontal
6	27169.00	-63.46	RMS	39.26	-31.05	-9.54	-95.23	33.10	-13.00	-50.46	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm						dBuV	dBm	dB	
1	7762.00	-52.37	RMS	36.67	-23.05	0.70	-95.23	28.54	-13.00	-39.37	Vertical
2	11643.00	-52.56	RMS	38.70	-23.05	0.56	-95.23	26.46	-13.00	-39.56	Vertical
3	15525.00	-48.96	RMS	39.05	-21.97	0.48	-95.23	28.71	-13.00	-35.96	Vertical
4	19406.00	-64.21	RMS	38.10	-37.87	-9.54	-95.23	40.33	-13.00	-51.21	Vertical
5	23288.00	-63.78	RMS	39.08	-32.14	-9.54	-95.23	34.05	-13.00	-50.78	Vertical
6	27169.00	-63.89	RMS	39.26	-31.05	-9.54	-95.23	32.67	-13.00	-50.89	Vertical




Ant. 0+3

Part 270 Mode 7

NR SA n77 PC1.5 MIMO(DFT-S) 100M Ch650000 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	7402.00	-50.90	RMS	36.30	-23.07	0.85	-95.23	30.25	-13.00	-37.90	Horizontal
2	11103.00	-53.06	RMS	38.91	-22.98	0.63	-95.23	25.61	-13.00	-40.06	Horizontal
3	14805.00	-51.72	RMS	39.69	-22.56	0.51	-95.23	25.87	-13.00	-38.72	Horizontal
4	18506.00	-63.92	RMS	38.08	-38.89	-9.54	-95.23	41.66	-13.00	-50.92	Horizontal
5	22208.00	-63.83	RMS	38.13	-33.23	-9.54	-95.23	36.04	-13.00	-50.83	Horizontal
6	25909.00	-63.72	RMS	38.84	-30.95	-9.54	-95.23	33.16	-13.00	-50.72	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	7402.00	-46.79	RMS	36.30	-23.07	0.85	-95.23	34.36	-13.00	-33.79	Vertical
2	11103.00	-52.70	RMS	38.91	-22.98	0.63	-95.23	25.97	-13.00	-39.70	Vertical
3	14805.00	-49.70	RMS	39.69	-22.56	0.51	-95.23	27.89	-13.00	-36.70	Vertical
4	18506.00	-62.55	RMS	38.08	-38.89	-9.54	-95.23	43.03	-13.00	-49.55	Vertical
5	22208.00	-64.30	RMS	38.13	-33.23	-9.54	-95.23	35.57	-13.00	-51.30	Vertical
6	25909.00	-64.09	RMS	38.84	-30.95	-9.54	-95.23	32.79	-13.00	-51.09	Vertical




Ant. 0+3

Part 270 Mode 7


NR SA n77 PC1.5 MIMO(DFT-S) 100M Ch656000 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1230_241025 Horizontal
: NR SA n77 100M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7582.00	-50.76	RMS	36.17	-23.06	0.78	-95.23	30.58	-13.00	-37.76
2	11373.00	-53.16	RMS	39.10	-23.04	0.60	-95.23	25.41	-13.00	-40.16
3	15165.00	-51.59	RMS	39.43	-22.44	0.50	-95.23	26.15	-13.00	-38.59
4	18956.00	-64.48	RMS	38.21	-38.48	-9.54	-95.23	40.56	-13.00	-51.48
5	22748.00	-64.66	RMS	38.60	-32.69	-9.54	-95.23	34.20	-13.00	-51.66
6	26539.00	-64.15	RMS	39.58	-31.14	-9.54	-95.23	32.18	-13.00	-51.15



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1230_241025 Vertical
: NR SA n77 100M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7582.00	-48.48	RMS	36.17	-23.06	0.78	-95.23	32.86	-13.00	-35.48
2	11373.00	-52.80	RMS	39.10	-23.04	0.60	-95.23	25.77	-13.00	-39.80
3	15165.00	-51.28	RMS	39.43	-22.44	0.50	-95.23	26.46	-13.00	-38.28
4	18956.00	-64.28	RMS	38.21	-38.48	-9.54	-95.23	40.76	-13.00	-51.28
5	22748.00	-64.45	RMS	38.60	-32.69	-9.54	-95.23	34.41	-13.00	-51.45
6	26539.00	-64.02	RMS	39.58	-31.14	-9.54	-95.23	32.31	-13.00	-51.02




Ant. 0+3

Part 270 Mode 7

NR SA n77 PC1.5 MIMO(DFT-S) 100M Ch662000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm						g		dB	
1	7762.00	-53.55	RMS	36.67	-23.05	0.70	-95.23	27.36	-13.00	-40.55	Horizontal
2	11643.00	-53.17	RMS	38.70	-23.05	0.56	-95.23	25.85	-13.00	-40.17	Horizontal
3	15525.00	-52.17	RMS	39.05	-21.97	0.48	-95.23	25.50	-13.00	-39.17	Horizontal
4	19406.00	-64.73	RMS	38.10	-37.87	-9.54	-95.23	39.81	-13.00	-51.73	Horizontal
5	23288.00	-63.27	RMS	39.08	-32.14	-9.54	-95.23	34.56	-13.00	-50.27	Horizontal
6	27169.00	-63.13	RMS	39.26	-31.05	-9.54	-95.23	33.43	-13.00	-50.13	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm						g		dB	
1	7762.00	-49.27	RMS	36.67	-23.05	0.70	-95.23	31.64	-13.00	-36.27	Vertical
2	11643.00	-52.75	RMS	38.70	-23.05	0.56	-95.23	26.27	-13.00	-39.75	Vertical
3	15525.00	-51.45	RMS	39.05	-21.97	0.48	-95.23	26.22	-13.00	-38.45	Vertical
4	19406.00	-64.71	RMS	38.10	-37.87	-9.54	-95.23	39.83	-13.00	-51.71	Vertical
5	23288.00	-61.29	RMS	39.08	-32.14	-9.54	-95.23	36.54	-13.00	-48.29	Vertical
6	27169.00	-63.43	RMS	39.26	-31.05	-9.54	-95.23	33.13	-13.00	-50.43	Vertical




Ant. 2+1

Part 270 Mode 8

NR SA n77 PC1.5 MIMO(DFT-S) 100M Ch650000 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	7402.00	-54.14	RMS	36.30	-23.07	0.85	-95.23	27.01	-13.00	-41.14	Horizontal
2	11103.00	-53.06	RMS	38.91	-22.98	0.63	-95.23	25.61	-13.00	-40.06	Horizontal
3	14805.00	-51.71	RMS	39.69	-22.56	0.51	-95.23	25.88	-13.00	-38.71	Horizontal
4	18506.00	-63.92	RMS	38.08	-38.89	-9.54	-95.23	41.66	-13.00	-50.92	Horizontal
5	22208.00	-63.40	RMS	38.13	-33.23	-9.54	-95.23	36.47	-13.00	-50.40	Horizontal
6	25909.00	-64.32	RMS	38.84	-30.95	-9.54	-95.23	32.56	-13.00	-51.32	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	7402.00	-51.16	RMS	36.30	-23.07	0.85	-95.23	29.99	-13.00	-38.16	Vertical
2	11103.00	-52.87	RMS	38.91	-22.98	0.63	-95.23	25.80	-13.00	-39.87	Vertical
3	14805.00	-51.77	RMS	39.69	-22.56	0.51	-95.23	25.82	-13.00	-38.77	Vertical
4	18506.00	-60.89	RMS	38.08	-38.89	-9.54	-95.23	44.69	-13.00	-47.89	Vertical
5	22208.00	-63.59	RMS	38.13	-33.23	-9.54	-95.23	36.28	-13.00	-50.59	Vertical
6	25909.00	-64.21	RMS	38.84	-30.95	-9.54	-95.23	32.67	-13.00	-51.21	Vertical




Ant. 2+1

Part 270 Mode 8

NR SA n77 PC1.5 MIMO(DFT-S) 100M Ch656000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 100M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7582.00	-54.21	RMS	36.17	-23.06	0.78	-95.23	27.13	-13.00	-41.21
2	11373.00	-50.79	RMS	39.10	-23.04	0.60	-95.23	27.78	-13.00	-37.79
3	15165.00	-50.73	RMS	39.43	-22.44	0.50	-95.23	27.01	-13.00	-37.73
4	18956.00	-64.29	RMS	38.21	-38.48	-9.54	-95.23	40.75	-13.00	-51.29
5	22748.00	-62.04	RMS	38.60	-32.69	-9.54	-95.23	36.82	-13.00	-49.04
6	26539.00	-63.86	RMS	39.58	-31.14	-9.54	-95.23	32.47	-13.00	-50.86



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 100M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7582.00	-52.44	RMS	36.17	-23.06	0.78	-95.23	28.90	-13.00	-39.44
2	11373.00	-46.24	RMS	39.10	-23.04	0.60	-95.23	32.33	-13.00	-33.24
3	15165.00	-50.22	RMS	39.43	-22.44	0.50	-95.23	27.52	-13.00	-37.22
4	18956.00	-64.24	RMS	38.21	-38.48	-9.54	-95.23	40.80	-13.00	-51.24
5	22748.00	-57.87	RMS	38.60	-32.69	-9.54	-95.23	40.99	-13.00	-44.87
6	26539.00	-64.17	RMS	39.58	-31.14	-9.54	-95.23	32.16	-13.00	-51.17




Ant. 2+1

Part 270 Mode 8

NR SA n77 PC1.5 MIMO(DFT-S) 100M Ch662000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	7762.00	-54.50	RMS	36.67	-23.05	0.70	-95.23	26.41	-13.00	-41.50	Horizontal
2	11643.00	-53.91	RMS	38.70	-23.05	0.56	-95.23	25.11	-13.00	-40.91	Horizontal
3	15525.00	-52.15	RMS	39.05	-21.97	0.48	-95.23	25.52	-13.00	-39.15	Horizontal
4	19406.00	-64.68	RMS	38.10	-37.87	-9.54	-95.23	39.86	-13.00	-51.68	Horizontal
5	23288.00	-63.95	RMS	39.08	-32.14	-9.54	-95.23	33.88	-13.00	-50.95	Horizontal
6	27169.00	-63.60	RMS	39.26	-31.05	-9.54	-95.23	32.96	-13.00	-50.60	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	7762.00	-52.55	RMS	36.67	-23.05	0.70	-95.23	28.36	-13.00	-39.55	Vertical
2	11643.00	-52.82	RMS	38.70	-23.05	0.56	-95.23	26.20	-13.00	-39.82	Vertical
3	15525.00	-51.07	RMS	39.05	-21.97	0.48	-95.23	26.60	-13.00	-38.07	Vertical
4	19406.00	-64.75	RMS	38.10	-37.87	-9.54	-95.23	39.79	-13.00	-51.75	Vertical
5	23288.00	-61.86	RMS	39.08	-32.14	-9.54	-95.23	35.97	-13.00	-48.86	Vertical
6	27169.00	-63.89	RMS	39.26	-31.05	-9.54	-95.23	32.67	-13.00	-50.89	Vertical




Ant. 2+3

Part 270 Mode 9

NR SA n77 PC1.5 MIMO(DFT-S) 100M Ch650000 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	7402.00	-53.86	RMS	36.30	-23.07	0.85	-95.23	27.29	-13.00	-40.86	Horizontal
2	11103.00	-53.19	RMS	38.91	-22.98	0.63	-95.23	25.48	-13.00	-40.19	Horizontal
3	14805.00	-51.60	RMS	39.69	-22.56	0.51	-95.23	25.99	-13.00	-38.60	Horizontal
4	18506.00	-64.38	RMS	38.08	-38.89	-9.54	-95.23	41.20	-13.00	-51.38	Horizontal
5	22208.00	-64.34	RMS	38.13	-33.23	-9.54	-95.23	35.53	-13.00	-51.34	Horizontal
6	25909.00	-64.18	RMS	38.84	-30.95	-9.54	-95.23	32.70	-13.00	-51.18	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	7402.00	-51.14	RMS	36.30	-23.07	0.85	-95.23	30.01	-13.00	-38.14	Vertical
2	11103.00	-52.42	RMS	38.91	-22.98	0.63	-95.23	26.25	-13.00	-39.42	Vertical
3	14805.00	-51.08	RMS	39.69	-22.56	0.51	-95.23	26.51	-13.00	-38.08	Vertical
4	18506.00	-60.80	RMS	38.08	-38.89	-9.54	-95.23	44.78	-13.00	-47.80	Vertical
5	22208.00	-64.30	RMS	38.13	-33.23	-9.54	-95.23	35.57	-13.00	-51.30	Vertical
6	25909.00	-64.05	RMS	38.84	-30.95	-9.54	-95.23	32.83	-13.00	-51.05	Vertical




Ant. 2+3

Part 270 Mode 9

NR SA n77 PC1.5 MIMO(DFT-S) 100M Ch656000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 100M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7582.00	-55.36 RMS	36.17	-23.06	0.78	-95.23	25.98	-13.00	-42.36	Horizontal
2	11373.00	-53.20 RMS	39.10	-23.04	0.60	-95.23	25.37	-13.00	-40.20	Horizontal
3	15165.00	-51.68 RMS	39.43	-22.44	0.50	-95.23	26.06	-13.00	-38.68	Horizontal
4	18956.00	-64.23 RMS	38.21	-38.48	-9.54	-95.23	40.81	-13.00	-51.23	Horizontal
5	22748.00	-64.40 RMS	38.60	-32.69	-9.54	-95.23	34.46	-13.00	-51.40	Horizontal
6	26539.00	-63.86 RMS	39.58	-31.14	-9.54	-95.23	32.47	-13.00	-50.86	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 100M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7582.00	-52.55 RMS	36.17	-23.06	0.78	-95.23	28.79	-13.00	-39.55	Vertical
2	11373.00	-52.65 RMS	39.10	-23.04	0.60	-95.23	25.92	-13.00	-39.65	Vertical
3	15165.00	-51.07 RMS	39.43	-22.44	0.50	-95.23	26.67	-13.00	-38.07	Vertical
4	18956.00	-64.48 RMS	38.21	-38.48	-9.54	-95.23	40.56	-13.00	-51.48	Vertical
5	22748.00	-64.19 RMS	38.60	-32.69	-9.54	-95.23	34.67	-13.00	-51.19	Vertical
6	26539.00	-64.18 RMS	39.58	-31.14	-9.54	-95.23	32.15	-13.00	-51.18	Vertical




Ant. 2+3

Part 270 Mode 9

NR SA n77 PC1.5 MIMO(DFT-S) 100M Ch662000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm						g		dB	
1	7762.00	-54.37	RMS	36.67	-23.05	0.70	-95.23	26.54	-13.00	-41.37	Horizontal
2	11643.00	-53.65	RMS	38.70	-23.05	0.56	-95.23	25.37	-13.00	-40.65	Horizontal
3	15525.00	-51.68	RMS	39.05	-21.97	0.48	-95.23	25.99	-13.00	-38.68	Horizontal
4	19406.00	-64.42	RMS	38.10	-37.87	-9.54	-95.23	40.12	-13.00	-51.42	Horizontal
5	23288.00	-63.85	RMS	39.08	-32.14	-9.54	-95.23	33.98	-13.00	-50.85	Horizontal
6	27169.00	-64.02	RMS	39.26	-31.05	-9.54	-95.23	32.54	-13.00	-51.02	Horizontal



Site : 03CH20-HY


Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm						g		dB	
1	7762.00	-52.44	RMS	36.67	-23.05	0.70	-95.23	28.47	-13.00	-39.44	Vertical
2	11643.00	-51.65	RMS	38.70	-23.05	0.56	-95.23	27.37	-13.00	-38.65	Vertical
3	15525.00	-51.71	RMS	39.05	-21.97	0.48	-95.23	25.96	-13.00	-38.71	Vertical
4	19406.00	-64.91	RMS	38.10	-37.87	-9.54	-95.23	39.63	-13.00	-51.91	Vertical
5	23288.00	-61.58	RMS	39.08	-32.14	-9.54	-95.23	36.25	-13.00	-48.58	Vertical
6	27169.00	-63.59	RMS	39.26	-31.05	-9.54	-95.23	32.97	-13.00	-50.59	Vertical




Ant. 1+3

Part 270 Mode 10**NR SA n77 PC1.5 MIMO(DFT-S) 100M Ch650000 1RB1 BPSK****L**

Site : 03CH20-HY
Condition: -13 1m BBHA9170_1230_241025 Horizontal
: NR SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7402.00	-51.61	RMS	36.30	-23.07	0.85	-95.23	29.54	-13.00	-38.61	Horizontal
2	11103.00	-53.20	RMS	38.91	-22.98	0.63	-95.23	25.47	-13.00	-40.20	Horizontal
3	14805.00	-51.76	RMS	39.69	-22.56	0.51	-95.23	25.83	-13.00	-38.76	Horizontal
4	18506.00	-64.97	RMS	38.08	-38.89	-9.54	-95.23	40.61	-13.00	-51.97	Horizontal
5	22208.00	-64.38	RMS	38.13	-33.23	-9.54	-95.23	35.49	-13.00	-51.38	Horizontal
6	25909.00	-55.48	RMS	38.84	-30.95	-9.54	-95.23	41.40	-13.00	-42.48	Horizontal
7	29610.00	-60.52	RMS	40.18	-30.29	-9.54	-95.23	34.36	-13.00	-47.52	Horizontal



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1230_241025 Vertical
: NR SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7402.00	-49.05	RMS	36.30	-23.07	0.85	-95.23	32.10	-13.00	-36.05	Vertical
2	11103.00	-52.85	RMS	38.91	-22.98	0.63	-95.23	25.82	-13.00	-39.85	Vertical
3	14805.00	-51.19	RMS	39.69	-22.56	0.51	-95.23	26.40	-13.00	-38.19	Vertical
4	18506.00	-61.13	RMS	38.08	-38.89	-9.54	-95.23	44.45	-13.00	-48.13	Vertical
5	22208.00	-62.60	RMS	38.13	-33.23	-9.54	-95.23	37.27	-13.00	-49.60	Vertical
6	25909.00	-53.64	RMS	38.84	-30.95	-9.54	-95.23	43.24	-13.00	-40.64	Vertical
7	29610.00	-60.34	RMS	40.18	-30.29	-9.54	-95.23	34.54	-13.00	-47.34	Vertical




Ant. 1+3

Part 270 Mode 10

NR SA n77 PC1.5 MIMO(DFT-S) 100M Ch656000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	7582.00	-55.95	RMS	36.17	-23.06	0.78	-95.23	25.39	-13.00	-42.95	Horizontal
2	11373.00	-53.31	RMS	39.10	-23.04	0.60	-95.23	25.26	-13.00	-40.31	Horizontal
3	15165.00	-51.77	RMS	39.43	-22.44	0.50	-95.23	25.97	-13.00	-38.77	Horizontal
4	18956.00	-64.27	RMS	38.21	-38.48	-9.54	-95.23	40.77	-13.00	-51.27	Horizontal
5	22748.00	-58.03	RMS	38.60	-32.69	-9.54	-95.23	40.83	-13.00	-45.03	Horizontal
6	26539.00	-54.95	RMS	39.58	-31.14	-9.54	-95.23	41.38	-13.00	-41.95	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	7582.00	-53.64	RMS	36.17	-23.06	0.78	-95.23	27.70	-13.00	-40.64	Vertical
2	11373.00	-53.33	RMS	39.10	-23.04	0.60	-95.23	25.24	-13.00	-40.33	Vertical
3	15165.00	-51.94	RMS	39.43	-22.44	0.50	-95.23	25.80	-13.00	-38.94	Vertical
4	18956.00	-64.58	RMS	38.21	-38.48	-9.54	-95.23	40.46	-13.00	-51.58	Vertical
5	22748.00	-59.13	RMS	38.60	-32.69	-9.54	-95.23	39.73	-13.00	-46.13	Vertical
6	26539.00	-54.52	RMS	39.58	-31.14	-9.54	-95.23	41.81	-13.00	-41.52	Vertical




Ant. 1+3

Part 270 Mode 10

NR SA n77 PC1.5 MIMO(DFT-S) 100M Ch662000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Horizontal

: NR SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	7762.00	-54.64	RMS	36.67	-23.05	0.70	-95.23	26.27	-13.00	-41.64	Horizontal
2	11643.00	-53.56	RMS	38.70	-23.05	0.56	-95.23	25.46	-13.00	-40.56	Horizontal
3	15525.00	-52.30	RMS	39.05	-21.97	0.48	-95.23	25.37	-13.00	-39.30	Horizontal
4	19406.00	-64.84	RMS	38.10	-37.87	-9.54	-95.23	39.70	-13.00	-51.84	Horizontal
5	23288.00	-59.94	RMS	39.08	-32.14	-9.54	-95.23	37.89	-13.00	-46.94	Horizontal
6	27169.00	-54.96	RMS	39.26	-31.05	-9.54	-95.23	41.60	-13.00	-41.96	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1230_241025 Vertical

: NR SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	7762.00	-52.76	RMS	36.67	-23.05	0.70	-95.23	28.15	-13.00	-39.76	Vertical
2	11643.00	-51.52	RMS	38.70	-23.05	0.56	-95.23	27.50	-13.00	-38.52	Vertical
3	15525.00	-51.47	RMS	39.05	-21.97	0.48	-95.23	26.20	-13.00	-38.47	Vertical
4	19406.00	-64.21	RMS	38.10	-37.87	-9.54	-95.23	40.33	-13.00	-51.21	Vertical
5	23288.00	-57.50	RMS	39.08	-32.14	-9.54	-95.23	40.33	-13.00	-44.50	Vertical
6	27169.00	-55.71	RMS	39.26	-31.05	-9.54	-95.23	40.85	-13.00	-42.71	Vertical




Ant. 0

Part 90R Mode 1

NR SA n14 5M Ch158100 1RB1 BPSK

L




Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Horizontal

: NR SA n14 5M Ch158100 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g	g			
	MHz	dBm			1	EIRPCF					
1	1577.00	-65.44	RMS	25.34	-28.88	0.53	-95.23	32.80	-42.15	-23.29	Horizontal
2	2366.00	-65.53	RMS	27.30	-27.68	0.41	-95.23	29.67	-13.00	-52.53	Horizontal
3	3154.00	-62.74	RMS	29.81	-26.22	0.45	-95.23	28.45	-13.00	-49.74	Horizontal



Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Vertical

: NR SA n14 5M Ch158100 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g	g			
	MHz	dBm			1	EIRPCF					
1	1577.00	-65.40	RMS	25.34	-28.88	0.53	-95.23	32.84	-42.15	-23.25	Vertical
2	2366.00	-65.34	RMS	27.30	-27.68	0.41	-95.23	29.86	-13.00	-52.34	Vertical
3	3154.00	-62.61	RMS	29.81	-26.22	0.45	-95.23	28.58	-13.00	-49.61	Vertical




Ant. 0

Part 90R Mode 1

NR SA n14 5M Ch158600 1RB1 BPSK

M




Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Horizontal

: NR SA n14 5M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g	g			
	MHz	dBm			1	EIRPCF					
1	1582.00	-66.64	RMS	25.40	-28.87	0.53	-95.23	31.53	-42.15	-24.49	Horizontal
2	2373.00	-65.69	RMS	27.27	-27.67	0.41	-95.23	29.53	-13.00	-52.69	Horizontal
3	3164.00	-62.60	RMS	29.83	-26.22	0.45	-95.23	28.57	-13.00	-49.60	Horizontal



Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Vertical

: NR SA n14 5M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g	g			
	MHz	dBm			1	EIRPCF					
1	1582.00	-65.77	RMS	25.40	-28.87	0.53	-95.23	32.40	-42.15	-23.62	Vertical
2	2373.00	-65.45	RMS	27.27	-27.67	0.41	-95.23	29.77	-13.00	-52.45	Vertical
3	3164.00	-62.71	RMS	29.83	-26.22	0.45	-95.23	28.46	-13.00	-49.71	Vertical




Ant. 0

Part 90R Mode 1

NR SA n14 5M Ch159100 1RB1 BPSK

H




Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Horizontal

: NR SA n14 5M Ch159100 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g	g			
	MHz	dBm			1	EIRPCF					
1	1587.00	-66.38	RMS	25.40	-28.86	0.53	-95.23	31.78	-42.15	-24.23	Horizontal
2	2380.00	-65.29	RMS	27.20	-27.66	0.42	-95.23	29.98	-13.00	-52.29	Horizontal
3	3174.00	-62.97	RMS	29.85	-26.22	0.46	-95.23	28.17	-13.00	-49.97	Horizontal



Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Vertical

: NR SA n14 5M Ch159100 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g	g			
	MHz	dBm			1	EIRPCF					
1	1587.00	-65.83	RMS	25.40	-28.86	0.53	-95.23	32.33	-42.15	-23.68	Vertical
2	2380.00	-65.67	RMS	27.20	-27.66	0.42	-95.23	29.60	-13.00	-52.67	Vertical
3	3174.00	-62.66	RMS	29.85	-26.22	0.46	-95.23	28.48	-13.00	-49.66	Vertical




Ant. 0

Part 90S Mode 1

NR SA n26 5M Ch163300 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Horizontal

: NR SA n26 5M Ch163300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin	Pol
				Factor	1	dB	dB	dBuV	dBm		
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1629.00	-62.40	RMS	25.41	-28.80	0.50	-95.23	35.72	-13.00	-49.40	Horizontal
2	2443.00	-64.06	RMS	27.60	-27.56	0.42	-95.23	30.71	-13.00	-51.06	Horizontal
3	3258.00	-61.99	RMS	29.58	-26.17	0.45	-95.23	29.38	-13.00	-48.99	Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Vertical

: NR SA n26 5M Ch163300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin	Pol
				Factor	1	dB	dB	dBuV	dBm		
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1629.00	-59.78	RMS	25.41	-28.80	0.50	-95.23	38.34	-13.00	-46.78	Vertical
2	2443.00	-64.25	RMS	27.60	-27.56	0.42	-95.23	30.52	-13.00	-51.25	Vertical
3	3258.00	-61.97	RMS	29.58	-26.17	0.45	-95.23	29.40	-13.00	-48.97	Vertical




Ant. 0

Part 90S Mode 1


NR SA n26 5M Ch163800 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Horizontal
: NR SA n26 5M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin	Pol
				Factor	1	dB	dB	dBuV	dBm		
1	1634.00	-62.14	RMS	25.32	-28.79	0.49	-95.23	36.07	-13.00	-49.14	Horizontal
2	2451.00	-63.95	RMS	27.60	-27.55	0.42	-95.23	30.81	-13.00	-50.95	Horizontal
3	3268.00	-61.93	RMS	29.56	-26.16	0.44	-95.23	29.46	-13.00	-48.93	Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Vertical
: NR SA n26 5M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin	Pol
				Factor	1	dB	dB	dBuV	dBm		
1	1634.00	-58.96	RMS	25.32	-28.79	0.49	-95.23	39.25	-13.00	-45.96	Vertical
2	2451.00	-63.86	RMS	27.60	-27.55	0.42	-95.23	30.90	-13.00	-50.86	Vertical
3	3268.00	-61.99	RMS	29.56	-26.16	0.44	-95.23	29.40	-13.00	-48.99	Vertical




Ant. 0

Part 90S Mode 1

NR SA n26 5M Ch164300 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Horizontal

: NR SA n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1639.00	-57.95	RMS	25.22	-28.78	0.49	-95.23	40.35	-13.00	-44.95	Horizontal	
2	2458.00	-63.65	RMS	27.60	-27.54	0.42	-95.23	31.10	-13.00	-50.65	Horizontal	
3	3278.00	-62.35	RMS	29.54	-26.15	0.44	-95.23	29.05	-13.00	-49.35	Horizontal	



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Vertical

: NR SA n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1639.00	-54.81	RMS	25.22	-28.78	0.49	-95.23	43.49	-13.00	-41.81	Vertical	
2	2458.00	-63.59	RMS	27.60	-27.54	0.42	-95.23	31.16	-13.00	-50.59	Vertical	
3	3278.00	-62.51	RMS	29.54	-26.15	0.44	-95.23	28.89	-13.00	-49.51	Vertical	




Ant. 0

Part 90S Mode 2

NR SA n26 10M Ch163800 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Horizontal

: NR SA n26 10M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1629.00	-60.03	RMS		25.41	-28.80	0.50	-95.23	38.09	-13.00	-47.03		Horizontal
2	2444.00	-64.12	RMS		27.60	-27.56	0.42	-95.23	30.65	-13.00	-51.12		Horizontal
3	3259.00	-62.09	RMS		29.58	-26.16	0.45	-95.23	29.27	-13.00	-49.09		Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Vertical

: NR SA n26 10M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1629.00	-57.18	RMS		25.41	-28.80	0.50	-95.23	40.94	-13.00	-44.18		Vertical
2	2444.00	-64.35	RMS		27.60	-27.56	0.42	-95.23	30.42	-13.00	-51.35		Vertical
3	3259.00	-62.35	RMS		29.58	-26.16	0.45	-95.23	29.01	-13.00	-49.35		Vertical




Ant. 0

Part 90S Mode 3

NR SA n26 15M Ch164800 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Horizontal

: NR SA n26 15M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit		Margin	Pol
					dB/m	dB		dB	dB		dBm	dB		
1	1635.00	-59.59	RMS		25.30	-28.79	0.49	-95.23		38.64	-13.00	-46.59	Horizontal	
2	2452.00	-63.99	RMS		27.60	-27.55	0.42	-95.23		30.77	-13.00	-50.99	Horizontal	
3	3270.00	-62.49	RMS		29.56	-26.16	0.44	-95.23		28.90	-13.00	-49.49	Horizontal	



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Vertical

: NR SA n26 15M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit		Margin	Pol
					dB/m	dB		dB	dB		dBm	dB		
1	1635.00	-55.98	RMS		25.30	-28.79	0.49	-95.23		42.25	-13.00	-42.98	Vertical	
2	2452.00	-63.59	RMS		27.60	-27.55	0.42	-95.23		31.17	-13.00	-50.59	Vertical	
3	3270.00	-62.47	RMS		29.56	-26.16	0.44	-95.23		28.92	-13.00	-49.47	Vertical	




Ant. 0

Part 90S Mode 4

NR SA n26 20M Ch164800 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Horizontal

: NR SA n26 20M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin	Pol
				Factor	1	dB	dB	dBuV	dBm		
1	1630.00	-60.01	RMS	25.40	-28.80	0.49	-95.23	38.13	-13.00	-47.01	Horizontal
2	2445.00	-63.41	RMS	27.60	-27.56	0.42	-95.23	31.36	-13.00	-50.41	Horizontal
3	3261.00	-62.19	RMS	29.58	-26.16	0.44	-95.23	29.18	-13.00	-49.19	Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Vertical

: NR SA n26 20M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin	Pol
				Factor	1	dB	dB	dBuV	dBm		
1	1630.00	-57.53	RMS	25.40	-28.80	0.49	-95.23	40.61	-13.00	-44.53	Vertical
2	2445.00	-63.98	RMS	27.60	-27.56	0.42	-95.23	30.79	-13.00	-50.98	Vertical
3	3261.00	-62.11	RMS	29.58	-26.16	0.44	-95.23	29.26	-13.00	-49.11	Vertical




Ant. 0+2

Part 27M Mode 8


NR SA n41 PC1.5 MIMO(DFT-S) 100M Ch518598 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -25 3m HF_9120D_02360_241101 Horizontal
: SA N41 100M Ch518598 1RB1 BPSK
: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	2546.00	11.67	RMS	28.20	8.91	0.00	-95.23	69.79	-25.00	36.67	Horizontal



Site : 03CH20-HY
Condition: -25 3m HF_9120D_02360_241101 Vertical
: SA N41 100M Ch518598 1RB1 BPSK
: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	2546.00	22.65	RMS	28.20	8.91	0.00	-95.23	80.77	-25.00	47.65	Vertical

Remark: #1 is fundamental signal which can be ignored.