


FCC Radio Test Report

FCC ID: 2AQ7C-M650A

Original Grant

Report No. : TB-FCC161992
Applicant : SHENZHEN TOVISION TECHNOLOGIES CO., LTD
Equipment Under Test (EUT)
EUT Name : Wireless trail camera
Model No. : M650-A
Serial Model No. : N/A
Brand Name : 
Receipt Date : 2018-09-07
Test Date : 2018-09-08 to 2018-10-22
Issue Date : 2018-10-23
Standards : 47 CFR Part 2, 24(E), 27
Test Method : ANSI C63.26 2015
Conclusions : **PASS**

In the configuration tested, the EUT complied with the standards specified above,

Test/Witness Engineer : 
Engineer Supervisor : 
Engineer Manager : 



This report details the results of the testing carried out on one sample. The results contained in this test report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in the report.

Contents

CONTENTS.....	2
1. GENERAL INFORMATION ABOUT EUT	5
1.1 Client Information.....	5
1.2 General Description of EUT (Equipment Under Test)	5
1.3 Block Diagram Showing the Configuration of System Tested.....	8
1.4 Description of Support Units	8
1.5 Description of Test Mode.....	9
1.6 Measurement Uncertainty	10
1.7 Test Facility.....	10
2. TEST SUMMARY	11
3. TEST EQUIPMENT.....	12
4. CONDUCTED RF OUTPUT POWER.....	13
4.1 Test Standard and Limit.....	13
4.2 Test Setup.....	13
4.3 Test Procedure.....	13
4.4 EUT Operating Condition	13
4.5 Test Data.....	13
5. PEAK-AVERAGE RATIO	14
5.1 Test Standard and Limit.....	14
5.2 Test Setup.....	14
5.3 Test Procedure.....	14
5.4 EUT Operating Condition	14
5.5 Test Data.....	14
6. OCCUPIED BANDWIDTH	15
6.1 Test Standard and Limit.....	15
6.2 Test Setup.....	15
6.3 Test Procedure.....	15
6.4 EUT Operating Condition	16
6.5 Test Data.....	16
7. OUT OF BAND EMISSION AT ANTENNA TERMINALS.....	17
7.1 Test Standard and Limit.....	17
7.2 Test Setup.....	17
7.3 Test Procedure.....	18
7.4 EUT Operating Condition	18
7.5 Test Data.....	18
8. BAND EDGE TEST	19
8.1 Test Standard and Limit.....	19
8.2 Test Setup.....	19
8.3 Test Procedure.....	19

8.4 EUT Operating Condition	20
8.5 Test Data.....	20
9. RADIATED OUTPUT POWER	21
9.1 Test Standard and Limit.....	21
9.2 Test Setup.....	21
9.3 Test Procedure.....	22
9.4 EUT Operating Condition	22
9.5 Test Data.....	22
10. RADIATED OUT BAND OF EMISSIONS.....	23
10.1 Test Standard and Limit	23
10.2 Test Setup.....	23
10.3 Test Procedure.....	23
10.4 EUT Operating Condition	24
10.5 Test Data.....	24
11. FREQUENCY STABILITY	25
11.1 Test Standard and Limit	25
11.2 Test Setup.....	25
11.3 Test Procedure.....	26
11.4 EUT Operating Condition	26
11.5 Test Data.....	26
ATTACHMENT A--CONDUCTED RF OUTPUT POWER	27
ATTACHMENT B--PEAK-AVERAGE RATIO	35
ATTACHMENT C--OCCUPY BANDWIDTH	39
ATTACHMENT D--OUT OF BAND EMISSION AT ANTENNA TERMINALS	58
ATTACHMENT E--BAND EDGE TEST	90
ATTACHMENT F--RADIATED OUTPUT POWER	122
ATTACHMENT G--RADIATED OUT BAND OF EMISSIONS	130
ATTACHMENT H--FREQUENCY STABILITY	138

Revision History

Report No.	Version	Description	Issued Date
TB-FCC161992	Rev.01	Initial issue of report	2018-10-23

1. General Information about EUT

1.1 Client Information

Applicant	:	SHENZHEN TOVISION TECHNOLOGIES CO., LTD
Address	:	136A, Yangguang Zhonglv Garden, 2057# Qianhai Road, Nanshan District, Shenzhen City, China
Manufacturer	:	SHENZHEN TOVISION TECHNOLOGIES CO., LTD
Address	:	136A, Yangguang Zhonglv Garden, 2057# Qianhai Road, Nanshan District, Shenzhen City, China

1.2 General Description of EUT (Equipment Under Test)

EUT Name	:	Wireless trail camera	
Models No.	:	M650-A	
Model Difference	:	N/A	
Product Description	:	Frequency Bands: LTE Band 2:TX: 1850MHz-1910MHz, RX: 1930MHz-1990MHz LTE Band 4:TX: 1710MHz-1755MHz, RX: 2110MHz-2155MHz LTE Band 12: TX: 699MHz -716MHz, RX: 729MHz-746MHz	
		Antenna Type:	Dipole Antenna
		Antenna Gain:	3dBi
		Modulation Type:	QPSK, 16QAM
		Bandwidth:	LTE Band 2 :1.4MHz/3MHz/5MHz/10MHz/15MHz/20MHz LTE Band 4 :1.4MHz/3MHz/5MHz/10MHz/15MHz/20MHz LTE Band 12 :1.4MHz/3MHz/5MHz/10MHz
Power Rating	:	DC 12*1.5V AA Battery. DC 6V from USB Port.	
Software Version	:	N/A	
Hardware Version	:	N/A	
Connecting I/O Port(S)	:	Please refer to the User's Manual	

Note:

- (1) For a more detailed features description, please refer to the manufacturer's specifications or the User's Manual.


(2) Channel List

LTE Band 2(1.4MHz)		LTE Band 2(3MHz)	
Channel	Frequency (MHz)	Channel	Frequency (MHz)
18607	1850.70	18607	1850.70
18608	1850.80	18608	1850.80
.....			
18899	1879.90	18899	1879.90
18900	1880.00	18900	1880.00
18901	1880.10	18901	1880.10
.....			
19192	1909.20	19192	1909.20
19193	1909.30	19193	1909.30
LTE Band 2(5MHz)		LTE Band 2(10MHz)	
Channel	Frequency (MHz)	Channel	Frequency (MHz)
18615	1851.50	18625	1855.00
18616	1851.60	18626	1854.90
.....			
18899	1879.90	18899	1879.90
18900	1880.00	18900	1880.00
18901	1880.10	18901	1880.10
.....			
19154	1908.40	19174	1907.90
19185	1908.50	19175	1905.00
LTE Band 2(15MHz)		LTE Band 2(20MHz)	
Channel	Frequency (MHz)	Channel	Frequency (MHz)
18675	1857.50	18700	1860.00
18676	1857.60	18701	1860.10
.....			
18899	1879.90	18899	1879.90
18900	1880.00	18900	1880.00
18901	1880.10	18901	1880.10
.....			
19124	1902.40	19099	1899.90
19125	1902.50	19100	1900.00
LTE Band 4(1.4MHz)		LTE Band 4(3MHz)	
Channel	Frequency (MHz)	Channel	Frequency (MHz)
19957	1710.70	19965	1711.50
19958	1710.80	19966	1711.60
.....			
20174	1732.40	20174	1732.40
20175	1732.50	20175	1732.50
20176	1732.60	20176	1732.60

.....			
20392	1754.20	20384	1753.40
20393	1754.30	20385	1753.50
LTE Band 4(5MHz)		LTE Band 4(10MHz)	
Channel	Frequency (MHz)	Channel	Frequency (MHz)
19975	1712.50	20000	1715.00
19976	1712.60	20001	1715.10
.....			
20174	1732.40	20174	1732.40
20175	1732.50	20175	1732.50
20176	1732.60	20176	1732.60
.....			
20374	1752.40	20349	1749.90
20375	1752.50	20350	1750.00
LTE Band 4(15MHz)		LTE Band 4(20MHz)	
Channel	Frequency (MHz)	Channel	Frequency (MHz)
20025	1717.50	20050	1720.00
20026	1717.60	20051	1720.10
.....			
20174	1732.40	20174	1732.40
20175	1732.50	20175	1732.50
20176	1732.60	20176	1732.60
.....			
20324	1747.40	20299	1744.90
20325	1747.50	20300	1745.00
LTE Band 12(1.4MHz)		LTE Band 12(3MHz)	
Channel	Frequency (MHz)	Channel	Frequency (MHz)
23017	699.70	23025	700.50
23018	699.80	23026	700.60
.....			
23094	707.40	23094	707.40
23095	707.50	23095	707.50
23096	707.60	23096	707.60
.....			
23172	715.20	23164	714.30
23173	715.30	23165	714.40
LTE Band 12(5MHz)		LTE Band 12(10MHz)	
Channel	Frequency (MHz)	Channel	Frequency (MHz)
23035	701.50	23060	704.00
23036	701.40	23061	703.90
.....			
23094	707.40	23094	707.40

23095	707.50	23095	707.50
23096	707.60	23096	707.60
.....			
23156	713.40	23129	710.90
23155	713.50	23130	711.00

1.3 Block Diagram Showing the Configuration of System Tested



The above block diagram of setup is the normal mode. And more detail please refer to the test setup of each test item of bellow.

1.4 Description of Support Units

The EUT has been tested as an independent unit.

1.5 Description of Test Mode

Antenna port conducted and radiated test items listed below are performed according to KDB 971168 D01 v03r01 and ANSI C63.26 2015 Power Meas. License Digital Systems with maximum output power. Radiated measurements are performed by rotating the EUT in three different ortho-gonal test planes to find the maximum emission.

Remark:

1. The mark “v ” means that this configuration is chosen for testing
2. The mark “--” means that this bandwidth is not supported.
3. The device is investigated from 30MHz to 10 times of fundamental signal for radiated

ITEMS	Band	Bandwidth (MHz)						Modulation		RB #			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	1	Half	Full	L	M	H
RF Output Power	2	V	V	V	V	V	V	V	V	V	V	V	V	V	V
	4	V	V	V	V	V	V	V	V	V	V	V	V	V	V
	12	V	V	V	V	--	--	V	V	V	V	V	V	V	V
Peak-to-Average Ratio	2	--	--	--	--	--	V	V	V			V	V	V	V
	4	--	--	--	--	--	V	V	V			V	V	V	V
	12	--	--	--	V	--	--	V	V			V	V	V	V
99% & -26 dB Occupied Bandwidth	2	V	V	V	V	V	V	V	V	V			V	V	V
	4	V	V	V	V	V	V	V	V	V			V	V	V
	12	V	V	V	V	--	--	V	V	V			V	V	V
Spurious Emissions at Antenna Terminal	2	V	V	V	V	V	V	V	V	V		V	V	V	V
	4	V	V	V	V	V	V	V	V	V		V	V	V	V
	12	V	V	V	V	--	--	V	V	V		V	V	V	V
Field Strength of Spurious Radiation	2	V	V	V	V	V	V	V	V	V				V	
	4	V	V	V	V	V	V	V	V	V				V	
	12	V	V	V	V	--	--	V	V	V				V	
Out of band emission, Band Edge	2	V	V	V	V	V	V	V	V	V		V	V	V	V
	4	V	V	V	V	V	V	V	V	V		V	V	V	V
	12	V	V	V	V	--	--	V	V	V		V	V	V	V
Frequency stability	2	V	V	V	V	V	V	V	V	V				V	
	4	V	V	V	V	V	V	V	V	V				V	
	12	V	V	V	V	--	--	V	V	V				V	

Note: (1) During the testing procedure, the EUT is in link mode with base station emulator at maximum power level in each test mode.

(2) The EUT is considered a portable unit; it was pre-tested on the positioned of each 3 axis, X-plane, Y-plane and Z-plane. The worst case was found positioned on Z-plane as the normal use. Therefore only the test data of this Z-plane was used for radiated emission measurement test.

1.6 Measurement Uncertainty

Test Item	Parameters	Expanded Uncertainty (U_{Lab})
RF Power, conducted	/	± 0.82 dB
Radiated Emission	Level Accuracy: 9kHz to 30 MHz	± 4.60 dB
Radiated Emission	Level Accuracy: 30MHz to 1000 MHz	± 4.40 dB
Radiated Emission	Level Accuracy: Above 1000MHz	± 4.20 dB

1.7 Test Facility

The testing report were performed by the Shenzhen Toby Technology Co., Ltd., in their facilities located at 1A/F., Bldg.6, Yusheng Industrial Zone, The National Road No.107 Xixiang Section 467, Xixiang, Bao'an, Shenzhen, Guangdong, China. At the time of testing, the following bodies accredited the Laboratory:

A2LA Certificate No.: 4750.01

The laboratory has been accredited by American Association for Laboratory Accreditation(A2LA) to ISO/IEC 17025: 2005 General Requirements for the Competence of Testing and Calibration Laboratories for the technical competence in the field of Electrical Testing. And the A2LA Certificate No.: 4750.01. FCC Accredited Test Site Number: 854351.

IC Registration No.: (11950A-1)

The Laboratory has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing. The site registration: Site# 11950A-1.

2. Test Summary

Test Item	Section in CFR 47	Result
RF Output Power	Part 2.1046 Part 24.232(c) Part 27.50 (b)(10) Part 27.50 (d)(4) Part 27.50 (h)(2)	PASS
Peak-to-Average Ratio	Part 24.232(d) Part 27.50(d)(5)	PASS
99% & -26 dB Occupied Bandwidth	Part 2.1049 Part 24.238(b) Part 27.53(h) Part 27.53(m)	PASS
Spurious Emissions at Antenna Terminal	Part 2.1051 Part 24.238(a) Part 27.53 (h) Part 27.53(m)	PASS
Field Strength of Spurious Radiation	Part 2.1053 Part 24.238(a) Part 27.53 (h) Part 27.53(m)	PASS
Out of band emission, Band Edge	Part 24.238(a) Part 27.53 (h) Part 27.53(m)	PASS
Frequency stability vs. temperature	Part 27.54 Part 24.235 Part 2.1055(a)(1)(b)	PASS
Frequency stability vs. voltage	Part 27.54 Part 24.235 Part 2.1055(d)(2)	PASS

Pass: The EUT complies with the essential requirements in the standard.

3. Test Equipment

Radiation Emission Test					
Equipment	Manufacturer	Model No.	Serial No.	Last Cal.	Cal. Due Date
Spectrum Analyzer	Agilent	E4407B	MY45106456	Jul. 18, 2018	Jul. 17, 2019
EMI Test Receiver	Rohde & Schwarz	ESPI	100010/007	Jul. 18, 2018	Jul. 17, 2019
Bilog Antenna	ETS-LINDGREN	3142E	00117537	Mar.16, 2018	Mar. 15, 2019
Bilog Antenna	ETS-LINDGREN	3142E	00117542	Mar.16, 2018	Mar. 15, 2019
Horn Antenna	ETS-LINDGREN	3117	00143207	Mar.16, 2018	Mar. 15, 2019
Horn Antenna	ETS-LINDGREN	3117	00143209	Mar.16, 2018	Mar. 15, 2019
Loop Antenna	SCHWARZBECK	FMZB 1519 B	1519B-059	Jul. 03, 2018	Jul. 02, 2019
Pre-amplifier	Sonoma	310N	185903	Mar.17, 2018	Mar. 16, 2019
Pre-amplifier	HP	8449B	3008A00849	Mar.17, 2018	Mar. 16, 2019
Cable	HUBER+SUHNER	100	SUCOFLEX	Mar.17, 2018	Mar. 16, 2019
Positioning Controller	ETS-LINDGREN	2090	N/A	N/A	N/A
Antenna Conducted Emission					
Equipment	Manufacturer	Model No.	Serial No.	Last Cal.	Cal. Due Date
Spectrum Analyzer	Agilent	E4407B	MY45106456	Jul. 18, 2018	Jul. 17, 2019
Spectrum Analyzer	Rohde & Schwarz	ESCI	100010/007	Jul. 18, 2018	Jul. 17, 2019
MXA Signal Analyzer	Agilent	N9020A	MY49100060	Oct. 26, 2017	Oct. 25, 2018
Vector Signal Generator	Agilent	N5182A	MY50141294	Oct. 26, 2017	Oct. 25, 2018
Analog Signal Generator	Agilent	N5181A	MY50141953	Oct. 26, 2017	Oct. 25, 2018
RF Power Sensor	DARE!! Instruments	RadiPowerRPR3006W	17I00015SNO26	Oct. 26, 2017	Oct. 25, 2018
	DARE!! Instruments	RadiPowerRPR3006W	17I00015SNO29	Oct. 26, 2017	Oct. 25, 2018
	DARE!! Instruments	RadiPowerRPR3006W	17I00015SNO31	Oct. 26, 2017	Oct. 25, 2018
	DARE!! Instruments	RadiPowerRPR3006W	17I00015SNO33	Oct. 26, 2017	Oct. 25, 2018
Wideband Radio Communication Tester	Rohde & Schwarz	CMW500	144382	Oct. 26, 2017	Oct. 25, 2018
Universal Radio Communication Tester	Rohde&Schwarz	CMU200	103903	Jul. 18, 2018	Jul. 17, 2019

4. Conducted RF Output Power

4.1 Test Standard and Limit


4.1.1 Test Standard

FCC part 2.1046, FCC part 24.232(c)
FCC Part 27.50(b)&(d),
FCC Part 27.50 (h)

4.1.2 Test Limit

RF Output Power		
LTE Band 2	LTE Band 4	LTE Band 12
2W(33dBm)	1W(30dBm)	30W(44.77dBm)

4.2 Test Setup



4.3 Test Procedure

- (1) The EUT is coupled to the Base Station with the suitable Attenuator, the path loss is calibrated to correct the reading.
- (2) A call is set up by the Base Station to the generic call set up procedure.
- (3) Set EUT at maximum power level through base station by power level command.
- (4) Then read record the power value from the Base Station in dBm.

4.4 EUT Operating Condition

The EUT was continuously connected with the Base station and transmitting in the max power during the test.

4.5 Test Data

Please refer to the Attachment A.

5. Peak-Average Ratio

5.1 Test Standard and Limit

5.1.1 Test Standard

FCC part 24.232(d)


FCC Part 27.50(d), FCC Part 27.50 (h)

5.1.2 Test Limit

Peak-to-Average Ratio

The peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.

5.2 Test Setup



5.3 Test Procedure

According with KDB 971168

- (1) The signal analyzer's CCDF measurement profile is enabled.
- (2) Frequency = carrier center frequency.
- (3) Measurement BW > Emission bandwidth of signal.
- (4) The signal analyzer was set to collect one million samples to generate the CCDF curve.
- (5) Set the EUT working in highest power level, measured and recorded the 0.1% as PAPR level.
- (6) The measurement interval was set depending on the type of signal analyzed. For continuous signals (>98% duty cycle), the measurement interval was set to 1ms. For burst transmissions, the spectrum analyzer is set to use an internal "RF Burst" trigger that is synced with an incoming pulse and the measurement interval is set to less than the duration of the "on time" of one burst to ensure that energy is only captured during a time in which of the transmitter is operating at maximum power.

5.4 EUT Operating Condition

The EUT was continuously connected with the Base station and transmitting in the max power during the test.

5.5 Test Data

Please refer to the Attachment B.

6. Occupied Bandwidth

6.1 Test Standard and Limit

6.1.1 Test Standard


FCC Part 2: 2.1049
FCC part 24.238(b)
FCC Part 27.53(h)
FCC Part 27.53(m)

6.1.2 Test Requirement

According to FCC section 2.1049, the occupied bandwidth is the frequency bandwidth such that below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission.

Occupied bandwidth is also known as 99% power and -26dBC occupied bandwidths.

6.2 Test Setup



6.3 Test Procedure

- (1) The EUT was directly connected to the spectrum analyzer and Base station via power splitter as show in the block diagram above.
- (2) The resolution bandwidth of the Spectrum Analyzer is set to at least 1% of the occupied bandwidth. VBW= 3 times RBW.
- (3) The low, middle and the high channels are selected to perform tests respectively.
- (4) Set the frequency range of the Spectrum Analyzer suitably to capture the waveform; search peak; make a line whose value is 26dB lower than the peak; mark two points which the line intersected the waveform at; finally record the delta of the two points as the occupied bandwidth and the plot.
- (5) Set the Spectrum Analyzer Occupied bandwidth function to measure the 99% occupied bandwidth.

6.4 EUT Operating Condition

The EUT was continuously connected with the Base station and transmitting in the max power during the test.

6.5 Test Data

Please refer to the Attachment C.

7. Out of Band Emission at Antenna Terminals

7.1 Test Standard and Limit

7.1.1 Test Standard

FCC Part 2: 2.1051, 2.1057


FCC part 24.238(a)

FCC Part 27.53 (h), FCC Part 27.53(m)

7.1.2 Test Limit

Band 7: For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log (P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log (P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log (P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log (P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log (P)$ dB at or below 2490.5 MHz. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power(P) by a factor of at least $43 + 10 \log (P)$ dB. For all power levels +30 dBm to 0 dBm, this becomes a constant specification limit of -13 dBm.

7.2 Test Setup



7.3 Test Procedure

- 1 The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation.
- 2 The resolution bandwidth of the spectrum analyzer was set at 100 kHz when below 1GHz, 1MHz when above 1 GHz; sufficient scans were taken to show the out of band Emissions if any up to 10th harmonic.
- 3 For the out of band: Set the RBW=100 kHz, VBW=300 kHz when below 1 GHz, RBW =1 MHz, VBW=3 MHz when above 1 GHz, Start=30MHz, Stop= 10th harmonic.
- 4 Band Edge Requirements: In the 1 MHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 1 percent of the emission bandwidth of the fundamental emission of the transmitter.

7.4 EUT Operating Condition

The EUT was continuously connected with the Base station and transmitting in the max power during the test.

7.5 Test Data

Please refer to the Attachment D.

8. Band Edge Test

8.1 Test Standard and Limit

8.1.1 Test Standard

FCC Part 2: 2.1051, 2.1057


FCC part 24.238(a)

FCC Part 27.53 (h), FCC Part 27.53(m)

8.1.2 Test Limit

Band 7: For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log (P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log (P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log (P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log (P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log (P)$ dB at or below 2490.5 MHz. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power(P) by a factor of at least $43 + 10 \log (P)$ dB. For all power levels +30 dBm to 0 dBm, this becomes a constant specification limit of -13 dBm.

8.2 Test Setup



8.3 Test Procedure

- (1) The EUT was directly connected to the spectrum analyzer and Base station via power splitter as show in the block diagram above.
- (2) Band Edge Requirements: In the 1 MHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 1 percent of the emission bandwidth of the fundamental emission of the transmitter.

8.4 EUT Operating Condition

The EUT was continuously connected with the Base station and transmitting in the max power during the test.

8.5 Test Data

Please refer to the Attachment E.

9. Radiated Output Power

9.1 Test Standard and Limit

9.1.1 Test Standard

FCC Part 2.1046


FCC part 24.232(c)

FCC part 27.50(c), FCC part 27.50(d)


9.1.2 Test Limit

E.I.R.P	E.I.R.P	E.R.P
LTE Band 2	LTE Band 4	LTE Band 12
2W(33 dBm)	1W(30 dBm)	3W(34.77dBm)

9.2 Test Setup



Above 1G



Substituted Method

9.3 Test Procedure

- (1) The EUT was placed on an non-conductive rotating platform with 0.8 meter height in an anechoic chamber. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and a spectrum analyzer with RBW=3 MHz, VBW=3 MHz and peak detector settings.
- (2) During the measurement, the EUT was enforced in maximum power and linked with the Base Station. The highest was recorded from analyzer power level (LVT) from the 360 degrees rotation of the turntable and the test antenna raised and lowered over a range from 1 to 4 meters in both horizontally and vertically polarized orientations.
- (3) Effective Isotropic Radiated Power (EIRP) was measured by substitution method according to C63.26. The EUT was replaced by dipole antenna (for frequency below 1 GHz) or Horn antenna (for frequency above 1 GHz) at same location with same polarize of receiver antenna and then a known power of each measure frequency from S.G. was applied into the dipole antenna or Horn antenna through a TX cable, and then recorded the maximum Analyzer reading through raised and lowered the test antenna.

Note: In test, the S.G Connect the Pre-amplifier(Sonoma 310N Pre-amplifier for frequency below 1 GHz, HP 8449B Pre-amplifier for frequency above 1 GHz)

Then the EUT's EIRP and ERP was calculated with the correction factor:

$ERP = S.G.Level + Antenna\ Gain\ Cord.(dBd) - Cable\ Loss(dB)$

$EIRP = S.G.Level + Antenna\ Gain\ Cord.(dBi) - Cable\ Loss(dB)$

9.4 EUT Operating Condition

The EUT was continuously connected with the Base station and transmitting in the max power during the test.

9.5 Test Data

Please refer to the Attachment F.
Measurement Data (worst case)

10. Radiated Out Band of Emissions

10.1 Test Standard and Limit

10.1.1 Test Standard

FCC Part 2: 2.1053


FCC part 24.238(a)

FCC Part 27.53 (h), FCC Part 27.53(m)

10.1.2 Test Limit

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power(P) by a factor of at least $43+10\log(P)$ dB. For all power levels +30 dBm to 0 dBm, this becomes a constant specification limit of -13 dBm.

10.2 Test Setup



10.3 Test Procedure

- (1) The test system setup as show in the block diagram above.
- (2) The EUT was placed on an non-conductive rotating platform in an anechoic chamber. The radiated spurious emissions from 30MHz to 10th harmonious of fundamental frequency were measured at 3 m with a test antenna and a spectrum analyzer with RBW=1 MHz, VBW=1 MHz, peak detector settings.
- (3) During the measurement, the EUT was enforced in maximum power and linked with a base station. All the spurious emissions at 3m were measured by rotation of the turntable and the test antenna raised and lowered over a range from 1 to 4 meters in both horizontally and vertically polarized orientations.
- (4) When found the maximum level of emissions from the EUT. Remove the EUT and replace it with substitution antenna. A signal generator was connected to the substitution antenna by a non-radiating cable. The absolute levels of the spurious emissions were measured by the substitution.

Spurious emissions in dB=10 log(TX power in Watts/0.001)-the absolute level
Spurious attenuation limit in dB=43+10 log(power out in Watts)

10.4 EUT Operating Condition

The EUT was continuously connected with the Base station and transmitting in the max power during the test.

10.5 Test Data

Please refer to the Attachment G.
Measurement Data (worst case)

11. Frequency Stability

11.1 Test Standard and Limit

11.1.1 Test Standard

FCC Part 2.1055(a)(1)(b)


FCC Part 24.235, Part 27.54

11.1.2 Limit


Limit
$\pm 2.5\text{ppm}$

11.2 Test Setup

For Temperature Test:



For Voltage Test:



11.3 Test Procedure

Test Procedures for Temperature Variation:

- (1) The EUT was set up in the thermal chamber and connected with the base station.
- (2) With power off, the temperature was decreased to -30°C and the EUT was stabilized for three hours. Power was applied and the maximum change in frequency was recorded within one minute.
- (3) With power off, the temperature was raised in 10°C set up to 50°C and the EUT was stabilized for three hours. Power was applied and the maximum change in frequency was recorded within one minute.
- (4) If the EUT cannot be turned on at -30°C , the testing lowest temperature will be raised in 10°C step until the EUT can be turned on.

Test Procedures for Voltage Variation:

- (1) The EUT was placed in a temperature chamber at $25 \pm 5^{\circ}\text{C}$ and connected with the base station.
- (2) Reduce the input voltage to specify extreme voltage variation ($\pm 15\%$) and endpoint, record the maximum frequency change.
- (3) The variation in frequency was measured for the worst case.

11.4 EUT Operating Condition

The Equipment Under Test was set to Communication with the Base Station.

11.5 Test Data

Please refer to the Attachment H.

ATTACHMENT A--CONDUCTED RF OUTPUT POWER

FDD-LTE Band 2						
Channel Bandwidth: 1.4 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	24.29	23.90	24.42	PASS
	1	2	24.23	24.01	24.11	PASS
	1	5	24.15	23.91	24.01	PASS
	3	0	24.14	23.91	24.09	PASS
	3	1	24.18	23.94	23.93	PASS
	3	2	23.91	23.90	22.94	PASS
	6	0	23.02	23.16	23.26	PASS
16QAM	1	0	23.06	22.80	23.27	PASS
	1	2	22.97	23.04	23.12	PASS
	1	5	23.04	22.81	23.19	PASS
	3	0	22.92	22.57	23.18	PASS
	3	1	22.97	22.49	23.03	PASS
	3	2	22.93	22.42	22.11	PASS
	6	0	21.97	21.94	24.07	PASS
Channel Bandwidth: 3 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	24.07	24.08	24.28	PASS
	1	7	23.99	24.19	24.17	PASS
	1	14	22.95	24.01	24.25	PASS
	8	0	22.96	22.96	22.85	PASS
	8	4	23.06	22.98	22.92	PASS
	8	7	22.91	22.96	22.80	PASS
	15	0	22.70	22.95	22.81	PASS
16QAM	1	0	22.52	22.53	23.01	PASS
	1	7	22.72	22.56	22.54	PASS
	1	14	21.97	22.57	23.02	PASS
	8	0	21.97	22.07	21.56	PASS
	8	4	21.92	22.08	21.80	PASS
	8	7	22.00	22.06	23.84	PASS
	15	0	24.13	21.85	23.90	PASS

FDD-LTE Band 2						
Channel Bandwidth: 5 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	23.74	24.13	24.09	PASS
	1	12	22.92	24.23	24.42	PASS
	1	24	22.80	24.03	24.46	PASS
	12	0	22.89	23.22	23.32	PASS
	12	6	22.94	23.09	23.36	PASS
	12	11	22.30	23.10	23.41	PASS
	25	0	22.59	23.26	23.36	PASS
16QAM	1	0	22.57	22.75	22.88	PASS
	1	12	21.84	22.73	22.92	PASS
	1	24	21.91	22.31	23.01	PASS
	12	0	21.92	22.17	21.93	PASS
	12	6	21.91	21.99	21.99	PASS
	12	11	23.83	21.92	22.19	PASS
	25	0	23.85	22.34	22.14	PASS
Channel Bandwidth: 10 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	23.91	23.79	23.78	PASS
	1	24	22.79	24.11	23.85	PASS
	1	49	22.80	24.10	23.94	PASS
	25	0	22.86	22.75	22.51	PASS
	25	12	22.77	22.87	22.65	PASS
	25	24	22.34	22.85	23.00	PASS
	50	0	22.35	22.71	22.68	PASS
16QAM	1	0	22.69	22.76	22.91	PASS
	1	24	21.65	22.84	22.68	PASS
	1	49	21.67	22.66	22.96	PASS
	25	0	21.93	21.83	21.75	PASS
	25	12	21.95	21.97	21.80	PASS
	25	24	23.86	21.85	21.69	PASS
	50	0	24.27	21.93	21.54	PASS

FDD-LTE Band 2						
Channel Bandwidth: 15 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	24.07	23.61	23.50	PASS
	1	37	23.72	23.95	23.76	PASS
	1	74	23.32	23.90	23.59	PASS
	36	0	22.66	22.51	22.93	PASS
	36	16	22.56	22.76	22.56	PASS
	36	35	22.40	22.63	22.86	PASS
	75	0	22.49	22.64	22.92	PASS
16QAM	1	0	22.74	22.66	22.65	PASS
	1	37	22.60	22.86	22.66	PASS
	1	74	22.35	22.59	22.75	PASS
	36	0	21.80	21.59	21.64	PASS
	36	16	21.67	21.72	21.52	PASS
	36	35	21.52	21.70	21.55	PASS
	75	0	21.57	21.73	21.62	PASS
Channel Bandwidth: 20 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	23.76	23.75	23.69	PASS
	1	49	23.43	23.91	23.97	PASS
	1	99	23.40	23.96	23.99	PASS
	50	0	22.75	22.78	22.91	PASS
	50	24	22.61	22.64	22.69	PASS
	50	49	22.58	22.86	22.48	PASS
	100	0	22.64	22.70	22.62	PASS
16QAM	1	0	22.95	22.34	22.16	PASS
	1	49	22.82	23.31	22.58	PASS
	1	99	22.14	22.90	22.31	PASS
	50	0	21.74	21.84	21.88	PASS
	50	24	21.51	21.71	21.65	PASS
	50	49	21.34	21.91	21.39	PASS
	100	0	21.67	21.78	21.74	PASS

FDD-LTE Band 4						
Channel Bandwidth: 1.4 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	24.35	23.90	23.98	PASS
	1	2	23.70	23.91	24.15	PASS
	1	5	23.92	23.73	24.00	PASS
	3	0	24.15	23.93	23.97	PASS
	3	1	24.03	23.98	23.92	PASS
	3	2	23.98	23.95	23.90	PASS
	6	0	22.80	22.94	22.97	PASS
16QAM	1	0	22.47	22.73	23.07	PASS
	1	2	22.53	22.83	23.12	PASS
	1	5	22.38	22.69	23.00	PASS
	3	0	22.61	22.62	22.92	PASS
	3	1	22.66	22.56	22.98	PASS
	3	2	22.62	22.40	22.86	PASS
	6	0	21.67	21.90	21.98	PASS
Channel Bandwidth: 3 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	23.94	24.02	24.26	PASS
	1	7	24.18	23.87	23.99	PASS
	1	14	23.99	24.06	24.23	PASS
	8	0	22.70	22.91	22.95	PASS
	8	4	22.85	22.97	22.85	PASS
	8	7	22.97	22.83	22.96	PASS
	15	0	22.81	22.93	22.93	PASS
16QAM	1	0	22.65	22.94	22.85	PASS
	1	7	22.37	22.71	22.89	PASS
	1	14	22.36	22.92	23.16	PASS
	8	0	21.92	21.87	21.87	PASS
	8	4	21.93	21.94	21.86	PASS
	8	7	21.92	21.82	21.99	PASS
	15	0	21.90	21.87	21.97	PASS

FDD-LTE Band 4						
Channel Bandwidth: 5 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	23.88	24.13	24.10	PASS
	1	12	24.38	23.84	24.10	PASS
	1	24	23.84	23.95	24.24	PASS
	12	0	22.75	22.90	23.90	PASS
	12	6	22.73	22.92	23.93	PASS
	12	11	22.93	22.88	23.92	PASS
	25	0	22.87	22.94	22.90	PASS
16QAM	1	0	23.03	22.87	22.44	PASS
	1	12	22.70	22.58	22.51	PASS
	1	24	22.35	22.60	22.54	PASS
	12	0	21.47	21.85	21.73	PASS
	12	6	21.46	21.86	21.76	PASS
	12	11	21.95	21.82	21.93	PASS
	25	0	21.92	22.00	22.04	PASS
Channel Bandwidth: 10 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	23.91	23.97	23.62	PASS
	1	24	24.24	23.73	24.18	PASS
	1	49	24.02	23.76	23.92	PASS
	25	0	22.71	22.92	22.73	PASS
	25	12	22.70	22.84	22.80	PASS
	25	24	22.93	22.95	22.94	PASS
	50	0	22.78	22.94	22.81	PASS
16QAM	1	0	22.61	22.77	22.79	PASS
	1	24	22.60	22.68	22.93	PASS
	1	49	22.63	22.31	23.07	PASS
	25	0	21.81	21.84	21.90	PASS
	25	12	21.89	21.84	21.94	PASS
	25	24	22.04	21.73	22.16	PASS
	50	0	21.81	22.08	21.84	PASS

FDD-LTE Band 4						
Channel Bandwidth: 15 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	23.74	23.85	23.76	PASS
	1	37	23.91	23.84	23.94	PASS
	1	74	23.80	23.76	23.90	PASS
	36	0	22.67	22.83	22.72	PASS
	36	16	22.69	22.73	22.66	PASS
	36	35	22.86	22.76	22.84	PASS
	75	0	22.73	22.88	22.69	PASS
16QAM	1	0	23.08	22.69	22.82	PASS
	1	37	22.78	22.38	22.98	PASS
	1	74	22.87	22.44	22.81	PASS
	36	0	21.76	21.89	21.60	PASS
	36	16	21.78	21.86	21.60	PASS
	36	35	21.96	21.93	21.90	PASS
	75	0	21.90	21.95	21.79	PASS
Channel Bandwidth: 20 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	23.61	24.11	23.65	PASS
	1	49	23.91	23.81	23.76	PASS
	1	99	23.73	23.87	23.73	PASS
	50	0	22.69	22.69	22.77	PASS
	50	24	22.83	22.75	22.74	PASS
	50	49	22.79	22.65	22.71	PASS
	100	0	22.79	22.54	22.77	PASS
16QAM	1	0	22.11	22.90	22.73	PASS
	1	49	22.23	22.93	22.57	PASS
	1	99	22.39	22.50	22.73	PASS
	50	0	21.67	21.83	21.69	PASS
	50	24	21.79	21.79	21.61	PASS
	50	49	21.76	21.78	21.77	PASS
	100	0	21.78	21.99	21.77	PASS

FDD-LTE Band 12						
Channel Bandwidth: 1.4 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	25.02	25.22	24.88	PASS
	1	2	25.09	25.40	25.31	PASS
	1	5	25.24	25.29	25.46	PASS
	3	0	24.97	25.07	24.99	PASS
	3	1	25.05	25.06	25.13	PASS
	3	2	25.18	25.00	25.11	PASS
	6	0	23.94	24.14	24.03	PASS
16QAM	1	0	24.01	23.83	23.90	PASS
	1	2	23.86	23.98	24.35	PASS
	1	5	23.69	23.90	24.22	PASS
	3	0	23.75	23.66	23.93	PASS
	3	1	23.74	23.75	23.98	PASS
	3	2	23.93	23.76	24.13	PASS
	6	0	22.95	22.92	22.82	PASS
Channel Bandwidth: 3 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	24.81	24.87	24.79	PASS
	1	7	24.91	25.10	25.16	PASS
	1	14	24.91	24.96	25.35	PASS
	8	0	24.07	24.06	23.97	PASS
	8	4	23.91	24.10	24.00	PASS
	8	7	23.92	24.07	24.04	PASS
	15	0	24.02	24.14	23.98	PASS
16QAM	1	0	23.62	23.64	24.11	PASS
	1	7	23.60	23.90	24.25	PASS
	1	14	23.45	23.81	24.30	PASS
	8	0	23.08	23.12	22.70	PASS
	8	4	23.20	23.26	22.80	PASS
	8	7	23.21	23.35	23.08	PASS
	15	0	22.99	22.84	22.78	PASS

FDD-LTE Band 12						
Channel Bandwidth: 5 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	24.63	25.03	24.88	PASS
	1	12	25.12	25.37	25.36	PASS
	1	24	24.49	24.93	25.16	PASS
	12	0	24.00	23.97	23.94	PASS
	12	6	23.79	24.19	23.91	PASS
	12	11	23.60	24.13	24.01	PASS
	25	0	23.79	23.97	23.97	PASS
16QAM	1	0	23.60	23.41	23.66	PASS
	1	12	23.79	24.36	23.60	PASS
	1	24	23.37	23.74	23.54	PASS
	12	0	23.20	22.71	22.62	PASS
	12	6	22.75	23.02	22.67	PASS
	12	11	22.88	23.00	22.66	PASS
	25	0	22.87	22.79	22.95	PASS
Channel Bandwidth: 10 MHz						
Modulation	RB Size	RB Offset	Conducted Power (dBm)			Result
			Low CH	Middle CH	High CH	
QPSK	1	0	24.92	24.58	24.82	PASS
	1	24	25.05	25.66	24.99	PASS
	1	49	25.19	24.91	24.81	PASS
	25	0	23.72	23.81	24.09	PASS
	25	12	23.81	23.98	24.07	PASS
	25	24	23.94	23.94	23.88	PASS
	50	0	23.77	23.85	24.01	PASS
16QAM	1	0	23.79	23.37	23.89	PASS
	1	24	23.75	23.99	24.18	PASS
	1	49	24.08	23.34	23.83	PASS
	25	0	22.68	22.91	23.23	PASS
	25	12	22.78	23.08	23.30	PASS
	25	24	22.92	23.00	22.74	PASS
	50	0	22.77	22.86	22.94	PASS

ATTACHMENT B--PEAK-AVERAGE RATIO


Test Mode	Modulation	RB Size	RB Offset	PAPR with 0.1% probability (dB)	Limit (dB)	Result
LTE BAND 2 20MHz (Low Channel)	QPSK	100	0	5.05	≤ 13	PASS
	16QAM	100	0	5.83	≤ 13	PASS
LTE BAND 2 20MHz (Middle Channel)	QPSK	100	0	5.00	≤ 13	PASS
	16QAM	100	0	5.80	≤ 13	PASS
LTE BAND 2 20MHz (High Channel)	QPSK	100	0	5.09	≤ 13	PASS
	16QAM	100	0	5.97	≤ 13	PASS
LTE BAND 4 20MHz (Low Channel)	QPSK	100	0	5.22	≤ 13	PASS
	16QAM	100	0	6.08	≤ 13	PASS
LTE BAND 4 20MHz (Middle Channel)	QPSK	100	0	4.91	≤ 13	PASS
	16QAM	100	0	5.81	≤ 13	PASS
LTE BAND 4 20MHz (High Channel)	QPSK	100	0	4.49	≤ 13	PASS
	16QAM	100	0	5.91	≤ 13	PASS
LTE BAND 12 10MHz (Low Channel)	QPSK	50	0	5.49	≤ 13	PASS
	16QAM	50	0	6.27	≤ 13	PASS
LTE BAND 12 10MHz (Middle Channel)	QPSK	50	0	4.92	≤ 13	PASS
	16QAM	50	0	6.25	≤ 13	PASS
LTE BAND 12 10MHz (High Channel)	QPSK	50	0	5.77	≤ 13	PASS
	16QAM	50	0	6.15	≤ 13	PASS

Note: Only show the worst case data


LTE Band 2 20MHz (Low Channel)-QPSK




LTE Band 2 20MHz (Low Channel)-16QAM




LTE Band 2 20MHz (Middle Channel)-QPSK




LTE Band 2 20MHz (Middle Channel)-16QAM




LTE Band 2 20MHz (High Channel)-QPSK




LTE Band 2 20MHz (High Channel)-16QAM




LTE Band 4 20MHz (Low Channel)-QPSK




LTE Band 4 20MHz (Low Channel)-16QAM




LTE Band 4 20MHz (Middle Channel)-QPSK



LTE Band 4 20MHz (Middle Channel)-16QAM




LTE Band 4 20MHz (High Channel)-QPSK



LTE Band 4 20MHz (High Channel)-16QAM




LTE Band 12 10MHz (Low Channel)-QPSK




LTE Band 12 10MHz (Low Channel)-16QAM




LTE Band 12 10MHz (Middle Channel)-QPSK




LTE Band 12 10MHz (Middle Channel)-16QAM



LTE Band 12 10MHz (High Channel)-QPSK



LTE Band 12 10MHz (High Channel)-16QAM



ATTACHMENT C--OCCUPY BANDWIDTH


LTE Band 2					
Mode	Channel	Frequency (MHz)	Modulation	99% OBW (MHz)	-26dB Bandwidth (MHz)
1.4MHz	18607	1850.70	16QAM	1.0917	1.269
			QPSK	1.1023	1.305
	18900	1880.00	16QAM	1.0944	1.302
			QPSK	1.1017	1.291
	19193	1909.30	16QAM	1.1091	1.330
			QPSK	1.1023	1.299
3MHz	18615	1851.50	16QAM	2.7512	3.089
			QPSK	2.7643	3.104
	18900	1880.00	16QAM	2.7457	3.101
			QPSK	2.7593	3.090
	19185	1908.50	16QAM	2.7358	3.094
			QPSK	2.7576	3.151
5MHz	18625	1852.50	16QAM	4.4705	4.851
			QPSK	4.4650	4.874
	18900	1880.00	16QAM	4.4572	4.865
			QPSK	4.4806	4.895
	19175	1907.50	16QAM	4.4682	4.877
			QPSK	4.4618	4.833
10MHz	18650	1855.00	16QAM	8.9071	9.621
			QPSK	8.9193	9.505
	18900	1880.00	16QAM	8.9257	9.740
			QPSK	8.9251	9.596
	19150	1905.00	16QAM	8.9107	9.579
			QPSK	8.9314	9.578
15MHz	18675	1857.50	16QAM	13.4282	14.848
			QPSK	13.4182	14.909
	18900	1880.00	16QAM	13.4180	14.588
			QPSK	13.4661	14.893
	19125	1902.50	16QAM	13.3993	14.790
			QPSK	13.3798	14.795
20MHz	18700	1860.00	16QAM	17.8562	19.343
			QPSK	17.8142	19.220
	18900	1880.00	16QAM	17.8314	19.417
			QPSK	17.8495	19.562
	19100	1900.00	16QAM	17.8829	19.223
			QPSK	17.8421	19.256

LTE Band 4					
Mode	Channel	Frequency (MHz)	Modulation	99% OBW (MHz)	-26dB Bandwidth (MHz)
1.4MHz	19957	1710.70	16QAM	1.1081	1.289
			QPSK	1.0987	1.293
	20175	1732.50	16QAM	1.0967	1.303
			QPSK	1.1011	1.271
	20393	1754.30	16QAM	1.0936	1.313
			QPSK	1.0998	1.303
3MHz	19965	1711.50	16QAM	2.7406	3.125
			QPSK	2.7497	3.111
	20175	1732.50	16QAM	2.7482	3.119
			QPSK	2.7445	3.098
	20385	1753.50	16QAM	2.7576	3.112
			QPSK	2.7438	3.110
5MHz	19975	1712.50	16QAM	4.4883	4.959
			QPSK	4.5122	5.014
	20175	1732.50	16QAM	4.5205	5.058
			QPSK	4.5269	5.048
	20375	1752.50	16QAM	4.5303	5.037
			QPSK	4.5177	5.034
10MHz	20000	1715.00	16QAM	8.9017	9.671
			QPSK	8.9174	9.679
	20175	1732.50	16QAM	8.9311	9.567
			QPSK	8.9148	9.657
	20350	1750.00	16QAM	8.9083	9.602
			QPSK	8.9055	9.558
15MHz	20025	1717.50	16QAM	13.4353	14.558
			QPSK	13.4751	14.954
	20175	1732.50	16QAM	13.3571	14.552
			QPSK	13.4416	14.768
	20325	1747.50	16QAM	13.4240	14.720
			QPSK	13.4006	14.720
20MHz	20050	1720.00	16QAM	18.4824	21.297
			QPSK	17.8780	19.301
	20175	1732.50	16QAM	18.5839	21.473
			QPSK	17.8324	19.053
	20300	1745.00	16QAM	17.7676	19.213
			QPSK	17.7817	19.134


LTE Band 12					
Mode	Channel	Frequency (MHz)	Modulation	99% OBW (MHz)	-26dB Bandwidth (MHz)
1.4MHz	23017	699.70	16QAM	1.0899	1.264
			QPSK	1.1018	1.277
	23095	707.50	16QAM	1.1001	1.318
			QPSK	1.0988	1.305
	23173	715.30	16QAM	1.0955	1.276
			QPSK	1.0981	1.329
3MHz	23025	700.50	16QAM	2.7389	3.099
			QPSK	2.7529	3.097
	23095	707.50	16QAM	2.7350	3.146
			QPSK	2.7390	3.139
	23165	714.50	16QAM	2.7421	3.105
			QPSK	2.7433	3.100
5MHz	23035	701.50	16QAM	4.5032	5.012
			QPSK	4.5081	5.016
	23095	707.50	16QAM	4.5053	5.039
			QPSK	4.4992	4.956
	23155	713.50	16QAM	4.5265	5.031
			QPSK	4.5192	5.061
10MHz	23060	704.00	16QAM	9.0434	10.108
			QPSK	9.0704	10.183
	23095	707.50	16QAM	8.9645	10.018
			QPSK	8.9998	10.137
	23130	711.00	16QAM	8.9802	10.068
			QPSK	9.0148	10.142

Occupancy Bandwidth Test Plot


LTE BAND 2 (1.4MHz QPSK-Low CH)




LTE BAND 2 (1.4MHz 16QAM-Low CH)




LTE BAND 2 (1.4MHz QPSK-Middle CH)




LTE BAND 2 (1.4MHz 16QAM- Middle CH)




LTE BAND 2 (1.4MHz QPSK-High CH)




LTE BAND 2 (1.4MHz 16QAM-High CH)




LTE BAND 2 (3MHz QPSK-Low CH)




LTE BAND 2 (3MHz 16QAM-Low CH)




LTE BAND 2 (3MHz QPSK-Middle CH)




LTE BAND 2 (3MHz 16QAM- Middle CH)



LTE BAND 2 (3MHz QPSK-High CH)





LTE BAND 2 (3MHz 16QAM-High CH)





LTE BAND 2 (5MHz QPSK-Low CH)

LTE BAND 2 (5MHz 16QAM-Low CH)





LTE BAND 2 (5MHz QPSK-Middle CH)

LTE BAND 2 (5MHz 16QAM- Middle CH)




LTE BAND 2 (5MHz QPSK-High CH)


LTE BAND 2 (5MHz 16QAM-High CH)




LTE BAND 2 (10MHz QPSK-Low CH)




LTE BAND 2 (10MHz 16QAM-Low CH)




LTE BAND 2 (10MHz QPSK-Middle CH)




LTE BAND 2 (10MHz 16QAM- Middle CH)




LTE BAND 2 (10MHz QPSK-High CH)




LTE BAND 2 (10MHz 16QAM-High CH)




LTE BAND 2 (15MHz QPSK-Low CH)




LTE BAND 2 (15MHz 16QAM-Low CH)




LTE BAND 2 (15MHz QPSK-Middle CH)




LTE BAND 2 (15MHz 16QAM- Middle CH)




LTE BAND 2 (15MHz QPSK-High CH)




LTE BAND 2 (15MHz 16QAM-High CH)




LTE BAND 2 (20MHz QPSK-Low CH)




LTE BAND 2 (20MHz 16QAM-Low CH)




LTE BAND 2 (20MHz QPSK-Middle CH)




LTE BAND 2 (20MHz 16QAM- Middle CH)



LTE BAND 2 (20MHz QPSK-High CH)




LTE BAND 2 (20MHz 16QAM-High CH)




Occupancy Bandwidth Test Plot


LTE BAND 4 (1.4MHz QPSK-Low CH)




LTE BAND 4 (1.4MHz 16QAM-Low CH)




LTE BAND 4 (1.4MHz QPSK-Middle CH)




LTE BAND 4 (1.4MHz 16QAM- Middle CH)




LTE BAND 4 (1.4MHz QPSK-High CH)




LTE BAND 4 (1.4MHz 16QAM-High CH)




LTE BAND 4 (3MHz QPSK-Low CH)




LTE BAND 4 (3MHz 16QAM-Low CH)




LTE BAND 4 (3MHz QPSK-Middle CH)




LTE BAND 4 (3MHz 16QAM- Middle CH)




LTE BAND 4 (3MHz QPSK-High CH)




LTE BAND 4 (3MHz 16QAM-High CH)




LTE BAND 4 (5MHz QPSK-Low CH)




LTE BAND 4 (5MHz 16QAM-Low CH)




LTE BAND 4 (5MHz QPSK-Middle CH)




LTE BAND 4 (5MHz 16QAM- Middle CH)




LTE BAND 4 (5MHz QPSK-High CH)




LTE BAND 4 (5MHz 16QAM-High CH)




LTE BAND 4 (10MHz QPSK-Low CH)




LTE BAND 4 (10MHz 16QAM-Low CH)




LTE BAND 4 (10MHz QPSK-Middle CH)




LTE BAND 4 (10MHz 16QAM- Middle CH)




LTE BAND 4 (10MHz QPSK-High CH)




LTE BAND 4 (10MHz 16QAM-High CH)




LTE BAND 4 (15MHz QPSK-Low CH)




LTE BAND 4 (15MHz 16QAM-Low CH)




LTE BAND 4 (15MHz QPSK-Middle CH)




LTE BAND 4 (15MHz 16QAM- Middle CH)




LTE BAND 4 (15MHz QPSK-High CH)




LTE BAND 4 (15MHz 16QAM-High CH)




LTE BAND 4 (20MHz QPSK-Low CH)




LTE BAND 4 (20MHz 16QAM-Low CH)




LTE BAND 4 (20MHz QPSK-Middle CH)




LTE BAND 4 (20MHz 16QAM- Middle CH)



LTE BAND 4 (20MHz QPSK-High CH)





LTE BAND 4 (20MHz 16QAM-High CH)



Occupancy Bandwidth Test Plot



LTE BAND 12 (1.4MHz QPSK-Low CH)

LTE BAND 12 (1.4MHz 16QAM-Low CH)





LTE BAND 12 (1.4MHz QPSK-Middle CH)

LTE BAND 12 (1.4MHz 16QAM- Middle CH)




LTE BAND 12 (1.4MHz QPSK-High CH)


LTE BAND 12 (1.4MHz 16QAM-High CH)




LTE BAND 12 (3MHz QPSK-Low CH)




LTE BAND 12 (3MHz 16QAM-Low CH)




LTE BAND 12 (3MHz QPSK-Middle CH)




LTE BAND 12 (3MHz 16QAM- Middle CH)




LTE BAND 12 (3MHz QPSK-High CH)




LTE BAND 12 (3MHz 16QAM-High CH)




LTE BAND 12 (5MHz QPSK-Low CH)




LTE BAND 12 (5MHz 16QAM-Low CH)




LTE BAND 12 (5MHz QPSK-Middle CH)




LTE BAND 12 (5MHz 16QAM- Middle CH)




LTE BAND 12 (5MHz QPSK-High CH)




LTE BAND 12 (5MHz 16QAM-High CH)




LTE BAND 12 (10MHz QPSK-Low CH)




LTE BAND 12 (10MHz 16QAM-Low CH)




LTE BAND 12 (10MHz QPSK-Middle CH)




LTE BAND 12 (10MHz 16QAM- Middle CH)




LTE BAND 12 (10MHz QPSK-High CH)



LTE BAND 12 (10MHz 16QAM-High CH)





ATTACHMENT D--OUT OF BAND EMISSION AT ANTENNA TERMINALS





30MHz-1GHz

1GHz-26.5GHz



LTE BAND 2 (1.4MHz RB Size 6& RB Offset 0 16QAM-Low CH)



LTE BAND 2 (1.4MHz RB Size 6& RB Offset 0 16QAM-Middle CH)





LTE BAND 2 (1.4MHz RB Size 6& RB Offset 0 16QAM-High CH)





30MHz-1GHz

1GHz-26.5GHz



LTE BAND 2 (3MHz RB Size 15& RB Offset 0 QPSK-Low CH)



LTE BAND 2 (3MHz RB Size 15& RB Offset 0 QPSK-Middle CH)





LTE BAND 2 (3MHz RB Size 15& RB Offset 0 QPSK-High CH)





30MHz-1GHz

1GHz-26.5GHz



LTE BAND 2 (3MHz RB Size 15& RB Offset 0 16QAM-Low CH)



LTE BAND 2 (3MHz RB Size 15& RB Offset 0 16QAM-Middle CH)





LTE BAND 2 (3MHz RB Size 15& RB Offset 0 16QAM-High CH)





30MHz-1GHz

1GHz-26.5GHz



LTE BAND 2 (5MHz RB Size 25& RB Offset 0 QPSK-Low CH)



LTE BAND 2 (5MHz RB Size 25& RB Offset 0 QPSK-Middle CH)




LTE BAND 2 (5MHz RB Size 25& RB Offset 0 QPSK-High CH)




30MHz-1GHz

1GHz-26.5GHz


LTE BAND 2 (5MHz RB Size 25& RB Offset 0 16QAM-Low CH)



LTE BAND 2 (5MHz RB Size 25& RB Offset 0 16QAM-Middle CH)





LTE BAND 2 (5MHz RB Size 25& RB Offset 0 16QAM-High CH)





30MHz-1GHz

1GHz-26.5GHz



LTE BAND 2 (10MHz RB Size 50& RB Offset 0 QPSK-Low CH)



LTE BAND 2 (10MHz RB Size 50& RB Offset 0 QPSK-Middle CH)




LTE BAND 2 (10MHz RB Size 50& RB Offset 0 QPSK-High CH)




30MHz-1GHz

1GHz-26.5GHz


LTE BAND 2 (10MHz RB Size 50& RB Offset 0 16QAM-Low CH)



LTE BAND 2 (10MHz RB Size 50& RB Offset 0 16QAM-Middle CH)





LTE BAND 2 (10MHz RB Size 50& RB Offset 0 16QAM-High CH)





30MHz-1GHz

1GHz-26.5GHz



LTE BAND 2 (15MHz RB Size 75& RB Offset 0 QPSK-Low CH)



LTE BAND 2 (15MHz RB Size 75& RB Offset 0 QPSK-Middle CH)




LTE BAND 2 (15MHz RB Size 75& RB Offset 0 QPSK-High CH)




30MHz-1GHz

1GHz-26.5GHz


LTE BAND 2 (15MHz RB Size 75& RB Offset 0 16QAM-Low CH)



LTE BAND 2 (15MHz RB Size 75& RB Offset 0 16QAM-Middle CH)





LTE BAND 2 (15MHz RB Size 75& RB Offset 0 16QAM-High CH)





30MHz-1GHz

1GHz-26.5GHz



LTE BAND 2 (20MHz RB Size 100& RB Offset 0 QPSK-Low CH)



LTE BAND 2 (20MHz RB Size 100& RB Offset 0 QPSK-Middle CH)





LTE BAND 2 (20MHz RB Size 100& RB Offset 0 QPSK-High CH)





30MHz-1GHz

1GHz-26.5GHz



LTE BAND 2 (20MHz RB Size 100& RB Offset 0 16QAM-Low CH)



LTE BAND 2 (20MHz RB Size 100& RB Offset 0 16QAM-Middle CH)





LTE BAND 2 (20MHz RB Size 100& RB Offset 0 16QAM-High CH)





30MHz-1GHz

1GHz-26.5GHz



LTE BAND 4 (1.4MHz RB Size 6& RB Offset 0 QPSK-Low CH)



LTE BAND 4 (1.4MHz RB Size 6& RB Offset 0 QPSK-Middle CH)





LTE BAND 4 (1.4MHz RB Size 6& RB Offset 0 QPSK-High CH)





30MHz-1GHz

1GHz-26.5GHz



LTE BAND 4 (1.4MHz RB Size 6& RB Offset 0 16QAM-Low CH)



LTE BAND 4 (1.4MHz RB Size 6& RB Offset 0 16QAM-Middle CH)





LTE BAND 4 (1.4MHz RB Size 6& RB Offset 0 16QAM-High CH)





30MHz-1GHz

1GHz-26.5GHz



LTE BAND 4 (3MHz RB Size 15& RB Offset 0 QPSK-Low CH)



LTE BAND 4 (3MHz RB Size 15& RB Offset 0 QPSK-Middle CH)





LTE BAND 4 (3MHz RB Size 15& RB Offset 0 QPSK-High CH)





30MHz-1GHz

1GHz-26.5GHz



LTE BAND 4 (3MHz RB Size 15& RB Offset 0 16QAM-Low CH)



LTE BAND 4 (3MHz RB Size 15& RB Offset 0 16QAM-Middle CH)





LTE BAND 4 (3MHz RB Size 15& RB Offset 0 16QAM-High CH)





30MHz-1GHz

1GHz-26.5GHz



LTE BAND 4 (5MHz RB Size 25& RB Offset 0 QPSK-Low CH)



LTE BAND 4 (5MHz RB Size 25& RB Offset 0 QPSK-Middle CH)




LTE BAND 4 (5MHz RB Size 25& RB Offset 0 QPSK-High CH)




30MHz-1GHz

1GHz-26.5GHz


LTE BAND 4 (5MHz RB Size 25& RB Offset 0 16QAM-Low CH)



LTE BAND 4 (5MHz RB Size 25& RB Offset 0 16QAM-Middle CH)





LTE BAND 4 (5MHz RB Size 25& RB Offset 0 16QAM-High CH)





30MHz-1GHz

1GHz-26.5GHz



LTE BAND 4 (10MHz RB Size 50& RB Offset 0 QPSK-Low CH)



LTE BAND 4 (10MHz RB Size 50& RB Offset 0 QPSK-Middle CH)





LTE BAND 4 (10MHz RB Size 50& RB Offset 0 QPSK-High CH)





30MHz-1GHz

1GHz-26.5GHz



LTE BAND 4 (10MHz RB Size 50& RB Offset 0 16QAM-Low CH)



LTE BAND 4 (10MHz RB Size 50& RB Offset 0 16QAM-Middle CH)





LTE BAND 4 (10MHz RB Size 50& RB Offset 0 16QAM-High CH)





30MHz-1GHz

1GHz-26.5GHz



LTE BAND 4 (15MHz RB Size 75& RB Offset 0 QPSK-Low CH)



LTE BAND 4 (15MHz RB Size 75& RB Offset 0 QPSK-Middle CH)





LTE BAND 4 (15MHz RB Size 75& RB Offset 0 QPSK-High CH)





30MHz-1GHz

1GHz-26.5GHz



LTE BAND 4 (15MHz RB Size 75& RB Offset 0 16QAM-Low CH)



LTE BAND 4 (15MHz RB Size 75& RB Offset 0 16QAM-Middle CH)





LTE BAND 4 (15MHz RB Size 75& RB Offset 0 16QAM-High CH)





30MHz-1GHz

1GHz-26.5GHz



LTE BAND 4 (20MHz RB Size 100& RB Offset 0 QPSK-Low CH)



LTE BAND 4 (20MHz RB Size 100& RB Offset 0 QPSK-Middle CH)





LTE BAND 4 (20MHz RB Size 100& RB Offset 0 QPSK-High CH)





30MHz-1GHz

1GHz-26.5GHz



LTE BAND 4 (20MHz RB Size 100& RB Offset 0 16QAM-Low CH)



LTE BAND 4 (20MHz RB Size 100& RB Offset 0 16QAM-Middle CH)





LTE BAND 4 (20MHz RB Size 100& RB Offset 0 16QAM-High CH)





30MHz-1GHz

1GHz-26.5GHz



LTE BAND 12 (1.4MHz RB Size 6& RB Offset 0 QPSK-Low CH)



LTE BAND 12 (1.4MHz RB Size 6& RB Offset 0 QPSK-Middle CH)





LTE BAND 12 (1.4MHz RB Size 6& RB Offset 0 QPSK-High CH)





30MHz-1GHz

1GHz-26.5GHz



LTE BAND 12 (1.4MHz RB Size 6& RB Offset 0 16QAM-Low CH)



LTE BAND 12 (1.4MHz RB Size 6& RB Offset 0 16QAM-Middle CH)





LTE BAND 12 (1.4MHz RB Size 6& RB Offset 0 16QAM-High CH)





30MHz-1GHz

1GHz-26.5GHz



LTE BAND 12 (3MHz RB Size 15& RB Offset 0 QPSK-Low CH)



LTE BAND 12 (3MHz RB Size 15& RB Offset 0 QPSK-Middle CH)





LTE BAND 12 (3MHz RB Size 15& RB Offset 0 QPSK-High CH)





30MHz-1GHz

1GHz-26.5GHz



LTE BAND 12 (3MHz RB Size 15& RB Offset 0 16QAM-Low CH)



LTE BAND 12 (3MHz RB Size 15& RB Offset 0 16QAM-Middle CH)





LTE BAND 12 (3MHz RB Size 15& RB Offset 0 16QAM-High CH)





30MHz-1GHz

1GHz-26.5GHz



LTE BAND 12 (5MHz RB Size 25& RB Offset 0 QPSK-Low CH)



LTE BAND 12 (5MHz RB Size 25& RB Offset 0 QPSK-Middle CH)




LTE BAND 12 (5MHz RB Size 25& RB Offset 0 QPSK-High CH)




30MHz-1GHz

1GHz-26.5GHz


LTE BAND 12 (5MHz RB Size 25& RB Offset 0 16QAM-Low CH)



LTE BAND 12 (5MHz RB Size 25& RB Offset 0 16QAM-Middle CH)





LTE BAND 12 (5MHz RB Size 25& RB Offset 0 16QAM-High CH)





30MHz-1GHz

1GHz-26.5GHz



LTE BAND 12 (10MHz RB Size 50& RB Offset 0 QPSK-Low CH)



LTE BAND 12 (10MHz RB Size 50& RB Offset 0 QPSK-Middle CH)




LTE BAND 12 (10MHz RB Size 50& RB Offset 0 QPSK-High CH)




30MHz-1GHz

1GHz-26.5GHz

LTE BAND 12 (10MHz RB Size 50& RB Offset 0 16QAM-Low CH)



LTE BAND 12 (10MHz RB Size 50& RB Offset 0 16QAM-Middle CH)



LTE BAND 12 (10MHz RB Size 50& RB Offset 0 16QAM-High CH)

