









































CONDUCTED RF SPURIOUS EMISSION

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-50.65	-20	Pass
NVNT	b	2437	Ant1	-50.65	-20	Pass
NVNT	b	2462	Ant1	-50.45	-20	Pass
NVNT	b	2412	Ant2	-52.16	-20	Pass
NVNT	b	2437	Ant2	-50.77	-20	Pass
NVNT	b	2462	Ant2	-49.61	-20	Pass
NVNT	g	2412	Ant1	-50.71	-20	Pass
NVNT	g	2437	Ant1	-48.68	-20	Pass
NVNT	g	2462	Ant1	-49.6	-20	Pass
NVNT	g	2412	Ant2	-51.89	-20	Pass
NVNT	g	2437	Ant2	-49.51	-20	Pass
NVNT	g	2462	Ant2	-50.06	-20	Pass
NVNT	n20	2412	Ant1	-50.38	-20	Pass
NVNT	n20	2437	Ant1	-50.83	-20	Pass
NVNT	n20	2462	Ant1	-48.58	-20	Pass
NVNT	n20	2412	Ant2	-51.01	-20	Pass
NVNT	n20	2437	Ant2	-50.88	-20	Pass
NVNT	n20	2462	Ant2	-48.86	-20	Pass
NVNT	n40	2422	Ant1	-46.98	-20	Pass
NVNT	n40	2437	Ant1	-47.11	-20	Pass
NVNT	n40	2452	Ant1	-42.61	-20	Pass
NVNT	n40	2422	Ant2	-47.18	-20	Pass
NVNT	n40	2437	Ant2	-46.47	-20	Pass
NVNT	n40	2452	Ant2	-43.19	-20	Pass
NVNT	ax20	2412	Ant1	-50.44	-20	Pass
NVNT	ax20	2437	Ant1	-50.79	-20	Pass
NVNT	ax20	2462	Ant1	-47.42	-20	Pass
NVNT	ax20	2412	Ant2	-50.72	-20	Pass
NVNT	ax20	2437	Ant2	-51.56	-20	Pass
NVNT	ax20	2462	Ant2	-50.7	-20	Pass
NVNT	ax40	2422	Ant1	-46.46	-20	Pass
NVNT	ax40	2437	Ant1	-47.73	-20	Pass
NVNT	ax40	2452	Ant1	-40.95	-20	Pass
NVNT	ax40	2422	Ant2	-46.08	-20	Pass
NVNT	ax40	2437	Ant2	-46.47	-20	Pass
NVNT	ax40	2452	Ant2	-41.06	-20	Pass

