


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band2


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-54.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.79	-13	Pass	2985
30	1000	0.1	RMS	899.29	-55.33	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.94	-13	Pass	830
1830	1920	1	RMS	1850.25	23.37	60	Pass	601
1920	3000	1	RMS	2651.677	-40.11	-13	Pass	1080
3000	12000	1	RMS	3700.078	-35.9	-13	Pass	9000
12000	20000	1	RMS	16608.576	-36.18	-13	Pass	8000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.01	-13	Pass	2985
30	1000	0.1	RMS	928.693	-55.44	-13	Pass	9700
1000	1830	1	RMS	1828.999	-44.93	-13	Pass	830
1830	1920	1	RMS	1851.15	23.37	60	Pass	601
1920	3000	1	RMS	2658.684	-40.07	-13	Pass	1080
3000	12000	1	RMS	3702.078	-34.77	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.17	-13	Pass	8000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.38	-13	Pass	601
0.15	30	0.01	RMS	0.16	-53.29	-13	Pass	2985
30	1000	0.1	RMS	961.896	-55.44	-13	Pass	9700
1000	1830	1	RMS	1791.954	-44.91	-13	Pass	830
1830	1920	1	RMS	1850.25	22.13	60	Pass	601
1920	3000	1	RMS	2659.685	-40.05	-13	Pass	1080
3000	12000	1	RMS	3700.078	-35.71	-13	Pass	9000
12000	20000	1	RMS	16589.574	-36.14	-13	Pass	8000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.92	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.17	-13	Pass	2985
30	1000	0.1	RMS	973.897	-55.49	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.93	-13	Pass	830
1830	1920	1	RMS	1851.15	22.13	60	Pass	601
1920	3000	1	RMS	2660.686	-40.09	-13	Pass	1080
3000	12000	1	RMS	3702.078	-34.76	-13	Pass	9000
12000	20000	1	RMS	16585.573	-36.19	-13	Pass	8000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.53	-13	Pass	2985
30	1000	0.1	RMS	906.89	-55.65	-13	Pass	9700
1000	1830	1	RMS	1815.983	-44.96	-13	Pass	830
1830	1920	1	RMS	1879.5	22.74	60	Pass	601
1920	3000	1	RMS	2659.685	-40.05	-13	Pass	1080
3000	12000	1	RMS	3759.084	-35.14	-13	Pass	9000
12000	20000	1	RMS	16594.574	-36.16	-13	Pass	8000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.39	-13	Pass	2985
30	1000	0.1	RMS	901.69	-55.51	-13	Pass	9700
1000	1830	1	RMS	1816.984	-44.95	-13	Pass	830
1830	1920	1	RMS	1880.4	22.75	60	Pass	601
1920	3000	1	RMS	2656.682	-40.1	-13	Pass	1080
3000	12000	1	RMS	3761.085	-35.65	-13	Pass	9000
12000	20000	1	RMS	16600.575	-35.96	-13	Pass	8000




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.73	-13	Pass	2985
30	1000	0.1	RMS	923.292	-55.52	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.97	-13	Pass	830
1830	1920	1	RMS	1879.5	21.67	60	Pass	601
1920	3000	1	RMS	2659.685	-40.04	-13	Pass	1080
3000	12000	1	RMS	3759.084	-36.02	-13	Pass	9000
12000	20000	1	RMS	16596.575	-36.14	-13	Pass	8000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.1	-13	Pass	2985
30	1000	0.1	RMS	917.291	-55.22	-13	Pass	9700
1000	1830	1	RMS	1794.958	-44.96	-13	Pass	830
1830	1920	1	RMS	1880.4	21.71	60	Pass	601
1920	3000	1	RMS	2660.686	-40.08	-13	Pass	1080
3000	12000	1	RMS	3761.085	-36.33	-13	Pass	9000
12000	20000	1	RMS	16593.574	-36.19	-13	Pass	8000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.92	-13	Pass	601
0.15	30	0.01	RMS	0.16	-53.12	-13	Pass	2985
30	1000	0.1	RMS	896.389	-55.48	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.96	-13	Pass	830
1830	1920	1	RMS	1908.9	22.53	60	Pass	601
1920	3000	1	RMS	2659.685	-40.07	-13	Pass	1080
3000	12000	1	RMS	3818.091	-39.64	-13	Pass	9000
12000	20000	1	RMS	16591.574	-36.07	-13	Pass	8000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.07	-13	Pass	601
0.15	30	0.01	RMS	0.16	-53.2	-13	Pass	2985
30	1000	0.1	RMS	996.9	-55.41	-13	Pass	9700
1000	1830	1	RMS	1800.965	-44.96	-13	Pass	830
1830	1920	1	RMS	1909.8	22.57	60	Pass	601
1920	3000	1	RMS	2660.686	-40.07	-13	Pass	1080
3000	12000	1	RMS	3819.091	-39.69	-13	Pass	9000
12000	20000	1	RMS	16604.576	-36.15	-13	Pass	8000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.2	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.33	-13	Pass	2985
30	1000	0.1	RMS	909.091	-55.66	-13	Pass	9700
1000	1830	1	RMS	1803.969	-44.93	-13	Pass	830
1830	1920	1	RMS	1908.9	21.37	60	Pass	601
1920	3000	1	RMS	2659.685	-40.02	-13	Pass	1080
3000	12000	1	RMS	3818.091	-40.04	-13	Pass	9000
12000	20000	1	RMS	16601.575	-36.24	-13	Pass	8000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.49	-13	Pass	2985
30	1000	0.1	RMS	972.897	-55.71	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.96	-13	Pass	830
1830	1920	1	RMS	1909.8	21.38	60	Pass	601
1920	3000	1	RMS	2659.685	-40.05	-13	Pass	1080
3000	12000	1	RMS	3819.091	-39.76	-13	Pass	9000
12000	20000	1	RMS	16600.575	-36.08	-13	Pass	8000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.16	-13	Pass	601
0.15	30	0.01	RMS	0.16	-53.13	-13	Pass	2985
30	1000	0.1	RMS	972.297	-55.56	-13	Pass	9700
1000	1830	1	RMS	1804.97	-44.92	-13	Pass	830
1830	1920	1	RMS	1850.25	23.41	60	Pass	601
1920	3000	1	RMS	2659.685	-39.97	-13	Pass	1080
3000	12000	1	RMS	3700.078	-35.59	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.96	-13	Pass	8000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.82	-13	Pass	2985
30	1000	0.1	RMS	982.498	-55.42	-13	Pass	9700
1000	1830	1	RMS	1791.954	-44.91	-13	Pass	830
1830	1920	1	RMS	1852.8	23.33	60	Pass	601
1920	3000	1	RMS	2659.685	-40.09	-13	Pass	1080
3000	12000	1	RMS	3705.078	-36.3	-13	Pass	9000
12000	20000	1	RMS	16593.574	-35.96	-13	Pass	8000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.68	-13	Pass	2985
30	1000	0.1	RMS	893.189	-55.56	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.95	-13	Pass	830
1830	1920	1	RMS	1850.25	22.23	60	Pass	601
1920	3000	1	RMS	2660.686	-40.06	-13	Pass	1080
3000	12000	1	RMS	3700.078	-35.41	-13	Pass	9000
12000	20000	1	RMS	16590.574	-36.13	-13	Pass	8000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.19	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53	-13	Pass	2985
30	1000	0.1	RMS	910.691	-55.66	-13	Pass	9700
1000	1830	1	RMS	1792.955	-44.95	-13	Pass	830
1830	1920	1	RMS	1852.8	22.12	60	Pass	601
1920	3000	1	RMS	2661.687	-40.06	-13	Pass	1080
3000	12000	1	RMS	3705.078	-36.12	-13	Pass	9000
12000	20000	1	RMS	16594.574	-36.21	-13	Pass	8000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.69	-13	Pass	2985
30	1000	0.1	RMS	976.998	-55.33	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.95	-13	Pass	830
1830	1920	1	RMS	1878.75	22.84	60	Pass	601
1920	3000	1	RMS	2654.68	-40.12	-13	Pass	1080
3000	12000	1	RMS	3757.084	-36.33	-13	Pass	9000
12000	20000	1	RMS	16600.575	-36.06	-13	Pass	8000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.95	-13	Pass	2985
30	1000	0.1	RMS	892.889	-55.61	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.91	-13	Pass	830
1830	1920	1	RMS	1881.3	22.78	60	Pass	601
1920	3000	1	RMS	2654.68	-40.1	-13	Pass	1080
3000	12000	1	RMS	3762.085	-36.95	-13	Pass	9000
12000	20000	1	RMS	16600.575	-36.11	-13	Pass	8000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.03	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.29	-13	Pass	2985
30	1000	0.1	RMS	915.691	-55.35	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.92	-13	Pass	830
1830	1920	1	RMS	1878.75	21.75	60	Pass	601
1920	3000	1	RMS	2654.68	-40.08	-13	Pass	1080
3000	12000	1	RMS	3757.084	-36.68	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.13	-13	Pass	8000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.11	-13	Pass	2985
30	1000	0.1	RMS	991.599	-55.39	-13	Pass	9700
1000	1830	1	RMS	1791.954	-44.94	-13	Pass	830
1830	1920	1	RMS	1881.3	21.67	60	Pass	601
1920	3000	1	RMS	2660.686	-40.06	-13	Pass	1080
3000	12000	1	RMS	3762.085	-37.41	-13	Pass	9000
12000	20000	1	RMS	16590.574	-36.05	-13	Pass	8000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.98	-13	Pass	2985
30	1000	0.1	RMS	908.791	-55.52	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.94	-13	Pass	830
1830	1920	1	RMS	1907.25	22.54	60	Pass	601
1920	3000	1	RMS	2657.683	-40.12	-13	Pass	1080
3000	12000	1	RMS	3814.09	-39.64	-13	Pass	9000
12000	20000	1	RMS	16598.575	-36.07	-13	Pass	8000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.45	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.38	-13	Pass	2985
30	1000	0.1	RMS	955.495	-55.77	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.94	-13	Pass	830
1830	1920	1	RMS	1909.8	22.61	60	Pass	601
1920	3000	1	RMS	2657.683	-40.1	-13	Pass	1080
3000	12000	1	RMS	3819.091	-39.79	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.13	-13	Pass	8000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.15	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.78	-13	Pass	2985
30	1000	0.1	RMS	907.69	-55.64	-13	Pass	9700
1000	1830	1	RMS	1790.953	-44.94	-13	Pass	830
1830	1920	1	RMS	1907.25	21.4	60	Pass	601
1920	3000	1	RMS	2656.682	-40.04	-13	Pass	1080
3000	12000	1	RMS	3814.09	-39.67	-13	Pass	9000
12000	20000	1	RMS	16598.575	-36	-13	Pass	8000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.72	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.26	-13	Pass	2985
30	1000	0.1	RMS	927.393	-55.6	-13	Pass	9700
1000	1830	1	RMS	1821.99	-44.96	-13	Pass	830
1830	1920	1	RMS	1909.8	21.35	60	Pass	601
1920	3000	1	RMS	2659.685	-39.95	-13	Pass	1080
3000	12000	1	RMS	3819.091	-40	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.24	-13	Pass	8000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.62	-13	Pass	2985
30	1000	0.1	RMS	965.096	-55.37	-13	Pass	9700
1000	1830	1	RMS	1817.986	-44.96	-13	Pass	830
1830	1920	1	RMS	1850.4	23.25	60	Pass	601
1920	3000	1	RMS	2659.685	-40.04	-13	Pass	1080
3000	12000	1	RMS	3701.078	-35.47	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.19	-13	Pass	8000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.42	-13	Pass	601
0.15	30	0.01	RMS	0.16	-53.67	-13	Pass	2985
30	1000	0.1	RMS	911.891	-55.39	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.92	-13	Pass	830
1830	1920	1	RMS	1854.6	23.1	60	Pass	601
1920	3000	1	RMS	2658.684	-40.1	-13	Pass	1080
3000	12000	1	RMS	3709.079	-35.01	-13	Pass	9000
12000	20000	1	RMS	19943.993	-36.21	-13	Pass	8000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.37	-13	Pass	2985
30	1000	0.1	RMS	850.385	-55.4	-13	Pass	9700
1000	1830	1	RMS	1802.967	-44.91	-13	Pass	830
1830	1920	1	RMS	1850.4	22.07	60	Pass	601
1920	3000	1	RMS	2657.683	-40.02	-13	Pass	1080
3000	12000	1	RMS	3701.078	-35.22	-13	Pass	9000
12000	20000	1	RMS	16594.574	-36.01	-13	Pass	8000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.03	-13	Pass	2985
30	1000	0.1	RMS	930.193	-55.7	-13	Pass	9700
1000	1830	1	RMS	1828.999	-44.96	-13	Pass	830
1830	1920	1	RMS	1854.6	21.88	60	Pass	601
1920	3000	1	RMS	2660.686	-40.05	-13	Pass	1080
3000	12000	1	RMS	3709.079	-35.24	-13	Pass	9000
12000	20000	1	RMS	16600.575	-36.06	-13	Pass	8000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.3	-13	Pass	2985
30	1000	0.1	RMS	995.4	-55.65	-13	Pass	9700
1000	1830	1	RMS	1830	-44.95	-13	Pass	830
1830	1920	1	RMS	1877.85	22.81	60	Pass	601
1920	3000	1	RMS	2659.685	-40.1	-13	Pass	1080
3000	12000	1	RMS	3756.084	-35.76	-13	Pass	9000
12000	20000	1	RMS	16602.575	-36.02	-13	Pass	8000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.4	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.6	-13	Pass	2985
30	1000	0.1	RMS	896.489	-55.62	-13	Pass	9700
1000	1830	1	RMS	1816.984	-44.96	-13	Pass	830
1830	1920	1	RMS	1882.2	22.69	60	Pass	601
1920	3000	1	RMS	2659.685	-40.06	-13	Pass	1080
3000	12000	1	RMS	3764.085	-36.12	-13	Pass	9000
12000	20000	1	RMS	16602.575	-36.27	-13	Pass	8000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.86	-13	Pass	2985
30	1000	0.1	RMS	913.391	-55.31	-13	Pass	9700
1000	1830	1	RMS	1789.952	-44.92	-13	Pass	830
1830	1920	1	RMS	1877.85	21.82	60	Pass	601
1920	3000	1	RMS	2658.684	-40.11	-13	Pass	1080
3000	12000	1	RMS	3756.084	-36.23	-13	Pass	9000
12000	20000	1	RMS	16588.574	-36.16	-13	Pass	8000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.78	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.89	-13	Pass	2985
30	1000	0.1	RMS	913.791	-55.56	-13	Pass	9700
1000	1830	1	RMS	1823.993	-44.98	-13	Pass	830
1830	1920	1	RMS	1882.2	21.64	60	Pass	601
1920	3000	1	RMS	2658.684	-40.08	-13	Pass	1080
3000	12000	1	RMS	3764.085	-36.66	-13	Pass	9000
12000	20000	1	RMS	16591.574	-36.21	-13	Pass	8000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.75	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.35	-13	Pass	2985
30	1000	0.1	RMS	989.499	-55.57	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.91	-13	Pass	830
1830	1920	1	RMS	1905.3	22.35	60	Pass	601
1920	3000	1	RMS	2657.683	-40.1	-13	Pass	1080
3000	12000	1	RMS	3811.09	-39.07	-13	Pass	9000
12000	20000	1	RMS	16600.575	-36.24	-13	Pass	8000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.93	-13	Pass	2985
30	1000	0.1	RMS	998.9	-55.85	-13	Pass	9700
1000	1830	1	RMS	1795.959	-44.93	-13	Pass	830
1830	1920	1	RMS	1909.65	22.46	60	Pass	601
1920	3000	1	RMS	2660.686	-40.09	-13	Pass	1080
3000	12000	1	RMS	3819.091	-38.84	-13	Pass	9000
12000	20000	1	RMS	16606.576	-36.28	-13	Pass	8000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.5	-13	Pass	2985
30	1000	0.1	RMS	958.896	-55.54	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.96	-13	Pass	830
1830	1920	1	RMS	1905.3	21.43	60	Pass	601
1920	3000	1	RMS	2661.687	-40.04	-13	Pass	1080
3000	12000	1	RMS	3811.09	-39.6	-13	Pass	9000
12000	20000	1	RMS	16602.575	-36.16	-13	Pass	8000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.47	-13	Pass	2985
30	1000	0.1	RMS	897.489	-55.23	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.95	-13	Pass	830
1830	1920	1	RMS	1909.65	21.41	60	Pass	601
1920	3000	1	RMS	2661.687	-40.1	-13	Pass	1080
3000	12000	1	RMS	3819.091	-39.28	-13	Pass	9000
12000	20000	1	RMS	16588.574	-36.15	-13	Pass	8000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.63	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.22	-13	Pass	2985
30	1000	0.1	RMS	999	-55.57	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.92	-13	Pass	830
1830	1920	1	RMS	1850.55	23.46	60	Pass	601
1920	3000	1	RMS	2658.684	-40.12	-13	Pass	1080
3000	12000	1	RMS	3701.078	-34.52	-13	Pass	9000
12000	20000	1	RMS	16589.574	-36.22	-13	Pass	8000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.44	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.31	-13	Pass	2985
30	1000	0.1	RMS	896.589	-55.65	-13	Pass	9700
1000	1830	1	RMS	1823.993	-44.95	-13	Pass	830
1830	1920	1	RMS	1859.4	23.08	60	Pass	601
1920	3000	1	RMS	2660.686	-40.04	-13	Pass	1080
3000	12000	1	RMS	3719.08	-34.14	-13	Pass	9000
12000	20000	1	RMS	16594.574	-35.85	-13	Pass	8000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.78	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.9	-13	Pass	2985
30	1000	0.1	RMS	896.689	-55.48	-13	Pass	9700
1000	1830	1	RMS	1790.953	-44.97	-13	Pass	830
1830	1920	1	RMS	1850.55	22.22	60	Pass	601
1920	3000	1	RMS	2660.686	-40.1	-13	Pass	1080
3000	12000	1	RMS	3701.078	-34.41	-13	Pass	9000
12000	20000	1	RMS	16594.574	-36.26	-13	Pass	8000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.86	-13	Pass	2985
30	1000	0.1	RMS	993.699	-55.34	-13	Pass	9700
1000	1830	1	RMS	1799.964	-44.95	-13	Pass	830
1830	1920	1	RMS	1859.4	21.96	60	Pass	601
1920	3000	1	RMS	2659.685	-40.06	-13	Pass	1080
3000	12000	1	RMS	3719.08	-34.32	-13	Pass	9000
12000	20000	1	RMS	16596.575	-36.12	-13	Pass	8000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.59	-13	Pass	2985
30	1000	0.1	RMS	985.499	-55.46	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.94	-13	Pass	830
1830	1920	1	RMS	1875.6	22.98	60	Pass	601
1920	3000	1	RMS	2656.682	-40.06	-13	Pass	1080
3000	12000	1	RMS	3751.083	-34.06	-13	Pass	9000
12000	20000	1	RMS	16591.574	-36.15	-13	Pass	8000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52	-13	Pass	2985
30	1000	0.1	RMS	878.888	-55.68	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.89	-13	Pass	830
1830	1920	1	RMS	1884.45	22.82	60	Pass	601
1920	3000	1	RMS	2659.685	-40.08	-13	Pass	1080
3000	12000	1	RMS	3769.085	-37.27	-13	Pass	9000
12000	20000	1	RMS	16600.575	-36.15	-13	Pass	8000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.23	-13	Pass	2985
30	1000	0.1	RMS	911.391	-55.59	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.94	-13	Pass	830
1830	1920	1	RMS	1875.6	21.89	60	Pass	601
1920	3000	1	RMS	2658.684	-40.13	-13	Pass	1080
3000	12000	1	RMS	3751.083	-34.67	-13	Pass	9000
12000	20000	1	RMS	16602.575	-36	-13	Pass	8000




1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.21	-13	Pass	2985
30	1000	0.1	RMS	896.789	-55.64	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.97	-13	Pass	830
1830	1920	1	RMS	1884.45	21.66	60	Pass	601
1920	3000	1	RMS	2659.685	-40.08	-13	Pass	1080
3000	12000	1	RMS	3769.085	-37.89	-13	Pass	9000
12000	20000	1	RMS	16601.575	-36.18	-13	Pass	8000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.14	-13	Pass	2985
30	1000	0.1	RMS	956.295	-55.53	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.98	-13	Pass	830
1830	1920	1	RMS	1900.65	22.58	60	Pass	601
1920	3000	1	RMS	2658.684	-40.07	-13	Pass	1080
3000	12000	1	RMS	3801.089	-37.18	-13	Pass	9000
12000	20000	1	RMS	16601.575	-36.11	-13	Pass	8000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.89	-13	Pass	2985
30	1000	0.1	RMS	899.69	-55.42	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.92	-13	Pass	830
1830	1920	1	RMS	1909.35	22.68	60	Pass	601
1920	3000	1	RMS	2661.687	-40.11	-13	Pass	1080
3000	12000	1	RMS	3819.091	-39.27	-13	Pass	9000
12000	20000	1	RMS	16596.575	-36.23	-13	Pass	8000




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.95	-13	Pass	2985
30	1000	0.1	RMS	927.293	-55.34	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.95	-13	Pass	830
1830	1920	1	RMS	1900.65	21.57	60	Pass	601
1920	3000	1	RMS	2660.686	-40.11	-13	Pass	1080
3000	12000	1	RMS	3801.089	-38.11	-13	Pass	9000
12000	20000	1	RMS	16600.575	-36.17	-13	Pass	8000




1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.65	-13	Pass	601
0.15	30	0.01	RMS	0.16	-53.13	-13	Pass	2985
30	1000	0.1	RMS	887.388	-55.41	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.9	-13	Pass	830
1830	1920	1	RMS	1909.35	21.42	60	Pass	601
1920	3000	1	RMS	2659.685	-40.04	-13	Pass	1080
3000	12000	1	RMS	3819.091	-39.44	-13	Pass	9000
12000	20000	1	RMS	16602.575	-36.16	-13	Pass	8000




1.49. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.72	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.31	-13	Pass	2985
30	1000	0.1	RMS	885.988	-55.55	-13	Pass	9700
1000	1830	1	RMS	1823.993	-38.91	-13	Pass	830
1830	1920	1	RMS	1850.85	23.59	60	Pass	601
1920	3000	1	RMS	2657.683	-40.07	-13	Pass	1080
3000	12000	1	RMS	3702.078	-35.75	-13	Pass	9000
12000	20000	1	RMS	16602.575	-36.17	-13	Pass	8000




1.50. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.19	-13	Pass	2985
30	1000	0.1	RMS	898.89	-55.48	-13	Pass	9700
1000	1830	1	RMS	1818.987	-44.87	-13	Pass	830
1830	1920	1	RMS	1864.2	23.14	60	Pass	601
1920	3000	1	RMS	2660.686	-40.05	-13	Pass	1080
3000	12000	1	RMS	3728.081	-33.5	-13	Pass	9000
12000	20000	1	RMS	16591.574	-36.16	-13	Pass	8000




1.51. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.65	-13	Pass	2985
30	1000	0.1	RMS	996.8	-55.37	-13	Pass	9700
1000	1830	1	RMS	1823.993	-39.71	-13	Pass	830
1830	1920	1	RMS	1850.85	22.35	60	Pass	601
1920	3000	1	RMS	2659.685	-40.09	-13	Pass	1080
3000	12000	1	RMS	3702.078	-35.7	-13	Pass	9000
12000	20000	1	RMS	16613.577	-36.26	-13	Pass	8000




1.52. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.63	-13	Pass	2985
30	1000	0.1	RMS	963.096	-55.51	-13	Pass	9700
1000	1830	1	RMS	1792.955	-44.96	-13	Pass	830
1830	1920	1	RMS	1864.2	22.12	60	Pass	601
1920	3000	1	RMS	2658.684	-40.06	-13	Pass	1080
3000	12000	1	RMS	3728.081	-34.45	-13	Pass	9000
12000	20000	1	RMS	16603.575	-36.03	-13	Pass	8000




1.53. LTE Transmitter Spurious Emissions(NTNV)(Subtest:53, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.83	-13	Pass	2985
30	1000	0.1	RMS	893.389	-55.26	-13	Pass	9700
1000	1830	1	RMS	1790.953	-44.93	-13	Pass	830
1830	1920	1	RMS	1873.35	23.07	60	Pass	601
1920	3000	1	RMS	2656.682	-40.09	-13	Pass	1080
3000	12000	1	RMS	3747.083	-34.34	-13	Pass	9000
12000	20000	1	RMS	16589.574	-36.08	-13	Pass	8000




1.54. LTE Transmitter Spurious Emissions(NTNV)(Subtest:54, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.36	-13	Pass	601
0.15	30	0.01	RMS	0.16	-51.6	-13	Pass	2985
30	1000	0.1	RMS	952.595	-55.54	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.89	-13	Pass	830
1830	1920	1	RMS	1886.7	22.86	60	Pass	601
1920	3000	1	RMS	2658.684	-40.08	-13	Pass	1080
3000	12000	1	RMS	3773.086	-38.26	-13	Pass	9000
12000	20000	1	RMS	16605.576	-36.22	-13	Pass	8000




1.55. LTE Transmitter Spurious Emissions(NTNV)(Subtest:55, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.59	-13	Pass	2985
30	1000	0.1	RMS	916.591	-55.5	-13	Pass	9700
1000	1830	1	RMS	1830	-44.9	-13	Pass	830
1830	1920	1	RMS	1873.35	21.94	60	Pass	601
1920	3000	1	RMS	2838.851	-40.1	-13	Pass	1080
3000	12000	1	RMS	3747.083	-35.34	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.95	-13	Pass	8000




1.56. LTE Transmitter Spurious Emissions(NTNV)(Subtest:56, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.66	-13	Pass	2985
30	1000	0.1	RMS	957.996	-55.6	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.95	-13	Pass	830
1830	1920	1	RMS	1886.7	21.69	60	Pass	601
1920	3000	1	RMS	2657.683	-40.08	-13	Pass	1080
3000	12000	1	RMS	3773.086	-38.74	-13	Pass	9000
12000	20000	1	RMS	16597.575	-36	-13	Pass	8000




1.57. LTE Transmitter Spurious Emissions(NTNV)(Subtest:57, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.72	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.19	-13	Pass	2985
30	1000	0.1	RMS	993.099	-55.7	-13	Pass	9700
1000	1830	1	RMS	1787.949	-44.96	-13	Pass	830
1830	1920	1	RMS	1895.85	22.77	60	Pass	601
1920	3000	1	RMS	2660.686	-40.02	-13	Pass	1080
3000	12000	1	RMS	3792.088	-38	-13	Pass	9000
12000	20000	1	RMS	16603.575	-36.07	-13	Pass	8000




1.58. LTE Transmitter Spurious Emissions(NTNV)(Subtest:58, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.78	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.47	-13	Pass	2985
30	1000	0.1	RMS	985.298	-55.51	-13	Pass	9700
1000	1830	1	RMS	1830	-44.9	-13	Pass	830
1830	1920	1	RMS	1909.2	22.76	60	Pass	601
1920	3000	1	RMS	2660.686	-40.1	-13	Pass	1080
3000	12000	1	RMS	3818.091	-38.99	-13	Pass	9000
12000	20000	1	RMS	16597.575	-35.96	-13	Pass	8000




1.59. LTE Transmitter Spurious Emissions(NTNV)(Subtest:59, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.22	-13	Pass	601
0.15	30	0.01	RMS	0.16	-53.2	-13	Pass	2985
30	1000	0.1	RMS	992.999	-55.76	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.98	-13	Pass	830
1830	1920	1	RMS	1895.85	21.74	60	Pass	601
1920	3000	1	RMS	2658.684	-40.13	-13	Pass	1080
3000	12000	1	RMS	3792.088	-38.57	-13	Pass	9000
12000	20000	1	RMS	16609.576	-36.18	-13	Pass	8000




1.60. LTE Transmitter Spurious Emissions(NTNV)(Subtest:60, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.72	-13	Pass	2985
30	1000	0.1	RMS	976.798	-55.38	-13	Pass	9700
1000	1830	1	RMS	1820.989	-45.01	-13	Pass	830
1830	1920	1	RMS	1909.2	21.51	60	Pass	601
1920	3000	1	RMS	2659.685	-40.07	-13	Pass	1080
3000	12000	1	RMS	3818.091	-39.23	-13	Pass	9000
12000	20000	1	RMS	16605.576	-36.21	-13	Pass	8000




1.61. LTE Transmitter Spurious Emissions(NTNV)(Subtest:61, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.2	-13	Pass	2985
30	1000	0.1	RMS	976.298	-55.52	-13	Pass	9700
1000	1830	1	RMS	1814.982	-42.74	-13	Pass	830
1830	1920	1	RMS	1851.15	23.6	60	Pass	601
1920	3000	1	RMS	2662.688	-40.14	-13	Pass	1080
3000	12000	1	RMS	3702.078	-35.05	-13	Pass	9000
12000	20000	1	RMS	16603.575	-36.16	-13	Pass	8000




1.62. LTE Transmitter Spurious Emissions(NTNV)(Subtest:62, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.33	-13	Pass	2985
30	1000	0.1	RMS	991.499	-55.67	-13	Pass	9700
1000	1830	1	RMS	1820.989	-44.98	-13	Pass	830
1830	1920	1	RMS	1868.85	23.16	60	Pass	601
1920	3000	1	RMS	2660.686	-40.12	-13	Pass	1080
3000	12000	1	RMS	3738.082	-33.18	-13	Pass	9000
12000	20000	1	RMS	16594.574	-36.17	-13	Pass	8000




1.63. LTE Transmitter Spurious Emissions(NTNV)(Subtest:63, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.58	-13	Pass	2985
30	1000	0.1	RMS	921.292	-55.47	-13	Pass	9700
1000	1830	1	RMS	1815.983	-43.75	-13	Pass	830
1830	1920	1	RMS	1851.15	22.38	60	Pass	601
1920	3000	1	RMS	2660.686	-40.13	-13	Pass	1080
3000	12000	1	RMS	3702.078	-34.35	-13	Pass	9000
12000	20000	1	RMS	16600.575	-36.12	-13	Pass	8000




1.64. LTE Transmitter Spurious Emissions(NTNV)(Subtest:64, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.46	-13	Pass	2985
30	1000	0.1	RMS	893.089	-55.52	-13	Pass	9700
1000	1830	1	RMS	1804.97	-44.98	-13	Pass	830
1830	1920	1	RMS	1868.85	22.12	60	Pass	601
1920	3000	1	RMS	2659.685	-40.03	-13	Pass	1080
3000	12000	1	RMS	3738.082	-33.76	-13	Pass	9000
12000	20000	1	RMS	16597.575	-36.01	-13	Pass	8000




1.65. LTE Transmitter Spurious Emissions(NTNV)(Subtest:65, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.75	-13	Pass	2985
30	1000	0.1	RMS	938.394	-55.57	-13	Pass	9700
1000	1830	1	RMS	1828.999	-44.96	-13	Pass	830
1830	1920	1	RMS	1871.1	23.16	60	Pass	601
1920	3000	1	RMS	2657.683	-40.1	-13	Pass	1080
3000	12000	1	RMS	3742.082	-32.92	-13	Pass	9000
12000	20000	1	RMS	16602.575	-36.11	-13	Pass	8000




1.66. LTE Transmitter Spurious Emissions(NTNV)(Subtest:66, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.64	-13	Pass	2985
30	1000	0.1	RMS	983.698	-55.5	-13	Pass	9700
1000	1830	1	RMS	1808.975	-45	-13	Pass	830
1830	1920	1	RMS	1888.95	22.94	60	Pass	601
1920	3000	1	RMS	2657.683	-40.13	-13	Pass	1080
3000	12000	1	RMS	3778.086	-38.28	-13	Pass	9000
12000	20000	1	RMS	16589.574	-36.13	-13	Pass	8000




1.67. LTE Transmitter Spurious Emissions(NTNV)(Subtest:67, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.87	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.9	-13	Pass	2985
30	1000	0.1	RMS	951.395	-55.65	-13	Pass	9700
1000	1830	1	RMS	1823.993	-44.99	-13	Pass	830
1830	1920	1	RMS	1871.1	22	60	Pass	601
1920	3000	1	RMS	2661.687	-40.14	-13	Pass	1080
3000	12000	1	RMS	3742.082	-33.93	-13	Pass	9000
12000	20000	1	RMS	16583.573	-36.2	-13	Pass	8000




1.68. LTE Transmitter Spurious Emissions(NTNV)(Subtest:68, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.01	-13	Pass	2985
30	1000	0.1	RMS	869.287	-55.46	-13	Pass	9700
1000	1830	1	RMS	1791.954	-44.96	-13	Pass	830
1830	1920	1	RMS	1888.95	21.73	60	Pass	601
1920	3000	1	RMS	2656.682	-40.16	-13	Pass	1080
3000	12000	1	RMS	3778.086	-38.95	-13	Pass	9000
12000	20000	1	RMS	16600.575	-36.17	-13	Pass	8000




1.69. LTE Transmitter Spurious Emissions(NTNV)(Subtest:69, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.83	-13	Pass	2985
30	1000	0.1	RMS	901.69	-55.32	-13	Pass	9700
1000	1830	1	RMS	1815.983	-44.94	-13	Pass	830
1830	1920	1	RMS	1891.05	22.9	60	Pass	601
1920	3000	1	RMS	2657.683	-40.07	-13	Pass	1080
3000	12000	1	RMS	3782.087	-37.59	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.1	-13	Pass	8000




1.70. LTE Transmitter Spurious Emissions(NTNV)(Subtest:70, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.48	-13	Pass	2985
30	1000	0.1	RMS	933.393	-55.52	-13	Pass	9700
1000	1830	1	RMS	1816.984	-45	-13	Pass	830
1830	1920	1	RMS	1908.9	22.82	60	Pass	601
1920	3000	1	RMS	2657.683	-40.09	-13	Pass	1080
3000	12000	1	RMS	3818.091	-39.11	-13	Pass	9000
12000	20000	1	RMS	16607.576	-36.17	-13	Pass	8000




1.71. LTE Transmitter Spurious Emissions(NTNV)(Subtest:71, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.94	-13	Pass	2985
30	1000	0.1	RMS	927.293	-55.65	-13	Pass	9700
1000	1830	1	RMS	1806.972	-45.01	-13	Pass	830
1830	1920	1	RMS	1891.05	21.62	60	Pass	601
1920	3000	1	RMS	2659.685	-40.14	-13	Pass	1080
3000	12000	1	RMS	3782.087	-38.6	-13	Pass	9000
12000	20000	1	RMS	16585.573	-36.26	-13	Pass	8000



1.72. LTE Transmitter Spurious Emissions(NTNV)(Subtest:72, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.5	-13	Pass	2985
30	1000	0.1	RMS	899.29	-55.44	-13	Pass	9700
1000	1830	1	RMS	1752.907	-45.02	-13	Pass	830
1830	1920	1	RMS	1908.9	21.49	60	Pass	601
1920	3000	1	RMS	2659.685	-40.16	-13	Pass	1080
3000	12000	1	RMS	3818.091	-39.25	-13	Pass	9000
12000	20000	1	RMS	16594.574	-36.1	-13	Pass	8000



END