

# FCC RF EXPOSURE REPORT

**FCC ID: 2AQBD-R39**

**Project No.** : 1901C140  
**Equipment** : Digital Thermometer Hygrometer  
**Model** : R39  
**Series Models** : N/A  
**Applicant** : Fujian Youtong Industries Co.,Ltd.  
**Address** : Building 7, SCUD Industrial Park, No. 70,  
Rujiang East Road, Kuai'an, Mawei, Fuzhou,  
China

**According:** : FCC Guidelines for Human Exposure IEEE  
C95.1 & KDB447498 D01

**B T L I N C .**

No.3, Jinshagang 1st Road, Shixia, Dalang Town, Dongguan,  
Guangdong, China.

TEL: +86-769-8318-3000 FAX: +86-769-8319-6000



Certificate #5123.02

## GENERAL CONCLUSION:

Maximum measured transmitter power:

Output Power (dBm)	Output Power (mW)	Limit(mW)
-46.66	0.00002	10

According to FCC KDB447498 D01 V06, Appendix A, SAR Test Exclusion Thresholds for 100MHz-6GHz and  $\leq 50$  mm

The maximum measured output peak power of this EUT is 0.00002mW, less than 10mW at 20cm distance.

Conclusion: No SAR evaluation required since transmitter power is below FCC threshold.

**End of Test Report**