
Wireless charger instruction sheet



Wireless charger's charging method

- Connect wireless charging pad to a power source via included micro USB cable. Charging pad entering standby mode with red indicator light on.
- Place your portable device in the center area of the charging pad, charging begins with blue color indicator light on.
- 3) All lights turn off when charging completed.

Product specs:

Product model: WP003

Main function: wireless charging transmitter

Charging type: one-on-one charge corresponding area

Input Specs: DC 5V/1A
Output Specs: 5V/800mA
Efficitive Distance: 4 to 6MM
Conversion efficiency: ≥70%

Charging methods: induction model Working frequency: 110.5-205 KHz

Accessories: USB cable, Wireless charging pad

Instruction sheet, warning card

How to Use Correctly?



FCC Caution.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -Reorient or relocate the receiving antenna.
- -Increase the separation between the equipment and receiver.
- -Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -Consult the dealer or an experienced radio/TV technician for help.