

FCC §15.247 (i), §2.1091 - RF Exposure

# FCC ID: 2AQI5-CM822

## **Applied procedures / limit**

According to FCC §15.247(i) and §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy level in excess of the Commission's guidelines.

**Limits for Occupational / Controlled Exposure** 

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/ cm²)	Averaging Time  E ², H ²or S (minutes)	
0.3-3.0	614	1.63	(100)*	6	
3.0-30	1842 / f	4.89 / f	(900 / f)*	6	
30-300	61.4	0.163	1.0	6	
300-1500			F/300	6	
1500-100,000			5	6	

Note: *f* is frequency in MHz

## **Limits for General Population / Uncontrolled Exposure**

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/ cm²)	Averaging Time  E  <sup>2</sup> , H  <sup>2</sup> or S (minutes)
0.3-1.34	614	1.63	(100)*	30
1.34-30	824/f	2.19/f	(180/f)*	30
30-300	27.5	0.073	0.2	30
300-1500			F/1500	30
1500-100,000			1.0	30

Note: f = frequency in MHz

<sup>\* =</sup> Power density limit is applicable at frequencies greater than 100 MHz

<sup>\* =</sup> Plane-wave equivalent power density



### MPE PREDICTION

Predication of MPE limit at a given distance, Equation from OET Bulletin 65, Edition 97-01

 $S = PG/4\pi R^2$ 

Where: S = power density

P = power input to antenna

G = power gain of the antenna in the direction of interest relative to an isotropic radiator

R = distance to the center of radiation of the antenna, R=0.2m

### **TEST RESULTS**

	Tune up Produce power	Maximum output power (dBm)	Output power to antenna (mW)	Antenna Gain (numeric)	Power Density (S) (mW/ cm2)	Limit (mW / cm2 )	Result
ВТ	12±1	13	20	1.47(1.67dBi)	0.006647	1	Pass
BLE	12±1	13	20	1.47(1.67dBi)	0.006647	1	Pass
2.4G WIFI	26±1	27	501.2	1.47(1.67dBi)	0.166564	1	Pass
5G WIFI	27±1	28	631	2.07(3.16dBi)	0.259928	1	Pass
6G WIFI	28±1	29	794	1.96(2.92dBi)	0.309692	1	Pass

 ${f Note}$ : Only the maximum power is evaluated. The 6G WIFI value is EIRP power, and all others are conducted power.

#### For the Max simultaneous transmission:

BT+2.4G WIFI+5G WIFI+6G WIFI

Simultaneous transmitting =0.006647 /1+0.166564 /1+0.259928 /1+0.309692 /1=0.742831  $\leq$  1.0

For the max result : 0.742831 ≤ 1.0, compliance with FCC's RF Exposure