

## SPEC

Product Name: Handheld Translation And Recording Device

Product Size: 120 \* 60.5 \* 13mm

Product Color: Black

Product Weight: 163g

Touch Screen: 4-inch Touch Screen

540 \*1080P Retina Display

Processor: MT6739 Quad-core

Storage: 32GB

Microphone: Four Noise-cancelling Microphone

Speaker: Hi-Fi Speaker

Battery: 3250mAh


Operating Temperature: -5° C--- 40° C

Operating Humidity: <70%

Charging Time: 4 Hours (5V 2A Charger)

## QUICK GUIDE

### 1. How To Use The Translation Function



#### One-button Translation:

It will automatically recognize between the two selected languages and translate into another one.

### 2. More Information

Visit [www.langogo.ai/instructions.pdf](http://www.langogo.ai/instructions.pdf) for more instructions.

## LEARN MORE

Thanks for using Langogo. Please visit [www.langogo.ai](http://www.langogo.ai) for more product information.

## SUPPORT

Please contact [support@langogo.ai](mailto:support@langogo.ai) for more support.

## DISCLAIMER

\*We assume no responsibility for any damage or loss resulting from your failure to comply with instructions for use.

## IMPORTANT

1. Please upgrade the system directly through the device settings.
2. Do not use the device in outdoor environment during a thunderstorm.
3. Please keep this device out of children's reach.
4. Please note with the warning signs and comply with driving regulations and laws when using this device.
5. Please use the original battery, accessories and parts that come in the box.
6. Please take good care of the device to avoid any collision or damage. If damage is found, please immediately stop operation and contact the retailer for repair, otherwise it may result in injury such as electric shock.
7. Please keep the device dry. Do not touch it with wet hands. Keep liquids away from the device.
8. Do not use this device in places, such as petro stations or cabins, etc., where wireless devices like mobile phones, are prohibited with warning signs.
9. Please charge the battery in well-ventilated areas and away from flammable and explosive materials.
10. Please keep away from any ignition source, such as heating systems, heaters, ovens or open flames, etc. Avoid sun exposure.
11. Do not attempt to repair or disassemble the device.
12. Please use the original USB charging cable that comes in the box and refer to the charging specifications for charging.
13. The device must be charged in a ventilated environment of -40 °C ~ + 55 °C, and must use the qualified charger provided by the regular manufacturer. The use of an unapproved charger may be dangerous and will violate the approval and warranty terms of this device.
14. This product is not equipped with an adapter, adapter should meet the following requirements:
  - (1) The adapter shall have a national compulsory product certification.
  - (2) The output specification of the adapter should be DC 5V-1A.
  - (3) The output interface of the adapter is a Type-C USB interface.
- If the adapter does not meet the requirements above, following problems may cause:
  - 1) The device cannot be charged;
  - 2) The device has some faults, such as generate heat, crash, unable to turn on, etc.
  - 3) Battery life is shortened, battery generate heat, explosion, etc.;

## STATEMENT

FCC Declaration of Conformity

FCC ID: 2AQLY-SUMMIT

This device subjects to the FCC rule ANSI C63.4 and the Part 15 of the FCC rules.

Ensure the following two requirements have been met for operations:

1. This device does not cause harmful interference;
2. This device can resist interference from other sources, including what may lead to unintended operations.

## Check FCC ID:

Step One: Click "Settings"

Step Two: Click "About"

Step Three: Click "Regulator" to view FCC ID

## CE Statement

This product complies with the council RTTE Directive 99/5/EC.

The CE marking indicates this product is complied with all applicable Directives.



## FCC Statement

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 10mm between the radiator & your body.

## CE Statement

Herby, Jiangxi Hongyada Communication Co., Ltd. declares that this Handheld Translation And Recording Device, Summit is in compliance with the essential requirements and other relevant provisions of Directive 2014/53/EU.

In accordance with Article 10(2) and Article 10(10), this product allowed to be used in all EU member states. Use the Handheld Translation And Recording Device in the environment with the temperature between -5°C and 40°C Use careful with the earphone maybe possible excessive sound pressure from earphones and headphones can cause hearing loss. 

Risk of explosion if battery is replaced by an incorrect type. Dispose of used batteries according to the instructions.

The product shall only be connected to a USB interface of version USB2.0

SAR: The device complies with RF specifications when the device used at 5mm from your body.

Operation Frequency:

For 2.4G WIFI:

2412MHz~2472MHz (802.11b/802.11g/802.11n(HT20))  
2422MHz 2462MHz (802.11n(HT40))

For BT/BLE:

2402MHz~2480MHz

For GPS: 1.57542GHz

For GSM:

E-GSM 900/GPRS 900: E-GPRS 900:

TX: 880~915MHz; RX: 925~960 MHz

E-GSM 1800/GPRS 1800/EGRPS 1800:

TX: 1710~1785 MHz; RX: 1805~1880 MHz

For WCDMA:

UTRA Band I: TX:1920MHz~1980MHz;

RX: 2110~2170MHz

UTRA Band VIII: TX: 880MHz~915MHz;

RX: 925~960MHz

LTE Band 1: (UL)1920MHz~1980MHz,

(DL) 2110MHz~2170MHz

LTE Band 3: (UL)1710MHz~1785MHz,

(DL) 1805MHz~1880MHz

LTE Band 7: (UL)2500MHz~2570MHz,

(DL) 2620MHz~2690MHz

LTE Band 8: (UL)880MHz~915MHz,

(DL) 925MHz~960MHz

LTE Band 20: (UL)832MHz~862MHz,

(DL) 791MHz~821MHz

LTE Band 28: (UL)703MHz~733MHz,

(DL) 758MHz~788MHz

LTE Band 38: (UL)2570MHz~2620MHz,  
(DL) 2570MHz~2620MHz  
LTE Band 40: (UL)2300MHz~2400MHz,  
(DL) 2300MHz~2400MHz

Max output power:

BT: 0.0011W BLE: 0.0011W WIFI: 0.0212W  
E-GSM 900/GPRS 900/EGRPS 900: 1.9935W  
E-GSM 1800/GPRS 1800/EGRPS 1800: 0.955W  
UTRA Band I: 0.1945W  
UTRA Band VIII: 0.1622W  
LTE Band 1: 0.2333W  
LTE Band 3: 0.2218W  
LTE Band 7: 0.1977W  
LTE Band 8: 0.246W  
LTE Band 20: 0.2193W  
LTE Band 28: 0.2089W  
LTE Band 38: 0.2089W  
LTE Band 40: 0.2138W

satisfies all the technical regulations applicable to the product within the scope of Council Directives 2014/53/EU, 2014/35/EU and 2014/30/EU and declare that the same application has not been lodged with any other notified body.

EN 60950-1:2006+A11: 2009+A1: 2010+A12: 2011+A2: 2013

EN 62479:2010

EN 62209-2:2010

EN 50565:2017

Draft ETSI EN 301 489-52 V1.1.0 (2016-11)

ETSI EN 301 489-16 V2.1.1 (2019-04)

Draft ETSI EN 301 489-17 V3.2.0 (2017-03)

ETSI EN 301 489-1 V2.3 (2019-11)

ETSI EN 300 328 V2.2 (2019-07)

ETSI EN 301 611 V12.5.1 (2017-03)

ETSI EN 300 998-1 V13.1.1 (2019-11)

ETSI EN 300 998-2 V1.2 (2017-08)

ETSI EN 301 998-13 V13.1.1 (2019-11)

ETSI EN 303 413 V1.1.1 (2017-06)

(Title(s) of regulations, standards, etc.)

All essential radio test suites have been carried out.

NOTIFIED BODY: MICOM Labs Inc

- Address:

575 Boulder Court,

Pleasanton, California 94566

USA

Identification Number: 2280

MANUFACTURER or AUTHORISED REPRESENTATIVE:

- Address:

Jiangxi Hongyada Communication Co., Ltd.

No.69, North Huangjin Avenue, Ganzhou Economic and Technological Development Zone,

Ganzhou City, Jiangxi Province, China

This declaration is issued under the sole responsibility of the manufacturer and, if applicable, his authorised representative.

Point of contact:

Li Fang, (86) 0755-86567913-8021/N/A

(Name, telephone and fax number)

2019-12-02

(Place, date of issue)



Li Fang, Marketing Manager

(Name and title in block letters)

## DECLARATION OF CONFORMITY

I hereby declare that the product

Product:

Product Name: Handheld Translation And Recording Device

Model: Summit, G1, Pro, G2, G3, G4, G5

Brand Name: Langogo

Hardware Version: JV910i\_MB\_V2

Software Version: JV910i\_N1\_USERDEBUG\_20190823

Accessories:

Adapter Information:

USB Cable Information:

Model: Summit

Length: 1M

Manufacturer: Jiangxi Hongyada Communication Co., Ltd.

Battery Information:

Model: PT554974

Specification: 3.85V, 3250mAh, 12.51Wh

Manufacturer: Guangdong Pow-Tech New Power Co., Ltd.

(Name of product, type or model, batch or serial number)

*Langogo*

## Handheld Translation And Recording Device

**Model: Summit**


User Manual

*Langogo*

### Appearance


#### Power Button

Long press to power on/off;  
short press to lock/  
unlock the screen






#### Speaker

Large Volume  
Speaker  
Type-C  
Charging Port / Audio Jack



LED Indicator Light  
Indicate device status



Microphone  
Noise Reduction Four Microphone

