




HSUPA_B2_LowCH9262-1852.4




WCDMA_B4_LowCH1312-1712.4




HSUPA_B2_MidCH9400-1880




WCDMA_B4_MidCH1413-1732.6



HSUPA_B2_HighCH9538-1907.6



WCDMA_B4_HighCH1513-1752.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


HSDPA_B4_LowCH1312-1712.4




HSUPA_B4_LowCH1312-1712.4




HSDPA_B4_MidCH1413-1732.6




HSUPA_B4_MidCH1413-1732.6



HSDPA_B4_HighCH1513-1752.6



HSUPA_B4_HighCH1513-1752.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


WCDMA_B5_LowCH4132-826.4




HSDPA_B5_LowCH4132-826.4




WCDMA_B5_MidCH4183-836.6




HSDPA_B5_MidCH4183-836.6



WCDMA_B5_HighCH4233-846.6



HSDPA_B5_HighCH4233-846.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


HSUPA_B5_LowCH4132-826.4




Spurious Emission High_GPRS_850MHz_LowCH128-824.2




HSUPA_B5_MidCH4183-836.6




GPRS_850MHz_MidCH190-836.6



HSUPA_B5_HighCH4233-846.6



GPRS_850MHz_HighCH251-848.8




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


EDGE_850MHz_LowCH128-824.2




GPRS_1900MHz_LowCH512-1850.2




EDGE_850MHz_MidCH190-836.6




GPRS_1900MHz_MidCH661-1880



EDGE_850MHz_HighCH251-848.8



GPRS_1900MHz_HighCH810-1909.8




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


EDGE_1900MHz_LowCH512-1850.2




WCDMA_B2_LowCH9262-1852.4




EDGE_1900MHz_MidCH661-1880




WCDMA_B2_MidCH9400-1880



EDGE_1900MHz_HighCH810-1909.8



WCDMA_B2_HighCH9538-1907.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


HSDPA_B2_LowCH9262-1852.4




HSUPA_B2_LowCH9262-1852.4




HSDPA_B2_MidCH9400-1880




HSUPA_B2_MidCH9400-1880



HSDPA_B2_HighCH9538-1907.6



HSUPA_B2_HighCH9538-1907.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


WCDMA_B4_LowCH1312-1712.4




HSDPA_B4_LowCH1312-1712.4




WCDMA_B4_MidCH1413-1732.6




HSDPA_B4_MidCH1413-1732.6



WCDMA_B4_HighCH1513-1752.6



HSDPA_B4_HighCH1513-1752.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


HSUPA_B4_LowCH1312-1712.4




WCDMA_B5_LowCH4132-826.4




HSUPA_B4_MidCH1413-1732.6




WCDMA_B5_MidCH4183-836.6



HSUPA_B4_HighCH1513-1752.6



WCDMA_B5_HighCH4233-846.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


HSDPA_B5_LowCH4132-826.4




HSUPA_B5_LowCH4132-826.4




HSDPA_B5_MidCH4183-836.6




HSUPA_B5_MidCH4183-836.6



HSDPA_B5_HighCH4233-846.6



HSUPA_B5_HighCH4233-846.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

11 FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

11.1 Standard Applicable


According to FCC §2.1053,

FCC §22.917(a), §24.238(a), §27.53(h) and RSS-132 §5.5, RSS-133 §6.5.1, RSS-139 §5.6


Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

11.2 EUT Setup

Radiated Emission Test Set-Up, Frequency From 30MHz to 1000MHz.



Radiated Emission Test Set-Up, Frequency Above 1GHz.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

11.3 Measurement Procedure:

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

$$\text{ERP (dBm)} = \text{SG Level(dBm)} + \text{Antenna Gain(dBd)} + \text{Cable Loss(dB)}$$

$$\text{EIRP (dBm)} = \text{SG Level(dBm)} + \text{Antenna Gain(dBi)} + \text{Cable Loss(dB)}$$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488


www.sgs.com.tw

Member of SGS Group

11.4 Measurement Result:

Report Number :TERF2404001131ER
Operation Mode :GPRS 850
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :824.2 MHz

Test Site :SAC D
Test Date :2024-05-27
Temp./Humi. :22.1°C/65%
Antenna Pol. :Vertical
Engineer :Andy Lee



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.250	-36.46	-24.77	-10.75	-0.94	-13.00	-23.46
109.540	-38.85	-36.10	-1.42	-1.33	-13.00	-25.85
187.140	-54.34	-55.06	2.45	-1.73	-13.00	-41.34
324.880	-61.15	-62.91	4.02	-2.26	-13.00	-48.15
461.650	-63.56	-64.85	4.00	-2.71	-13.00	-50.56
916.580	-61.02	-60.93	3.69	-3.78	-13.00	-48.02
1648.400	-36.14	-40.59	9.50	-5.05	-13.00	-23.14
2472.600	-41.06	-45.32	10.50	-6.24	-13.00	-28.06
3296.800	-42.84	-47.93	12.26	-7.17	-13.00	-29.84
4121.000	-45.65	-50.10	12.56	-8.11	-13.00	-32.65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001131ER
Operation Mode :GPRS 850
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :824.2 MHz

Test Site :SAC D
Test Date :2024-05-27
Temp./Humi. :22.1°C/65%
Antenna Pol. :Horizontal
Engineer :Andy Lee




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.250	-43.89	-32.20	-10.75	-0.94	-13.00	-30.89
133.790	-40.74	-37.70	-1.57	-1.47	-13.00	-27.74
183.260	-51.69	-51.73	1.77	-1.73	-13.00	-38.69
349.130	-60.70	-62.80	4.44	-2.34	-13.00	-47.70
441.280	-65.81	-67.11	3.95	-2.65	-13.00	-52.81
965.080	-62.79	-62.39	3.47	-3.87	-13.00	-49.79
1648.400	-41.52	-45.97	9.50	-5.05	-13.00	-28.52
2472.600	-37.89	-42.15	10.50	-6.24	-13.00	-24.89
3296.800	-42.82	-47.91	12.26	-7.17	-13.00	-29.82
4121.000	-47.55	-52.00	12.56	-8.11	-13.00	-34.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001131ER
Operation Mode :GPRS 850
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :836.6 MHz

Test Site :SAC D
Test Date :2024-05-27
Temp./Humi. :22.1°C/65%
Antenna Pol. :Vertical
Engineer :Andy Lee



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.250	-36.33	-24.64	-10.75	-0.94	-13.00	-23.33
107.600	-38.71	-36.16	-1.24	-1.31	-13.00	-25.71
187.140	-52.78	-53.50	2.45	-1.73	-13.00	-39.78
322.940	-62.02	-63.80	4.04	-2.26	-13.00	-49.02
461.650	-64.44	-65.73	4.00	-2.71	-13.00	-51.44
914.640	-61.52	-61.44	3.70	-3.78	-13.00	-48.52
1673.200	-41.13	-45.89	9.83	-5.07	-13.00	-28.13
2509.800	-38.22	-42.54	10.60	-6.28	-13.00	-25.22
3346.400	-41.33	-46.67	12.58	-7.24	-13.00	-28.33
4183.000	-44.26	-48.68	12.63	-8.21	-13.00	-31.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2404001131ER
Operation Mode :GPRS 850
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :836.6 MHz

Test Site :SAC D
Test Date :2024-05-27
Temp./Humi. :22.1°C/65%
Antenna Pol. :Horizontal
Engineer :Andy Lee




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.250	-43.92	-32.23	-10.75	-0.94	-13.00	-30.92
133.790	-40.79	-37.75	-1.57	-1.47	-13.00	-27.79
185.200	-51.08	-51.51	2.17	-1.74	-13.00	-38.08
350.100	-60.90	-63.02	4.46	-2.34	-13.00	-47.90
441.280	-65.03	-66.33	3.95	-2.65	-13.00	-52.03
828.310	-63.71	-63.85	3.74	-3.60	-13.00	-50.71
1673.200	-41.97	-46.73	9.83	-5.07	-13.00	-28.97
2509.800	-36.45	-40.77	10.60	-6.28	-13.00	-23.45
3346.400	-44.58	-49.92	12.58	-7.24	-13.00	-31.58
4183.000	-44.67	-49.09	12.63	-8.21	-13.00	-31.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001131ER
Operation Mode :GPRS 850
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :848.8 MHz

Test Site :SAC D
Test Date :2024-05-27
Temp./Humi. :22.1°C/65%
Antenna Pol. :Vertical
Engineer :Andy Lee




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.250	-36.19	-24.50	-10.75	-0.94	-13.00	-23.19
108.570	-38.40	-35.65	-1.43	-1.32	-13.00	-25.40
185.200	-52.66	-53.09	2.17	-1.74	-13.00	-39.66
340.400	-60.73	-62.65	4.22	-2.30	-13.00	-47.73
1697.600	-43.58	-48.46	9.98	-5.10	-13.00	-30.58
2546.400	-41.12	-45.43	10.66	-6.35	-13.00	-28.12
3395.200	-42.89	-48.16	12.60	-7.33	-13.00	-29.89
4244.000	-41.64	-46.00	12.61	-8.25	-13.00	-28.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001131ER
Operation Mode :GPRS 850
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :848.8 MHz

Test Site :SAC D
Test Date :2024-05-27
Temp./Humi. :22.1°C/65%
Antenna Pol. :Horizontal
Engineer :Andy Lee




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.250	-43.59	-31.90	-10.75	-0.94	-13.00	-30.59
134.760	-41.17	-38.10	-1.60	-1.47	-13.00	-28.17
185.200	-50.89	-51.32	2.17	-1.74	-13.00	-37.89
351.070	-60.81	-62.93	4.46	-2.34	-13.00	-47.81
449.040	-65.80	-67.06	3.94	-2.68	-13.00	-52.80
918.520	-63.04	-62.92	3.67	-3.79	-13.00	-50.04
1697.600	-47.40	-52.28	9.98	-5.10	-13.00	-34.40
2546.400	-37.19	-41.50	10.66	-6.35	-13.00	-24.19
3395.200	-41.47	-46.74	12.60	-7.33	-13.00	-28.47
4244.000	-39.58	-43.94	12.61	-8.25	-13.00	-26.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001131ER
 Operation Mode :GPRS 1900
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1850.2 MHz

Test Site :SAC D
 Test Date :2024-05-27
 Temp./Humi. :22.1°C/65%
 Antenna Pol. :Vertical
 Engineer :Andy Lee




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.250	-36.56	-24.87	-10.75	-0.94	-13.00	-23.56
109.540	-38.38	-35.63	-1.42	-1.33	-13.00	-25.38
186.170	-52.61	-53.26	2.38	-1.73	-13.00	-39.61
336.520	-61.45	-63.27	4.12	-2.30	-13.00	-48.45
430.610	-66.50	-67.83	3.95	-2.62	-13.00	-53.50
916.580	-60.62	-60.53	3.69	-3.78	-13.00	-47.62
3700.400	-43.04	-48.02	12.60	-7.62	-13.00	-30.04
5550.600	-34.96	-38.69	13.20	-9.47	-13.00	-21.96
7400.800	-32.95	-33.08	11.10	-10.97	-13.00	-19.95
9251.000	-40.41	-39.22	11.20	-12.39	-13.00	-27.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001131ER
Operation Mode :GPRS 1900
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1850.2 MHz

Test Site :SAC D
Test Date :2024-05-27
Temp./Humi. :22.1°C/65%
Antenna Pol. :Horizontal
Engineer :Andy Lee




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.250	-43.56	-31.87	-10.75	-0.94	-13.00	-30.56
134.760	-40.93	-37.86	-1.60	-1.47	-13.00	-27.93
185.200	-50.87	-51.30	2.17	-1.74	-13.00	-37.87
350.100	-62.04	-64.16	4.46	-2.34	-13.00	-49.04
442.250	-66.05	-67.35	3.95	-2.65	-13.00	-53.05
920.460	-63.43	-63.29	3.65	-3.79	-13.00	-50.43
3700.400	-42.23	-47.21	12.60	-7.62	-13.00	-29.23
5550.600	-32.07	-35.80	13.20	-9.47	-13.00	-19.07
7400.800	-31.81	-31.94	11.10	-10.97	-13.00	-18.81
9251.000	-30.95	-29.76	11.20	-12.39	-13.00	-17.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001131ER
Operation Mode :GPRS 1900
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1880 MHz

Test Site :SAC D
Test Date :2024-05-27
Temp./Humi. :22.1°C/65%
Antenna Pol. :Vertical
Engineer :Andy Lee




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.250	-36.12	-24.43	-10.75	-0.94	-13.00	-23.12
109.540	-38.52	-35.77	-1.42	-1.33	-13.00	-25.52
185.200	-52.53	-52.96	2.17	-1.74	-13.00	-39.53
342.340	-61.08	-63.03	4.27	-2.32	-13.00	-48.08
539.250	-64.72	-66.03	4.23	-2.92	-13.00	-51.72
921.430	-61.01	-60.86	3.64	-3.79	-13.00	-48.01
3760.000	-40.56	-45.30	12.46	-7.72	-13.00	-27.56
5640.000	-32.68	-36.63	13.48	-9.53	-13.00	-19.68
7520.000	-28.54	-28.57	11.14	-11.11	-13.00	-15.54
9400.000	-38.87	-38.00	11.60	-12.47	-13.00	-25.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001131ER
Operation Mode :GPRS 1900
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1880 MHz

Test Site :SAC D
Test Date :2024-05-27
Temp./Humi. :22.1°C/65%
Antenna Pol. :Horizontal
Engineer :Andy Lee




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.250	-41.59	-29.90	-10.75	-0.94	-13.00	-28.59
135.730	-41.09	-37.98	-1.64	-1.47	-13.00	-28.09
185.200	-50.96	-51.39	2.17	-1.74	-13.00	-37.96
351.070	-61.12	-63.24	4.46	-2.34	-13.00	-48.12
447.100	-65.92	-67.20	3.95	-2.67	-13.00	-52.92
910.760	-63.12	-62.94	3.58	-3.76	-13.00	-50.12
3760.000	-38.61	-43.35	12.46	-7.72	-13.00	-25.61
5640.000	-31.67	-35.62	13.48	-9.53	-13.00	-18.67
7520.000	-31.88	-31.91	11.14	-11.11	-13.00	-18.88
9400.000	-35.77	-34.90	11.60	-12.47	-13.00	-22.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001131ER
 Operation Mode :GPRS 1900
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1909.8 MHz

Test Site :SAC D
 Test Date :2024-05-27
 Temp./Humi. :22.1°C/65%
 Antenna Pol. :Vertical
 Engineer :Andy Lee




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.250	-36.36	-24.67	-10.75	-0.94	-13.00	-23.36
111.480	-38.56	-35.90	-1.32	-1.34	-13.00	-25.56
185.200	-52.35	-52.78	2.17	-1.74	-13.00	-39.35
341.370	-62.17	-64.11	4.25	-2.31	-13.00	-49.17
438.370	-66.20	-67.52	3.95	-2.63	-13.00	-53.20
909.790	-61.73	-61.54	3.57	-3.76	-13.00	-48.73
3819.600	-42.55	-47.04	12.30	-7.81	-13.00	-29.55
5729.400	-37.38	-41.02	13.24	-9.60	-13.00	-24.38
7639.200	-35.39	-35.72	11.46	-11.13	-13.00	-22.39
9549.000	-40.49	-39.81	11.90	-12.58	-13.00	-27.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001131ER
Operation Mode :GPRS 1900
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1909.8 MHz

Test Site :SAC D
Test Date :2024-05-27
Temp./Humi. :22.1°C/65%
Antenna Pol. :Horizontal
Engineer :Andy Lee




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.250	-43.29	-31.60	-10.75	-0.94	-13.00	-30.29
135.730	-40.97	-37.86	-1.64	-1.47	-13.00	-27.97
184.230	-50.98	-51.18	1.94	-1.74	-13.00	-37.98
350.100	-62.29	-64.41	4.46	-2.34	-13.00	-49.29
440.310	-65.15	-66.46	3.95	-2.64	-13.00	-52.15
919.490	-62.28	-62.16	3.67	-3.79	-13.00	-49.28
3819.600	-37.44	-41.93	12.30	-7.81	-13.00	-24.44
5729.400	-38.17	-41.81	13.24	-9.60	-13.00	-25.17
7639.200	-35.05	-35.38	11.46	-11.13	-13.00	-22.05
9549.000	-40.25	-39.57	11.90	-12.58	-13.00	-27.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001131ER
 Operation Mode :WCDMA B2
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1852.4 MHz

Test Site :SAC D
 Test Date :2024-05-27
 Temp./Humi. :22.1°C/65%
 Antenna Pol. :Vertical
 Engineer :Andy Lee




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.250	-36.52	-24.83	-10.75	-0.94	-13.00	-23.52
108.570	-38.56	-35.81	-1.43	-1.32	-13.00	-25.56
182.290	-54.26	-54.16	1.62	-1.72	-13.00	-41.26
342.340	-61.26	-63.21	4.27	-2.32	-13.00	-48.26
443.220	-63.29	-64.59	3.95	-2.65	-13.00	-50.29
535.370	-64.78	-66.14	4.25	-2.89	-13.00	-51.78
3704.800	-48.99	-53.95	12.59	-7.63	-13.00	-35.99
5557.200	-37.62	-41.36	13.23	-9.49	-13.00	-24.62
7409.600	-32.89	-32.99	11.08	-10.98	-13.00	-19.89
9262.000	-41.18	-40.01	11.20	-12.37	-13.00	-28.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001131ER
 Operation Mode :WCDMA B2
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1852.4 MHz

Test Site :SAC D
 Test Date :2024-05-27
 Temp./Humi. :22.1°C/65%
 Antenna Pol. :Horizontal
 Engineer :Andy Lee




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.250	-44.50	-32.81	-10.75	-0.94	-13.00	-31.50
133.790	-41.22	-38.18	-1.57	-1.47	-13.00	-28.22
180.350	-58.11	-57.67	1.27	-1.71	-13.00	-45.11
351.070	-61.85	-63.97	4.46	-2.34	-13.00	-48.85
449.040	-65.64	-66.90	3.94	-2.68	-13.00	-52.64
910.760	-62.37	-62.19	3.58	-3.76	-13.00	-49.37
3704.800	-47.92	-52.88	12.59	-7.63	-13.00	-34.92
5557.200	-37.27	-41.01	13.23	-9.49	-13.00	-24.27
7409.600	-33.99	-34.09	11.08	-10.98	-13.00	-20.99
9262.000	-36.61	-35.44	11.20	-12.37	-13.00	-23.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001131ER
 Operation Mode :WCDMA B2
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1880 MHz

Test Site :SAC D
 Test Date :2024-05-27
 Temp./Humi. :22.1°C/65%
 Antenna Pol. :Vertical
 Engineer :Andy Lee




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.250	-36.01	-24.32	-10.75	-0.94	-13.00	-23.01
107.600	-39.09	-36.54	-1.24	-1.31	-13.00	-26.09
182.290	-53.89	-53.79	1.62	-1.72	-13.00	-40.89
326.820	-60.64	-62.36	3.99	-2.27	-13.00	-47.64
441.280	-63.20	-64.50	3.95	-2.65	-13.00	-50.20
919.490	-61.12	-61.00	3.67	-3.79	-13.00	-48.12
3760.000	-48.50	-53.24	12.46	-7.72	-13.00	-35.50
5640.000	-42.22	-46.17	13.48	-9.53	-13.00	-29.22
7520.000	-38.23	-38.26	11.14	-11.11	-13.00	-25.23
9400.000	-44.09	-43.22	11.60	-12.47	-13.00	-31.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001131ER
 Operation Mode :WCDMA B2
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1880 MHz

Test Site :SAC D
 Test Date :2024-05-27
 Temp./Humi. :22.1°C/65%
 Antenna Pol. :Horizontal
 Engineer :Andy Lee




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.250	-43.08	-31.39	-10.75	-0.94	-13.00	-30.08
133.790	-40.77	-37.73	-1.57	-1.47	-13.00	-27.77
182.290	-53.83	-53.73	1.62	-1.72	-13.00	-40.83
351.070	-60.42	-62.54	4.46	-2.34	-13.00	-47.42
443.220	-65.89	-67.19	3.95	-2.65	-13.00	-52.89
940.830	-62.86	-62.47	3.43	-3.82	-13.00	-49.86
3760.000	-48.80	-53.54	12.46	-7.72	-13.00	-35.80
5640.000	-38.87	-42.82	13.48	-9.53	-13.00	-25.87
7520.000	-40.67	-40.70	11.14	-11.11	-13.00	-27.67
9400.000	-39.01	-38.14	11.60	-12.47	-13.00	-26.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001131ER
 Operation Mode :WCDMA B2
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1907.6 MHz

Test Site :SAC D
 Test Date :2024-05-27
 Temp./Humi. :22.1°C/65%
 Antenna Pol. :Vertical
 Engineer :Andy Lee



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.250	-36.10	-24.41	-10.75	-0.94	-13.00	-23.10
108.570	-38.82	-36.07	-1.43	-1.32	-13.00	-25.82
184.230	-53.92	-54.12	1.94	-1.74	-13.00	-40.92
323.910	-60.11	-61.88	4.03	-2.26	-13.00	-47.11
457.770	-62.97	-64.31	4.04	-2.70	-13.00	-49.97
919.490	-60.95	-60.83	3.67	-3.79	-13.00	-47.95
3815.200	-48.99	-53.49	12.30	-7.80	-13.00	-35.99
5722.800	-44.94	-48.61	13.25	-9.58	-13.00	-31.94
7630.400	-45.91	-46.19	11.42	-11.14	-13.00	-32.91
9538.000	-42.12	-41.43	11.88	-12.57	-13.00	-29.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2404001131ER
Operation Mode :WCDMA B2
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1907.6 MHz

Test Site :SAC D
Test Date :2024-05-27
Temp./Humi. :22.1°C/65%
Antenna Pol. :Horizontal
Engineer :Andy Lee




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.250	-44.10	-32.41	-10.75	-0.94	-13.00	-31.10
134.760	-40.87	-37.80	-1.60	-1.47	-13.00	-27.87
182.290	-53.68	-53.58	1.62	-1.72	-13.00	-40.68
343.310	-60.54	-62.51	4.30	-2.33	-13.00	-47.54
438.370	-65.78	-67.10	3.95	-2.63	-13.00	-52.78
991.270	-62.28	-62.26	3.90	-3.92	-13.00	-49.28
3815.200	-51.21	-55.71	12.30	-7.80	-13.00	-38.21
5722.800	-42.56	-46.23	13.25	-9.58	-13.00	-29.56
7630.400	-44.35	-44.63	11.42	-11.14	-13.00	-31.35
9538.000	-39.26	-38.57	11.88	-12.57	-13.00	-26.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001131ER
Operation Mode :WCDMA B4
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1712.4 MHz

Test Site :SAC D
Test Date :2024-05-27
Temp./Humi. :22.1°C/65%
Antenna Pol. :Vertical
Engineer :Andy Lee




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.250	-36.20	-24.51	-10.75	-0.94	-13.00	-23.20
108.570	-38.67	-35.92	-1.43	-1.32	-13.00	-25.67
185.200	-54.07	-54.50	2.17	-1.74	-13.00	-41.07
325.850	-62.01	-63.76	4.01	-2.26	-13.00	-49.01
441.280	-62.90	-64.20	3.95	-2.65	-13.00	-49.90
915.610	-60.82	-60.74	3.70	-3.78	-13.00	-47.82
3424.800	-36.15	-41.33	12.55	-7.37	-13.00	-23.15
5137.200	-35.26	-38.51	12.37	-9.12	-13.00	-22.26
6849.600	-43.49	-45.10	12.20	-10.59	-13.00	-30.49
8562.000	-44.79	-44.48	11.60	-11.91	-13.00	-31.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001131ER
 Operation Mode :WCDMA B4
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1712.4 MHz

Test Site :SAC D
 Test Date :2024-05-27
 Temp./Humi. :22.1°C/65%
 Antenna Pol. :Horizontal
 Engineer :Andy Lee




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.250	-43.76	-32.07	-10.75	-0.94	-13.00	-30.76
134.760	-40.52	-37.45	-1.60	-1.47	-13.00	-27.52
183.260	-53.16	-53.20	1.77	-1.73	-13.00	-40.16
353.980	-61.11	-63.23	4.48	-2.36	-13.00	-48.11
739.070	-60.59	-60.57	3.37	-3.39	-13.00	-47.59
997.090	-62.92	-62.94	3.96	-3.94	-13.00	-49.92
3424.800	-42.22	-47.40	12.55	-7.37	-13.00	-29.22
5137.200	-40.32	-43.57	12.37	-9.12	-13.00	-27.32
6849.600	-42.14	-43.75	12.20	-10.59	-13.00	-29.14
8562.000	-44.09	-43.78	11.60	-11.91	-13.00	-31.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001131ER
Operation Mode :WCDMA B4
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1732.4 MHz

Test Site :SAC D
Test Date :2024-05-27
Temp./Humi. :22.1°C/65%
Antenna Pol. :Vertical
Engineer :Andy Lee




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.250	-36.77	-25.08	-10.75	-0.94	-13.00	-23.77
107.600	-38.20	-35.65	-1.24	-1.31	-13.00	-25.20
184.230	-54.09	-54.29	1.94	-1.74	-13.00	-41.09
342.340	-61.49	-63.44	4.27	-2.32	-13.00	-48.49
462.620	-62.92	-64.19	3.98	-2.71	-13.00	-49.92
921.430	-61.19	-61.04	3.64	-3.79	-13.00	-48.19
3464.800	-36.47	-41.47	12.44	-7.44	-13.00	-23.47
5197.200	-36.17	-39.63	12.68	-9.22	-13.00	-23.17
6929.600	-37.58	-38.86	11.94	-10.66	-13.00	-24.58
8662.000	-38.89	-38.66	11.68	-11.91	-13.00	-25.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001131ER
Operation Mode :WCDMA B4
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1732.4 MHz

Test Site :SAC D
Test Date :2024-05-27
Temp./Humi. :22.1°C/65%
Antenna Pol. :Horizontal
Engineer :Andy Lee




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.250	-42.45	-30.76	-10.75	-0.94	-13.00	-29.45
134.760	-40.47	-37.40	-1.60	-1.47	-13.00	-27.47
182.290	-52.45	-52.35	1.62	-1.72	-13.00	-39.45
352.040	-60.49	-62.61	4.47	-2.35	-13.00	-47.49
437.400	-66.06	-67.38	3.95	-2.63	-13.00	-53.06
905.910	-63.14	-63.08	3.68	-3.74	-13.00	-50.14
3464.800	-40.23	-45.23	12.44	-7.44	-13.00	-27.23
5197.200	-39.60	-43.06	12.68	-9.22	-13.00	-26.60
6929.600	-34.93	-36.21	11.94	-10.66	-13.00	-21.93
8662.000	-40.72	-40.49	11.68	-11.91	-13.00	-27.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001131ER
Operation Mode :WCDMA B4
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1752.6 MHz

Test Site :SAC D
Test Date :2024-05-27
Temp./Humi. :22.1°C/65%
Antenna Pol. :Vertical
Engineer :Andy Lee



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.250	-36.13	-24.44	-10.75	-0.94	-13.00	-23.13
108.570	-38.59	-35.84	-1.43	-1.32	-13.00	-25.59
184.230	-53.84	-54.04	1.94	-1.74	-13.00	-40.84
326.820	-61.15	-62.87	3.99	-2.27	-13.00	-48.15
449.040	-63.62	-64.88	3.94	-2.68	-13.00	-50.62
914.640	-61.18	-61.10	3.70	-3.78	-13.00	-48.18
3505.200	-40.07	-44.86	12.30	-7.51	-13.00	-27.07
5257.800	-38.15	-42.03	13.12	-9.24	-13.00	-25.15
7010.400	-35.18	-36.14	11.62	-10.66	-13.00	-22.18
8763.000	-42.04	-41.58	11.50	-11.96	-13.00	-29.04


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001131ER
Operation Mode :WCDMA B4
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1752.6 MHz

Test Site :SAC D
Test Date :2024-05-27
Temp./Humi. :22.1°C/65%
Antenna Pol. :Horizontal
Engineer :Andy Lee




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.250	-42.54	-30.85	-10.75	-0.94	-13.00	-29.54
134.760	-40.54	-37.47	-1.60	-1.47	-13.00	-27.54
183.260	-52.22	-52.26	1.77	-1.73	-13.00	-39.22
351.070	-61.22	-63.34	4.46	-2.34	-13.00	-48.22
444.190	-66.54	-67.83	3.95	-2.66	-13.00	-53.54
909.790	-63.00	-62.81	3.57	-3.76	-13.00	-50.00
3505.200	-43.48	-48.27	12.30	-7.51	-13.00	-30.48
5257.800	-42.21	-46.09	13.12	-9.24	-13.00	-29.21
7010.400	-37.03	-37.99	11.62	-10.66	-13.00	-24.03
8763.000	-39.58	-39.12	11.50	-11.96	-13.00	-26.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001131ER
Operation Mode :WCDMA B5
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :826.4 MHz

Test Site :SAC D
Test Date :2024-05-27
Temp./Humi. :22.1°C/65%
Antenna Pol. :Vertical
Engineer :Andy Lee




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.250	-36.71	-25.02	-10.75	-0.94	-13.00	-23.71
108.570	-38.50	-35.75	-1.43	-1.32	-13.00	-25.50
181.320	-54.36	-54.12	1.48	-1.72	-13.00	-41.36
325.850	-62.83	-64.58	4.01	-2.26	-13.00	-49.83
443.220	-63.83	-65.13	3.95	-2.65	-13.00	-50.83
995.150	-61.16	-61.16	3.94	-3.94	-13.00	-48.16
1652.800	-38.23	-42.71	9.53	-5.05	-13.00	-25.23
2479.200	-47.32	-51.58	10.50	-6.24	-13.00	-34.32
3305.600	-54.86	-60.01	12.33	-7.18	-13.00	-41.86
4132.000	-52.61	-57.02	12.54	-8.13	-13.00	-39.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001131ER
Operation Mode :WCDMA B5
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :826.4 MHz

Test Site :SAC D
Test Date :2024-05-27
Temp./Humi. :22.1°C/65%
Antenna Pol. :Horizontal
Engineer :Andy Lee




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.250	-41.92	-30.23	-10.75	-0.94	-13.00	-28.92
132.820	-40.95	-37.98	-1.50	-1.47	-13.00	-27.95
180.350	-58.51	-58.07	1.27	-1.71	-13.00	-45.51
353.010	-63.96	-66.08	4.47	-2.35	-13.00	-50.96
445.160	-66.40	-67.69	3.95	-2.66	-13.00	-53.40
996.120	-63.19	-63.20	3.95	-3.94	-13.00	-50.19
1652.800	-43.52	-48.00	9.53	-5.05	-13.00	-30.52
2479.200	-44.23	-48.49	10.50	-6.24	-13.00	-31.23
3305.600	-56.72	-61.87	12.33	-7.18	-13.00	-43.72
4132.000	-51.57	-55.98	12.54	-8.13	-13.00	-38.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001131ER
Operation Mode :WCDMA B5
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :836.6 MHz

Test Site :SAC D
Test Date :2024-05-27
Temp./Humi. :22.1°C/65%
Antenna Pol. :Vertical
Engineer :Andy Lee




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.250	-36.81	-25.12	-10.75	-0.94	-13.00	-23.81
107.600	-38.84	-36.29	-1.24	-1.31	-13.00	-25.84
182.290	-54.23	-54.13	1.62	-1.72	-13.00	-41.23
326.820	-61.87	-63.59	3.99	-2.27	-13.00	-48.87
440.310	-63.47	-64.78	3.95	-2.64	-13.00	-50.47
527.610	-66.06	-67.34	4.17	-2.89	-13.00	-53.06
1673.200	-40.73	-45.49	9.83	-5.07	-13.00	-27.73
2509.800	-48.64	-52.96	10.60	-6.28	-13.00	-35.64
3346.400	-55.15	-60.49	12.58	-7.24	-13.00	-42.15
4183.000	-53.63	-58.05	12.63	-8.21	-13.00	-40.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001131ER
Operation Mode :WCDMA B5
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :836.6 MHz

Test Site :SAC D
Test Date :2024-05-27
Temp./Humi. :22.1°C/65%
Antenna Pol. :Horizontal
Engineer :Andy Lee




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.250	-44.85	-33.16	-10.75	-0.94	-13.00	-31.85
132.820	-40.82	-37.85	-1.50	-1.47	-13.00	-27.82
180.350	-58.98	-58.54	1.27	-1.71	-13.00	-45.98
350.100	-64.09	-66.21	4.46	-2.34	-13.00	-51.09
445.160	-66.61	-67.90	3.95	-2.66	-13.00	-53.61
512.090	-69.38	-70.62	4.08	-2.84	-13.00	-56.38
1673.200	-43.40	-48.16	9.83	-5.07	-13.00	-30.40
2509.800	-44.16	-48.48	10.60	-6.28	-13.00	-31.16
3346.400	-56.89	-62.23	12.58	-7.24	-13.00	-43.89
4183.000	-52.31	-56.73	12.63	-8.21	-13.00	-39.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001131ER
Operation Mode :WCDMA B5
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :846.6 MHz

Test Site :SAC D
Test Date :2024-05-27
Temp./Humi. :22.1°C/65%
Antenna Pol. :Vertical
Engineer :Andy Lee




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.250	-36.91	-25.22	-10.75	-0.94	-13.00	-23.91
109.540	-38.60	-35.85	-1.42	-1.33	-13.00	-25.60
182.290	-54.52	-54.42	1.62	-1.72	-13.00	-41.52
325.850	-62.71	-64.46	4.01	-2.26	-13.00	-49.71
439.340	-64.03	-65.34	3.95	-2.64	-13.00	-51.03
530.520	-65.60	-66.88	4.18	-2.90	-13.00	-52.60
1693.200	-40.21	-45.05	9.93	-5.09	-13.00	-27.21
2539.800	-55.00	-59.26	10.60	-6.34	-13.00	-42.00
3386.400	-55.45	-60.73	12.60	-7.32	-13.00	-42.45
4233.000	-53.34	-57.72	12.63	-8.25	-13.00	-40.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001131ER
Operation Mode :WCDMA B5
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :846.6 MHz

Test Site :SAC D
Test Date :2024-05-27
Temp./Humi. :22.1°C/65%
Antenna Pol. :Horizontal
Engineer :Andy Lee



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
53.280	-41.98	-30.07	-10.98	-0.93	-13.00	-28.98
133.790	-41.23	-38.19	-1.57	-1.47	-13.00	-28.23
180.350	-58.61	-58.17	1.27	-1.71	-13.00	-45.61
350.100	-63.91	-66.03	4.46	-2.34	-13.00	-50.91
443.220	-67.29	-68.59	3.95	-2.65	-13.00	-54.29
997.090	-62.84	-62.86	3.96	-3.94	-13.00	-49.84
1693.200	-43.48	-48.32	9.93	-5.09	-13.00	-30.48
2539.800	-53.01	-57.27	10.60	-6.34	-13.00	-40.01
3386.400	-57.47	-62.75	12.60	-7.32	-13.00	-44.47
4233.000	-53.77	-58.15	12.63	-8.25	-13.00	-40.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

12 FREQUENCY STABILITY MEASUREMENT

12.1 Standard Applicable

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

12.2 Test Set-up



Note: Measurement setup for testing on Antenna connector

12.3 Measurement Procedure

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25°C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as declared by the manufacturer, record the maximum frequency change.

12.4 Measurement Result

Note: The car battery is rated 12V dc.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

GPRS 850 Mid Channel			836.6000	MHz
Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
FREQUENCY ERROR vs. VOLTAGE				
13.8	20	836.5999811	-0.0226	+/- 2.5 ppm
12	20	836.6000177	0.0212	
10.2	20	836.6000052	0.0062	
4 (End point)	20	836.5999994	-0.0007	
FREQUENCY ERROR vs. Temp.				
12	50	836.6000122	0.0146	+/- 2.5 ppm
12	40	836.5999991	-0.0108	
12	30	836.5999947	-0.0063	
12	20	836.5999944	-0.0067	
12	10	836.5999994	-0.0072	
12	0	836.5999914	-0.0103	
12	-10	836.5999841	-0.0190	
12	-20	836.5999841	-0.0190	
12	-30	836.6000129	0.0154	
GPRS 1900 Mid Channel			1880.0000	MHz
Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
FREQUENCY ERROR vs. VOLTAGE				
13.8	20	1879.999989	-0.0056	+/- 2.5 ppm
12	20	1880.000016	0.0084	
10.2	20	1879.999998	-0.0009	
4 (End point)	20	1879.999991	-0.0047	
FREQUENCY ERROR vs. Temp.				
12	50	1880.000003	0.0018	+/- 2.5 ppm
12	40	1879.999982	-0.0095	
12	30	1879.999994	-0.0034	
12	20	1880.000015	0.0080	
12	10	1879.999994	-0.0031	
12	0	1879.999987	-0.0069	
12	-10	1880.000017	0.0090	
12	-20	1880.000011	0.0057	
12	-30	1879.999991	-0.0046	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

WCDMA II Mid Channel			1880.0000	MHz
Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
FREQUENCY ERROR vs. VOLTAGE				
13.8	20	1879.99999	-0.0054	+/- 2.5 ppm
12	20	1880.000008	0.0045	
10.2	20	1879.999982	-0.0096	
4 (End point)	20	1879.999989	-0.0061	
FREQUENCY ERROR vs. Temp.				
12	50	1880.000016	0.0082	+/- 2.5 ppm
12	40	1879.99999	-0.0052	
12	30	1879.999999	-0.0007	
12	20	1880.000015	0.0078	
12	10	1880.000005	0.0024	
12	0	1880.000018	0.0095	
12	-10	1880.000019	0.0099	
12	-20	1879.999983	-0.0092	
12	-30	1879.99999	-0.0051	
WCDMA IV Mid Channel			1732.6000	MHz
Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
FREQUENCY ERROR vs. VOLTAGE				
13.8	20	1732.600015	0.0088	+/- 2.5 ppm
12	20	1732.599993	-0.0043	
10.2	20	1732.599994	-0.0036	
4 (End point)	20	1732.600009	0.0054	
FREQUENCY ERROR vs. Temp.				
12	50	1732.600011	0.0061	+/- 2.5 ppm
12	40	1732.600013	0.0076	
12	30	1732.600016	0.0093	
12	20	1732.600011	0.0063	
12	10	1732.600011	0.0062	
12	0	1732.599992	-0.0046	
12	-10	1732.600011	0.0063	
12	-20	1732.600007	0.0039	
12	-30	1732.600001	0.0005	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

WCDMA V Mid Channel			836.6000	MHz
Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
FREQUENCY ERROR vs. VOLTAGE				
13.8	20	836.6000021	0.0025	+/- 2.5 ppm
12	20	836.6000002	0.0002	
10.2	20	836.6000053	0.0063	
4 (End point)	20	836.5999951	-0.0059	
FREQUENCY ERROR vs. Temp.				
12	50	836.6000134	0.0160	+/- 2.5 ppm
12	40	836.5999822	-0.0213	
12	30	836.5999855	-0.0173	
12	20	836.5999976	-0.0029	
12	10	836.5999891	-0.0130	
12	0	836.6000077	0.0092	
12	-10	836.6000089	0.0106	
12	-20	836.5999802	-0.0237	
12	-30	836.5999969	-0.0037	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

13 PEAK TO AVERAGE RATIO

13.1 Standard Applicable

The peak-to-average ratio (PAR) of the transmission may not exceed 13dB.

13.2 Test SET-UP



13.3 Measurement Procedure

1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
2. Set resolution/measurement bandwidth $\geq$ signal's occupied bandwidth; & internal =1ms
3. Set the number of counts to a value that stabilizes the measured CCDF curve.

13.4 Measurement Result

Freq. (MHz)	CH	Peak-to-Average Ratio	
		GPRS 850	EDGE 850
824.2	128	10.13	12.71
836.6	190	9.82	12.39
848.8	251	9.48	12.18
Freq. (MHz)	CH	Peak-to-Average Ratio	
		GPRS 1900	EDGE 1900
1850.2	512	10.06	12.19
1880	661	10.19	12.32
1909.8	810	10.23	12.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Freq. (MHz)	CH	Peak-to-Average Ratio (dB)		
		WCDMA II	HSDPA II	HSUPA II
1852.4	9262	3.16	3.39	3.66
1880	9400	3.18	3.75	3.67
1907.6	9538	3.11	3.30	3.72
Freq. (MHz)	CH	Peak-to-Average Ratio (dB)		
		WCDMA IV	HSDPA IV	HSUPA IV
1712.4	1312	3.30	4.17	3.99
1732.6	1413	3.26	3.67	3.98
1752.6	1513	3.24	3.52	3.82
Freq. (MHz)	CH	Peak-to-Average Ratio (dB)		
		WCDMA V	HSDPA V	HSUPA V
826.4	4132	3.03	3.74	3.55
836.6	4183	3.00	3.40	3.68
846.6	4233	2.91	3.87	3.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


GPRS 850MHz LowCH128-824.2




EDGE 850MHz LowCH128-824.2




GPRS 850MHz MidCH190-836.6




EDGE 850MHz MidCH190-836.6



GPRS 850MHz HighCH251-848.8



EDGE 850MHz HighCH251-848.8




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


GPRS 1900MHz LowCH512-1850.2




EDGE 1900MHz LowCH512-1850.2




GPRS 1900MHz MidCH661-1880




EDGE 1900MHz MidCH661-1880



GPRS 1900MHz_HighCH810-1909.8



EDGE 1900MHz_HighCH810-1909.8




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


WCDMA B2 LowCH9262-1852.4




HSDPA B2 LowCH9262-1852.4




WCDMA B2 MidCH9400-1880




HSDPA B2 MidCH9400-1880



WCDMA B2 HighCH9538-1907.6



HSDPA B2 HighCH9538-1907.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.