

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B25_1.4MHz_EIRP

Band: 25 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	21.85	-0.35	21.50	<=33.01	Pass
			2	21.96	-0.35	21.61	<=33.01	Pass
			5	21.82	-0.35	21.47	<=33.01	Pass
		3	0	21.97	-0.35	21.62	<=33.01	Pass
			2	21.99	-0.35	21.64	<=33.01	Pass
			3	21.96	-0.35	21.61	<=33.01	Pass
		6	0	20.92	-0.35	20.57	<=33.01	Pass
	1882.5	1	0	21.53	-0.35	21.18	<=33.01	Pass
			2	21.64	-0.35	21.29	<=33.01	Pass
			5	21.49	-0.35	21.14	<=33.01	Pass
		3	0	21.57	-0.35	21.22	<=33.01	Pass
			2	21.59	-0.35	21.24	<=33.01	Pass
			3	21.65	-0.35	21.30	<=33.01	Pass
		6	0	20.55	-0.35	20.20	<=33.01	Pass
	1914.3	1	0	20.63	-0.35	20.28	<=33.01	Pass
			2	19.50	-0.35	19.15	<=33.01	Pass
			5	18.28	-0.35	17.93	<=33.01	Pass
		3	0	19.59	-0.35	19.24	<=33.01	Pass
			2	18.80	-0.35	18.45	<=33.01	Pass
			3	18.36	-0.35	18.01	<=33.01	Pass
		6	0	18.87	-0.35	18.52	<=33.01	Pass
16QAM	1850.7	1	0	20.84	-0.35	20.49	<=33.01	Pass
			2	20.96	-0.35	20.61	<=33.01	Pass
			5	20.80	-0.35	20.45	<=33.01	Pass
		3	0	21.15	-0.35	20.80	<=33.01	Pass
			2	21.13	-0.35	20.78	<=33.01	Pass
			3	21.11	-0.35	20.76	<=33.01	Pass
		6	0	19.95	-0.35	19.60	<=33.01	Pass
	1882.5	1	0	20.50	-0.35	20.15	<=33.01	Pass
			2	20.62	-0.35	20.27	<=33.01	Pass
			5	20.54	-0.35	20.19	<=33.01	Pass
		3	0	20.70	-0.35	20.35	<=33.01	Pass
			2	20.71	-0.35	20.36	<=33.01	Pass
			3	20.71	-0.35	20.36	<=33.01	Pass
		6	0	19.50	-0.35	19.15	<=33.01	Pass
	1914.3	1	0	19.60	-0.35	19.25	<=33.01	Pass
			2	18.86	-0.35	18.51	<=33.01	Pass
			5	17.74	-0.35	17.39	<=33.01	Pass
		3	0	19.06	-0.35	18.71	<=33.01	Pass
			2	18.36	-0.35	18.01	<=33.01	Pass
			3	17.98	-0.35	17.63	<=33.01	Pass
		6	0	18.53	-0.35	18.18	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B25_3MHz_EIRP

Band: 25 / Bandwidth: 3MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	21.72	-0.35	21.37	<=33.01	Pass
			7	21.66	-0.35	21.31	<=33.01	Pass
			14	21.53	-0.35	21.18	<=33.01	Pass
		8	0	20.50	-0.35	20.15	<=33.01	Pass
			4	20.53	-0.35	20.18	<=33.01	Pass
			7	20.49	-0.35	20.14	<=33.01	Pass
		15	0	20.49	-0.35	20.14	<=33.01	Pass
	1882.5	1	0	21.25	-0.35	20.90	<=33.01	Pass
			7	21.41	-0.35	21.06	<=33.01	Pass
			14	21.18	-0.35	20.83	<=33.01	Pass
		8	0	20.17	-0.35	19.82	<=33.01	Pass
			4	20.28	-0.35	19.93	<=33.01	Pass
			7	20.16	-0.35	19.81	<=33.01	Pass
		15	0	20.20	-0.35	19.85	<=33.01	Pass
	1913.5	1	0	20.94	-0.35	20.59	<=33.01	Pass
			7	21.14	-0.35	20.79	<=33.01	Pass
			14	18.26	-0.35	17.91	<=33.01	Pass
		8	0	20.02	-0.35	19.67	<=33.01	Pass
			4	20.03	-0.35	19.68	<=33.01	Pass
			7	19.71	-0.35	19.36	<=33.01	Pass
		15	0	19.96	-0.35	19.61	<=33.01	Pass
16QAM	1851.5	1	0	20.55	-0.35	20.20	<=33.01	Pass
			7	20.68	-0.35	20.33	<=33.01	Pass
			14	20.51	-0.35	20.16	<=33.01	Pass
		8	0	19.61	-0.35	19.26	<=33.01	Pass
			4	19.60	-0.35	19.25	<=33.01	Pass
			7	19.57	-0.35	19.22	<=33.01	Pass
		15	0	19.62	-0.35	19.27	<=33.01	Pass
	1882.5	1	0	20.47	-0.35	20.12	<=33.01	Pass
			7	20.51	-0.35	20.16	<=33.01	Pass
			14	20.34	-0.35	19.99	<=33.01	Pass
		8	0	19.27	-0.35	18.92	<=33.01	Pass
			4	19.39	-0.35	19.04	<=33.01	Pass
			7	19.38	-0.35	19.03	<=33.01	Pass
		15	0	19.33	-0.35	18.98	<=33.01	Pass
	1913.5	1	0	20.45	-0.35	20.10	<=33.01	Pass
			7	20.49	-0.35	20.14	<=33.01	Pass
			14	18.40	-0.35	18.05	<=33.01	Pass
		8	0	19.17	-0.35	18.82	<=33.01	Pass
			4	19.17	-0.35	18.82	<=33.01	Pass
			7	19.04	-0.35	18.69	<=33.01	Pass
		15	0	19.03	-0.35	18.68	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B25_5MHz_EIRP

Band: 25 / Bandwidth: 5MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	21.90	-0.35	21.55	<=33.01	Pass
			13	21.77	-0.35	21.42	<=33.01	Pass
			24	21.39	-0.35	21.04	<=33.01	Pass
		12	0	20.42	-0.35	20.07	<=33.01	Pass
			6	20.51	-0.35	20.16	<=33.01	Pass
			13	20.47	-0.35	20.12	<=33.01	Pass

16QAM	1882.5	25	0	20.42	-0.35	20.07	<=33.01	Pass
			0	21.03	-0.35	20.68	<=33.01	Pass
			13	21.05	-0.35	20.70	<=33.01	Pass
			24	20.98	-0.35	20.63	<=33.01	Pass
		12	0	20.04	-0.35	19.69	<=33.01	Pass
			6	20.08	-0.35	19.73	<=33.01	Pass
			13	20.04	-0.35	19.69	<=33.01	Pass
		25	0	20.10	-0.35	19.75	<=33.01	Pass
	1912.5	1	0	20.86	-0.35	20.51	<=33.01	Pass
			13	20.93	-0.35	20.58	<=33.01	Pass
			24	18.85	-0.35	18.50	<=33.01	Pass
		12	0	19.81	-0.35	19.46	<=33.01	Pass
			6	19.90	-0.35	19.55	<=33.01	Pass
			13	19.56	-0.35	19.21	<=33.01	Pass
		25	0	19.75	-0.35	19.40	<=33.01	Pass
	1852.5	1	0	20.47	-0.35	20.12	<=33.01	Pass
			13	20.58	-0.35	20.23	<=33.01	Pass
			24	20.45	-0.35	20.10	<=33.01	Pass
		12	0	19.45	-0.35	19.10	<=33.01	Pass
			6	19.47	-0.35	19.12	<=33.01	Pass
			13	19.43	-0.35	19.08	<=33.01	Pass
		25	0	19.46	-0.35	19.11	<=33.01	Pass
	1882.5	1	0	20.29	-0.35	19.94	<=33.01	Pass
			13	20.40	-0.35	20.05	<=33.01	Pass
			24	20.25	-0.35	19.90	<=33.01	Pass
		12	0	19.16	-0.35	18.81	<=33.01	Pass
			6	19.18	-0.35	18.83	<=33.01	Pass
			13	19.14	-0.35	18.79	<=33.01	Pass
		25	0	19.11	-0.35	18.76	<=33.01	Pass
	1912.5	1	0	19.68	-0.35	19.33	<=33.01	Pass
			13	19.74	-0.35	19.39	<=33.01	Pass
			24	18.51	-0.35	18.16	<=33.01	Pass
		12	0	18.87	-0.35	18.52	<=33.01	Pass
			6	18.97	-0.35	18.62	<=33.01	Pass
			13	18.64	-0.35	18.29	<=33.01	Pass
		25	0	18.83	-0.35	18.48	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B25_10MHz_EIRP

Band: 25 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	21.92	-0.35	21.57	<=33.01	Pass
			25	22.15	-0.35	21.80	<=33.01	Pass
			49	21.38	-0.35	21.03	<=33.01	Pass
		25	0	20.57	-0.35	20.22	<=33.01	Pass
			13	20.57	-0.35	20.22	<=33.01	Pass
			25	20.52	-0.35	20.17	<=33.01	Pass
		50	0	20.50	-0.35	20.15	<=33.01	Pass
	1882.5	1	0	21.07	-0.35	20.72	<=33.01	Pass
			25	21.44	-0.35	21.09	<=33.01	Pass
			49	21.03	-0.35	20.68	<=33.01	Pass
		25	0	20.70	-0.35	20.35	<=33.01	Pass
			13	20.68	-0.35	20.33	<=33.01	Pass
			25	20.60	-0.35	20.25	<=33.01	Pass
		50	0	20.63	-0.35	20.28	<=33.01	Pass

16QAM	1910	1	0	20.83	-0.35	20.48	<=33.01	Pass
			25	21.05	-0.35	20.70	<=33.01	Pass
			49	19.38	-0.35	19.03	<=33.01	Pass
		25	0	20.09	-0.35	19.74	<=33.01	Pass
			13	19.97	-0.35	19.62	<=33.01	Pass
			25	19.83	-0.35	19.48	<=33.01	Pass
		50	0	20.01	-0.35	19.66	<=33.01	Pass
	1855	1	0	20.43	-0.35	20.08	<=33.01	Pass
			25	20.59	-0.35	20.24	<=33.01	Pass
			49	20.36	-0.35	20.01	<=33.01	Pass
		25	0	19.59	-0.35	19.24	<=33.01	Pass
			13	19.62	-0.35	19.27	<=33.01	Pass
			25	19.55	-0.35	19.20	<=33.01	Pass
		50	0	19.53	-0.35	19.18	<=33.01	Pass
16QAM	1882.5	1	0	20.29	-0.35	19.94	<=33.01	Pass
			25	20.55	-0.35	20.20	<=33.01	Pass
			49	20.23	-0.35	19.88	<=33.01	Pass
		25	0	19.75	-0.35	19.40	<=33.01	Pass
			13	19.77	-0.35	19.42	<=33.01	Pass
			25	19.70	-0.35	19.35	<=33.01	Pass
		50	0	19.70	-0.35	19.35	<=33.01	Pass
	1910	1	0	20.45	-0.35	20.10	<=33.01	Pass
			25	20.58	-0.35	20.23	<=33.01	Pass
			49	19.43	-0.35	19.08	<=33.01	Pass
		25	0	19.16	-0.35	18.81	<=33.01	Pass
			13	19.07	-0.35	18.72	<=33.01	Pass
			25	18.92	-0.35	18.57	<=33.01	Pass
		50	0	19.05	-0.35	18.70	<=33.01	Pass
		1	0	20.45	-0.35	20.10	<=33.01	Pass
			25	20.58	-0.35	20.23	<=33.01	Pass
			49	19.43	-0.35	19.08	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B25_15MHz_EIRP

Band: 25 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	21.76	-0.35	21.41	<=33.01	Pass
			38	21.88	-0.35	21.53	<=33.01	Pass
			74	21.11	-0.35	20.76	<=33.01	Pass
		36	0	20.70	-0.35	20.35	<=33.01	Pass
			18	20.88	-0.35	20.53	<=33.01	Pass
			39	20.76	-0.35	20.41	<=33.01	Pass
	1882.5	75	0	20.71	-0.35	20.36	<=33.01	Pass
		1	0	21.28	-0.35	20.93	<=33.01	Pass
			38	21.44	-0.35	21.09	<=33.01	Pass
			74	20.85	-0.35	20.50	<=33.01	Pass
		36	0	20.50	-0.35	20.15	<=33.01	Pass
			18	20.59	-0.35	20.24	<=33.01	Pass
			39	20.55	-0.35	20.20	<=33.01	Pass
		75	0	20.62	-0.35	20.27	<=33.01	Pass
	1907.5	1	0	20.72	-0.35	20.37	<=33.01	Pass
			38	20.85	-0.35	20.50	<=33.01	Pass
			74	19.86	-0.35	19.51	<=33.01	Pass
		36	0	20.00	-0.35	19.65	<=33.01	Pass
			18	19.94	-0.35	19.59	<=33.01	Pass
			39	19.88	-0.35	19.53	<=33.01	Pass
16QAM	1857.5	1	0	20.65	-0.35	20.30	<=33.01	Pass

TCT	1882.5		38	20.78	-0.35	20.43	<=33.01	Pass
			74	20.52	-0.35	20.17	<=33.01	Pass
		36	0	19.91	-0.35	19.56	<=33.01	Pass
			18	19.96	-0.35	19.61	<=33.01	Pass
			39	19.87	-0.35	19.52	<=33.01	Pass
		75	0	19.89	-0.35	19.54	<=33.01	Pass
	1882.5	1	0	20.66	-0.35	20.31	<=33.01	Pass
			38	20.56	-0.35	20.21	<=33.01	Pass
			74	20.04	-0.35	19.69	<=33.01	Pass
		36	0	19.71	-0.35	19.36	<=33.01	Pass
			18	19.67	-0.35	19.32	<=33.01	Pass
			39	19.61	-0.35	19.26	<=33.01	Pass
	75	0	19.66	-0.35	19.31	<=33.01	Pass	
	1907.5	1	0	20.30	-0.35	19.95	<=33.01	Pass
			38	20.48	-0.35	20.13	<=33.01	Pass
			74	20.05	-0.35	19.70	<=33.01	Pass
		36	0	19.07	-0.35	18.72	<=33.01	Pass
			18	19.06	-0.35	18.71	<=33.01	Pass
			39	18.91	-0.35	18.56	<=33.01	Pass
	75	0	19.00	-0.35	18.65	<=33.01	Pass	

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B25_20MHz_EIRP

Band: 25 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	21.56	-0.35	21.21	<=33.01	Pass
			50	21.62	-0.35	21.27	<=33.01	Pass
			99	20.90	-0.35	20.55	<=33.01	Pass
		50	0	20.45	-0.35	20.10	<=33.01	Pass
			25	20.41	-0.35	20.06	<=33.01	Pass
			50	20.40	-0.35	20.05	<=33.01	Pass
		100	0	20.46	-0.35	20.11	<=33.01	Pass
			0	20.96	-0.35	20.61	<=33.01	Pass
			50	21.36	-0.35	21.01	<=33.01	Pass
		50	99	20.72	-0.35	20.37	<=33.01	Pass
			0	20.41	-0.35	20.06	<=33.01	Pass
			25	20.54	-0.35	20.19	<=33.01	Pass
	1882.5	1	50	20.57	-0.35	20.22	<=33.01	Pass
			0	20.54	-0.35	20.19	<=33.01	Pass
			0	20.66	-0.35	20.31	<=33.01	Pass
		50	50	21.05	-0.35	20.70	<=33.01	Pass
			99	20.63	-0.35	20.28	<=33.01	Pass
			0	20.08	-0.35	19.73	<=33.01	Pass
		50	25	19.95	-0.35	19.60	<=33.01	Pass
			50	19.84	-0.35	19.49	<=33.01	Pass
			0	19.97	-0.35	19.62	<=33.01	Pass
	1905	1	0	20.62	-0.35	20.27	<=33.01	Pass
			50	21.07	-0.35	20.72	<=33.01	Pass
			99	20.46	-0.35	20.11	<=33.01	Pass
		50	0	19.49	-0.35	19.14	<=33.01	Pass
			25	19.39	-0.35	19.04	<=33.01	Pass
			50	19.42	-0.35	19.07	<=33.01	Pass
16QAM	1860	1	0	19.45	-0.35	19.10	<=33.01	Pass
			0	20.13	-0.35	19.78	<=33.01	Pass
			50	20.60	-0.35	20.25	<=33.01	Pass

			99	19.95	-0.35	19.60	<=33.01	Pass
		50	0	19.67	-0.35	19.32	<=33.01	Pass
			25	19.64	-0.35	19.29	<=33.01	Pass
			50	19.64	-0.35	19.29	<=33.01	Pass
		100	0	19.72	-0.35	19.37	<=33.01	Pass
	1905	1	0	19.93	-0.35	19.58	<=33.01	Pass
			50	20.36	-0.35	20.01	<=33.01	Pass
			99	19.80	-0.35	19.45	<=33.01	Pass
		50	0	19.08	-0.35	18.73	<=33.01	Pass
			25	19.00	-0.35	18.65	<=33.01	Pass
			50	18.91	-0.35	18.56	<=33.01	Pass
		100	0	19.02	-0.35	18.67	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B25_1.4MHz

Band: 25 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1850.7	6	0	20	3.27	-12.145	-0.0066	-2.5 to 2.5	Pass
					3.85	-7.153	-0.0039	-2.5 to 2.5	Pass
					4.43	-7.296	-0.0039	-2.5 to 2.5	Pass
				-30	3.85	-4.148	-0.0022	-2.5 to 2.5	Pass
					3.85	-7.896	-0.0043	-2.5 to 2.5	Pass
					3.85	-4.377	-0.0024	-2.5 to 2.5	Pass
				0	3.85	-8.497	-0.0046	-2.5 to 2.5	Pass
					3.85	-2.089	-0.0011	-2.5 to 2.5	Pass
					3.85	-16.780	-0.0091	-2.5 to 2.5	Pass
				40	3.85	-9.871	-0.0053	-2.5 to 2.5	Pass
					3.85	-10.600	-0.0057	-2.5 to 2.5	Pass
					3.85	-12.617	-0.0067	-2.5 to 2.5	Pass
	1882.5	6	0	20	3.85	-0.529	-0.0003	-2.5 to 2.5	Pass
					4.43	0.615	0.0003	-2.5 to 2.5	Pass
					3.85	2.489	0.0013	-2.5 to 2.5	Pass
				-30	3.85	-6.294	-0.0033	-2.5 to 2.5	Pass
					3.85	-10.185	-0.0054	-2.5 to 2.5	Pass
					3.85	-4.592	-0.0024	-2.5 to 2.5	Pass
				0	3.85	-1.903	-0.0010	-2.5 to 2.5	Pass
					3.85	-17.009	-0.0090	-2.5 to 2.5	Pass
					3.85	0.315	0.0002	-2.5 to 2.5	Pass
				40	3.85	5.965	0.0032	-2.5 to 2.5	Pass
					3.85	-15.450	-0.0081	-2.5 to 2.5	Pass
					3.85	-9.785	-0.0051	-2.5 to 2.5	Pass
	1914.3	6	0	20	4.43	-12.760	-0.0067	-2.5 to 2.5	Pass
					3.85	-11.344	-0.0059	-2.5 to 2.5	Pass
					3.85	-10.414	-0.0054	-2.5 to 2.5	Pass
				-30	3.85	-7.925	-0.0041	-2.5 to 2.5	Pass
					3.85	-5.050	-0.0026	-2.5 to 2.5	Pass
					3.85	10.829	0.0057	-2.5 to 2.5	Pass
				0	3.85	-9.398	-0.0049	-2.5 to 2.5	Pass
					3.85	-8.726	-0.0046	-2.5 to 2.5	Pass
					3.85	-6.580	-0.0034	-2.5 to 2.5	Pass

16QAM	1850.7	6	0	20	3.27	-3.133	-0.0017	-2.5 to 2.5	Pass
					3.85	-16.322	-0.0088	-2.5 to 2.5	Pass
					4.43	-0.329	-0.0002	-2.5 to 2.5	Pass
				-30	3.85	-5.822	-0.0031	-2.5 to 2.5	Pass
				-20	3.85	-5.064	-0.0027	-2.5 to 2.5	Pass
				-10	3.85	-3.519	-0.0019	-2.5 to 2.5	Pass
				0	3.85	-4.849	-0.0026	-2.5 to 2.5	Pass
				10	3.85	-1.631	-0.0009	-2.5 to 2.5	Pass
				30	3.85	-8.740	-0.0047	-2.5 to 2.5	Pass
				40	3.85	-2.732	-0.0015	-2.5 to 2.5	Pass
				50	3.85	-17.996	-0.0097	-2.5 to 2.5	Pass
	1882.5	6	0	20	3.27	6.895	0.0037	-2.5 to 2.5	Pass
					3.85	-3.719	-0.0020	-2.5 to 2.5	Pass
					4.43	-7.939	-0.0042	-2.5 to 2.5	Pass
				-30	3.85	-5.078	-0.0027	-2.5 to 2.5	Pass
				-20	3.85	-14.677	-0.0078	-2.5 to 2.5	Pass
				-10	3.85	-8.497	-0.0045	-2.5 to 2.5	Pass
				0	3.85	-7.324	-0.0039	-2.5 to 2.5	Pass
				10	3.85	-10.872	-0.0058	-2.5 to 2.5	Pass
				30	3.85	0.887	0.0005	-2.5 to 2.5	Pass
				40	3.85	-6.638	-0.0035	-2.5 to 2.5	Pass
				50	3.85	-7.768	-0.0041	-2.5 to 2.5	Pass
	1914.3	6	0	20	3.27	-4.435	-0.0023	-2.5 to 2.5	Pass
					3.85	-17.595	-0.0092	-2.5 to 2.5	Pass
					4.43	111.051	0.0580	-2.5 to 2.5	Pass
				-30	3.85	-12.331	-0.0064	-2.5 to 2.5	Pass
				-20	3.85	26.579	0.0139	-2.5 to 2.5	Pass
				-10	3.85	-20.628	-0.0108	-2.5 to 2.5	Pass
				0	3.85	-8.712	-0.0046	-2.5 to 2.5	Pass
				10	3.85	-14.892	-0.0078	-2.5 to 2.5	Pass
				30	3.85	-11.544	-0.0060	-2.5 to 2.5	Pass
				40	3.85	-21.343	-0.0111	-2.5 to 2.5	Pass
				50	3.85	-6.294	-0.0033	-2.5 to 2.5	Pass

2.1.2 B25_3MHz

Band: 25 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1851.5	15	0	20	3.27	-8.984	-0.0049	-2.5 to 2.5	Pass
					3.85	-14.391	-0.0078	-2.5 to 2.5	Pass
					4.43	-9.313	-0.0050	-2.5 to 2.5	Pass
				-30	3.85	-6.824	-0.0037	-2.5 to 2.5	Pass
				-20	3.85	4.034	0.0022	-2.5 to 2.5	Pass
				-10	3.85	-14.777	-0.0080	-2.5 to 2.5	Pass
				0	3.85	-6.495	-0.0035	-2.5 to 2.5	Pass
				10	3.85	-10.414	-0.0056	-2.5 to 2.5	Pass
				30	3.85	-16.193	-0.0087	-2.5 to 2.5	Pass
				40	3.85	-1.173	-0.0006	-2.5 to 2.5	Pass
				50	3.85	-8.512	-0.0046	-2.5 to 2.5	Pass
	1882.5	15	0	20	3.27	-7.825	-0.0042	-2.5 to 2.5	Pass
					3.85	-9.327	-0.0050	-2.5 to 2.5	Pass
					4.43	-12.946	-0.0069	-2.5 to 2.5	Pass
				-30	3.85	-18.325	-0.0097	-2.5 to 2.5	Pass
				-20	3.85	-9.742	-0.0052	-2.5 to 2.5	Pass
				-10	3.85	-1.316	-0.0007	-2.5 to 2.5	Pass
				0	3.85	-13.032	-0.0069	-2.5 to 2.5	Pass

16QAM	1913.5	15	0	10	3.85	1.087	0.0006	-2.5 to 2.5	Pass
				30	3.85	-12.760	-0.0068	-2.5 to 2.5	Pass
				40	3.85	3.862	0.0021	-2.5 to 2.5	Pass
				50	3.85	-16.308	-0.0087	-2.5 to 2.5	Pass
				20	3.27	-16.708	-0.0087	-2.5 to 2.5	Pass
					3.85	-7.811	-0.0041	-2.5 to 2.5	Pass
					4.43	29.483	0.0154	-2.5 to 2.5	Pass
				-30	3.85	32.229	0.0168	-2.5 to 2.5	Pass
				-20	3.85	26.922	0.0141	-2.5 to 2.5	Pass
				-10	3.85	17.323	0.0091	-2.5 to 2.5	Pass
	1851.5	15	0	0	3.85	7.668	0.0040	-2.5 to 2.5	Pass
				10	3.85	1.287	0.0007	-2.5 to 2.5	Pass
				30	3.85	-9.356	-0.0049	-2.5 to 2.5	Pass
				40	3.85	-1.373	-0.0007	-2.5 to 2.5	Pass
				50	3.85	1.631	0.0009	-2.5 to 2.5	Pass
				20	3.27	2.904	0.0016	-2.5 to 2.5	Pass
					3.85	-13.289	-0.0072	-2.5 to 2.5	Pass
					4.43	-2.718	-0.0015	-2.5 to 2.5	Pass
				-30	3.85	1.631	0.0009	-2.5 to 2.5	Pass
				-20	3.85	-8.512	-0.0046	-2.5 to 2.5	Pass
16QAM	1882.5	15	0	-10	3.85	-1.545	-0.0008	-2.5 to 2.5	Pass
				0	3.85	2.875	0.0016	-2.5 to 2.5	Pass
				10	3.85	-18.396	-0.0099	-2.5 to 2.5	Pass
				30	3.85	-7.854	-0.0042	-2.5 to 2.5	Pass
				40	3.85	-9.427	-0.0051	-2.5 to 2.5	Pass
				50	3.85	1.860	0.0010	-2.5 to 2.5	Pass
				20	3.27	-0.930	-0.0005	-2.5 to 2.5	Pass
					3.85	5.350	0.0028	-2.5 to 2.5	Pass
					4.43	-16.508	-0.0088	-2.5 to 2.5	Pass
				-30	3.85	-15.578	-0.0083	-2.5 to 2.5	Pass
	1913.5	15	0	-20	3.85	-17.138	-0.0091	-2.5 to 2.5	Pass
				-10	3.85	-4.492	-0.0024	-2.5 to 2.5	Pass
				0	3.85	-11.330	-0.0060	-2.5 to 2.5	Pass
				10	3.85	-6.537	-0.0035	-2.5 to 2.5	Pass
				30	3.85	-4.420	-0.0023	-2.5 to 2.5	Pass
				40	3.85	-11.930	-0.0063	-2.5 to 2.5	Pass
				50	3.85	-3.405	-0.0018	-2.5 to 2.5	Pass
				20	3.27	-3.505	-0.0018	-2.5 to 2.5	Pass
					3.85	-4.864	-0.0025	-2.5 to 2.5	Pass
					4.43	-1.159	-0.0006	-2.5 to 2.5	Pass
				-30	3.85	-45.605	-0.0238	-2.5 to 2.5	Pass
				-20	3.85	-2.818	-0.0015	-2.5 to 2.5	Pass
				-10	3.85	-2.131	-0.0011	-2.5 to 2.5	Pass
				0	3.85	-0.529	-0.0003	-2.5 to 2.5	Pass
				10	3.85	-2.789	-0.0015	-2.5 to 2.5	Pass
				30	3.85	-3.104	-0.0016	-2.5 to 2.5	Pass
				40	3.85	-5.264	-0.0028	-2.5 to 2.5	Pass
				50	3.85	-6.552	-0.0034	-2.5 to 2.5	Pass

2.1.3 B25_5MHz

Band: 25 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1852.5	25	0	20	3.27	-12.259	-0.0066	-2.5 to 2.5	Pass
					3.85	-3.176	-0.0017	-2.5 to 2.5	Pass
					4.43	-5.579	-0.0030	-2.5 to 2.5	Pass

				-30	3.85	-8.268	-0.0045	-2.5 to 2.5	Pass
				-20	3.85	-1.044	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	-7.110	-0.0038	-2.5 to 2.5	Pass
				0	3.85	-7.339	-0.0040	-2.5 to 2.5	Pass
				10	3.85	-6.981	-0.0038	-2.5 to 2.5	Pass
				30	3.85	-14.248	-0.0077	-2.5 to 2.5	Pass
				40	3.85	-9.484	-0.0051	-2.5 to 2.5	Pass
				50	3.85	-8.712	-0.0047	-2.5 to 2.5	Pass
	1882.5	25	0	20	3.27	-7.825	-0.0042	-2.5 to 2.5	Pass
					3.85	-4.821	-0.0026	-2.5 to 2.5	Pass
					4.43	-4.706	-0.0025	-2.5 to 2.5	Pass
				-30	3.85	-10.843	-0.0058	-2.5 to 2.5	Pass
				-20	3.85	-4.206	-0.0022	-2.5 to 2.5	Pass
				-10	3.85	-14.048	-0.0075	-2.5 to 2.5	Pass
				0	3.85	-6.423	-0.0034	-2.5 to 2.5	Pass
				10	3.85	-3.891	-0.0021	-2.5 to 2.5	Pass
				30	3.85	-8.583	-0.0046	-2.5 to 2.5	Pass
				40	3.85	-1.874	-0.0010	-2.5 to 2.5	Pass
				50	3.85	-5.636	-0.0030	-2.5 to 2.5	Pass
	1912.5	25	0	20	3.27	-11.501	-0.0060	-2.5 to 2.5	Pass
					3.85	-10.200	-0.0053	-2.5 to 2.5	Pass
					4.43	-8.855	-0.0046	-2.5 to 2.5	Pass
				-30	3.85	-4.549	-0.0024	-2.5 to 2.5	Pass
				-20	3.85	-3.862	-0.0020	-2.5 to 2.5	Pass
				-10	3.85	-12.102	-0.0063	-2.5 to 2.5	Pass
				0	3.85	-5.250	-0.0027	-2.5 to 2.5	Pass
				10	3.85	-7.825	-0.0041	-2.5 to 2.5	Pass
16QAM	1852.5	25	0	20	3.27	-3.533	-0.0019	-2.5 to 2.5	Pass
					3.85	-1.645	-0.0009	-2.5 to 2.5	Pass
					4.43	-1.659	-0.0009	-2.5 to 2.5	Pass
				-30	3.85	-7.224	-0.0039	-2.5 to 2.5	Pass
				-20	3.85	-6.137	-0.0033	-2.5 to 2.5	Pass
				-10	3.85	-11.058	-0.0060	-2.5 to 2.5	Pass
				0	3.85	-8.297	-0.0045	-2.5 to 2.5	Pass
				10	3.85	-3.920	-0.0021	-2.5 to 2.5	Pass
	1882.5	25	0	20	3.27	-4.764	-0.0025	-2.5 to 2.5	Pass
					3.85	-6.995	-0.0037	-2.5 to 2.5	Pass
					4.43	-8.268	-0.0044	-2.5 to 2.5	Pass
				-30	3.85	0.343	0.0002	-2.5 to 2.5	Pass
				-20	3.85	-2.003	-0.0011	-2.5 to 2.5	Pass
				-10	3.85	-6.180	-0.0033	-2.5 to 2.5	Pass
				0	3.85	-4.120	-0.0022	-2.5 to 2.5	Pass
				10	3.85	-3.662	-0.0019	-2.5 to 2.5	Pass
	1912.5	25	0	20	3.27	-4.621	-0.0024	-2.5 to 2.5	Pass
					3.85	-5.307	-0.0028	-2.5 to 2.5	Pass
					4.43	-5.894	-0.0031	-2.5 to 2.5	Pass
				-30	3.85	-3.705	-0.0019	-2.5 to 2.5	Pass
				-20	3.85	-11.086	-0.0058	-2.5 to 2.5	Pass
				-10	3.85	-7.725	-0.0040	-2.5 to 2.5	Pass
				0	3.85	-1.273	-0.0007	-2.5 to 2.5	Pass

				10	3.85	-4.964	-0.0026	-2.5 to 2.5	Pass
				30	3.85	-8.740	-0.0046	-2.5 to 2.5	Pass
				40	3.85	-7.925	-0.0041	-2.5 to 2.5	Pass
				50	3.85	-4.935	-0.0026	-2.5 to 2.5	Pass

2.1.4 B25_10MHz

Band: 25 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1855	50	0	20	3.27	-1.802	-0.0010	-2.5 to 2.5	Pass
					3.85	0.730	0.0004	-2.5 to 2.5	Pass
					4.43	-0.544	-0.0003	-2.5 to 2.5	Pass
				-30	3.85	3.276	0.0018	-2.5 to 2.5	Pass
				-20	3.85	-4.778	-0.0026	-2.5 to 2.5	Pass
				-10	3.85	-0.358	-0.0002	-2.5 to 2.5	Pass
				0	3.85	-1.974	-0.0011	-2.5 to 2.5	Pass
				10	3.85	2.046	0.0011	-2.5 to 2.5	Pass
				30	3.85	-0.887	-0.0005	-2.5 to 2.5	Pass
				40	3.85	0.572	0.0003	-2.5 to 2.5	Pass
				50	3.85	-9.828	-0.0053	-2.5 to 2.5	Pass
	1882.5	50	0	20	3.27	-10.815	-0.0057	-2.5 to 2.5	Pass
					3.85	0.458	0.0002	-2.5 to 2.5	Pass
					4.43	-4.191	-0.0022	-2.5 to 2.5	Pass
				-30	3.85	-7.052	-0.0037	-2.5 to 2.5	Pass
				-20	3.85	0.372	0.0002	-2.5 to 2.5	Pass
				-10	3.85	-5.951	-0.0032	-2.5 to 2.5	Pass
				0	3.85	-3.104	-0.0016	-2.5 to 2.5	Pass
				10	3.85	-9.556	-0.0051	-2.5 to 2.5	Pass
				30	3.85	-8.569	-0.0046	-2.5 to 2.5	Pass
				40	3.85	-8.297	-0.0044	-2.5 to 2.5	Pass
				50	3.85	-4.864	-0.0026	-2.5 to 2.5	Pass
	1910	50	0	20	3.27	-6.409	-0.0034	-2.5 to 2.5	Pass
					3.85	-12.660	-0.0066	-2.5 to 2.5	Pass
					4.43	-4.234	-0.0022	-2.5 to 2.5	Pass
				-30	3.85	-0.787	-0.0004	-2.5 to 2.5	Pass
				-20	3.85	-7.396	-0.0039	-2.5 to 2.5	Pass
				-10	3.85	-8.125	-0.0043	-2.5 to 2.5	Pass
				0	3.85	-6.423	-0.0034	-2.5 to 2.5	Pass
				10	3.85	-10.328	-0.0054	-2.5 to 2.5	Pass
				30	3.85	-3.691	-0.0019	-2.5 to 2.5	Pass
				40	3.85	-12.302	-0.0064	-2.5 to 2.5	Pass
				50	3.85	-11.015	-0.0058	-2.5 to 2.5	Pass
16QAM	1855	50	0	20	3.27	-3.304	-0.0018	-2.5 to 2.5	Pass
					3.85	-2.747	-0.0015	-2.5 to 2.5	Pass
					4.43	-9.742	-0.0053	-2.5 to 2.5	Pass
				-30	3.85	-2.618	-0.0014	-2.5 to 2.5	Pass
				-20	3.85	-3.405	-0.0018	-2.5 to 2.5	Pass
				-10	3.85	-2.174	-0.0012	-2.5 to 2.5	Pass
				0	3.85	-4.621	-0.0025	-2.5 to 2.5	Pass
				10	3.85	3.047	0.0016	-2.5 to 2.5	Pass
				30	3.85	-2.904	-0.0016	-2.5 to 2.5	Pass
				40	3.85	-4.392	-0.0024	-2.5 to 2.5	Pass
				50	3.85	-1.903	-0.0010	-2.5 to 2.5	Pass
	1882.5	50	0	20	3.27	-10.028	-0.0053	-2.5 to 2.5	Pass
					3.85	-12.875	-0.0068	-2.5 to 2.5	Pass
					4.43	-8.655	-0.0046	-2.5 to 2.5	Pass

				-30	3.85	-4.921	-0.0026	-2.5 to 2.5	Pass
				-20	3.85	-12.674	-0.0067	-2.5 to 2.5	Pass
				-10	3.85	-8.955	-0.0048	-2.5 to 2.5	Pass
				0	3.85	-7.911	-0.0042	-2.5 to 2.5	Pass
				10	3.85	-9.785	-0.0052	-2.5 to 2.5	Pass
				30	3.85	-12.617	-0.0067	-2.5 to 2.5	Pass
				40	3.85	-8.798	-0.0047	-2.5 to 2.5	Pass
				50	3.85	-0.286	-0.0002	-2.5 to 2.5	Pass
	1910	50	0	20	3.27	-1.888	-0.0010	-2.5 to 2.5	Pass
					3.85	-3.877	-0.0020	-2.5 to 2.5	Pass
					4.43	-8.097	-0.0042	-2.5 to 2.5	Pass
				-30	3.85	-10.514	-0.0055	-2.5 to 2.5	Pass
				-20	3.85	-7.124	-0.0037	-2.5 to 2.5	Pass
				-10	3.85	-5.722	-0.0030	-2.5 to 2.5	Pass
				0	3.85	-5.708	-0.0030	-2.5 to 2.5	Pass
				10	3.85	-14.105	-0.0074	-2.5 to 2.5	Pass
				30	3.85	-6.194	-0.0032	-2.5 to 2.5	Pass
				40	3.85	-6.394	-0.0033	-2.5 to 2.5	Pass
				50	3.85	-8.740	-0.0046	-2.5 to 2.5	Pass

2.1.5 B25_15MHz

Band: 25 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1857.5	75	0	20	3.27	-5.665	-0.0030	-2.5 to 2.5	Pass
					3.85	-3.090	-0.0017	-2.5 to 2.5	Pass
					4.43	-2.718	-0.0015	-2.5 to 2.5	Pass
				-30	3.85	-2.675	-0.0014	-2.5 to 2.5	Pass
				-20	3.85	-4.778	-0.0026	-2.5 to 2.5	Pass
				-10	3.85	-5.393	-0.0029	-2.5 to 2.5	Pass
				0	3.85	-2.618	-0.0014	-2.5 to 2.5	Pass
				10	3.85	-0.501	-0.0003	-2.5 to 2.5	Pass
				30	3.85	-6.809	-0.0037	-2.5 to 2.5	Pass
				40	3.85	-5.078	-0.0027	-2.5 to 2.5	Pass
	1882.5	75	0	20	3.27	-7.539	-0.0040	-2.5 to 2.5	Pass
					3.85	-11.516	-0.0061	-2.5 to 2.5	Pass
					4.43	-9.842	-0.0052	-2.5 to 2.5	Pass
				-30	3.85	-11.458	-0.0061	-2.5 to 2.5	Pass
				-20	3.85	-10.457	-0.0056	-2.5 to 2.5	Pass
				-10	3.85	-9.327	-0.0050	-2.5 to 2.5	Pass
				0	3.85	-12.331	-0.0066	-2.5 to 2.5	Pass
				10	3.85	-5.922	-0.0031	-2.5 to 2.5	Pass
				30	3.85	-7.567	-0.0040	-2.5 to 2.5	Pass
				40	3.85	-8.483	-0.0045	-2.5 to 2.5	Pass
	1907.5	75	0	20	3.27	-0.730	-0.0004	-2.5 to 2.5	Pass
					3.85	-2.546	-0.0013	-2.5 to 2.5	Pass
					4.43	-2.303	-0.0012	-2.5 to 2.5	Pass
				-30	3.85	-4.334	-0.0023	-2.5 to 2.5	Pass
				-20	3.85	-6.609	-0.0035	-2.5 to 2.5	Pass
				-10	3.85	-5.221	-0.0027	-2.5 to 2.5	Pass
				0	3.85	-4.234	-0.0022	-2.5 to 2.5	Pass
				10	3.85	-7.138	-0.0037	-2.5 to 2.5	Pass
				30	3.85	-7.453	-0.0039	-2.5 to 2.5	Pass
				40	3.85	-6.251	-0.0033	-2.5 to 2.5	Pass

16QAM	1857.5	75	0	50	3.85	-2.747	-0.0014	-2.5 to 2.5	Pass
				20	3.27	-5.178	-0.0028	-2.5 to 2.5	Pass
					3.85	-3.476	-0.0019	-2.5 to 2.5	Pass
					4.43	-5.937	-0.0032	-2.5 to 2.5	Pass
				-30	3.85	-6.909	-0.0037	-2.5 to 2.5	Pass
				-20	3.85	-12.517	-0.0067	-2.5 to 2.5	Pass
				-10	3.85	-3.805	-0.0020	-2.5 to 2.5	Pass
				0	3.85	-2.589	-0.0014	-2.5 to 2.5	Pass
				10	3.85	-0.257	-0.0001	-2.5 to 2.5	Pass
				30	3.85	-1.659	-0.0009	-2.5 to 2.5	Pass
	1882.5	75	0	40	3.85	-5.565	-0.0030	-2.5 to 2.5	Pass
				50	3.85	-9.084	-0.0049	-2.5 to 2.5	Pass
				20	3.27	-6.866	-0.0036	-2.5 to 2.5	Pass
					3.85	-9.012	-0.0048	-2.5 to 2.5	Pass
					4.43	-11.659	-0.0062	-2.5 to 2.5	Pass
				-30	3.85	-0.472	-0.0003	-2.5 to 2.5	Pass
				-20	3.85	-0.587	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	-6.981	-0.0037	-2.5 to 2.5	Pass
				0	3.85	-10.357	-0.0055	-2.5 to 2.5	Pass
				10	3.85	-5.636	-0.0030	-2.5 to 2.5	Pass
	1907.5	75	0	30	3.85	-3.147	-0.0017	-2.5 to 2.5	Pass
				40	3.85	-11.415	-0.0061	-2.5 to 2.5	Pass
				50	3.85	-3.204	-0.0017	-2.5 to 2.5	Pass
				20	3.27	-3.891	-0.0020	-2.5 to 2.5	Pass
					3.85	-10.214	-0.0054	-2.5 to 2.5	Pass
					4.43	-10.743	-0.0056	-2.5 to 2.5	Pass
				-30	3.85	-9.298	-0.0049	-2.5 to 2.5	Pass
				-20	3.85	-5.236	-0.0027	-2.5 to 2.5	Pass
				-10	3.85	-10.285	-0.0054	-2.5 to 2.5	Pass
				0	3.85	-8.097	-0.0042	-2.5 to 2.5	Pass
				10	3.85	-10.901	-0.0057	-2.5 to 2.5	Pass
				30	3.85	-2.890	-0.0015	-2.5 to 2.5	Pass
				40	3.85	-1.788	-0.0009	-2.5 to 2.5	Pass
				50	3.85	-8.411	-0.0044	-2.5 to 2.5	Pass

2.1.6 B25_20MHz

Band: 25 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1860	100	0	20	3.27	0.873	0.0005	-2.5 to 2.5	Pass
					3.85	-4.177	-0.0022	-2.5 to 2.5	Pass
					4.43	-5.035	-0.0027	-2.5 to 2.5	Pass
				-30	3.85	-1.388	-0.0007	-2.5 to 2.5	Pass
				-20	3.85	-2.589	-0.0014	-2.5 to 2.5	Pass
				-10	3.85	-1.860	-0.0010	-2.5 to 2.5	Pass
				0	3.85	-6.595	-0.0035	-2.5 to 2.5	Pass
				10	3.85	-3.347	-0.0018	-2.5 to 2.5	Pass
				30	3.85	-7.010	-0.0038	-2.5 to 2.5	Pass
				40	3.85	-0.758	-0.0004	-2.5 to 2.5	Pass
				50	3.85	-4.964	-0.0027	-2.5 to 2.5	Pass
	1882.5	100	0	20	3.27	-9.542	-0.0051	-2.5 to 2.5	Pass
					3.85	-12.932	-0.0069	-2.5 to 2.5	Pass
					4.43	-8.140	-0.0043	-2.5 to 2.5	Pass
				-30	3.85	-11.001	-0.0058	-2.5 to 2.5	Pass
				-20	3.85	-9.012	-0.0048	-2.5 to 2.5	Pass
				-10	3.85	-7.138	-0.0038	-2.5 to 2.5	Pass

	1905	100	0	0	3.85	-4.120	-0.0022	-2.5 to 2.5	Pass
				10	3.85	-2.232	-0.0012	-2.5 to 2.5	Pass
				30	3.85	-12.703	-0.0067	-2.5 to 2.5	Pass
				40	3.85	-11.444	-0.0061	-2.5 to 2.5	Pass
				50	3.85	-5.951	-0.0032	-2.5 to 2.5	Pass
				20	3.27	-4.292	-0.0023	-2.5 to 2.5	Pass
					3.85	-10.257	-0.0054	-2.5 to 2.5	Pass
					4.43	-8.097	-0.0043	-2.5 to 2.5	Pass
				-30	3.85	-5.136	-0.0027	-2.5 to 2.5	Pass
				-20	3.85	-1.502	-0.0008	-2.5 to 2.5	Pass
				-10	3.85	-5.178	-0.0027	-2.5 to 2.5	Pass
				0	3.85	-7.911	-0.0042	-2.5 to 2.5	Pass
				10	3.85	-5.922	-0.0031	-2.5 to 2.5	Pass
				30	3.85	-7.367	-0.0039	-2.5 to 2.5	Pass
				40	3.85	-1.874	-0.0010	-2.5 to 2.5	Pass
				50	3.85	-2.146	-0.0011	-2.5 to 2.5	Pass
16QAM	1860	100	0	20	3.27	-2.675	-0.0014	-2.5 to 2.5	Pass
					3.85	-10.228	-0.0055	-2.5 to 2.5	Pass
					4.43	-7.610	-0.0041	-2.5 to 2.5	Pass
				-30	3.85	-8.655	-0.0047	-2.5 to 2.5	Pass
				-20	3.85	-5.021	-0.0027	-2.5 to 2.5	Pass
				-10	3.85	0.100	0.0001	-2.5 to 2.5	Pass
				0	3.85	-2.017	-0.0011	-2.5 to 2.5	Pass
				10	3.85	-1.588	-0.0009	-2.5 to 2.5	Pass
				30	3.85	-8.111	-0.0044	-2.5 to 2.5	Pass
				40	3.85	-5.021	-0.0027	-2.5 to 2.5	Pass
				50	3.85	-3.676	-0.0020	-2.5 to 2.5	Pass
	1882.5	100	0	20	3.27	-6.309	-0.0034	-2.5 to 2.5	Pass
					3.85	-7.811	-0.0041	-2.5 to 2.5	Pass
					4.43	-8.740	-0.0046	-2.5 to 2.5	Pass
				-30	3.85	-7.625	-0.0041	-2.5 to 2.5	Pass
				-20	3.85	-2.446	-0.0013	-2.5 to 2.5	Pass
				-10	3.85	-6.709	-0.0036	-2.5 to 2.5	Pass
				0	3.85	-9.098	-0.0048	-2.5 to 2.5	Pass
				10	3.85	-11.873	-0.0063	-2.5 to 2.5	Pass
				30	3.85	-7.567	-0.0040	-2.5 to 2.5	Pass
				40	3.85	-5.865	-0.0031	-2.5 to 2.5	Pass
				50	3.85	-9.198	-0.0049	-2.5 to 2.5	Pass
	1905	100	0	20	3.27	-9.484	-0.0050	-2.5 to 2.5	Pass
					3.85	-2.146	-0.0011	-2.5 to 2.5	Pass
					4.43	-9.313	-0.0049	-2.5 to 2.5	Pass
				-30	3.85	-10.686	-0.0056	-2.5 to 2.5	Pass
				-20	3.85	-11.373	-0.0060	-2.5 to 2.5	Pass
				-10	3.85	-3.247	-0.0017	-2.5 to 2.5	Pass
				0	3.85	-9.913	-0.0052	-2.5 to 2.5	Pass
				10	3.85	-7.925	-0.0042	-2.5 to 2.5	Pass
				30	3.85	-0.873	-0.0005	-2.5 to 2.5	Pass
				40	3.85	-6.580	-0.0035	-2.5 to 2.5	Pass
				50	3.85	-5.379	-0.0028	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B25_1.4MHz

Band: 25 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	6	0	Refer To Test Graph		Pass
16QAM	1882.5	6	0	Refer To Test Graph		Pass

3.1.2 B25_3MHz

Band: 25 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	15	0	Refer To Test Graph		Pass
16QAM	1882.5	15	0	Refer To Test Graph		Pass

3.1.3 B25_5MHz

Band: 25 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	25	0	Refer To Test Graph		Pass
16QAM	1882.5	25	0	Refer To Test Graph		Pass

3.1.4 B25_10MHz

Band: 25 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	50	0	Refer To Test Graph		Pass
16QAM	1882.5	50	0	Refer To Test Graph		Pass

3.1.5 B25_15MHz


Band: 25 / Bandwidth: 15MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	75	0	Refer To Test Graph		Pass
16QAM	1882.5	75	0	Refer To Test Graph		Pass

3.1.6 B25_20MHz


Band: 25 / Bandwidth: 20MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	100	0	Refer To Test Graph		Pass
16QAM	1882.5	100	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B25_1.4MHz




3.2.2 B25_3MHz




3.2.3 B25_5MHz




3.2.4 B25_10MHz



3.2.5 B25_15MHz



3.2.6 B25_20MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band25_OBW

Band: 25 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.108	/	Pass
		1882.5	6	0	1.098	/	Pass
		1914.3	6	0	1.116	/	Pass
	16QAM	1850.7	6	0	1.103	/	Pass
		1882.5	6	0	1.113	/	Pass
		1914.3	6	0	1.122	/	Pass
3	QPSK	1851.5	15	0	2.733	/	Pass
		1882.5	15	0	2.721	/	Pass
		1913.5	15	0	2.717	/	Pass
	16QAM	1851.5	15	0	2.712	/	Pass
		1882.5	15	0	2.719	/	Pass
		1913.5	15	0	2.716	/	Pass
5	QPSK	1852.5	25	0	4.555	/	Pass
		1882.5	25	0	4.569	/	Pass
		1912.5	25	0	4.545	/	Pass
	16QAM	1852.5	25	0	4.586	/	Pass
		1882.5	25	0	4.601	/	Pass
		1912.5	25	0	4.538	/	Pass
10	QPSK	1855	50	0	9.068	/	Pass
		1882.5	50	0	9.089	/	Pass
		1910	50	0	9.055	/	Pass
	16QAM	1855	50	0	9.077	/	Pass
		1882.5	50	0	9.083	/	Pass
		1910	50	0	9.073	/	Pass
15	QPSK	1857.5	75	0	13.666	/	Pass
		1882.5	75	0	13.612	/	Pass
		1907.5	75	0	13.628	/	Pass
	16QAM	1857.5	75	0	13.602	/	Pass
		1882.5	75	0	13.647	/	Pass
		1907.5	75	0	13.621	/	Pass
20	QPSK	1860	100	0	18.179	/	Pass
		1882.5	100	0	18.215	/	Pass
		1905	100	0	18.193	/	Pass
	16QAM	1860	100	0	18.197	/	Pass
		1882.5	100	0	18.146	/	Pass
		1905	100	0	18.221	/	Pass


4.1.2 Band25_XDB

Band: 25 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.331	/	Pass
		1882.5	6	0	1.321	/	Pass
		1914.3	6	0	1.595	/	Pass


	16QAM	1850.7	6	0	1.296	/	Pass
		1882.5	6	0	1.323	/	Pass
		1914.3	6	0	1.593	/	Pass
3	QPSK	1851.5	15	0	2.995	/	Pass
		1882.5	15	0	3.007	/	Pass
		1913.5	15	0	2.992	/	Pass
	16QAM	1851.5	15	0	2.995	/	Pass
		1882.5	15	0	2.996	/	Pass
		1913.5	15	0	3.004	/	Pass
5	QPSK	1852.5	25	0	5.229	/	Pass
		1882.5	25	0	5.196	/	Pass
		1912.5	25	0	5.239	/	Pass
	16QAM	1852.5	25	0	5.279	/	Pass
		1882.5	25	0	5.332	/	Pass
		1912.5	25	0	5.171	/	Pass
10	QPSK	1855	50	0	10.320	/	Pass
		1882.5	50	0	11.400	/	Pass
		1910	50	0	10.230	/	Pass
	16QAM	1855	50	0	10.208	/	Pass
		1882.5	50	0	10.245	/	Pass
		1910	50	0	10.174	/	Pass
15	QPSK	1857.5	75	0	16.308	/	Pass
		1882.5	75	0	15.300	/	Pass
		1907.5	75	0	15.269	/	Pass
	16QAM	1857.5	75	0	15.260	/	Pass
		1882.5	75	0	15.221	/	Pass
		1907.5	75	0	15.293	/	Pass
20	QPSK	1860	100	0	21.072	/	Pass
		1882.5	100	0	28.218	/	Pass
		1905	100	0	19.855	/	Pass
	16QAM	1860	100	0	20.052	/	Pass
		1882.5	100	0	21.733	/	Pass
		1905	100	0	19.916	/	Pass

4.2 Test Graph


4.2.1 Band25_OBW




Band25 1.4MHz QPSK HCH 1914.3MHz RB 6 0 NTN




Band25 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTN




Band25 1.4MHz 16QAM MCH 1882.5MHz RB 6 0 NTN




Band25 1.4MHz 16QAM HCH 1914.3MHz RB 6 0 NTN




Band25 3MHz QPSK LCH 1851.5MHz RB 15 0 NTNV




Band25 3MHz QPSK MCH 1882.5MHz RB 15 0 NTNV




Band25 3MHz QPSK HCH 1913.5MHz RB 15 0 NTNV




Band25 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTNV




Band25 3MHz 16QAM MCH 1882.5MHz RB 15 0 NTNv




Band25 3MHz 16QAM HCH 1913.5MHz RB 15 0 NTNv




Band25 5MHz QPSK LCH 1852.5MHz RB 25 0 NTNV




Band25 5MHz QPSK MCH 1882.5MHz RB 25 0 NTNV




Band25 5MHz QPSK HCH 1912.5MHz RB 25 0 NTNV




Band25 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTNV




Band25 5MHz 16QAM MCH 1882.5MHz RB 25 0 NTNv




Band25 5MHz 16QAM HCH 1912.5MHz RB 25 0 NTNv




Band25 10MHz QPSK LCH 1855MHz RB 50 0 NTNV




Band25 10MHz QPSK MCH 1882.5MHz RB 50 0 NTNV




Band25 10MHz QPSK HCH 1910MHz RB 50 0 NTNV




Band25 10MHz 16QAM LCH 1855MHz RB 50 0 NTNV




Band25 10MHz 16QAM MCH 1882.5MHz RB 50 0 NTN




Band25 10MHz 16QAM HCH 1910MHz RB 50 0 NTN




Band25 15MHz QPSK LCH 1857.5MHz RB 75 0 NTN




Band25 15MHz QPSK MCH 1882.5MHz RB 75 0 NTN




Band25 15MHz QPSK HCH 1907.5MHz RB 75 0 NTN




Band25 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTN




Band25_15MHz_16QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_16QAM_HCH_1907.5MHz_RB_75_0_NTNV




Band25 20MHz QPSK LCH 1860MHz RB 100 0 NTNV




Band25 20MHz QPSK MCH 1882.5MHz RB 100 0 NTNV




Band25 20MHz QPSK HCH 1905MHz RB 100 0 NTN




Band25 20MHz 16QAM LCH 1860MHz RB 100 0 NTN




Band25 20MHz 16QAM MCH 1882.5MHz RB 100 0 NTNv




Band25 20MHz 16QAM HCH 1905MHz RB 100 0 NTNv




4.2.2 Band25_XDB




Band25 1.4MHz QPSK HCH 1914.3MHz RB 6 0 NTN




Band25 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTN




Band25 1.4MHz 16QAM MCH 1882.5MHz RB 6 0 NTN




Band25 1.4MHz 16QAM HCH 1914.3MHz RB 6 0 NTN




Band25 3MHz QPSK LCH 1851.5MHz RB 15 0 NTNV




Band25 3MHz QPSK MCH 1882.5MHz RB 15 0 NTNV




Band25 3MHz QPSK HCH 1913.5MHz RB 15 0 NTN




Band25 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTN




Band25 3MHz 16QAM MCH 1882.5MHz RB 15 0 NTN




Band25 3MHz 16QAM HCH 1913.5MHz RB 15 0 NTN




Band25 5MHz QPSK LCH 1852.5MHz RB 25 0 NTNV




Band25 5MHz QPSK MCH 1882.5MHz RB 25 0 NTNV




Band25 5MHz QPSK HCH 1912.5MHz RB 25 0 NTNV




Band25 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTNV




Band25 5MHz 16QAM MCH 1882.5MHz RB 25 0 NTN




Band25 5MHz 16QAM HCH 1912.5MHz RB 25 0 NTN




Band25 10MHz QPSK LCH 1855MHz RB 50 0 NTNV




Band25 10MHz QPSK MCH 1882.5MHz RB 50 0 NTNV




Band25_10MHz_QPSK_HCH_1910MHz_RB_50_0_NTNV




Band25_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band25 10MHz 16QAM MCH 1882.5MHz RB 50 0 NTN




Band25 10MHz 16QAM HCH 1910MHz RB 50 0 NTN




Band25 15MHz QPSK LCH 1857.5MHz RB 75 0 NTN




Band25 15MHz QPSK MCH 1882.5MHz RB 75 0 NTN




Band25 15MHz QPSK HCH 1907.5MHz RB 75 0 NTN




Band25 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTN




Band25_15MHz_16QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_16QAM_HCH_1907.5MHz_RB_75_0_NTNV




Band25 20MHz QPSK LCH 1860MHz RB 100 0 NTN




Band25 20MHz QPSK MCH 1882.5MHz RB 100 0 NTN




Band25 20MHz QPSK HCH 1905MHz RB 100 0 NTN




Band25 20MHz 16QAM LCH 1860MHz RB 100 0 NTN



Band25 20MHz 16QAM MCH 1882.5MHz RB 100 0 NTNv



Band25 20MHz 16QAM HCH 1905MHz RB 100 0 NTNv



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B25_1.4MHz

Band: 25 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	6	0	5.11	<=13	Pass
	1882.5	6	0	5.55	<=13	Pass
	1914.3	6	0	3.51	<=13	Pass
16QAM	1850.7	6	0	6.01	<=13	Pass
	1882.5	6	0	6.45	<=13	Pass
	1914.3	6	0	4.23	<=13	Pass

5.1.2 B25_3MHz

Band: 25 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	15	0	5.24	<=13	Pass
	1882.5	15	0	5.58	<=13	Pass
	1913.5	15	0	4.15	<=13	Pass
16QAM	1851.5	15	0	6.06	<=13	Pass
	1882.5	15	0	6.55	<=13	Pass
	1913.5	15	0	5.19	<=13	Pass

5.1.3 B25_5MHz

Band: 25 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	25	0	5.43	<=13	Pass
	1882.5	25	0	5.84	<=13	Pass
	1912.5	25	0	4.98	<=13	Pass
16QAM	1852.5	25	0	6.18	<=13	Pass
	1882.5	25	0	6.51	<=13	Pass
	1912.5	25	0	5.80	<=13	Pass

5.1.4 B25_10MHz

Band: 25 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	50	0	5.41	<=13	Pass
	1882.5	50	0	5.83	<=13	Pass
	1910	50	0	5.44	<=13	Pass
16QAM	1855	50	0	6.30	<=13	Pass
	1882.5	50	0	6.58	<=13	Pass

	1910	50	0	6.22	<=13	Pass
--	------	----	---	------	------	------

5.1.5 B25_15MHz


Band: 25 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	75	0	4.90	<=13	Pass
	1882.5	75	0	4.88	<=13	Pass
	1907.5	75	0	4.97	<=13	Pass
16QAM	1857.5	75	0	6.26	<=13	Pass
	1882.5	75	0	6.22	<=13	Pass
	1907.5	75	0	6.29	<=13	Pass

5.1.6 B25_20MHz


Band: 25 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	100	0	5.68	<=13	Pass
	1882.5	100	0	5.67	<=13	Pass
	1905	100	0	5.67	<=13	Pass
16QAM	1860	100	0	6.77	<=13	Pass
	1882.5	100	0	6.78	<=13	Pass
	1905	100	0	6.80	<=13	Pass

5.2 Test Graph


5.2.1 B25_1.4MHz




Band25 1.4MHz QPSK HCH 1914.3MHz RB 6 0 NTN




Band25 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTN




Band25 1.4MHz 16QAM MCH 1882.5MHz RB 6 0 NTN




Band25 1.4MHz 16QAM HCH 1914.3MHz RB 6 0 NTN




5.2.2 B25_3MHz




Band25 3MHz QPSK HCH 1913.5MHz RB 15 0 NTV




Band25 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTV




Band25 3MHz 16QAM MCH 1882.5MHz RB 15 0 NTN




Band25 3MHz 16QAM HCH 1913.5MHz RB 15 0 NTN




5.2.3 B25_5MHz




Band25 5MHz QPSK HCH 1912.5MHz RB 25 0 NTV




Band25 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTV




Band25 5MHz 16QAM MCH 1882.5MHz RB 25 0 NTN




Band25 5MHz 16QAM HCH 1912.5MHz RB 25 0 NTN




5.2.4 B25_10MHz




Band25 10MHz QPSK HCH 1910MHz RB 50 0 NTNV




Band25 10MHz 16QAM LCH 1855MHz RB 50 0 NTNV




Band25 10MHz 16QAM MCH 1882.5MHz RB 50 0 NTNV




Band25 10MHz 16QAM HCH 1910MHz RB 50 0 NTNV




5.2.5 B25_15MHz




Band25 15MHz QPSK HCH 1907.5MHz RB 75 0 NTN




Band25 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTN




Band25_15MHz_16QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_16QAM_HCH_1907.5MHz_RB_75_0_NTNV




5.2.6 B25_20MHz




Band25 20MHz QPSK HCH 1905MHz RB 100 0 NTN



Band25 20MHz 16QAM LCH 1860MHz RB 100 0 NTN



Band25 20MHz 16QAM MCH 1882.5MHz RB 100 0 NTN



Band25 20MHz 16QAM HCH 1905MHz RB 100 0 NTN

