

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B26a_1.4MHz_ERP

Band: 26a / Bandwidth: 1.4MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	814.7	1	0	21.51	-0.82	18.54	<=38.45	Pass
			2	21.48	-0.82	18.51	<=38.45	Pass
			5	21.61	-0.82	18.64	<=38.45	Pass
		3	0	21.61	-0.82	18.64	<=38.45	Pass
			2	21.58	-0.82	18.61	<=38.45	Pass
			3	21.49	-0.82	18.52	<=38.45	Pass
		6	0	20.43	-0.82	17.46	<=38.45	Pass
	819	1	0	21.53	-0.82	18.56	<=38.45	Pass
			2	21.61	-0.82	18.64	<=38.45	Pass
			5	21.47	-0.82	18.50	<=38.45	Pass
		3	0	21.58	-0.82	18.61	<=38.45	Pass
			2	21.50	-0.82	18.53	<=38.45	Pass
			3	21.54	-0.82	18.57	<=38.45	Pass
		6	0	20.47	-0.82	17.50	<=38.45	Pass
	823.3	1	0	21.40	-0.82	18.43	<=38.45	Pass
			2	21.57	-0.82	18.60	<=38.45	Pass
			5	21.60	-0.82	18.63	<=38.45	Pass
		3	0	21.62	-0.82	18.65	<=38.45	Pass
			2	21.57	-0.82	18.60	<=38.45	Pass
			3	21.49	-0.82	18.52	<=38.45	Pass
		6	0	20.54	-0.82	17.57	<=38.45	Pass
16QAM	814.7	1	0	21.50	-0.82	18.53	<=38.45	Pass
			2	20.83	-0.82	17.86	<=38.45	Pass
			5	21.44	-0.82	18.47	<=38.45	Pass
		3	0	20.29	-0.82	17.32	<=38.45	Pass
			2	20.64	-0.82	17.67	<=38.45	Pass
			3	20.38	-0.82	17.41	<=38.45	Pass
		6	0	19.58	-0.82	16.61	<=38.45	Pass
	819	1	0	20.61	-0.82	17.64	<=38.45	Pass
			2	21.45	-0.82	18.48	<=38.45	Pass
			5	21.89	-0.82	18.92	<=38.45	Pass
		3	0	20.62	-0.82	17.65	<=38.45	Pass
			2	20.63	-0.82	17.66	<=38.45	Pass
			3	20.39	-0.82	17.42	<=38.45	Pass
		6	0	20.08	-0.82	17.11	<=38.45	Pass
	823.3	1	0	20.60	-0.82	17.63	<=38.45	Pass
			2	21.60	-0.82	18.63	<=38.45	Pass
			5	21.82	-0.82	18.85	<=38.45	Pass
		3	0	20.38	-0.82	17.41	<=38.45	Pass
			2	20.67	-0.82	17.70	<=38.45	Pass
			3	20.74	-0.82	17.77	<=38.45	Pass
		6	0	19.61	-0.82	16.64	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B26a_3MHz_ERP

Band: 26a / Bandwidth: 3MHz / NTN								
-----------------------------------	--	--	--	--	--	--	--	--

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	815.5	1	0	21.58	-0.82	18.61	<=38.45	Pass
			7	21.47	-0.82	18.50	<=38.45	Pass
			14	21.61	-0.82	18.64	<=38.45	Pass
		8	0	20.44	-0.82	17.47	<=38.45	Pass
			4	20.55	-0.82	17.58	<=38.45	Pass
			7	20.51	-0.82	17.54	<=38.45	Pass
		15	0	20.51	-0.82	17.54	<=38.45	Pass
	819	1	0	21.52	-0.82	18.55	<=38.45	Pass
			7	21.59	-0.82	18.62	<=38.45	Pass
			14	21.46	-0.82	18.49	<=38.45	Pass
		8	0	20.56	-0.82	17.59	<=38.45	Pass
			4	20.45	-0.82	17.48	<=38.45	Pass
			7	20.53	-0.82	17.56	<=38.45	Pass
		15	0	20.55	-0.82	17.58	<=38.45	Pass
	822.5	1	0	21.41	-0.82	18.44	<=38.45	Pass
			7	21.66	-0.82	18.69	<=38.45	Pass
			14	21.53	-0.82	18.56	<=38.45	Pass
		8	0	20.88	-0.82	17.91	<=38.45	Pass
			4	20.63	-0.82	17.66	<=38.45	Pass
			7	20.57	-0.82	17.60	<=38.45	Pass
		15	0	20.62	-0.82	17.65	<=38.45	Pass
16QAM	815.5	1	0	21.26	-0.82	18.29	<=38.45	Pass
			7	21.95	-0.82	18.98	<=38.45	Pass
			14	20.86	-0.82	17.89	<=38.45	Pass
		8	0	19.84	-0.82	16.87	<=38.45	Pass
			4	19.60	-0.82	16.63	<=38.45	Pass
			7	19.78	-0.82	16.81	<=38.45	Pass
		15	0	19.62	-0.82	16.65	<=38.45	Pass
	819	1	0	20.64	-0.82	17.67	<=38.45	Pass
			7	21.24	-0.82	18.27	<=38.45	Pass
			14	22.31	-0.82	19.34	<=38.45	Pass
		8	0	20.12	-0.82	17.15	<=38.45	Pass
			4	20.10	-0.82	17.13	<=38.45	Pass
			7	20.02	-0.82	17.05	<=38.45	Pass
		15	0	19.95	-0.82	16.98	<=38.45	Pass
	822.5	1	0	22.12	-0.82	19.15	<=38.45	Pass
			7	20.57	-0.82	17.60	<=38.45	Pass
			14	21.41	-0.82	18.44	<=38.45	Pass
		8	0	20.09	-0.82	17.12	<=38.45	Pass
			4	19.78	-0.82	16.81	<=38.45	Pass
			7	19.82	-0.82	16.85	<=38.45	Pass
		15	0	19.68	-0.82	16.71	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B26a_5MHz_ERP

Band: 26a / Bandwidth: 5MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	816.5	1	0	21.46	-0.82	18.49	<=38.45	Pass
			13	21.39	-0.82	18.42	<=38.45	Pass
			24	21.50	-0.82	18.53	<=38.45	Pass
		12	0	20.51	-0.82	17.54	<=38.45	Pass
			6	20.59	-0.82	17.62	<=38.45	Pass
			13	20.55	-0.82	17.58	<=38.45	Pass

16QAM	819	1	25	0	20.53	-0.82	17.56	<=38.45	Pass
			0	21.47	-0.82	18.50	<=38.45	Pass	
			13	21.40	-0.82	18.43	<=38.45	Pass	
			24	21.46	-0.82	18.49	<=38.45	Pass	
		12	0	20.53	-0.82	17.56	<=38.45	Pass	
			6	20.56	-0.82	17.59	<=38.45	Pass	
			13	20.95	-0.82	17.98	<=38.45	Pass	
		25	0	20.52	-0.82	17.55	<=38.45	Pass	
		821.5	1	0	21.51	-0.82	18.54	<=38.45	Pass
				13	21.54	-0.82	18.57	<=38.45	Pass
	24			21.46	-0.82	18.49	<=38.45	Pass	
	12		0	20.93	-0.82	17.96	<=38.45	Pass	
			6	20.86	-0.82	17.89	<=38.45	Pass	
			13	20.53	-0.82	17.56	<=38.45	Pass	
25	0	20.81	-0.82	17.84	<=38.45	Pass			
816.5	1	0	20.13	-0.82	17.16	<=38.45	Pass		
		13	20.73	-0.82	17.76	<=38.45	Pass		
		24	21.06	-0.82	18.09	<=38.45	Pass		
		12	0	19.50	-0.82	16.53	<=38.45	Pass	
			6	19.62	-0.82	16.65	<=38.45	Pass	
			13	19.60	-0.82	16.63	<=38.45	Pass	
		25	0	19.69	-0.82	16.72	<=38.45	Pass	
		819	1	0	21.11	-0.82	18.14	<=38.45	Pass
				13	20.08	-0.82	17.11	<=38.45	Pass
	24			21.57	-0.82	18.60	<=38.45	Pass	
	12		0	19.57	-0.82	16.60	<=38.45	Pass	
			6	20.00	-0.82	17.03	<=38.45	Pass	
			13	20.10	-0.82	17.13	<=38.45	Pass	
	25		0	20.01	-0.82	17.04	<=38.45	Pass	
	821.5	1	0	20.88	-0.82	17.91	<=38.45	Pass	
			13	21.48	-0.82	18.51	<=38.45	Pass	
			24	20.07	-0.82	17.10	<=38.45	Pass	
		12	0	20.02	-0.82	17.05	<=38.45	Pass	
			6	19.99	-0.82	17.02	<=38.45	Pass	
			13	19.59	-0.82	16.62	<=38.45	Pass	
25		0	19.95	-0.82	16.98	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B26a_10MHz_ERP

Band: 26a / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	819	1	0	21.55	-0.82	18.58	<=38.45	Pass
			25	21.39	-0.82	18.42	<=38.45	Pass
			49	21.48	-0.82	18.51	<=38.45	Pass
		25	0	20.55	-0.82	17.58	<=38.45	Pass
			13	20.60	-0.82	17.63	<=38.45	Pass
			25	20.88	-0.82	17.91	<=38.45	Pass
		50	0	20.55	-0.82	17.58	<=38.45	Pass
			0	20.46	-0.82	17.49	<=38.45	Pass
16QAM	819	1	25	21.05	-0.82	18.08	<=38.45	Pass
			49	21.13	-0.82	18.16	<=38.45	Pass
			0	19.72	-0.82	16.75	<=38.45	Pass
		25	13	20.02	-0.82	17.05	<=38.45	Pass
			25	20.03	-0.82	17.06	<=38.45	Pass
		50	0	19.98	-0.82	17.01	<=38.45	Pass
			0	20.53	-0.82	17.56	<=38.45	Pass
			6	20.56	-0.82	17.59	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B26a_1.4MHz

Band: 26a / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	814.7	6	0	20	3.27	10.858	0.0133	-2.5 to 2.5	Pass
					3.85	-17.395	-0.0214	-2.5 to 2.5	Pass
					4.43	-39.868	-0.0489	-2.5 to 2.5	Pass
				-30	3.85	-39.725	-0.0488	-2.5 to 2.5	Pass
				-20	3.85	-33.360	-0.0409	-2.5 to 2.5	Pass
				-10	3.85	1.588	0.0019	-2.5 to 2.5	Pass
				0	3.85	-9.928	-0.0122	-2.5 to 2.5	Pass
				10	3.85	-31.943	-0.0392	-2.5 to 2.5	Pass
				30	3.85	-33.731	-0.0414	-2.5 to 2.5	Pass
				40	3.85	-35.591	-0.0437	-2.5 to 2.5	Pass
				50	3.85	-41.528	-0.0510	-2.5 to 2.5	Pass
	819	6	0	20	3.27	1.116	0.0014	-2.5 to 2.5	Pass
					3.85	5.622	0.0069	-2.5 to 2.5	Pass
					4.43	10.729	0.0131	-2.5 to 2.5	Pass
				-30	3.85	15.264	0.0186	-2.5 to 2.5	Pass
				-20	3.85	11.215	0.0137	-2.5 to 2.5	Pass
				-10	3.85	14.548	0.0178	-2.5 to 2.5	Pass
				0	3.85	21.229	0.0259	-2.5 to 2.5	Pass
				10	3.85	25.191	0.0308	-2.5 to 2.5	Pass
				30	3.85	20.485	0.0250	-2.5 to 2.5	Pass
				40	3.85	23.775	0.0290	-2.5 to 2.5	Pass
				50	3.85	21.930	0.0268	-2.5 to 2.5	Pass
	823.3	6	0	20	3.27	-27.051	-0.0329	-2.5 to 2.5	Pass
					3.85	-19.040	-0.0231	-2.5 to 2.5	Pass
					4.43	-25.449	-0.0309	-2.5 to 2.5	Pass
				-30	3.85	-24.834	-0.0302	-2.5 to 2.5	Pass
				-20	3.85	-34.833	-0.0423	-2.5 to 2.5	Pass
				-10	3.85	-12.374	-0.0150	-2.5 to 2.5	Pass
				0	3.85	-27.351	-0.0332	-2.5 to 2.5	Pass
				10	3.85	-48.480	-0.0589	-2.5 to 2.5	Pass
				30	3.85	-19.641	-0.0239	-2.5 to 2.5	Pass
				40	3.85	-36.693	-0.0446	-2.5 to 2.5	Pass
16QAM	814.7	6	0	20	3.27	-15.178	-0.0186	-2.5 to 2.5	Pass
					3.85	-44.575	-0.0547	-2.5 to 2.5	Pass
					4.43	-3.247	-0.0040	-2.5 to 2.5	Pass
				-30	3.85	-1.745	-0.0021	-2.5 to 2.5	Pass
				-20	3.85	-36.678	-0.0450	-2.5 to 2.5	Pass
				-10	3.85	-7.052	-0.0087	-2.5 to 2.5	Pass
				0	3.85	-17.452	-0.0214	-2.5 to 2.5	Pass
				10	3.85	-48.466	-0.0595	-2.5 to 2.5	Pass
				30	3.85	-17.123	-0.0210	-2.5 to 2.5	Pass
				40	3.85	-11.759	-0.0144	-2.5 to 2.5	Pass
				50	3.85	-19.398	-0.0238	-2.5 to 2.5	Pass
	819	6	0	20	3.27	17.052	0.0208	-2.5 to 2.5	Pass

					3.85	9.942	0.0121	-2.5 to 2.5	Pass
					4.43	20.485	0.0250	-2.5 to 2.5	Pass
				-30	3.85	22.016	0.0269	-2.5 to 2.5	Pass
				-20	3.85	28.625	0.0350	-2.5 to 2.5	Pass
				-10	3.85	36.535	0.0446	-2.5 to 2.5	Pass
				0	3.85	45.662	0.0558	-2.5 to 2.5	Pass
				10	3.85	40.469	0.0494	-2.5 to 2.5	Pass
				30	3.85	24.891	0.0304	-2.5 to 2.5	Pass
				40	3.85	8.240	0.0101	-2.5 to 2.5	Pass
				50	3.85	-7.653	-0.0093	-2.5 to 2.5	Pass
	823.3	6	0	20	3.27	13.247	0.0161	-2.5 to 2.5	Pass
					3.85	11.058	0.0134	-2.5 to 2.5	Pass
					4.43	10.428	0.0127	-2.5 to 2.5	Pass
				-30	3.85	9.956	0.0121	-2.5 to 2.5	Pass
				-20	3.85	9.427	0.0115	-2.5 to 2.5	Pass
				-10	3.85	2.389	0.0029	-2.5 to 2.5	Pass
				0	3.85	-33.460	-0.0406	-2.5 to 2.5	Pass
				10	3.85	1.988	0.0024	-2.5 to 2.5	Pass
				30	3.85	4.406	0.0054	-2.5 to 2.5	Pass
				40	3.85	4.764	0.0058	-2.5 to 2.5	Pass
				50	3.85	4.334	0.0053	-2.5 to 2.5	Pass

2.1.2 B26a_3MHz

Band: 26a / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	815.5	15	0	20	3.27	-2.060	-0.0025	-2.5 to 2.5	Pass
					3.85	-46.563	-0.0571	-2.5 to 2.5	Pass
					4.43	0.772	0.0009	-2.5 to 2.5	Pass
				-30	3.85	-25.263	-0.0310	-2.5 to 2.5	Pass
				-20	3.85	-20.599	-0.0253	-2.5 to 2.5	Pass
				-10	3.85	-33.960	-0.0416	-2.5 to 2.5	Pass
				0	3.85	-38.624	-0.0474	-2.5 to 2.5	Pass
				10	3.85	-7.267	-0.0089	-2.5 to 2.5	Pass
				30	3.85	-20.943	-0.0257	-2.5 to 2.5	Pass
				40	3.85	-1.116	-0.0014	-2.5 to 2.5	Pass
				50	3.85	-15.779	-0.0193	-2.5 to 2.5	Pass
	819	15	0	20	3.27	7.253	0.0089	-2.5 to 2.5	Pass
					3.85	10.486	0.0128	-2.5 to 2.5	Pass
					4.43	3.119	0.0038	-2.5 to 2.5	Pass
				-30	3.85	8.097	0.0099	-2.5 to 2.5	Pass
				-20	3.85	11.301	0.0138	-2.5 to 2.5	Pass
				-10	3.85	12.274	0.0150	-2.5 to 2.5	Pass
				0	3.85	14.148	0.0173	-2.5 to 2.5	Pass
				10	3.85	15.321	0.0187	-2.5 to 2.5	Pass
				30	3.85	19.226	0.0235	-2.5 to 2.5	Pass
				40	3.85	22.130	0.0270	-2.5 to 2.5	Pass
				50	3.85	13.633	0.0166	-2.5 to 2.5	Pass
	822.5	15	0	20	3.27	14.791	0.0180	-2.5 to 2.5	Pass
					3.85	4.864	0.0059	-2.5 to 2.5	Pass
					4.43	0.100	0.0001	-2.5 to 2.5	Pass
				-30	3.85	-5.507	-0.0067	-2.5 to 2.5	Pass
				-20	3.85	-11.058	-0.0134	-2.5 to 2.5	Pass
				-10	3.85	-16.007	-0.0195	-2.5 to 2.5	Pass
				0	3.85	-35.062	-0.0426	-2.5 to 2.5	Pass
				10	3.85	-40.727	-0.0495	-2.5 to 2.5	Pass

16QAM	815.5	15	0	30	3.85	-43.659	-0.0531	-2.5 to 2.5	Pass
				40	3.85	-15.364	-0.0187	-2.5 to 2.5	Pass
				50	3.85	-27.995	-0.0340	-2.5 to 2.5	Pass
				20	3.27	5.593	0.0069	-2.5 to 2.5	Pass
					3.85	9.184	0.0113	-2.5 to 2.5	Pass
					4.43	17.095	0.0210	-2.5 to 2.5	Pass
				-30	3.85	21.400	0.0262	-2.5 to 2.5	Pass
				-20	3.85	25.463	0.0312	-2.5 to 2.5	Pass
				-10	3.85	31.214	0.0383	-2.5 to 2.5	Pass
				0	3.85	33.345	0.0409	-2.5 to 2.5	Pass
	819	15	0	10	3.85	33.288	0.0408	-2.5 to 2.5	Pass
				30	3.85	34.833	0.0427	-2.5 to 2.5	Pass
				40	3.85	25.992	0.0319	-2.5 to 2.5	Pass
				50	3.85	29.469	0.0361	-2.5 to 2.5	Pass
				20	3.27	17.238	0.0210	-2.5 to 2.5	Pass
					3.85	25.649	0.0313	-2.5 to 2.5	Pass
					4.43	31.557	0.0385	-2.5 to 2.5	Pass
				-30	3.85	20.514	0.0250	-2.5 to 2.5	Pass
				-20	3.85	16.308	0.0199	-2.5 to 2.5	Pass
				-10	3.85	19.755	0.0241	-2.5 to 2.5	Pass
	822.5	15	0	0	3.85	15.135	0.0185	-2.5 to 2.5	Pass
				10	3.85	15.078	0.0184	-2.5 to 2.5	Pass
				30	3.85	25.592	0.0312	-2.5 to 2.5	Pass
				40	3.85	32.573	0.0398	-2.5 to 2.5	Pass
				50	3.85	38.724	0.0473	-2.5 to 2.5	Pass
				20	3.27	13.261	0.0161	-2.5 to 2.5	Pass
					3.85	10.214	0.0124	-2.5 to 2.5	Pass
					4.43	10.500	0.0128	-2.5 to 2.5	Pass
				-30	3.85	13.289	0.0162	-2.5 to 2.5	Pass
				-20	3.85	11.916	0.0145	-2.5 to 2.5	Pass
				-10	3.85	10.228	0.0124	-2.5 to 2.5	Pass
				0	3.85	10.114	0.0123	-2.5 to 2.5	Pass
				10	3.85	1.631	0.0020	-2.5 to 2.5	Pass
				30	3.85	4.749	0.0058	-2.5 to 2.5	Pass
				40	3.85	2.203	0.0027	-2.5 to 2.5	Pass
				50	3.85	2.990	0.0036	-2.5 to 2.5	Pass

2.1.3 B26a_5MHz

Band: 26a / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	816.5	25	0	20	3.27	1.688	0.0021	-2.5 to 2.5	Pass
					3.85	-37.451	-0.0459	-2.5 to 2.5	Pass
					4.43	-23.460	-0.0287	-2.5 to 2.5	Pass
				-30	3.85	-9.770	-0.0120	-2.5 to 2.5	Pass
				-20	3.85	-30.713	-0.0376	-2.5 to 2.5	Pass
				-10	3.85	-10.357	-0.0127	-2.5 to 2.5	Pass
				0	3.85	-7.095	-0.0087	-2.5 to 2.5	Pass
				10	3.85	-15.650	-0.0192	-2.5 to 2.5	Pass
				30	3.85	-24.619	-0.0302	-2.5 to 2.5	Pass
				40	3.85	-27.423	-0.0336	-2.5 to 2.5	Pass
				50	3.85	-30.069	-0.0368	-2.5 to 2.5	Pass
	819	25	0	20	3.27	15.993	0.0195	-2.5 to 2.5	Pass
					3.85	6.895	0.0084	-2.5 to 2.5	Pass
					4.43	13.347	0.0163	-2.5 to 2.5	Pass
				-30	3.85	17.323	0.0212	-2.5 to 2.5	Pass

16QAM	821.5	25	0	-20	3.85	21.157	0.0258	-2.5 to 2.5	Pass
				-10	3.85	23.117	0.0282	-2.5 to 2.5	Pass
				0	3.85	25.878	0.0316	-2.5 to 2.5	Pass
				10	3.85	27.723	0.0338	-2.5 to 2.5	Pass
				30	3.85	23.646	0.0289	-2.5 to 2.5	Pass
				40	3.85	0.658	0.0008	-2.5 to 2.5	Pass
				50	3.85	8.497	0.0104	-2.5 to 2.5	Pass
				20	3.27	4.849	0.0059	-2.5 to 2.5	Pass
					3.85	-1.931	-0.0024	-2.5 to 2.5	Pass
					4.43	-5.021	-0.0061	-2.5 to 2.5	Pass
				-30	3.85	-8.454	-0.0103	-2.5 to 2.5	Pass
				-20	3.85	-12.016	-0.0146	-2.5 to 2.5	Pass
				-10	3.85	-18.754	-0.0228	-2.5 to 2.5	Pass
	816.5	25	0	0	3.85	-22.516	-0.0274	-2.5 to 2.5	Pass
				10	3.85	-23.232	-0.0283	-2.5 to 2.5	Pass
				30	3.85	-25.420	-0.0309	-2.5 to 2.5	Pass
				40	3.85	-15.206	-0.0185	-2.5 to 2.5	Pass
				50	3.85	-11.115	-0.0135	-2.5 to 2.5	Pass
				20	3.27	-12.603	-0.0154	-2.5 to 2.5	Pass
					3.85	-8.440	-0.0103	-2.5 to 2.5	Pass
					4.43	-1.130	-0.0014	-2.5 to 2.5	Pass
				-30	3.85	3.104	0.0038	-2.5 to 2.5	Pass
				-20	3.85	8.225	0.0101	-2.5 to 2.5	Pass
				-10	3.85	12.689	0.0155	-2.5 to 2.5	Pass
	819	25	0	0	3.85	17.910	0.0219	-2.5 to 2.5	Pass
				10	3.85	22.116	0.0271	-2.5 to 2.5	Pass
				30	3.85	16.294	0.0200	-2.5 to 2.5	Pass
				40	3.85	19.827	0.0243	-2.5 to 2.5	Pass
				50	3.85	23.146	0.0283	-2.5 to 2.5	Pass
				20	3.27	18.325	0.0224	-2.5 to 2.5	Pass
					3.85	17.967	0.0219	-2.5 to 2.5	Pass
					4.43	17.080	0.0209	-2.5 to 2.5	Pass
				-30	3.85	17.252	0.0211	-2.5 to 2.5	Pass
				-20	3.85	23.246	0.0284	-2.5 to 2.5	Pass
				-10	3.85	23.932	0.0292	-2.5 to 2.5	Pass
	821.5	25	0	0	3.85	16.723	0.0204	-2.5 to 2.5	Pass
				10	3.85	18.826	0.0230	-2.5 to 2.5	Pass
				30	3.85	20.628	0.0252	-2.5 to 2.5	Pass
				40	3.85	23.174	0.0283	-2.5 to 2.5	Pass
				50	3.85	15.435	0.0188	-2.5 to 2.5	Pass
				20	3.27	18.339	0.0223	-2.5 to 2.5	Pass
					3.85	24.891	0.0303	-2.5 to 2.5	Pass
					4.43	29.540	0.0360	-2.5 to 2.5	Pass
				-30	3.85	7.882	0.0096	-2.5 to 2.5	Pass
				-20	3.85	7.811	0.0095	-2.5 to 2.5	Pass
				-10	3.85	15.421	0.0188	-2.5 to 2.5	Pass
				0	3.85	22.388	0.0273	-2.5 to 2.5	Pass
				10	3.85	29.397	0.0358	-2.5 to 2.5	Pass
				30	3.85	31.185	0.0380	-2.5 to 2.5	Pass
				40	3.85	36.292	0.0442	-2.5 to 2.5	Pass
				50	3.85	44.360	0.0540	-2.5 to 2.5	Pass

2.1.4 B26a_10MHz

Band: 26a / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	

QPSK	819	50	0	20	3.27	14.663	0.0179	-2.5 to 2.5	Pass
					3.85	16.236	0.0198	-2.5 to 2.5	Pass
					4.43	14.548	0.0178	-2.5 to 2.5	Pass
				-30	3.85	14.634	0.0179	-2.5 to 2.5	Pass
				-20	3.85	6.723	0.0082	-2.5 to 2.5	Pass
				-10	3.85	10.257	0.0125	-2.5 to 2.5	Pass
				0	3.85	2.089	0.0026	-2.5 to 2.5	Pass
				10	3.85	-18.425	-0.0225	-2.5 to 2.5	Pass
				30	3.85	-28.267	-0.0345	-2.5 to 2.5	Pass
				40	3.85	-20.013	-0.0244	-2.5 to 2.5	Pass
16QAM	819	50	0	20	3.27	20.170	0.0246	-2.5 to 2.5	Pass
					3.85	18.682	0.0228	-2.5 to 2.5	Pass
					4.43	9.084	0.0111	-2.5 to 2.5	Pass
				-30	3.85	11.616	0.0142	-2.5 to 2.5	Pass
				-20	3.85	13.332	0.0163	-2.5 to 2.5	Pass
				-10	3.85	11.115	0.0136	-2.5 to 2.5	Pass
				0	3.85	17.381	0.0212	-2.5 to 2.5	Pass
				10	3.85	25.220	0.0308	-2.5 to 2.5	Pass
				30	3.85	23.746	0.0290	-2.5 to 2.5	Pass
				40	3.85	18.668	0.0228	-2.5 to 2.5	Pass
				50	3.85	-16.994	-0.0207	-2.5 to 2.5	Pass
					3.27	20.170	0.0246	-2.5 to 2.5	Pass
					3.85	18.682	0.0228	-2.5 to 2.5	Pass
				-30	4.43	9.084	0.0111	-2.5 to 2.5	Pass
					3.85	11.616	0.0142	-2.5 to 2.5	Pass
					3.85	13.332	0.0163	-2.5 to 2.5	Pass
				-20	3.85	11.115	0.0136	-2.5 to 2.5	Pass
					3.85	17.381	0.0212	-2.5 to 2.5	Pass
					3.85	25.220	0.0308	-2.5 to 2.5	Pass
				-10	3.85	23.746	0.0290	-2.5 to 2.5	Pass
					3.85	18.668	0.0228	-2.5 to 2.5	Pass
					3.85	-13.776	-0.0168	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B26a_1.4MHz

Band: 26a / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	819	6	0	Refer To Test Graph		Pass
16QAM	819	6	0	Refer To Test Graph		Pass

3.1.2 B26a_3MHz

Band: 26a / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	819	15	0	Refer To Test Graph		Pass
16QAM	819	15	0	Refer To Test Graph		Pass

3.1.3 B26a_5MHz


Band: 26a / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	819	25	0	Refer To Test Graph		Pass
16QAM	819	25	0	Refer To Test Graph		Pass

3.1.4 B26a_10MHz


Band: 26a / Bandwidth: 10MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	819	50	0	Refer To Test Graph		Pass
16QAM	819	50	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B26a_1.4MHz




3.2.2 B26a_3MHz



3.2.3 B26a_5MHz



3.2.4 B26a_10MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band26a_OBW

Band: 26a / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	814.7	6	0	1.116	/	Pass
		819	6	0	1.112	/	Pass
		823.3	6	0	1.112	/	Pass
	16QAM	814.7	6	0	1.107	/	Pass
		819	6	0	1.118	/	Pass
		823.3	6	0	1.108	/	Pass
3	QPSK	815.5	15	0	2.747	/	Pass
		819	15	0	2.755	/	Pass
		822.5	15	0	2.765	/	Pass
	16QAM	815.5	15	0	2.748	/	Pass
		819	15	0	2.748	/	Pass
		822.5	15	0	2.784	/	Pass
5	QPSK	816.5	25	0	4.542	/	Pass
		819	25	0	4.543	/	Pass
		821.5	25	0	4.550	/	Pass
	16QAM	816.5	25	0	4.549	/	Pass
		819	25	0	4.560	/	Pass
		821.5	25	0	4.564	/	Pass
10	QPSK	819	50	0	9.018	/	Pass
	16QAM	819	50	0	9.053	/	Pass

4.1.2 Band26a_XDB


Band: 26a / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	814.7	6	0	1.275	/	Pass
		819	6	0	1.273	/	Pass
		823.3	6	0	1.275	/	Pass
	16QAM	814.7	6	0	1.267	/	Pass
		819	6	0	1.276	/	Pass
		823.3	6	0	1.268	/	Pass
3	QPSK	815.5	15	0	3.093	/	Pass
		819	15	0	3.099	/	Pass
		822.5	15	0	3.098	/	Pass
	16QAM	815.5	15	0	3.084	/	Pass
		819	15	0	3.093	/	Pass
		822.5	15	0	3.099	/	Pass
5	QPSK	816.5	25	0	5.036	/	Pass
		819	25	0	5.077	/	Pass
		821.5	25	0	5.058	/	Pass
	16QAM	816.5	25	0	5.041	/	Pass
		819	25	0	5.068	/	Pass
		821.5	25	0	5.078	/	Pass
10	QPSK	819	50	0	10.028	/	Pass

	16QAM	819	50	0	10.046	/	Pass
--	-------	-----	----	---	--------	---	------




4.2 Test Graph


4.2.1 Band26a_OBW




Band26a 1.4MHz QPSK HCH 823.3MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM MCH 819MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 6 0 NTNV




Band26a 3MHz QPSK LCH 815.5MHz RB 15 0 NTNV




Band26a 3MHz QPSK MCH 819MHz RB 15 0 NTNV




Band26a 3MHz QPSK HCH 822.5MHz RB 15 0 NTNV




Band26a_3MHz_16QAM_LCH_815.5MHz_RB_15_0_NTNV




Band26a 3MHz 16QAM MCH 819MHz RB 15 0 NTNV




Band26a 3MHz 16QAM HCH 822.5MHz RB 15 0 NTNV




Band26a 5MHz QPSK LCH 816.5MHz RB 25 0 NTNV




Band26a 5MHz QPSK MCH 819MHz RB 25 0 NTNV




Band26a 5MHz QPSK HCH 821.5MHz RB 25 0 NTNV




Band26a_5MHz_16QAM_LCH_816.5MHz_RB_25_0_NTNV




Band26a 5MHz 16QAM MCH 819MHz RB 25 0 NTNV




Band26a 5MHz 16QAM HCH 821.5MHz RB 25 0 NTNV




Band26a 10MHz QPSK MCH 819MHz RB 50 0 NTNV




Band26a 10MHz 16QAM MCH 819MHz RB 50 0 NTNV




4.2.2 Band26a_XDB




Band26a 1.4MHz QPSK HCH 823.3MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM MCH 819MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 6 0 NTNV




Band26a 3MHz QPSK LCH 815.5MHz RB 15 0 NTNV




Band26a_3MHz_QPSK_MCH_819MHz_RB_15_0_NTNV




Band26a 3MHz QPSK HCH 822.5MHz RB 15 0 NTNV




Band26a 3MHz 16QAM LCH 815.5MHz RB 15 0 NTNV




Band26a 3MHz 16QAM MCH 819MHz RB 15 0 NTNV




Band26a 3MHz 16QAM HCH 822.5MHz RB 15 0 NTNV




Band26a 5MHz QPSK LCH 816.5MHz RB 25 0 NTNV




Band26a_5MHz_QPSK_MCH_819MHz_RB_25_0_NTNV




Band26a 5MHz QPSK HCH 821.5MHz RB 25 0 NTNV




Band26a 5MHz 16QAM LCH 816.5MHz RB 25 0 NTNV




Band26a 5MHz 16QAM MCH 819MHz RB 25 0 NTNV




Band26a 5MHz 16QAM HCH 821.5MHz RB 25 0 NTNV



Band26a 10MHz QPSK MCH 819MHz RB 50 0 NTNV



Band26a 10MHz 16QAM MCH 819MHz RB 50 0 NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B26a_1.4MHz

Band: 26a / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	814.7	6	0	5.58	<=13	Pass
	819	6	0	5.66	<=13	Pass
	823.3	6	0	5.77	<=13	Pass
16QAM	814.7	6	0	6.27	<=13	Pass
	819	6	0	6.33	<=13	Pass
	823.3	6	0	6.47	<=13	Pass

5.1.2 B26a_3MHz

Band: 26a / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	815.5	15	0	5.60	<=13	Pass
	819	15	0	5.67	<=13	Pass
	822.5	15	0	5.80	<=13	Pass
16QAM	815.5	15	0	6.42	<=13	Pass
	819	15	0	6.43	<=13	Pass
	822.5	15	0	6.55	<=13	Pass

5.1.3 B26a_5MHz


Band: 26a / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	816.5	25	0	5.62	<=13	Pass
	819	25	0	5.72	<=13	Pass
	821.5	25	0	5.73	<=13	Pass
16QAM	816.5	25	0	6.33	<=13	Pass
	819	25	0	6.40	<=13	Pass
	821.5	25	0	6.43	<=13	Pass

5.1.4 B26a_10MHz


Band: 26a / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	819	50	0	5.66	<=13	Pass
16QAM	819	50	0	6.37	<=13	Pass

5.2 Test Graph

5.2.1 B26a_1.4MHz




Band26a 1.4MHz QPSK HCH 823.3MHz RB 6 0 NTN




2024-11-09 09:17:57

Band26a 1.4MHz 16QAM LCH 814.7MHz RB 6 0 NTN




2024-11-09 09:14:39

Band26a 1.4MHz 16QAM MCH 819MHz RB 6 0 NTNV




2024-11-09 09:15:40

Band26a 1.4MHz 16QAM HCH 823.3MHz RB 6 0 NTNV




2024-11-09 09:18:29

5.2.2 B26a_3MHz




Band26a 3MHz QPSK HCH 822.5MHz RB 15 0 NTNV




2024-11-09 09:21:31

Band26a_3MHz_16QAM_LCH_815.5MHz_RB_15_0_NTNV




2024-11-09 09:19:54

Band26a 3MHz 16QAM MCH 819MHz RB 15 0 NTNV




2024-11-09 09:20:59

Band26a 3MHz 16QAM HCH 822.5MHz RB 15 0 NTNV




2024-11-09 09:22:05

5.2.3 B26a_5MHz




Band26a 5MHz QPSK HCH 821.5MHz RB 25 0 NTNV




2024-11-09 09:25:07

Band26a_5MHz_16QAM_LCH_816.5MHz_RB_25_0_NTNV




2024-11-09 09:23:35

Band26a 5MHz 16QAM MCH 819MHz RB 25 0 NTNV




2024-11-09 09:24:36

Band26a 5MHz 16QAM HCH 821.5MHz RB 25 0 NTNV



2024-11-09 09:30:21

5.2.4 B26a_10MHz



6. Spurious Emission

6.1 Test Result

6.1.1 B26a_1.4MHz

Band: 26a / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	814.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	819	1	0	Refer To Test Graph		Pass
	823.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	814.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	819	1	0	Refer To Test Graph		Pass
	823.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

6.1.2 B26a_3MHz

Band: 26a / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	815.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	819	1	0	Refer To Test Graph		Pass
	822.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	815.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	819	1	0	Refer To Test Graph		Pass
	822.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

6.1.3 B26a_5MHz

Band: 26a / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	816.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	819	1	0	Refer To Test Graph		Pass
	821.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	816.5	1	0	Refer To Test Graph		Pass


		25	0	Refer To Test Graph	Pass
	819	1	0	Refer To Test Graph	Pass
	821.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

6.1.4 B26a_10MHz


Band: 26a / Bandwidth: 10MHz / NTN					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	Verdict
		Size	Offset	Result	Limit
QPSK	819	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	819	1	49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
16QAM	819	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	819	1	49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass

6.2 Test Graph


6.2.1 B26a_1.4MHz




Band26a 1.4MHz QPSK LCH 814.7MHz RB 1 0 NTNV




Band26a 1.4MHz QPSK LCH 814.7MHz RB 1 0 NTNV



Band26a 1.4MHz QPSK LCH 814.7MHz RB 1 0 NTNV




Band26a 1.4MHz QPSK LCH 814.7MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
811	813	0.1	CHP	1	812.855	-41.63	-13	Pass
813	813.963	0.013	CHP	2	813.955	-44.08	-13	Pass
813.963	814	0.013	CHP	3	813.970	-43.64	-20	Pass
814	817	0.013	CHP	/	/	/	/	/


Band26a_1.4MHz_QPSK_MCH_819MHz_RB_1_0_NTNV




Band26a_1.4MHz_QPSK_MCH_819MHz_RB_1_0_NTNV




Band26a_1.4MHz_QPSK_MCH_819MHz_RB_1_0_NTNV




Band26a_1.4MHz_QPSK_MCH_819MHz_RB_1_0_NTNV




Band26a 1.4MHz QPSK HCH 823.3MHz RB 1 0 NTNV




Band26a 1.4MHz QPSK HCH 823.3MHz RB 1 0 NTNV




Band26a 1.4MHz QPSK HCH 823.3MHz RB 1 0 NTNV



Band26a 1.4MHz QPSK HCH 823.3MHz RB 1 0 NTNV




Band26a 1.4MHz QPSK HCH 823.3MHz RB 1 5 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	824	0.003	/	/	/	/	/	/
824	824.038	0.003	/	1	824.016	-45.07	-20	Pass
824.038	825	0.003	/	2	824.045	-47.09	-13	Pass
825	827	0.1	CHP	3	825.542	-53.92	-13	Pass

Band26a 1.4MHz QPSK HCH 823.3MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	824	0.013	CHP	/	/	/	/	/
824	824.038	0.013	CHP	1	824.005	-46.65	-20	Pass
824.038	825	0.013	CHP	2	824.050	-46.60	-13	Pass
825	827	0.1	CHP	3	825.675	-42.14	-13	Pass

Band26a 1.4MHz 16QAM LCH 814.7MHz RB 1 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
811	813	0.1	CHP	1	812.484	-51.00	-13	Pass
813	813.963	0.003	/	2	813.940	-42.82	-13	Pass
813.963	814	0.003	/	3	813.999	-38.91	-20	Pass
814	817	0.003	/	/	/	/	/	/


Band26a 1.4MHz 16QAM LCH 814.7MHz RB 1 0 NTN




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 1 0 NTNV




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 1 0 NTNV



Band26a 1.4MHz 16QAM LCH 814.7MHz RB 1 0 NTN




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 6 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
811	813	0.1	CHP	1	812.925	-41.17	-13	Pass
813	813.963	0.013	CHP	2	813.960	-43.22	-13	Pass
813.963	814	0.013	CHP	3	813.990	-42.79	-20	Pass
814	817	0.013	CHP	/	/	/	/	/


Band26a 1.4MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 1.4MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 1.4MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 1.4MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a_1.4MHz_16QAM_HCH_823.3MHz_RB_1_0_NTNV




Band26a_1.4MHz_16QAM_HCH_823.3MHz_RB_1_0_NTNV




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 1 0 NTN



Band26a 1.4MHz 16QAM HCH 823.3MHz RB 1 0 NTN




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 1 5 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	824	0.003	/	/	/	/	/	/
824	824.038	0.003	/	1	824.001	-41.13	-20	Pass
824.038	825	0.003	/	2	824.045	-43.78	-13	Pass
825	827	0.1	CHP	3	825.563	-53.01	-13	Pass

Band26a 1.4MHz 16QAM HCH 823.3MHz RB 6 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	824	0.013	CHP	/	/	/	/	/
824	824.038	0.013	CHP	1	824.030	-45.28	-20	Pass
824.038	825	0.013	CHP	2	824.065	-45.78	-13	Pass
825	827	0.1	CHP	3	825.095	-41.69	-13	Pass