

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	23.90	-0.10	23.80	<=33.01	Pass
			2	24.02	-0.10	23.92	<=33.01	Pass
			5	24.04	-0.10	23.94	<=33.01	Pass
		3	0	23.77	-0.10	23.67	<=33.01	Pass
			2	23.85	-0.10	23.75	<=33.01	Pass
			3	23.80	-0.10	23.70	<=33.01	Pass
		6	0	22.92	-0.10	22.82	<=33.01	Pass
	1880	1	0	23.51	-0.10	23.41	<=33.01	Pass
			2	23.50	-0.10	23.40	<=33.01	Pass
			5	23.47	-0.10	23.37	<=33.01	Pass
		3	0	23.48	-0.10	23.38	<=33.01	Pass
			2	23.42	-0.10	23.32	<=33.01	Pass
			3	23.49	-0.10	23.39	<=33.01	Pass
		6	0	22.56	-0.10	22.46	<=33.01	Pass
	1909.3	1	0	22.93	-0.10	22.83	<=33.01	Pass
			2	23.02	-0.10	22.92	<=33.01	Pass
			5	22.90	-0.10	22.80	<=33.01	Pass
		3	0	22.99	-0.10	22.89	<=33.01	Pass
			2	22.99	-0.10	22.89	<=33.01	Pass
			3	22.95	-0.10	22.85	<=33.01	Pass
		6	0	22.00	-0.10	21.90	<=33.01	Pass
16QAM	1850.7	1	0	22.73	-0.10	22.63	<=33.01	Pass
			2	22.75	-0.10	22.65	<=33.01	Pass
			5	22.80	-0.10	22.70	<=33.01	Pass
		3	0	22.88	-0.10	22.78	<=33.01	Pass
			2	22.89	-0.10	22.79	<=33.01	Pass
			3	22.90	-0.10	22.80	<=33.01	Pass
		6	0	22.03	-0.10	21.93	<=33.01	Pass
	1880	1	0	22.68	-0.10	22.58	<=33.01	Pass
			2	22.70	-0.10	22.60	<=33.01	Pass
			5	22.68	-0.10	22.58	<=33.01	Pass
		3	0	22.18	-0.10	22.08	<=33.01	Pass
			2	22.18	-0.10	22.08	<=33.01	Pass
			3	22.15	-0.10	22.05	<=33.01	Pass
		6	0	21.54	-0.10	21.44	<=33.01	Pass
	1909.3	1	0	21.74	-0.10	21.64	<=33.01	Pass
			2	21.65	-0.10	21.55	<=33.01	Pass
			5	21.62	-0.10	21.52	<=33.01	Pass
		3	0	21.75	-0.10	21.65	<=33.01	Pass
			2	21.78	-0.10	21.68	<=33.01	Pass
			3	21.76	-0.10	21.66	<=33.01	Pass
		6	0	21.00	-0.10	20.90	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	23.86	-0.10	23.76	<=33.01	Pass
			7	23.82	-0.10	23.72	<=33.01	Pass
			14	23.74	-0.10	23.64	<=33.01	Pass
		8	0	22.80	-0.10	22.70	<=33.01	Pass
			4	22.81	-0.10	22.71	<=33.01	Pass
			7	22.79	-0.10	22.69	<=33.01	Pass
		15	0	22.85	-0.10	22.75	<=33.01	Pass
	1880	1	0	23.56	-0.10	23.46	<=33.01	Pass
			7	23.54	-0.10	23.44	<=33.01	Pass
			14	23.46	-0.10	23.36	<=33.01	Pass
		8	0	22.54	-0.10	22.44	<=33.01	Pass
			4	22.56	-0.10	22.46	<=33.01	Pass
			7	22.42	-0.10	22.32	<=33.01	Pass
		15	0	22.50	-0.10	22.40	<=33.01	Pass
	1908.5	1	0	23.03	-0.10	22.93	<=33.01	Pass
			7	23.02	-0.10	22.92	<=33.01	Pass
			14	23.01	-0.10	22.91	<=33.01	Pass
		8	0	21.97	-0.10	21.87	<=33.01	Pass
			4	22.07	-0.10	21.97	<=33.01	Pass
			7	21.98	-0.10	21.88	<=33.01	Pass
		15	0	22.03	-0.10	21.93	<=33.01	Pass
16QAM	1851.5	1	0	23.40	-0.10	23.30	<=33.01	Pass
			7	23.38	-0.10	23.28	<=33.01	Pass
			14	23.32	-0.10	23.22	<=33.01	Pass
		8	0	22.09	-0.10	21.99	<=33.01	Pass
			4	22.15	-0.10	22.05	<=33.01	Pass
			7	21.89	-0.10	21.79	<=33.01	Pass
		15	0	21.95	-0.10	21.85	<=33.01	Pass
	1880	1	0	22.29	-0.10	22.19	<=33.01	Pass
			7	22.23	-0.10	22.13	<=33.01	Pass
			14	22.21	-0.10	22.11	<=33.01	Pass
		8	0	21.73	-0.10	21.63	<=33.01	Pass
			4	21.73	-0.10	21.63	<=33.01	Pass
			7	21.74	-0.10	21.64	<=33.01	Pass
		15	0	21.56	-0.10	21.46	<=33.01	Pass
	1908.5	1	0	22.00	-0.10	21.90	<=33.01	Pass
			7	21.66	-0.10	21.56	<=33.01	Pass
			14	21.61	-0.10	21.51	<=33.01	Pass
		8	0	21.23	-0.10	21.13	<=33.01	Pass
			4	21.24	-0.10	21.14	<=33.01	Pass
			7	21.30	-0.10	21.20	<=33.01	Pass
		15	0	21.00	-0.10	20.90	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	23.88	-0.10	23.78	<=33.01	Pass
			13	23.67	-0.10	23.57	<=33.01	Pass
			24	23.64	-0.10	23.54	<=33.01	Pass
		12	0	22.79	-0.10	22.69	<=33.01	Pass
			6	22.76	-0.10	22.66	<=33.01	Pass
			13	22.77	-0.10	22.67	<=33.01	Pass
		25	0	22.82	-0.10	22.72	<=33.01	Pass
	1880	1	0	23.57	-0.10	23.47	<=33.01	Pass
			13	23.61	-0.10	23.51	<=33.01	Pass
			24	23.50	-0.10	23.40	<=33.01	Pass
		12	0	22.46	-0.10	22.36	<=33.01	Pass
			6	22.50	-0.10	22.40	<=33.01	Pass
			13	22.50	-0.10	22.40	<=33.01	Pass
		25	0	22.48	-0.10	22.38	<=33.01	Pass
	1907.5	1	0	23.04	-0.10	22.94	<=33.01	Pass
			13	22.99	-0.10	22.89	<=33.01	Pass
			24	23.04	-0.10	22.94	<=33.01	Pass
		12	0	22.22	-0.10	22.12	<=33.01	Pass
			6	22.15	-0.10	22.05	<=33.01	Pass
			13	22.11	-0.10	22.01	<=33.01	Pass
		25	0	22.19	-0.10	22.09	<=33.01	Pass
16QAM	1852.5	1	0	23.03	-0.10	22.93	<=33.01	Pass
			13	22.89	-0.10	22.79	<=33.01	Pass
			24	22.94	-0.10	22.84	<=33.01	Pass
		12	0	21.99	-0.10	21.89	<=33.01	Pass
			6	21.96	-0.10	21.86	<=33.01	Pass
			13	21.86	-0.10	21.76	<=33.01	Pass
		25	0	21.98	-0.10	21.88	<=33.01	Pass
	1880	1	0	22.70	-0.10	22.60	<=33.01	Pass
			13	22.67	-0.10	22.57	<=33.01	Pass
			24	22.64	-0.10	22.54	<=33.01	Pass
		12	0	21.64	-0.10	21.54	<=33.01	Pass
			6	21.57	-0.10	21.47	<=33.01	Pass
			13	21.59	-0.10	21.49	<=33.01	Pass
		25	0	21.59	-0.10	21.49	<=33.01	Pass
	1907.5	1	0	21.49	-0.10	21.39	<=33.01	Pass
			13	21.44	-0.10	21.34	<=33.01	Pass
			24	21.49	-0.10	21.39	<=33.01	Pass
		12	0	21.25	-0.10	21.15	<=33.01	Pass
			6	21.20	-0.10	21.10	<=33.01	Pass
			13	21.19	-0.10	21.09	<=33.01	Pass
		25	0	21.27	-0.10	21.17	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	23.71	-0.10	23.61	<=33.01	Pass
			25	23.65	-0.10	23.55	<=33.01	Pass
			49	23.68	-0.10	23.58	<=33.01	Pass
		25	0	22.76	-0.10	22.66	<=33.01	Pass
			13	22.78	-0.10	22.68	<=33.01	Pass
			25	22.72	-0.10	22.62	<=33.01	Pass
		50	0	22.74	-0.10	22.64	<=33.01	Pass
	1880	1	0	23.62	-0.10	23.52	<=33.01	Pass
			25	23.56	-0.10	23.46	<=33.01	Pass
			49	23.55	-0.10	23.45	<=33.01	Pass
		25	0	22.49	-0.10	22.39	<=33.01	Pass
			13	22.59	-0.10	22.49	<=33.01	Pass
			25	22.45	-0.10	22.35	<=33.01	Pass
		50	0	22.47	-0.10	22.37	<=33.01	Pass
	1905	1	0	23.26	-0.10	23.16	<=33.01	Pass
			25	23.16	-0.10	23.06	<=33.01	Pass
			49	23.10	-0.10	23.00	<=33.01	Pass
		25	0	22.20	-0.10	22.10	<=33.01	Pass
			13	22.15	-0.10	22.05	<=33.01	Pass
			25	22.11	-0.10	22.01	<=33.01	Pass
		50	0	22.20	-0.10	22.10	<=33.01	Pass
16QAM	1855	1	0	22.41	-0.10	22.31	<=33.01	Pass
			25	22.42	-0.10	22.32	<=33.01	Pass
			49	22.36	-0.10	22.26	<=33.01	Pass
		25	0	21.86	-0.10	21.76	<=33.01	Pass
			13	21.85	-0.10	21.75	<=33.01	Pass
			25	21.84	-0.10	21.74	<=33.01	Pass
		50	0	21.76	-0.10	21.66	<=33.01	Pass
	1880	1	0	23.03	-0.10	22.93	<=33.01	Pass
			25	23.05	-0.10	22.95	<=33.01	Pass
			49	23.06	-0.10	22.96	<=33.01	Pass
		25	0	21.64	-0.10	21.54	<=33.01	Pass
			13	21.62	-0.10	21.52	<=33.01	Pass
			25	21.61	-0.10	21.51	<=33.01	Pass
		50	0	21.62	-0.10	21.52	<=33.01	Pass
	1905	1	0	22.27	-0.10	22.17	<=33.01	Pass
			25	22.26	-0.10	22.16	<=33.01	Pass
			49	22.23	-0.10	22.13	<=33.01	Pass
		25	0	21.24	-0.10	21.14	<=33.01	Pass
13			21.21	-0.10	21.11	<=33.01	Pass	
25			21.15	-0.10	21.05	<=33.01	Pass	
50		0	21.25	-0.10	21.15	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	23.67	-0.10	23.57	<=33.01	Pass
			38	23.60	-0.10	23.50	<=33.01	Pass
			74	23.55	-0.10	23.45	<=33.01	Pass
		36	0	22.69	-0.10	22.59	<=33.01	Pass
			18	22.79	-0.10	22.69	<=33.01	Pass
			39	22.82	-0.10	22.72	<=33.01	Pass
		75	0	22.61	-0.10	22.51	<=33.01	Pass
	1880	1	0	23.65	-0.10	23.55	<=33.01	Pass
			38	23.55	-0.10	23.45	<=33.01	Pass
			74	23.49	-0.10	23.39	<=33.01	Pass
		36	0	22.53	-0.10	22.43	<=33.01	Pass
			18	22.65	-0.10	22.55	<=33.01	Pass
			39	22.45	-0.10	22.35	<=33.01	Pass
		75	0	22.44	-0.10	22.34	<=33.01	Pass
	1902.5	1	0	23.35	-0.10	23.25	<=33.01	Pass
			38	23.26	-0.10	23.16	<=33.01	Pass
			74	23.01	-0.10	22.91	<=33.01	Pass
		36	0	22.32	-0.10	22.22	<=33.01	Pass
			18	22.22	-0.10	22.12	<=33.01	Pass
			39	22.21	-0.10	22.11	<=33.01	Pass
		75	0	22.25	-0.10	22.15	<=33.01	Pass
16QAM	1857.5	1	0	22.79	-0.10	22.69	<=33.01	Pass
			38	22.74	-0.10	22.64	<=33.01	Pass
			74	22.72	-0.10	22.62	<=33.01	Pass
		36	0	21.86	-0.10	21.76	<=33.01	Pass
			18	21.87	-0.10	21.77	<=33.01	Pass
			39	21.97	-0.10	21.87	<=33.01	Pass
		75	0	21.85	-0.10	21.75	<=33.01	Pass
	1880	1	0	23.16	-0.10	23.06	<=33.01	Pass
			38	23.07	-0.10	22.97	<=33.01	Pass
			74	23.04	-0.10	22.94	<=33.01	Pass
		36	0	21.65	-0.10	21.55	<=33.01	Pass
			18	21.62	-0.10	21.52	<=33.01	Pass
			39	21.58	-0.10	21.48	<=33.01	Pass
		75	0	21.63	-0.10	21.53	<=33.01	Pass
	1902.5	1	0	22.15	-0.10	22.05	<=33.01	Pass
			38	22.03	-0.10	21.93	<=33.01	Pass
			74	21.95	-0.10	21.85	<=33.01	Pass
		36	0	21.45	-0.10	21.35	<=33.01	Pass
			18	21.42	-0.10	21.32	<=33.01	Pass
			39	21.24	-0.10	21.14	<=33.01	Pass
		75	0	21.31	-0.10	21.21	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	23.85	-0.10	23.75	<=33.01	Pass
			50	23.76	-0.10	23.66	<=33.01	Pass
			99	23.78	-0.10	23.68	<=33.01	Pass
		50	0	22.67	-0.10	22.57	<=33.01	Pass
			25	22.74	-0.10	22.64	<=33.01	Pass
			50	22.72	-0.10	22.62	<=33.01	Pass
		100	0	22.71	-0.10	22.61	<=33.01	Pass
	1880	1	0	23.73	-0.10	23.63	<=33.01	Pass
			50	23.46	-0.10	23.36	<=33.01	Pass
			99	23.39	-0.10	23.29	<=33.01	Pass
		50	0	22.49	-0.10	22.39	<=33.01	Pass
			25	22.40	-0.10	22.30	<=33.01	Pass
			50	22.39	-0.10	22.29	<=33.01	Pass
		100	0	22.55	-0.10	22.45	<=33.01	Pass
	1900	1	0	23.43	-0.10	23.33	<=33.01	Pass
			50	23.25	-0.10	23.15	<=33.01	Pass
			99	23.12	-0.10	23.02	<=33.01	Pass
		50	0	22.39	-0.10	22.29	<=33.01	Pass
			25	22.25	-0.10	22.15	<=33.01	Pass
			50	22.12	-0.10	22.02	<=33.01	Pass
		100	0	22.26	-0.10	22.16	<=33.01	Pass
16QAM	1860	1	0	23.06	-0.10	22.96	<=33.01	Pass
			50	23.02	-0.10	22.92	<=33.01	Pass
			99	22.97	-0.10	22.87	<=33.01	Pass
		50	0	21.77	-0.10	21.67	<=33.01	Pass
			25	21.79	-0.10	21.69	<=33.01	Pass
			50	21.78	-0.10	21.68	<=33.01	Pass
		100	0	21.85	-0.10	21.75	<=33.01	Pass
	1880	1	0	22.35	-0.10	22.25	<=33.01	Pass
			50	22.29	-0.10	22.19	<=33.01	Pass
			99	22.16	-0.10	22.06	<=33.01	Pass
		50	0	21.71	-0.10	21.61	<=33.01	Pass
			25	21.63	-0.10	21.53	<=33.01	Pass
			50	21.56	-0.10	21.46	<=33.01	Pass
		100	0	21.54	-0.10	21.44	<=33.01	Pass
	1900	1	0	22.46	-0.10	22.36	<=33.01	Pass
			50	22.39	-0.10	22.29	<=33.01	Pass
			99	22.29	-0.10	22.19	<=33.01	Pass
		50	0	21.52	-0.10	21.42	<=33.01	Pass
			25	21.40	-0.10	21.30	<=33.01	Pass
			50	21.35	-0.10	21.25	<=33.01	Pass
		100	0	21.34	-0.10	21.24	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1850.7	6	0	20	3.27	-42.114	-0.0228	-2.5 to 2.5	Pass
					3.85	-38.552	-0.0208	-2.5 to 2.5	Pass
					4.43	-16.494	-0.0089	-2.5 to 2.5	Pass
				-30	3.85	-20.528	-0.0111	-2.5 to 2.5	Pass
				-20	3.85	-35.248	-0.0190	-2.5 to 2.5	Pass
				-10	3.85	-33.317	-0.0180	-2.5 to 2.5	Pass
				0	3.85	-34.590	-0.0187	-2.5 to 2.5	Pass
				10	3.85	-35.748	-0.0193	-2.5 to 2.5	Pass
				30	3.85	-9.141	-0.0049	-2.5 to 2.5	Pass
				40	3.85	-39.110	-0.0211	-2.5 to 2.5	Pass
				50	3.85	-9.284	-0.0050	-2.5 to 2.5	Pass
	1880	6	0	20	3.27	40.884	0.0217	-2.5 to 2.5	Pass
					3.85	-22.831	-0.0121	-2.5 to 2.5	Pass
					4.43	-24.633	-0.0131	-2.5 to 2.5	Pass
				-30	3.85	-34.232	-0.0182	-2.5 to 2.5	Pass
				-20	3.85	-40.741	-0.0217	-2.5 to 2.5	Pass
				-10	3.85	-35.906	-0.0191	-2.5 to 2.5	Pass
				0	3.85	-4.220	-0.0022	-2.5 to 2.5	Pass
				10	3.85	-12.846	-0.0068	-2.5 to 2.5	Pass
				30	3.85	-22.616	-0.0120	-2.5 to 2.5	Pass
				40	3.85	-23.189	-0.0123	-2.5 to 2.5	Pass
				50	3.85	-29.712	-0.0158	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.27	-39.725	-0.0208	-2.5 to 2.5	Pass
					3.85	-26.636	-0.0140	-2.5 to 2.5	Pass
					4.43	-29.984	-0.0157	-2.5 to 2.5	Pass
				-30	3.85	-27.566	-0.0144	-2.5 to 2.5	Pass
				-20	3.85	-24.676	-0.0129	-2.5 to 2.5	Pass
				-10	3.85	-21.973	-0.0115	-2.5 to 2.5	Pass
				0	3.85	-35.090	-0.0184	-2.5 to 2.5	Pass
				10	3.85	-23.332	-0.0122	-2.5 to 2.5	Pass
				30	3.85	-7.524	-0.0039	-2.5 to 2.5	Pass
				40	3.85	-43.244	-0.0226	-2.5 to 2.5	Pass
16QAM	1850.7	6	0	20	3.27	-30.913	-0.0167	-2.5 to 2.5	Pass
					3.85	-43.445	-0.0235	-2.5 to 2.5	Pass
					4.43	-27.380	-0.0148	-2.5 to 2.5	Pass
				-30	3.85	1.330	0.0007	-2.5 to 2.5	Pass
				-20	3.85	-0.873	-0.0005	-2.5 to 2.5	Pass
				-10	3.85	-17.638	-0.0095	-2.5 to 2.5	Pass
				0	3.85	-12.889	-0.0070	-2.5 to 2.5	Pass
				10	3.85	-44.045	-0.0238	-2.5 to 2.5	Pass
				30	3.85	26.708	0.0144	-2.5 to 2.5	Pass
				40	3.85	-14.791	-0.0080	-2.5 to 2.5	Pass
				50	3.85	-2.532	-0.0014	-2.5 to 2.5	Pass
	1880	6	0	20	3.27	-15.221	-0.0081	-2.5 to 2.5	Pass
					3.85	-7.982	-0.0042	-2.5 to 2.5	Pass
					4.43	26.135	0.0139	-2.5 to 2.5	Pass
				-30	3.85	7.997	0.0043	-2.5 to 2.5	Pass
				-20	3.85	8.984	0.0048	-2.5 to 2.5	Pass

				-10	3.85	5.407	0.0029	-2.5 to 2.5	Pass
				0	3.85	4.778	0.0025	-2.5 to 2.5	Pass
				10	3.85	-4.478	-0.0024	-2.5 to 2.5	Pass
				30	3.85	-17.695	-0.0094	-2.5 to 2.5	Pass
				40	3.85	-43.001	-0.0229	-2.5 to 2.5	Pass
				50	3.85	-0.615	-0.0003	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.27	-14.162	-0.0074	-2.5 to 2.5	Pass
					3.85	-5.536	-0.0029	-2.5 to 2.5	Pass
					4.43	-0.129	-0.0001	-2.5 to 2.5	Pass
				-30	3.85	-6.723	-0.0035	-2.5 to 2.5	Pass
				-20	3.85	-19.927	-0.0104	-2.5 to 2.5	Pass
				-10	3.85	24.190	0.0127	-2.5 to 2.5	Pass
				0	3.85	22.702	0.0119	-2.5 to 2.5	Pass
				10	3.85	24.848	0.0130	-2.5 to 2.5	Pass
				30	3.85	20.814	0.0109	-2.5 to 2.5	Pass
				40	3.85	12.360	0.0065	-2.5 to 2.5	Pass
				50	3.85	2.418	0.0013	-2.5 to 2.5	Pass

2.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1851.5	15	0	20	3.27	-33.660	-0.0182	-2.5 to 2.5	Pass
					3.85	-46.363	-0.0250	-2.5 to 2.5	Pass
					4.43	-24.576	-0.0133	-2.5 to 2.5	Pass
				-30	3.85	-27.981	-0.0151	-2.5 to 2.5	Pass
				-20	3.85	-7.024	-0.0038	-2.5 to 2.5	Pass
				-10	3.85	-24.533	-0.0133	-2.5 to 2.5	Pass
				0	3.85	-33.131	-0.0179	-2.5 to 2.5	Pass
				10	3.85	-45.419	-0.0245	-2.5 to 2.5	Pass
				30	3.85	-20.142	-0.0109	-2.5 to 2.5	Pass
				40	3.85	-62.742	-0.0339	-2.5 to 2.5	Pass
				50	3.85	36.364	0.0196	-2.5 to 2.5	Pass
	1880	15	0	20	3.27	-20.356	-0.0108	-2.5 to 2.5	Pass
					3.85	-9.227	-0.0049	-2.5 to 2.5	Pass
					4.43	-45.319	-0.0241	-2.5 to 2.5	Pass
				-30	3.85	-3.333	-0.0018	-2.5 to 2.5	Pass
				-20	3.85	1.001	0.0005	-2.5 to 2.5	Pass
				-10	3.85	-15.793	-0.0084	-2.5 to 2.5	Pass
				0	3.85	-16.336	-0.0087	-2.5 to 2.5	Pass
				10	3.85	-32.315	-0.0172	-2.5 to 2.5	Pass
				30	3.85	0.501	0.0003	-2.5 to 2.5	Pass
				40	3.85	-35.634	-0.0190	-2.5 to 2.5	Pass
				50	3.85	-4.048	-0.0022	-2.5 to 2.5	Pass
	1908.5	15	0	20	3.27	-9.012	-0.0047	-2.5 to 2.5	Pass
					3.85	12.274	0.0064	-2.5 to 2.5	Pass
					4.43	-8.812	-0.0046	-2.5 to 2.5	Pass
				-30	3.85	-44.560	-0.0233	-2.5 to 2.5	Pass
				-20	3.85	-29.898	-0.0157	-2.5 to 2.5	Pass
				-10	3.85	-13.433	-0.0070	-2.5 to 2.5	Pass
				0	3.85	-24.905	-0.0130	-2.5 to 2.5	Pass
				10	3.85	-37.723	-0.0198	-2.5 to 2.5	Pass
				30	3.85	-52.085	-0.0273	-2.5 to 2.5	Pass
				40	3.85	-41.242	-0.0216	-2.5 to 2.5	Pass
				50	3.85	-15.078	-0.0079	-2.5 to 2.5	Pass
16QAM	1851.5	15	0	20	3.27	37.651	0.0203	-2.5 to 2.5	Pass

					3.85	8.254	0.0045	-2.5 to 2.5	Pass
					4.43	6.824	0.0037	-2.5 to 2.5	Pass
				-30	3.85	16.809	0.0091	-2.5 to 2.5	Pass
				-20	3.85	16.923	0.0091	-2.5 to 2.5	Pass
				-10	3.85	19.140	0.0103	-2.5 to 2.5	Pass
				0	3.85	11.358	0.0061	-2.5 to 2.5	Pass
				10	3.85	-5.293	-0.0029	-2.5 to 2.5	Pass
				30	3.85	-15.993	-0.0086	-2.5 to 2.5	Pass
				40	3.85	-32.701	-0.0177	-2.5 to 2.5	Pass
				50	3.85	-32.887	-0.0178	-2.5 to 2.5	Pass
	1880	15	0	20	3.27	-16.608	-0.0088	-2.5 to 2.5	Pass
					3.85	7.138	0.0038	-2.5 to 2.5	Pass
					4.43	38.195	0.0203	-2.5 to 2.5	Pass
				-30	3.85	-20.514	-0.0109	-2.5 to 2.5	Pass
				-20	3.85	-8.526	-0.0045	-2.5 to 2.5	Pass
				-10	3.85	-19.712	-0.0105	-2.5 to 2.5	Pass
				0	3.85	7.997	0.0043	-2.5 to 2.5	Pass
				10	3.85	-31.872	-0.0170	-2.5 to 2.5	Pass
				30	3.85	-24.533	-0.0130	-2.5 to 2.5	Pass
				40	3.85	-26.264	-0.0140	-2.5 to 2.5	Pass
				50	3.85	-25.806	-0.0137	-2.5 to 2.5	Pass
	1908.5	15	0	20	3.27	-12.374	-0.0065	-2.5 to 2.5	Pass
					3.85	39.124	0.0205	-2.5 to 2.5	Pass
					4.43	-6.323	-0.0033	-2.5 to 2.5	Pass
				-30	3.85	12.331	0.0065	-2.5 to 2.5	Pass
				-20	3.85	36.378	0.0191	-2.5 to 2.5	Pass
				-10	3.85	19.155	0.0100	-2.5 to 2.5	Pass
				0	3.85	27.294	0.0143	-2.5 to 2.5	Pass
				10	3.85	37.966	0.0199	-2.5 to 2.5	Pass
				30	3.85	-8.225	-0.0043	-2.5 to 2.5	Pass
				40	3.85	-3.419	-0.0018	-2.5 to 2.5	Pass
				50	3.85	-27.852	-0.0146	-2.5 to 2.5	Pass

2.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1852.5	25	0	20	3.27	-22.287	-0.0120	-2.5 to 2.5	Pass
					3.85	-22.874	-0.0123	-2.5 to 2.5	Pass
					4.43	-35.691	-0.0193	-2.5 to 2.5	Pass
				-30	3.85	-17.967	-0.0097	-2.5 to 2.5	Pass
				-20	3.85	-32.444	-0.0175	-2.5 to 2.5	Pass
				-10	3.85	-45.490	-0.0246	-2.5 to 2.5	Pass
				0	3.85	-35.062	-0.0189	-2.5 to 2.5	Pass
				10	3.85	-19.898	-0.0107	-2.5 to 2.5	Pass
				30	3.85	-37.408	-0.0202	-2.5 to 2.5	Pass
				40	3.85	-36.521	-0.0197	-2.5 to 2.5	Pass
				50	3.85	-7.896	-0.0043	-2.5 to 2.5	Pass
	1880	25	0	20	3.27	22.745	0.0121	-2.5 to 2.5	Pass
					3.85	-40.283	-0.0214	-2.5 to 2.5	Pass
					4.43	-29.082	-0.0155	-2.5 to 2.5	Pass
				-30	3.85	-29.154	-0.0155	-2.5 to 2.5	Pass
				-20	3.85	-17.409	-0.0093	-2.5 to 2.5	Pass
				-10	3.85	-3.076	-0.0016	-2.5 to 2.5	Pass
				0	3.85	-25.392	-0.0135	-2.5 to 2.5	Pass
				10	3.85	-2.060	-0.0011	-2.5 to 2.5	Pass

16QAM	1907.5	25	0	30	3.85	-1.359	-0.0007	-2.5 to 2.5	Pass
				40	3.85	-16.351	-0.0087	-2.5 to 2.5	Pass
				50	3.85	0.744	0.0004	-2.5 to 2.5	Pass
				20	3.27	18.826	0.0099	-2.5 to 2.5	Pass
					3.85	-25.535	-0.0134	-2.5 to 2.5	Pass
					4.43	-5.865	-0.0031	-2.5 to 2.5	Pass
				-30	3.85	-41.513	-0.0218	-2.5 to 2.5	Pass
				-20	3.85	-26.608	-0.0139	-2.5 to 2.5	Pass
				-10	3.85	-5.779	-0.0030	-2.5 to 2.5	Pass
				0	3.85	-21.515	-0.0113	-2.5 to 2.5	Pass
				10	3.85	-32.902	-0.0172	-2.5 to 2.5	Pass
				30	3.85	-36.521	-0.0191	-2.5 to 2.5	Pass
				40	3.85	-21.629	-0.0113	-2.5 to 2.5	Pass
				50	3.85	-11.315	-0.0059	-2.5 to 2.5	Pass
	1852.5	25	0	20	3.27	-15.321	-0.0083	-2.5 to 2.5	Pass
					3.85	19.498	0.0105	-2.5 to 2.5	Pass
					4.43	39.239	0.0212	-2.5 to 2.5	Pass
				-30	3.85	44.904	0.0242	-2.5 to 2.5	Pass
				-20	3.85	14.105	0.0076	-2.5 to 2.5	Pass
				-10	3.85	22.516	0.0122	-2.5 to 2.5	Pass
				0	3.85	15.321	0.0083	-2.5 to 2.5	Pass
				10	3.85	16.580	0.0090	-2.5 to 2.5	Pass
				30	3.85	1.316	0.0007	-2.5 to 2.5	Pass
				40	3.85	0.958	0.0005	-2.5 to 2.5	Pass
				50	3.85	-6.037	-0.0033	-2.5 to 2.5	Pass
	1880	25	0	20	3.27	1.717	0.0009	-2.5 to 2.5	Pass
					3.85	3.705	0.0020	-2.5 to 2.5	Pass
					4.43	24.877	0.0132	-2.5 to 2.5	Pass
				-30	3.85	49.195	0.0262	-2.5 to 2.5	Pass
				-20	3.85	-3.347	-0.0018	-2.5 to 2.5	Pass
				-10	3.85	-45.848	-0.0244	-2.5 to 2.5	Pass
				0	3.85	-25.649	-0.0136	-2.5 to 2.5	Pass
				10	3.85	51.899	0.0276	-2.5 to 2.5	Pass
				30	3.85	20.270	0.0108	-2.5 to 2.5	Pass
				40	3.85	31.800	0.0169	-2.5 to 2.5	Pass
				50	3.85	-0.429	-0.0002	-2.5 to 2.5	Pass
	1907.5	25	0	20	3.27	-1.745	-0.0009	-2.5 to 2.5	Pass
					3.85	38.052	0.0199	-2.5 to 2.5	Pass
					4.43	28.338	0.0149	-2.5 to 2.5	Pass
				-30	3.85	2.847	0.0015	-2.5 to 2.5	Pass
				-20	3.85	-25.349	-0.0133	-2.5 to 2.5	Pass
				-10	3.85	-35.276	-0.0185	-2.5 to 2.5	Pass
				0	3.85	12.517	0.0066	-2.5 to 2.5	Pass
				10	3.85	18.554	0.0097	-2.5 to 2.5	Pass
				30	3.85	43.302	0.0227	-2.5 to 2.5	Pass
				40	3.85	11.172	0.0059	-2.5 to 2.5	Pass
				50	3.85	10.085	0.0053	-2.5 to 2.5	Pass

2.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1855	50	0	20	3.27	-26.279	-0.0142	-2.5 to 2.5	Pass
					3.85	-27.509	-0.0148	-2.5 to 2.5	Pass
					4.43	-23.289	-0.0126	-2.5 to 2.5	Pass
				-30	3.85	-44.332	-0.0239	-2.5 to 2.5	Pass
				-20	3.85	-15.049	-0.0081	-2.5 to 2.5	Pass
				-10	3.85	-36.221	-0.0195	-2.5 to 2.5	Pass
				0	3.85	-45.633	-0.0246	-2.5 to 2.5	Pass
				10	3.85	12.546	0.0068	-2.5 to 2.5	Pass
				30	3.85	12.989	0.0070	-2.5 to 2.5	Pass
				40	3.85	-15.364	-0.0083	-2.5 to 2.5	Pass
				50	3.85	-32.959	-0.0178	-2.5 to 2.5	Pass
	1880	50	0	20	3.27	-58.150	-0.0309	-2.5 to 2.5	Pass
					3.85	-47.264	-0.0251	-2.5 to 2.5	Pass
					4.43	-44.732	-0.0238	-2.5 to 2.5	Pass
				-30	3.85	-36.964	-0.0197	-2.5 to 2.5	Pass
				-20	3.85	-32.916	-0.0175	-2.5 to 2.5	Pass
				-10	3.85	-40.798	-0.0217	-2.5 to 2.5	Pass
				0	3.85	-32.344	-0.0172	-2.5 to 2.5	Pass
				10	3.85	-36.821	-0.0196	-2.5 to 2.5	Pass
				30	3.85	-28.667	-0.0152	-2.5 to 2.5	Pass
				40	3.85	-36.807	-0.0196	-2.5 to 2.5	Pass
				50	3.85	-16.093	-0.0086	-2.5 to 2.5	Pass
	1905	50	0	20	3.27	18.940	0.0099	-2.5 to 2.5	Pass
					3.85	-50.669	-0.0266	-2.5 to 2.5	Pass
					4.43	-30.499	-0.0160	-2.5 to 2.5	Pass
				-30	3.85	-26.865	-0.0141	-2.5 to 2.5	Pass
				-20	3.85	-19.398	-0.0102	-2.5 to 2.5	Pass
				-10	3.85	-32.516	-0.0171	-2.5 to 2.5	Pass
				0	3.85	-26.422	-0.0139	-2.5 to 2.5	Pass
				10	3.85	-14.563	-0.0076	-2.5 to 2.5	Pass
				30	3.85	-15.550	-0.0082	-2.5 to 2.5	Pass
				40	3.85	-37.408	-0.0196	-2.5 to 2.5	Pass
16QAM	1855	50	0	20	3.27	-34.704	-0.0187	-2.5 to 2.5	Pass
					3.85	14.892	0.0080	-2.5 to 2.5	Pass
					4.43	18.010	0.0097	-2.5 to 2.5	Pass
				-30	3.85	9.899	0.0053	-2.5 to 2.5	Pass
				-20	3.85	19.541	0.0105	-2.5 to 2.5	Pass
				-10	3.85	31.185	0.0168	-2.5 to 2.5	Pass
				0	3.85	42.772	0.0231	-2.5 to 2.5	Pass
				10	3.85	6.452	0.0035	-2.5 to 2.5	Pass
				30	3.85	-7.524	-0.0041	-2.5 to 2.5	Pass
				40	3.85	-0.930	-0.0005	-2.5 to 2.5	Pass
				50	3.85	0.229	0.0001	-2.5 to 2.5	Pass
	1880	50	0	20	3.27	-14.663	-0.0078	-2.5 to 2.5	Pass
					3.85	-28.596	-0.0152	-2.5 to 2.5	Pass
					4.43	-15.221	-0.0081	-2.5 to 2.5	Pass
				-30	3.85	-32.301	-0.0172	-2.5 to 2.5	Pass
				-20	3.85	-30.670	-0.0163	-2.5 to 2.5	Pass
				-10	3.85	-14.062	-0.0075	-2.5 to 2.5	Pass
				0	3.85	-21.300	-0.0113	-2.5 to 2.5	Pass
				10	3.85	-27.337	-0.0145	-2.5 to 2.5	Pass
				30	3.85	-28.110	-0.0150	-2.5 to 2.5	Pass
				40	3.85	-39.997	-0.0213	-2.5 to 2.5	Pass

	1905	50	0	50	3.85	0.129	0.0001	-2.5 to 2.5	Pass
				20	3.27	-7.868	-0.0041	-2.5 to 2.5	Pass
					3.85	29.826	0.0157	-2.5 to 2.5	Pass
					4.43	19.369	0.0102	-2.5 to 2.5	Pass
				-30	3.85	23.546	0.0124	-2.5 to 2.5	Pass
				-20	3.85	31.199	0.0164	-2.5 to 2.5	Pass
				-10	3.85	29.998	0.0157	-2.5 to 2.5	Pass
				0	3.85	12.689	0.0067	-2.5 to 2.5	Pass
				10	3.85	-2.432	-0.0013	-2.5 to 2.5	Pass
				30	3.85	-22.001	-0.0115	-2.5 to 2.5	Pass
				40	3.85	-18.840	-0.0099	-2.5 to 2.5	Pass
				50	3.85	29.740	0.0156	-2.5 to 2.5	Pass

2.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1857.5	75	0	20	3.27	-23.003	-0.0124	-2.5 to 2.5	Pass
					3.85	-32.415	-0.0175	-2.5 to 2.5	Pass
					4.43	-26.622	-0.0143	-2.5 to 2.5	Pass
				-30	3.85	-31.958	-0.0172	-2.5 to 2.5	Pass
				-20	3.85	-29.154	-0.0157	-2.5 to 2.5	Pass
				-10	3.85	-2.403	-0.0013	-2.5 to 2.5	Pass
				0	3.85	-27.394	-0.0147	-2.5 to 2.5	Pass
				10	3.85	-14.319	-0.0077	-2.5 to 2.5	Pass
				30	3.85	-44.489	-0.0240	-2.5 to 2.5	Pass
				40	3.85	11.115	0.0060	-2.5 to 2.5	Pass
				50	3.85	-19.212	-0.0103	-2.5 to 2.5	Pass
	1880	75	0	20	3.27	6.738	0.0036	-2.5 to 2.5	Pass
					3.85	-52.772	-0.0281	-2.5 to 2.5	Pass
					4.43	-34.876	-0.0186	-2.5 to 2.5	Pass
				-30	3.85	-18.525	-0.0099	-2.5 to 2.5	Pass
				-20	3.85	-26.021	-0.0138	-2.5 to 2.5	Pass
				-10	3.85	1.745	0.0009	-2.5 to 2.5	Pass
				0	3.85	-41.428	-0.0220	-2.5 to 2.5	Pass
				10	3.85	5.493	0.0029	-2.5 to 2.5	Pass
				30	3.85	-27.838	-0.0148	-2.5 to 2.5	Pass
				40	3.85	24.147	0.0128	-2.5 to 2.5	Pass
				50	3.85	4.148	0.0022	-2.5 to 2.5	Pass
	1902.5	75	0	20	3.27	-10.657	-0.0056	-2.5 to 2.5	Pass
					3.85	-42.272	-0.0222	-2.5 to 2.5	Pass
					4.43	-9.513	-0.0050	-2.5 to 2.5	Pass
				-30	3.85	-20.442	-0.0107	-2.5 to 2.5	Pass
				-20	3.85	-33.875	-0.0178	-2.5 to 2.5	Pass
				-10	3.85	-12.760	-0.0067	-2.5 to 2.5	Pass
				0	3.85	14.234	0.0075	-2.5 to 2.5	Pass
				10	3.85	7.653	0.0040	-2.5 to 2.5	Pass
				30	3.85	-2.832	-0.0015	-2.5 to 2.5	Pass
				40	3.85	-22.588	-0.0119	-2.5 to 2.5	Pass
				50	3.85	-3.762	-0.0020	-2.5 to 2.5	Pass
16QAM	1857.5	75	0	20	3.27	-28.267	-0.0152	-2.5 to 2.5	Pass
					3.85	6.566	0.0035	-2.5 to 2.5	Pass
					4.43	34.375	0.0185	-2.5 to 2.5	Pass
				-30	3.85	36.592	0.0197	-2.5 to 2.5	Pass
				-20	3.85	45.648	0.0246	-2.5 to 2.5	Pass
				-10	3.85	-14.148	-0.0076	-2.5 to 2.5	Pass

				0	3.85	9.027	0.0049	-2.5 to 2.5	Pass
				10	3.85	0.143	0.0001	-2.5 to 2.5	Pass
				30	3.85	-3.819	-0.0021	-2.5 to 2.5	Pass
				40	3.85	-7.925	-0.0043	-2.5 to 2.5	Pass
				50	3.85	-9.971	-0.0054	-2.5 to 2.5	Pass
	1880	75	0	20	3.27	-1.674	-0.0009	-2.5 to 2.5	Pass
					3.85	3.319	0.0018	-2.5 to 2.5	Pass
					4.43	29.669	0.0158	-2.5 to 2.5	Pass
				-30	3.85	40.884	0.0217	-2.5 to 2.5	Pass
				-20	3.85	44.303	0.0236	-2.5 to 2.5	Pass
				-10	3.85	45.791	0.0244	-2.5 to 2.5	Pass
				0	3.85	-8.798	-0.0047	-2.5 to 2.5	Pass
				10	3.85	-0.958	-0.0005	-2.5 to 2.5	Pass
				30	3.85	16.780	0.0089	-2.5 to 2.5	Pass
				40	3.85	24.776	0.0132	-2.5 to 2.5	Pass
				50	3.85	24.562	0.0131	-2.5 to 2.5	Pass
	1902.5	75	0	20	3.27	14.334	0.0075	-2.5 to 2.5	Pass
					3.85	6.266	0.0033	-2.5 to 2.5	Pass
					4.43	38.724	0.0204	-2.5 to 2.5	Pass
				-30	3.85	50.912	0.0268	-2.5 to 2.5	Pass
				-20	3.85	-17.509	-0.0092	-2.5 to 2.5	Pass
				-10	3.85	-4.678	-0.0025	-2.5 to 2.5	Pass
				0	3.85	0.801	0.0004	-2.5 to 2.5	Pass
				10	3.85	1.388	0.0007	-2.5 to 2.5	Pass
				30	3.85	9.041	0.0048	-2.5 to 2.5	Pass
				40	3.85	14.148	0.0074	-2.5 to 2.5	Pass
				50	3.85	11.673	0.0061	-2.5 to 2.5	Pass

2.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1860	100	0	20	3.27	-31.900	-0.0172	-2.5 to 2.5	Pass
					3.85	-23.375	-0.0126	-2.5 to 2.5	Pass
					4.43	-30.441	-0.0164	-2.5 to 2.5	Pass
				-30	3.85	-25.420	-0.0137	-2.5 to 2.5	Pass
				-20	3.85	-9.398	-0.0051	-2.5 to 2.5	Pass
				-10	3.85	-5.965	-0.0032	-2.5 to 2.5	Pass
				0	3.85	-39.797	-0.0214	-2.5 to 2.5	Pass
				10	3.85	-40.712	-0.0219	-2.5 to 2.5	Pass
				30	3.85	-10.200	-0.0055	-2.5 to 2.5	Pass
				40	3.85	-5.393	-0.0029	-2.5 to 2.5	Pass
				50	3.85	-14.148	-0.0076	-2.5 to 2.5	Pass
	1880	100	0	20	3.27	5.536	0.0029	-2.5 to 2.5	Pass
					3.85	-30.642	-0.0163	-2.5 to 2.5	Pass
					4.43	-13.275	-0.0071	-2.5 to 2.5	Pass
				-30	3.85	-15.078	-0.0080	-2.5 to 2.5	Pass
				-20	3.85	-47.336	-0.0252	-2.5 to 2.5	Pass
				-10	3.85	-29.869	-0.0159	-2.5 to 2.5	Pass
				0	3.85	-41.971	-0.0223	-2.5 to 2.5	Pass
				10	3.85	-39.811	-0.0212	-2.5 to 2.5	Pass
				30	3.85	-3.791	-0.0020	-2.5 to 2.5	Pass
				40	3.85	-1.931	-0.0010	-2.5 to 2.5	Pass
				50	3.85	-9.785	-0.0052	-2.5 to 2.5	Pass
	1900	100	0	20	3.27	10.929	0.0058	-2.5 to 2.5	Pass
					3.85	-18.525	-0.0098	-2.5 to 2.5	Pass

					4.43	0.372	0.0002	-2.5 to 2.5	Pass
				-30	3.85	0.572	0.0003	-2.5 to 2.5	Pass
				-20	3.85	-6.995	-0.0037	-2.5 to 2.5	Pass
				-10	3.85	-11.644	-0.0061	-2.5 to 2.5	Pass
				0	3.85	-17.452	-0.0092	-2.5 to 2.5	Pass
				10	3.85	9.255	0.0049	-2.5 to 2.5	Pass
				30	3.85	-4.678	-0.0025	-2.5 to 2.5	Pass
				40	3.85	3.805	0.0020	-2.5 to 2.5	Pass
				50	3.85	5.078	0.0027	-2.5 to 2.5	Pass
16QAM	1860	100	0	20	3.27	-0.958	-0.0005	-2.5 to 2.5	Pass
					3.85	-3.834	-0.0021	-2.5 to 2.5	Pass
					4.43	32.187	0.0173	-2.5 to 2.5	Pass
				-30	3.85	27.165	0.0146	-2.5 to 2.5	Pass
				-20	3.85	22.988	0.0124	-2.5 to 2.5	Pass
				-10	3.85	41.871	0.0225	-2.5 to 2.5	Pass
				0	3.85	32.916	0.0177	-2.5 to 2.5	Pass
				10	3.85	45.476	0.0244	-2.5 to 2.5	Pass
				30	3.85	-8.612	-0.0046	-2.5 to 2.5	Pass
	1880	100	0	40	3.85	2.317	0.0012	-2.5 to 2.5	Pass
				50	3.85	-13.819	-0.0074	-2.5 to 2.5	Pass
				20	3.27	-3.877	-0.0021	-2.5 to 2.5	Pass
					3.85	32.873	0.0175	-2.5 to 2.5	Pass
					4.43	9.127	0.0049	-2.5 to 2.5	Pass
				-30	3.85	32.859	0.0175	-2.5 to 2.5	Pass
				-20	3.85	45.347	0.0241	-2.5 to 2.5	Pass
				-10	3.85	-10.085	-0.0054	-2.5 to 2.5	Pass
				0	3.85	10.958	0.0058	-2.5 to 2.5	Pass
	1900	100	0	10	3.85	8.340	0.0044	-2.5 to 2.5	Pass
				30	3.85	17.638	0.0094	-2.5 to 2.5	Pass
				40	3.85	32.573	0.0173	-2.5 to 2.5	Pass
				50	3.85	16.952	0.0090	-2.5 to 2.5	Pass
				20	3.27	16.937	0.0089	-2.5 to 2.5	Pass
					3.85	31.886	0.0168	-2.5 to 2.5	Pass
					4.43	30.141	0.0159	-2.5 to 2.5	Pass
				-30	3.85	-4.549	-0.0024	-2.5 to 2.5	Pass
				-20	3.85	-29.554	-0.0156	-2.5 to 2.5	Pass
				-10	3.85	-1.116	-0.0006	-2.5 to 2.5	Pass
				0	3.85	15.450	0.0081	-2.5 to 2.5	Pass
				10	3.85	-3.905	-0.0021	-2.5 to 2.5	Pass
				30	3.85	-24.462	-0.0129	-2.5 to 2.5	Pass
				40	3.85	30.670	0.0161	-2.5 to 2.5	Pass
				50	3.85	-15.078	-0.0079	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	6	0	Refer To Test Graph		Pass
16QAM	1880	6	0	Refer To Test Graph		Pass

3.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	15	0	Refer To Test Graph		Pass
16QAM	1880	15	0	Refer To Test Graph		Pass

3.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	25	0	Refer To Test Graph		Pass
16QAM	1880	25	0	Refer To Test Graph		Pass

3.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	50	0	Refer To Test Graph		Pass
16QAM	1880	50	0	Refer To Test Graph		Pass

3.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	75	0	Refer To Test Graph		Pass
16QAM	1880	75	0	Refer To Test Graph		Pass


S

3.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	100	0	Refer To Test Graph		Pass
16QAM	1880	100	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B2_1.4MHz




3.2.2 B2_3MHz




3.2.3 B2_5MHz




3.2.4 B2_10MHz



3.2.5 B2_15MHz



3.2.6 B2_20MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band2_OBW

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.112	/	Pass
		1880	6	0	1.117	/	Pass
		1909.3	6	0	1.112	/	Pass
	16QAM	1850.7	6	0	1.122	/	Pass
		1880	6	0	1.118	/	Pass
		1909.3	6	0	1.107	/	Pass
3	QPSK	1851.5	15	0	2.766	/	Pass
		1880	15	0	2.759	/	Pass
		1908.5	15	0	2.749	/	Pass
	16QAM	1851.5	15	0	2.751	/	Pass
		1880	15	0	2.775	/	Pass
		1908.5	15	0	2.758	/	Pass
5	QPSK	1852.5	25	0	4.549	/	Pass
		1880	25	0	4.551	/	Pass
		1907.5	25	0	4.550	/	Pass
	16QAM	1852.5	25	0	4.564	/	Pass
		1880	25	0	4.583	/	Pass
		1907.5	25	0	4.556	/	Pass
10	QPSK	1855	50	0	9.084	/	Pass
		1880	50	0	9.049	/	Pass
		1905	50	0	9.074	/	Pass
	16QAM	1855	50	0	9.038	/	Pass
		1880	50	0	9.090	/	Pass
		1905	50	0	9.065	/	Pass
15	QPSK	1857.5	75	0	13.553	/	Pass
		1880	75	0	13.598	/	Pass
		1902.5	75	0	13.645	/	Pass
	16QAM	1857.5	75	0	13.559	/	Pass
		1880	75	0	13.673	/	Pass
		1902.5	75	0	13.642	/	Pass
20	QPSK	1860	100	0	18.117	/	Pass
		1880	100	0	18.133	/	Pass
		1900	100	0	18.214	/	Pass
	16QAM	1860	100	0	18.028	/	Pass
		1880	100	0	18.160	/	Pass
		1900	100	0	18.182	/	Pass


4.1.2 Band2_XDB

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.277	/	Pass
		1880	6	0	1.270	/	Pass
		1909.3	6	0	1.271	/	Pass


	16QAM	1850.7	6	0	1.277	/	Pass
		1880	6	0	1.282	/	Pass
		1909.3	6	0	1.278	/	Pass
3	QPSK	1851.5	15	0	3.081	/	Pass
		1880	15	0	3.102	/	Pass
		1908.5	15	0	3.085	/	Pass
	16QAM	1851.5	15	0	3.092	/	Pass
		1880	15	0	3.138	/	Pass
		1908.5	15	0	3.112	/	Pass
5	QPSK	1852.5	25	0	5.058	/	Pass
		1880	25	0	5.030	/	Pass
		1907.5	25	0	5.038	/	Pass
	16QAM	1852.5	25	0	5.063	/	Pass
		1880	25	0	5.119	/	Pass
		1907.5	25	0	5.044	/	Pass
10	QPSK	1855	50	0	10.072	/	Pass
		1880	50	0	10.054	/	Pass
		1905	50	0	10.083	/	Pass
	16QAM	1855	50	0	10.100	/	Pass
		1880	50	0	9.939	/	Pass
		1905	50	0	10.075	/	Pass
15	QPSK	1857.5	75	0	15.174	/	Pass
		1880	75	0	15.146	/	Pass
		1902.5	75	0	15.249	/	Pass
	16QAM	1857.5	75	0	15.148	/	Pass
		1880	75	0	15.144	/	Pass
		1902.5	75	0	15.214	/	Pass
20	QPSK	1860	100	0	19.912	/	Pass
		1880	100	0	19.967	/	Pass
		1900	100	0	19.925	/	Pass
	16QAM	1860	100	0	19.890	/	Pass
		1880	100	0	20.114	/	Pass
		1900	100	0	20.108	/	Pass

4.2 Test Graph


4.2.1 Band2_OBW




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




Band2 3MHz QPSK LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz QPSK MCH 1880MHz RB 15 0 NTNV




Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTNV




Band2 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTNV




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTN




Band2 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTN




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2 10MHz QPSK LCH 1855MHz RB 50 0 NTN




Band2 10MHz QPSK MCH 1880MHz RB 50 0 NTN




Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 75 0 NTNV




Band2 20MHz QPSK LCH 1860MHz RB 100 0 NTNV




Band2 20MHz QPSK MCH 1880MHz RB 100 0 NTNV




Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTV




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTV




Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV




Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTNV




4.2.2 Band2_XDB




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




Band2 3MHz QPSK LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz QPSK MCH 1880MHz RB 15 0 NTNV




Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTNV




Band2 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTNV




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTN




Band2 5MHz QPSK MCH 1880MHz RB 25 0 NTN




Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTNV




Band2 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTNV




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2 10MHz QPSK LCH 1855MHz RB 50 0 NTNV




Band2 10MHz QPSK MCH 1880MHz RB 50 0 NTNV




Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTN




Band2_10MHz_16QAM_LCH 1855MHz RB 50 0 NTN




Band2 10MHz 16QAM MCH 1880MHz RB 50 0 NTNV




Band2 10MHz 16QAM HCH 1905MHz RB 50 0 NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 75 0 NTNV




Band2 20MHz QPSK LCH 1860MHz RB 100 0 NTN




Band2 20MHz QPSK MCH 1880MHz RB 100 0 NTN




Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTNV




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV



Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV



Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	6	0	5.66	<=13	Pass
	1880	6	0	6.03	<=13	Pass
	1909.3	6	0	5.42	<=13	Pass
16QAM	1850.7	6	0	6.40	<=13	Pass
	1880	6	0	6.76	<=13	Pass
	1909.3	6	0	6.18	<=13	Pass

5.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	15	0	5.66	<=13	Pass
	1880	15	0	5.96	<=13	Pass
	1908.5	15	0	5.59	<=13	Pass
16QAM	1851.5	15	0	6.49	<=13	Pass
	1880	15	0	6.81	<=13	Pass
	1908.5	15	0	6.39	<=13	Pass

5.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	25	0	5.63	<=13	Pass
	1880	25	0	5.94	<=13	Pass
	1907.5	25	0	5.73	<=13	Pass
16QAM	1852.5	25	0	6.44	<=13	Pass
	1880	25	0	6.71	<=13	Pass
	1907.5	25	0	6.43	<=13	Pass

5.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	50	0	5.59	<=13	Pass
	1880	50	0	5.95	<=13	Pass
	1905	50	0	5.86	<=13	Pass
16QAM	1855	50	0	6.39	<=13	Pass
	1880	50	0	6.72	<=13	Pass

	1905	50	0	6.58	<=13	Pass
--	------	----	---	------	------	------

5.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	75	0	5.86	<=13	Pass
	1880	75	0	6.26	<=13	Pass
	1902.5	75	0	6.15	<=13	Pass
16QAM	1857.5	75	0	6.41	<=13	Pass
	1880	75	0	6.76	<=13	Pass
	1902.5	75	0	6.65	<=13	Pass

5.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	100	0	5.76	<=13	Pass
	1880	100	0	6.02	<=13	Pass
	1900	100	0	5.92	<=13	Pass
16QAM	1860	100	0	6.46	<=13	Pass
	1880	100	0	6.76	<=13	Pass
	1900	100	0	6.65	<=13	Pass

5.2 Test Graph


5.2.1 B2_1.4MHz




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




5.2.2 B2_3MHz




Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTV




Band2 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTV




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTNV




5.2.3 B2_5MHz




Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTN




Band2 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTN




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




5.2.4 B2_10MHz




Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band2 10MHz 16QAM MCH 1880MHz RB 50 0 NTNV




Band2 10MHz 16QAM HCH 1905MHz RB 50 0 NTNV




5.2.5 B2_15MHz




Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 75 0 NTNV




5.2.6 B2_20MHz




Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTNV




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV



Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV



Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTNV



6. Spurious Emission

6.1 Test Result

6.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
		1	5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
		1	5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

6.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
		1	14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
		1	14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

6.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
		1	24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	1852.5	1	0	Refer To Test Graph		Pass

	1880	25	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
	1907.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

6.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

6.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1902.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
16QAM	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1902.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass


6.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1900	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
16QAM	1860	1	0	Refer To Test Graph		Pass


		100	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
	1900	1	0	Refer To Test Graph	Pass
			99	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass

6.2 Test Graph


6.2.1 B2_1.4MHz




Band2 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTV



Band2 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTV



Band2 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTNV



Band2 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTNV

