



LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3421.09	-34.37	12.90	12.56	-34.03	-13.00	-21.03	H
5131.92	-35.23	13.10	16.32	-38.45	-13.00	-25.45	H
6842.43	-32.26	12.33	21.13	-41.06	-13.00	-28.06	H
3421.09	-35.62	12.90	12.56	-35.28	-13.00	-22.28	V
5131.92	-35.05	13.10	16.32	-38.27	-13.00	-25.27	V
6842.43	-32.60	12.33	21.13	-41.40	-13.00	-28.40	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3464.92	-34.35	12.90	12.56	-34.01	-13.00	-21.01	H
5196.87	-34.15	13.10	16.32	-37.37	-13.00	-24.37	H
6929.94	-33.28	12.33	21.13	-42.08	-13.00	-29.08	H
3464.92	-34.72	12.90	12.56	-34.38	-13.00	-21.38	V
5196.87	-33.92	13.10	16.32	-37.14	-13.00	-24.14	V
6929.94	-32.89	12.33	21.13	-41.69	-13.00	-28.69	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3508.13	-34.55	12.90	12.56	-34.21	-13.00	-21.21	H
5262.28	-34.22	13.10	16.32	-37.44	-13.00	-24.44	H
7015.73	-33.02	12.33	21.13	-41.82	-13.00	-28.82	H
3508.13	-34.94	12.90	12.56	-34.60	-13.00	-21.60	V
5262.28	-34.69	13.10	16.32	-37.91	-13.00	-24.91	V
7015.73	-32.19	12.33	21.13	-40.99	-13.00	-27.99	V



LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3423.82	-33.59	12.90	12.56	-33.25	-13.00	-20.25	H
5136.12	-34.35	13.10	16.32	-37.57	-13.00	-24.57	H
6848.84	-32.85	12.33	21.13	-41.65	-13.00	-28.65	H
3423.82	-35.65	12.90	12.56	-35.31	-13.00	-22.31	V
5136.12	-34.02	13.10	16.32	-37.24	-13.00	-24.24	V
6848.84	-32.11	12.33	21.13	-40.91	-13.00	-27.91	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3464.58	-34.57	12.90	12.56	-34.23	-13.00	-21.23	H
5196.64	-34.55	13.10	16.32	-37.77	-13.00	-24.77	H
6929.85	-32.50	12.33	21.13	-41.30	-13.00	-28.30	H
3464.58	-35.55	12.90	12.56	-35.21	-13.00	-22.21	V
5196.64	-34.56	13.10	16.32	-37.78	-13.00	-24.78	V
6929.85	-32.68	12.33	21.13	-41.48	-13.00	-28.48	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3506.09	-33.87	12.90	12.56	-33.53	-13.00	-20.53	H
5261.68	-35.34	13.10	16.32	-38.56	-13.00	-25.56	H
7012.74	-32.23	12.33	21.13	-41.03	-13.00	-28.03	H
3506.09	-34.80	12.90	12.56	-34.46	-13.00	-21.46	V
5261.68	-34.73	13.10	16.32	-37.95	-13.00	-24.95	V
7012.74	-32.03	12.33	21.13	-40.83	-13.00	-27.83	V



LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3424.78	-34.14	12.90	12.56	-33.80	-13.00	-20.80	H
5137.09	-35.21	13.10	16.32	-38.43	-13.00	-25.43	H
6849.77	-32.80	12.33	21.13	-41.60	-13.00	-28.60	H
3424.78	-34.78	12.90	12.56	-34.44	-13.00	-21.44	V
5137.09	-34.93	13.10	16.32	-38.15	-13.00	-25.15	V
6849.77	-33.14	12.33	21.13	-41.94	-13.00	-28.94	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3464.36	-34.81	12.90	12.56	-34.47	-13.00	-21.47	H
5196.99	-34.93	13.10	16.32	-38.15	-13.00	-25.15	H
6930.02	-33.24	12.33	21.13	-42.04	-13.00	-29.04	H
3464.36	-35.13	12.90	12.56	-34.79	-13.00	-21.79	V
5196.99	-35.02	13.10	16.32	-38.24	-13.00	-25.24	V
6930.02	-32.35	12.33	21.13	-41.15	-13.00	-28.15	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3504.91	-34.22	12.90	12.56	-33.88	-13.00	-20.88	H
5257.14	-34.51	13.10	16.32	-37.73	-13.00	-24.73	H
7010.07	-33.07	12.33	21.13	-41.87	-13.00	-28.87	H
3504.91	-35.33	12.90	12.56	-34.99	-13.00	-21.99	V
5257.14	-34.21	13.10	16.32	-37.43	-13.00	-24.43	V
7010.07	-31.97	12.33	21.13	-40.77	-13.00	-27.77	V



LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3429.85	-34.47	12.90	12.56	-34.13	-13.00	-21.13	H
5145.27	-35.31	13.10	16.32	-38.53	-13.00	-25.53	H
6860.44	-33.07	12.33	21.13	-41.87	-13.00	-28.87	H
3429.85	-34.63	12.90	12.56	-34.29	-13.00	-21.29	V
5145.27	-34.64	13.10	16.32	-37.86	-13.00	-24.86	V
6860.44	-32.13	12.33	21.13	-40.93	-13.00	-27.93	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3464.78	-34.25	12.90	12.56	-33.91	-13.00	-20.91	H
5196.52	-35.02	13.10	16.32	-38.24	-13.00	-25.24	H
6929.45	-32.59	12.33	21.13	-41.39	-13.00	-28.39	H
3464.78	-35.03	12.90	12.56	-34.69	-13.00	-21.69	V
5196.52	-34.82	13.10	16.32	-38.04	-13.00	-25.04	V
6929.45	-32.17	12.33	21.13	-40.97	-13.00	-27.97	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3500.28	-34.42	12.90	12.56	-34.08	-13.00	-21.08	H
5250.41	-34.59	13.10	16.32	-37.81	-13.00	-24.81	H
6999.94	-32.68	12.33	21.13	-41.48	-13.00	-28.48	H
3500.28	-35.15	12.90	12.56	-34.81	-13.00	-21.81	V
5250.41	-34.01	13.10	16.32	-37.23	-13.00	-24.23	V
6999.94	-32.43	12.33	21.13	-41.23	-13.00	-28.23	V



LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3434.64	-33.92	12.90	12.56	-33.58	-13.00	-20.58	H
5152.18	-35.35	13.10	16.32	-38.57	-13.00	-25.57	H
6870.55	-33.22	12.33	21.13	-42.02	-13.00	-29.02	H
3434.64	-34.71	12.90	12.56	-34.37	-13.00	-21.37	V
5152.18	-34.07	13.10	16.32	-37.29	-13.00	-24.29	V
6870.55	-32.85	12.33	21.13	-41.65	-13.00	-28.65	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3464.76	-34.51	12.90	12.56	-34.17	-13.00	-21.17	H
5196.54	-35.42	13.10	16.32	-38.64	-13.00	-25.64	H
6929.88	-33.62	12.33	21.13	-42.42	-13.00	-29.42	H
3464.76	-34.55	12.90	12.56	-34.21	-13.00	-21.21	V
5196.54	-33.82	13.10	16.32	-37.04	-13.00	-24.04	V
6929.88	-32.31	12.33	21.13	-41.11	-13.00	-28.11	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3495.48	-33.59	12.90	12.56	-33.25	-13.00	-20.25	H
5242.06	-34.89	13.10	16.32	-38.11	-13.00	-25.11	H
6989.89	-33.18	12.33	21.13	-41.98	-13.00	-28.98	H
3495.48	-34.75	12.90	12.56	-34.41	-13.00	-21.41	V
5242.06	-34.54	13.10	16.32	-37.76	-13.00	-24.76	V
6989.89	-33.08	12.33	21.13	-41.88	-13.00	-28.88	V



LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3440.24	-34.42	12.90	12.56	-34.08	-13.00	-21.08	H
5160.07	-34.81	13.10	16.32	-38.03	-13.00	-25.03	H
6880.59	-33.58	12.33	21.13	-42.38	-13.00	-29.38	H
3440.24	-35.28	12.90	12.56	-34.94	-13.00	-21.94	V
5160.07	-35.18	13.10	16.32	-38.40	-13.00	-25.40	V
6880.59	-32.56	12.33	21.13	-41.36	-13.00	-28.36	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3464.90	-33.48	12.90	12.56	-33.14	-13.00	-20.14	H
5196.54	-35.37	13.10	16.32	-38.59	-13.00	-25.59	H
6929.64	-33.33	12.33	21.13	-42.13	-13.00	-29.13	H
3464.90	-34.93	12.90	12.56	-34.59	-13.00	-21.59	V
5196.54	-34.37	13.10	16.32	-37.59	-13.00	-24.59	V
6929.64	-32.32	12.33	21.13	-41.12	-13.00	-28.12	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3490.42	-34.53	12.90	12.56	-34.19	-13.00	-21.19	H
5235.29	-35.05	13.10	16.32	-38.27	-13.00	-25.27	H
6979.45	-32.41	12.33	21.13	-41.21	-13.00	-28.21	H
3490.42	-35.47	12.90	12.56	-35.13	-13.00	-22.13	V
5235.29	-33.93	13.10	16.32	-37.15	-13.00	-24.15	V
6979.45	-32.31	12.33	21.13	-41.11	-13.00	-28.11	V



LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1648.59	-34.83	9.56	9.72	-34.99	-13.00	-21.99	H
2473.42	-34.12	10.50	10.86	-34.48	-13.00	-21.48	H
3298.64	-33.40	12.78	11.57	-32.19	-13.00	-19.19	H
1648.59	-35.13	9.56	9.72	-35.29	-13.00	-22.29	V
2473.42	-34.16	10.50	10.86	-34.52	-13.00	-21.52	V
3298.64	-32.32	12.78	11.57	-31.11	-13.00	-18.11	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1672.89	-34.30	9.56	9.72	-34.46	-13.00	-21.46	H
2509.31	-35.00	10.50	10.86	-35.36	-13.00	-22.36	H
3345.67	-33.50	12.78	11.57	-32.29	-13.00	-19.29	H
1672.89	-35.98	9.56	9.72	-36.14	-13.00	-23.14	V
2509.31	-33.89	10.50	10.86	-34.25	-13.00	-21.25	V
3345.67	-32.95	12.78	11.57	-31.74	-13.00	-18.74	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1696.32	-33.50	9.56	9.72	-33.66	-13.00	-20.66	H
2544.63	-35.48	10.50	10.86	-35.84	-13.00	-22.84	H
3393.04	-32.72	12.78	11.57	-31.51	-13.00	-18.51	H
1696.32	-35.56	9.56	9.72	-35.72	-13.00	-22.72	V
2544.63	-34.44	10.50	10.86	-34.80	-13.00	-21.80	V
3393.04	-32.84	12.78	11.57	-31.63	-13.00	-18.63	V



LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1650.26	-33.47	9.56	9.72	-33.63	-13.00	-20.63	H
2476.08	-34.16	10.50	10.86	-34.52	-13.00	-21.52	H
3301.31	-32.56	12.78	11.57	-31.35	-13.00	-18.35	H
1650.26	-35.57	9.56	9.72	-35.73	-13.00	-22.73	V
2476.08	-34.85	10.50	10.86	-35.21	-13.00	-22.21	V
3301.31	-32.61	12.78	11.57	-31.40	-13.00	-18.40	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1672.26	-34.09	9.56	9.72	-34.25	-13.00	-21.25	H
2508.82	-34.06	10.50	10.86	-34.42	-13.00	-21.42	H
3345.74	-32.24	12.78	11.57	-31.03	-13.00	-18.03	H
1672.26	-34.63	9.56	9.72	-34.79	-13.00	-21.79	V
2508.82	-34.96	10.50	10.86	-35.32	-13.00	-22.32	V
3345.74	-32.21	12.78	11.57	-31.00	-13.00	-18.00	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1694.46	-34.80	9.56	9.72	-34.96	-13.00	-21.96	H
2541.84	-34.44	10.50	10.86	-34.80	-13.00	-21.80	H
3389.42	-33.47	12.78	11.57	-32.26	-13.00	-19.26	H
1694.46	-35.87	9.56	9.72	-36.03	-13.00	-23.03	V
2541.84	-33.98	10.50	10.86	-34.34	-13.00	-21.34	V
3389.42	-33.03	12.78	11.57	-31.82	-13.00	-18.82	V



LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1652.71	-34.35	9.56	9.72	-34.51	-13.00	-21.51	H
2478.94	-34.58	10.50	10.86	-34.94	-13.00	-21.94	H
3305.58	-33.08	12.78	11.57	-31.87	-13.00	-18.87	H
1652.71	-35.60	9.56	9.72	-35.76	-13.00	-22.76	V
2478.94	-33.81	10.50	10.86	-34.17	-13.00	-21.17	V
3305.58	-33.06	12.78	11.57	-31.85	-13.00	-18.85	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1672.61	-34.62	9.56	9.72	-34.78	-13.00	-21.78	H
2508.59	-34.16	10.50	10.86	-34.52	-13.00	-21.52	H
3345.62	-32.96	12.78	11.57	-31.75	-13.00	-18.75	H
1672.61	-35.63	9.56	9.72	-35.79	-13.00	-22.79	V
2508.59	-35.19	10.50	10.86	-35.55	-13.00	-22.55	V
3345.62	-33.18	12.78	11.57	-31.97	-13.00	-18.97	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1692.28	-34.72	9.56	9.72	-34.88	-13.00	-21.88	H
2538.60	-34.39	10.50	10.86	-34.75	-13.00	-21.75	H
3385.59	-32.91	12.78	11.57	-31.70	-13.00	-18.70	H
1692.28	-35.43	9.56	9.72	-35.59	-13.00	-22.59	V
2538.60	-34.96	10.50	10.86	-35.32	-13.00	-22.32	V
3385.59	-31.78	12.78	11.57	-30.57	-13.00	-17.57	V



LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1657.72	-34.84	9.56	9.72	-35.00	-13.00	-22.00	H
2486.27	-35.44	10.50	10.86	-35.80	-13.00	-22.80	H
3315.43	-32.75	12.78	11.57	-31.54	-13.00	-18.54	H
1657.72	-34.64	9.56	9.72	-34.80	-13.00	-21.80	V
2486.27	-35.09	10.50	10.86	-35.45	-13.00	-22.45	V
3315.43	-32.50	12.78	11.57	-31.29	-13.00	-18.29	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1672.39	-34.28	9.56	9.72	-34.44	-13.00	-21.44	H
2508.88	-34.79	10.50	10.86	-35.15	-13.00	-22.15	H
3345.09	-33.21	12.78	11.57	-32.00	-13.00	-19.00	H
1672.39	-34.68	9.56	9.72	-34.84	-13.00	-21.84	V
2508.88	-33.84	10.50	10.86	-34.20	-13.00	-21.20	V
3345.09	-33.17	12.78	11.57	-31.96	-13.00	-18.96	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1687.29	-34.26	9.56	9.72	-34.42	-13.00	-21.42	H
2531.62	-35.41	10.50	10.86	-35.77	-13.00	-22.77	H
3375.70	-33.56	12.78	11.57	-32.35	-13.00	-19.35	H
1687.29	-35.09	9.56	9.72	-35.25	-13.00	-22.25	V
2531.62	-34.24	10.50	10.86	-34.60	-13.00	-21.60	V
3375.70	-31.77	12.78	11.57	-30.56	-13.00	-17.56	V



LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5004.92	-34.37	12.66	15.86	-37.57	-25.00	-12.57	H
7507.79	-34.25	11.46	19.28	-42.07	-25.00	-17.07	H
10010.49	-32.74	12.79	23.19	-43.14	-25.00	-18.14	H
5004.92	-35.32	12.66	15.86	-38.52	-25.00	-13.52	V
7507.79	-34.98	11.46	19.28	-42.80	-25.00	-17.80	V
10010.49	-32.52	12.79	23.19	-42.92	-25.00	-17.92	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5069.63	-34.64	12.72	15.86	-37.78	-25.00	-12.78	H
7604.77	-34.01	11.46	19.28	-41.83	-25.00	-16.83	H
10139.91	-32.30	12.09	23.19	-43.40	-25.00	-18.40	H
5069.63	-35.04	12.72	15.86	-38.18	-25.00	-13.18	V
7604.77	-34.09	11.46	19.28	-41.91	-25.00	-16.91	V
10139.91	-32.10	12.09	23.19	-43.20	-25.00	-18.20	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5133.82	-34.09	12.76	15.86	-37.19	-25.00	-12.19	H
7701.16	-35.29	11.45	19.28	-43.12	-25.00	-18.12	H
10268.22	-33.18	12.28	23.19	-44.09	-25.00	-19.09	H
5133.82	-34.66	12.76	15.86	-37.76	-25.00	-12.76	V
7701.16	-34.03	11.45	19.28	-41.86	-25.00	-16.86	V
10268.22	-33.00	12.28	23.19	-43.91	-25.00	-18.91	V



LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5010.29	-34.22	12.66	15.86	-37.42	-25.00	-12.42	H
7515.64	-35.19	11.46	19.28	-43.01	-25.00	-18.01	H
10020.63	-32.17	12.79	23.19	-42.57	-25.00	-17.57	H
5010.29	-35.73	12.66	15.86	-38.93	-25.00	-13.93	V
7515.64	-34.50	11.46	19.28	-42.32	-25.00	-17.32	V
10020.63	-32.50	12.79	23.19	-42.90	-25.00	-17.90	V
LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5070.03	-33.47	12.72	15.86	-36.61	-25.00	-11.61	H
7604.85	-34.87	11.46	19.28	-42.69	-25.00	-17.69	H
10139.97	-33.49	12.09	23.19	-44.59	-25.00	-19.59	H
5070.03	-35.43	12.72	15.86	-38.57	-25.00	-13.57	V
7604.85	-33.99	11.46	19.28	-41.81	-25.00	-16.81	V
10139.97	-31.92	12.09	23.19	-43.02	-25.00	-18.02	V
LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5128.92	-34.26	12.76	15.86	-37.36	-25.00	-12.36	H
7693.83	-35.20	11.45	19.28	-43.03	-25.00	-18.03	H
10258.53	-32.85	12.28	23.19	-43.76	-25.00	-18.76	H
5128.92	-35.82	12.76	15.86	-38.92	-25.00	-13.92	V
7693.83	-34.06	11.45	19.28	-41.89	-25.00	-16.89	V
10258.53	-32.92	12.28	23.19	-43.83	-25.00	-18.83	V



LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5015.59	-34.22	12.66	15.86	-37.42	-25.00	-12.42	H
7524.13	-35.02	11.46	19.28	-42.84	-25.00	-17.84	H
10031.73	-33.04	12.79	23.19	-43.44	-25.00	-18.44	H
5015.59	-35.13	12.66	15.86	-38.33	-25.00	-13.33	V
7524.13	-34.53	11.46	19.28	-42.35	-25.00	-17.35	V
10031.73	-32.03	12.79	23.19	-42.43	-25.00	-17.43	V
LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5070.08	-34.45	12.72	15.86	-37.59	-25.00	-12.59	H
7604.85	-35.30	11.46	19.28	-43.12	-25.00	-18.12	H
10139.92	-32.41	12.09	23.19	-43.51	-25.00	-18.51	H
5070.08	-34.67	12.72	15.86	-37.81	-25.00	-12.81	V
7604.85	-34.25	11.46	19.28	-42.07	-25.00	-17.07	V
10139.92	-32.94	12.09	23.19	-44.04	-25.00	-19.04	V
LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5123.27	-34.49	12.76	15.86	-37.59	-25.00	-12.59	H
7523.90	-34.68	11.45	19.28	-42.51	-25.00	-17.51	H
10032.08	-32.43	12.28	23.19	-43.34	-25.00	-18.34	H
5123.27	-34.58	12.76	15.86	-37.68	-25.00	-12.68	V
7523.90	-34.77	11.45	19.28	-42.60	-25.00	-17.60	V
10032.08	-32.24	12.28	23.19	-43.15	-25.00	-18.15	V



LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5020.96	-34.19	12.66	15.86	-37.39	-25.00	-12.39	H
7531.10	-34.10	11.46	19.28	-41.92	-25.00	-16.92	H
10258.92	-32.53	12.79	23.19	-42.93	-25.00	-17.93	H
5020.96	-35.10	12.66	15.86	-38.30	-25.00	-13.30	V
7531.10	-34.67	11.46	19.28	-42.49	-25.00	-17.49	V
10258.92	-32.16	12.79	23.19	-42.56	-25.00	-17.56	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5069.76	-33.55	12.72	15.86	-36.69	-25.00	-11.69	H
7604.68	-34.93	11.46	19.28	-42.75	-25.00	-17.75	H
10140.00	-33.03	12.09	23.19	-44.13	-25.00	-19.13	H
5069.76	-35.31	12.72	15.86	-38.45	-25.00	-13.45	V
7604.68	-34.37	11.46	19.28	-42.19	-25.00	-17.19	V
10140.00	-31.97	12.09	23.19	-43.07	-25.00	-18.07	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5118.93	-33.77	12.76	15.86	-36.87	-25.00	-11.87	H
7678.16	-34.70	11.45	19.28	-42.53	-25.00	-17.53	H
10237.91	-32.26	12.28	23.19	-43.17	-25.00	-18.17	H
5118.93	-35.77	12.76	15.86	-38.87	-25.00	-13.87	V
7678.16	-34.27	11.45	19.28	-42.10	-25.00	-17.10	V
10237.91	-32.25	12.28	23.19	-43.16	-25.00	-18.16	V



LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1399.07	-33.46	8.17	9.34	-34.63	-13.00	-21.63	H
2098.68	-34.33	9.53	10.42	-35.22	-13.00	-22.22	H
2798.72	-33.50	11.27	11.12	-33.35	-13.00	-20.35	H
1399.07	-34.58	8.17	9.34	-35.75	-13.00	-22.75	V
2098.68	-35.14	9.53	10.42	-36.03	-13.00	-23.03	V
2798.72	-31.85	11.27	11.12	-31.70	-13.00	-18.70	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1414.56	-34.46	8.17	9.34	-35.63	-13.00	-22.63	H
2122.01	-34.17	9.53	10.42	-35.06	-13.00	-22.06	H
2829.86	-32.83	11.27	11.12	-32.68	-13.00	-19.68	H
1414.56	-35.59	8.17	9.34	-36.76	-13.00	-23.76	V
2122.01	-34.57	9.53	10.42	-35.46	-13.00	-22.46	V
2829.86	-32.73	11.27	11.12	-32.58	-13.00	-19.58	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1430.56	-34.39	8.17	9.34	-35.56	-13.00	-22.56	H
2145.42	-34.62	9.53	10.42	-35.51	-13.00	-22.51	H
2860.80	-32.49	11.27	11.12	-32.34	-13.00	-19.34	H
1430.56	-35.21	8.17	9.34	-36.38	-13.00	-23.38	V
2145.42	-33.86	9.53	10.42	-34.75	-13.00	-21.75	V
2860.80	-32.33	11.27	11.12	-32.18	-13.00	-19.18	V



LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1400.60	-34.03	8.17	9.34	-35.20	-13.00	-22.20	H
2101.46	-34.51	9.53	10.42	-35.40	-13.00	-22.40	H
2801.60	-32.17	11.27	11.12	-32.02	-13.00	-19.02	H
1400.60	-35.60	8.17	9.34	-36.77	-13.00	-23.77	V
2101.46	-34.69	9.53	10.42	-35.58	-13.00	-22.58	V
2801.60	-32.79	11.27	11.12	-32.64	-13.00	-19.64	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1414.58	-34.28	8.17	9.34	-35.45	-13.00	-22.45	H
2122.23	-34.41	9.53	10.42	-35.30	-13.00	-22.30	H
2829.94	-32.62	11.27	11.12	-32.47	-13.00	-19.47	H
1414.58	-34.81	8.17	9.34	-35.98	-13.00	-22.98	V
2122.23	-34.19	9.53	10.42	-35.08	-13.00	-22.08	V
2829.94	-31.88	11.27	11.12	-31.73	-13.00	-18.73	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1428.66	-33.96	8.17	9.34	-35.13	-13.00	-22.13	H
2143.22	-35.35	9.53	10.42	-36.24	-13.00	-23.24	H
2857.55	-33.25	11.27	11.12	-33.10	-13.00	-20.10	H
1428.66	-34.60	8.17	9.34	-35.77	-13.00	-22.77	V
2143.22	-34.46	9.53	10.42	-35.35	-13.00	-22.35	V
2857.55	-32.92	11.27	11.12	-32.77	-13.00	-19.77	V



LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1402.65	-34.69	8.17	9.34	-35.86	-13.00	-22.86	H
2104.21	-34.71	9.53	10.42	-35.60	-13.00	-22.60	H
2805.93	-32.23	11.27	11.12	-32.08	-13.00	-19.08	H
1402.65	-35.69	8.17	9.34	-36.86	-13.00	-23.86	V
2104.21	-34.58	9.53	10.42	-35.47	-13.00	-22.47	V
2805.93	-31.94	11.27	11.12	-31.79	-13.00	-18.79	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1414.68	-34.29	8.17	9.34	-35.46	-13.00	-22.46	H
2122.04	-34.96	9.53	10.42	-35.85	-13.00	-22.85	H
2829.75	-32.60	11.27	11.12	-32.45	-13.00	-19.45	H
1414.68	-35.68	8.17	9.34	-36.85	-13.00	-23.85	V
2122.04	-35.06	9.53	10.42	-35.95	-13.00	-22.95	V
2829.75	-32.77	11.27	11.12	-32.62	-13.00	-19.62	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1426.61	-34.06	8.17	9.34	-35.23	-13.00	-22.23	H
2140.10	-35.06	9.53	10.42	-35.95	-13.00	-22.95	H
2853.88	-33.22	11.27	11.12	-33.07	-13.00	-20.07	H
1426.61	-35.18	8.17	9.34	-36.35	-13.00	-23.35	V
2140.10	-33.98	9.53	10.42	-34.87	-13.00	-21.87	V
2853.88	-32.03	11.27	11.12	-31.88	-13.00	-18.88	V



LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1407.80	-34.84	8.17	9.34	-36.01	-13.00	-23.01	H
2111.62	-34.03	9.53	10.42	-34.92	-13.00	-21.92	H
2815.59	-32.55	11.27	11.12	-32.40	-13.00	-19.40	H
1407.80	-35.05	8.17	9.34	-36.22	-13.00	-23.22	V
2111.62	-35.06	9.53	10.42	-35.95	-13.00	-22.95	V
2815.59	-32.06	11.27	11.12	-31.91	-13.00	-18.91	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1414.91	-34.78	8.17	9.34	-35.95	-13.00	-22.95	H
2122.38	-35.43	9.53	10.42	-36.32	-13.00	-23.32	H
2829.94	-32.90	11.27	11.12	-32.75	-13.00	-19.75	H
1414.91	-34.76	8.17	9.34	-35.93	-13.00	-22.93	V
2122.38	-34.46	9.53	10.42	-35.35	-13.00	-22.35	V
2829.94	-32.80	11.27	11.12	-32.65	-13.00	-19.65	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1421.74	-34.32	8.17	9.34	-35.49	-13.00	-22.49	H
2132.69	-34.55	9.53	10.42	-35.44	-13.00	-22.44	H
2843.92	-32.84	11.27	11.12	-32.69	-13.00	-19.69	H
1421.74	-35.86	8.17	9.34	-37.03	-13.00	-24.03	V
2132.69	-33.99	9.53	10.42	-34.88	-13.00	-21.88	V
2843.92	-32.65	11.27	11.12	-32.50	-13.00	-19.50	V



LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1559.55	-47.51	9.56	9.72	-47.67	-40.00	-7.67	H
2338.29	-46.13	10.50	10.86	-46.49	-13.00	-33.49	H
3118.23	-46.28	12.78	11.57	-45.07	-13.00	-32.07	H
1559.55	-48.30	9.56	9.72	-48.46	-40.00	-8.46	V
2338.29	-47.10	10.50	10.86	-47.46	-13.00	-34.46	V
3118.23	-46.51	12.78	11.57	-45.30	-13.00	-32.30	V
LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1563.96	-48.46	9.56	9.72	-48.62	-40.00	-8.62	H
2345.83	-46.26	10.50	10.86	-46.62	-13.00	-33.62	H
3128.09	-45.85	12.78	11.57	-44.64	-13.00	-31.64	H
1563.96	-47.78	9.56	9.72	-47.94	-40.00	-7.94	V
2345.83	-46.82	10.50	10.86	-47.18	-13.00	-34.18	V
3128.09	-45.68	12.78	11.57	-44.47	-13.00	-31.47	V
LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1568.75	-48.70	9.56	9.72	-48.86	-40.00	-8.86	H
2353.22	-47.02	10.50	10.86	-47.38	-13.00	-34.38	H
3138.06	-46.59	12.78	11.57	-45.38	-13.00	-32.38	H
1568.75	-48.46	9.56	9.72	-48.62	-40.00	-8.62	V
2353.22	-46.08	10.50	10.86	-46.44	-13.00	-33.44	V
3138.06	-46.40	12.78	11.57	-45.19	-13.00	-32.19	V
LTE Band 13 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1563.79	-48.87	9.56	9.72	-49.03	-40.00	-9.03	H
2346.11	-46.29	10.50	10.86	-46.65	-13.00	-33.65	H
3128.08	-45.69	12.78	11.57	-44.48	-13.00	-31.48	H
1563.79	-48.70	9.56	9.72	-48.86	-40.00	-8.86	V
2346.11	-46.34	10.50	10.86	-46.70	-13.00	-33.70	V
3128.08	-45.55	12.78	11.57	-44.34	-13.00	-31.34	V



LTE Band 25 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3701.04	-33.76	12.60	12.93	-34.09	-13.00	-21.09	H
5552.15	-34.12	13.10	17.11	-38.13	-13.00	-25.13	H
7402.37	-32.54	11.50	22.20	-43.24	-13.00	-30.24	H
3701.04	-35.55	12.60	12.93	-35.88	-13.00	-22.88	V
5552.15	-34.88	13.10	17.11	-38.89	-13.00	-25.89	V
7402.37	-31.76	11.50	22.20	-42.46	-13.00	-29.46	V
LTE Band 25 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3759.95	-33.86	12.60	12.93	-34.19	-13.00	-21.19	H
5640.25	-35.06	13.10	17.11	-39.07	-13.00	-26.07	H
7519.85	-32.63	11.50	22.20	-43.33	-13.00	-30.33	H
3759.95	-35.69	12.60	12.93	-36.02	-13.00	-23.02	V
5640.25	-34.79	13.10	17.11	-38.80	-13.00	-25.80	V
7519.85	-32.32	11.50	22.20	-43.02	-13.00	-30.02	V
LTE Band 25 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3818.58	-34.81	12.60	12.93	-35.14	-13.00	-22.14	H
5727.83	-35.05	13.10	17.11	-39.06	-13.00	-26.06	H
7636.99	-32.78	11.50	22.20	-43.48	-13.00	-30.48	H
3818.58	-35.42	12.60	12.93	-35.75	-13.00	-22.75	V
5727.83	-34.45	13.10	17.11	-38.46	-13.00	-25.46	V
7636.99	-32.49	11.50	22.20	-43.19	-13.00	-30.19	V



LTE Band 25 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3703.16	-33.93	12.60	12.93	-34.26	-13.00	-21.26	H
5554.32	-34.48	13.10	17.11	-38.49	-13.00	-25.49	H
7405.71	-33.15	11.50	22.20	-43.85	-13.00	-30.85	H
3703.16	-34.85	12.60	12.93	-35.18	-13.00	-22.18	V
5554.32	-34.09	13.10	17.11	-38.10	-13.00	-25.10	V
7405.71	-32.50	11.50	22.20	-43.20	-13.00	-30.20	V
LTE Band 25 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3760.03	-34.16	12.60	12.93	-34.49	-13.00	-21.49	H
5640.26	-34.28	13.10	17.11	-38.29	-13.00	-25.29	H
7520.05	-32.27	11.50	22.20	-42.97	-13.00	-29.97	H
3760.03	-35.54	12.60	12.93	-35.87	-13.00	-22.87	V
5640.26	-34.48	13.10	17.11	-38.49	-13.00	-25.49	V
7520.05	-32.10	11.50	22.20	-42.80	-13.00	-29.80	V
LTE Band 25 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3817.17	-34.67	12.60	12.93	-35.00	-13.00	-22.00	H
5725.50	-34.78	13.10	17.11	-38.79	-13.00	-25.79	H
7634.25	-32.45	11.50	22.20	-43.15	-13.00	-30.15	H
3817.17	-34.61	12.60	12.93	-34.94	-13.00	-21.94	V
5725.50	-35.13	13.10	17.11	-39.14	-13.00	-26.14	V
7634.25	-32.02	11.50	22.20	-42.72	-13.00	-29.72	V



LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3705.34	-33.84	12.60	12.93	-34.17	-13.00	-21.17	H
5557.19	-34.83	13.10	17.11	-38.84	-13.00	-25.84	H
7410.19	-32.40	11.50	22.20	-43.10	-13.00	-30.10	H
3705.34	-34.83	12.60	12.93	-35.16	-13.00	-22.16	V
5557.19	-34.00	13.10	17.11	-38.01	-13.00	-25.01	V
7410.19	-31.76	11.50	22.20	-42.46	-13.00	-29.46	V
LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3760.26	-34.65	12.60	12.93	-34.98	-13.00	-21.98	H
5640.19	-34.98	13.10	17.11	-38.99	-13.00	-25.99	H
7520.27	-32.71	11.50	22.20	-43.41	-13.00	-30.41	H
3760.26	-35.81	12.60	12.93	-36.14	-13.00	-23.14	V
5640.19	-35.23	13.10	17.11	-39.24	-13.00	-26.24	V
7520.27	-32.54	11.50	22.20	-43.24	-13.00	-30.24	V
LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3815.01	-33.63	12.60	12.93	-33.96	-13.00	-20.96	H
5722.41	-34.65	13.10	17.11	-38.66	-13.00	-25.66	H
7630.11	-33.38	11.50	22.20	-44.08	-13.00	-31.08	H
3815.01	-35.17	12.60	12.93	-35.50	-13.00	-22.50	V
5722.41	-34.15	13.10	17.11	-38.16	-13.00	-25.16	V
7630.11	-32.11	11.50	22.20	-42.81	-13.00	-29.81	V



LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3710.16	-34.03	12.60	12.93	-34.36	-13.00	-21.36	H
5565.32	-35.10	13.10	17.11	-39.11	-13.00	-26.11	H
7420.20	-33.48	11.50	22.20	-44.18	-13.00	-31.18	H
3710.16	-34.78	12.60	12.93	-35.11	-13.00	-22.11	V
5565.32	-34.00	13.10	17.11	-38.01	-13.00	-25.01	V
7420.20	-32.42	11.50	22.20	-43.12	-13.00	-30.12	V
LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3760.14	-34.40	12.60	12.93	-34.73	-13.00	-21.73	H
5640.20	-34.99	13.10	17.11	-39.00	-13.00	-26.00	H
7520.09	-32.87	11.50	22.20	-43.57	-13.00	-30.57	H
3760.14	-35.00	12.60	12.93	-35.33	-13.00	-22.33	V
5640.20	-34.54	13.10	17.11	-38.55	-13.00	-25.55	V
7520.09	-32.70	11.50	22.20	-43.40	-13.00	-30.40	V
LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3810.04	-34.56	12.60	12.93	-34.89	-13.00	-21.89	H
5714.79	-34.22	13.10	17.11	-38.23	-13.00	-25.23	H
7620.05	-32.86	11.50	22.20	-43.56	-13.00	-30.56	H
3810.04	-35.84	12.60	12.93	-36.17	-13.00	-23.17	V
5714.79	-34.94	13.10	17.11	-38.95	-13.00	-25.95	V
7620.05	-32.21	11.50	22.20	-42.91	-13.00	-29.91	V