



LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3714.94	-34.75	12.60	12.93	-35.08	-13.00	-22.08	H
5572.26	-34.15	13.10	17.11	-38.16	-13.00	-25.16	H
7430.42	-32.24	11.50	22.20	-42.94	-13.00	-29.94	H
3714.94	-35.70	12.60	12.93	-36.03	-13.00	-23.03	V
5572.26	-34.57	13.10	17.11	-38.58	-13.00	-25.58	V
7430.42	-32.21	11.50	22.20	-42.91	-13.00	-29.91	V
LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3760.22	-33.62	12.60	12.93	-33.95	-13.00	-20.95	H
5640.01	-34.32	13.10	17.11	-38.33	-13.00	-25.33	H
7520.23	-33.08	11.50	22.20	-43.78	-13.00	-30.78	H
3760.22	-34.94	12.60	12.93	-35.27	-13.00	-22.27	V
5640.01	-34.23	13.10	17.11	-38.24	-13.00	-25.24	V
7520.23	-32.20	11.50	22.20	-42.90	-13.00	-29.90	V
LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3804.91	-34.53	12.60	12.93	-34.86	-13.00	-21.86	H
5707.20	-35.45	13.10	17.11	-39.46	-13.00	-26.46	H
7610.26	-33.51	11.50	22.20	-44.21	-13.00	-31.21	H
3804.91	-35.73	12.60	12.93	-36.06	-13.00	-23.06	V
5707.20	-34.75	13.10	17.11	-38.76	-13.00	-25.76	V
7610.26	-32.70	11.50	22.20	-43.40	-13.00	-30.40	V



LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3720.40	-33.70	12.60	12.93	-34.03	-13.00	-21.03	H
5580.23	-34.68	13.10	17.11	-38.69	-13.00	-25.69	H
7439.81	-32.26	11.50	22.20	-42.96	-13.00	-29.96	H
3720.40	-35.42	12.60	12.93	-35.75	-13.00	-22.75	V
5580.23	-34.21	13.10	17.11	-38.22	-13.00	-25.22	V
7439.81	-31.80	11.50	22.20	-42.50	-13.00	-29.50	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3759.98	-33.93	12.60	12.93	-34.26	-13.00	-21.26	H
5640.27	-35.12	13.10	17.11	-39.13	-13.00	-26.13	H
7519.97	-32.25	11.50	22.20	-42.95	-13.00	-29.95	H
3759.98	-35.32	12.60	12.93	-35.65	-13.00	-22.65	V
5640.27	-34.64	13.10	17.11	-38.65	-13.00	-25.65	V
7519.97	-33.18	11.50	22.20	-43.88	-13.00	-30.88	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3799.87	-34.34	12.60	12.93	-34.67	-13.00	-21.67	H
5700.20	-34.17	13.10	17.11	-38.18	-13.00	-25.18	H
7599.89	-33.50	11.50	22.20	-44.20	-13.00	-31.20	H
3799.87	-35.17	12.60	12.93	-35.50	-13.00	-22.50	V
5700.20	-34.56	13.10	17.11	-38.57	-13.00	-25.57	V
7599.89	-31.85	11.50	22.20	-42.55	-13.00	-29.55	V



LTE Band 26-Part22 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1649.11	-33.69	9.56	9.72	-33.85	-13.00	-20.85	H
2473.63	-34.42	10.50	10.86	-34.78	-13.00	-21.78	H
3298.65	-33.37	12.78	11.57	-32.16	-13.00	-19.16	H
1649.11	-35.66	9.56	9.72	-35.82	-13.00	-22.82	V
2473.63	-33.82	10.50	10.86	-34.18	-13.00	-21.18	V
3298.65	-32.78	12.78	11.57	-31.57	-13.00	-18.57	V
LTE Band 26-Part22 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1672.92	-34.65	9.56	9.72	-34.81	-13.00	-21.81	H
2509.25	-35.24	10.50	10.86	-35.60	-13.00	-22.60	H
3345.81	-33.17	12.78	11.57	-31.96	-13.00	-18.96	H
1672.92	-34.87	9.56	9.72	-35.03	-13.00	-22.03	V
2509.25	-34.60	10.50	10.86	-34.96	-13.00	-21.96	V
3345.81	-31.93	12.78	11.57	-30.72	-13.00	-17.72	V
LTE Band 26-Part22 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1696.41	-34.69	9.56	9.72	-34.85	-13.00	-21.85	H
2544.67	-35.18	10.50	10.86	-35.54	-13.00	-22.54	H
3393.05	-32.30	12.78	11.57	-31.09	-13.00	-18.09	H
1696.41	-34.75	9.56	9.72	-34.91	-13.00	-21.91	V
2544.67	-34.63	10.50	10.86	-34.99	-13.00	-21.99	V
3393.05	-32.11	12.78	11.57	-30.90	-13.00	-17.90	V



LTE Band 26-Part22 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1651.09	-33.74	9.56	9.72	-33.90	-13.00	-20.90	H
2476.67	-35.30	10.50	10.86	-35.66	-13.00	-22.66	H
3301.88	-32.47	12.78	11.57	-31.26	-13.00	-18.26	H
1651.09	-35.57	9.56	9.72	-35.73	-13.00	-22.73	V
2476.67	-34.69	10.50	10.86	-35.05	-13.00	-22.05	V
3301.88	-32.92	12.78	11.57	-31.71	-13.00	-18.71	V
LTE Band 26-Part22 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1673.17	-33.97	9.56	9.72	-34.13	-13.00	-21.13	H
2508.80	-35.01	10.50	10.86	-35.37	-13.00	-22.37	H
3345.89	-32.39	12.78	11.57	-31.18	-13.00	-18.18	H
1673.17	-35.05	9.56	9.72	-35.21	-13.00	-22.21	V
2508.80	-35.11	10.50	10.86	-35.47	-13.00	-22.47	V
3345.89	-32.85	12.78	11.57	-31.64	-13.00	-18.64	V
LTE Band 26-Part22 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1695.66	-33.94	9.56	9.72	-34.10	-13.00	-21.10	H
2542.02	-34.56	10.50	10.86	-34.92	-13.00	-21.92	H
3390.14	-32.44	12.78	11.57	-31.23	-13.00	-18.23	H
1695.66	-35.15	9.56	9.72	-35.31	-13.00	-22.31	V
2542.02	-34.64	10.50	10.86	-35.00	-13.00	-22.00	V
3390.14	-32.21	12.78	11.57	-31.00	-13.00	-18.00	V



LTE Band 26-Part22 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1653.02	-33.57	9.56	9.72	-33.73	-13.00	-20.73	H
2479.24	-35.15	10.50	10.86	-35.51	-13.00	-22.51	H
3306.84	-32.35	12.78	11.57	-31.14	-13.00	-18.14	H
1653.02	-35.95	9.56	9.72	-36.11	-13.00	-23.11	V
2479.24	-34.08	10.50	10.86	-34.44	-13.00	-21.44	V
3306.84	-32.38	12.78	11.57	-31.17	-13.00	-18.17	V
LTE Band 26-Part22 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1673.26	-34.77	9.56	9.72	-34.93	-13.00	-21.93	H
2509.19	-34.05	10.50	10.86	-34.41	-13.00	-21.41	H
3345.90	-33.41	12.78	11.57	-32.20	-13.00	-19.20	H
1673.26	-34.99	9.56	9.72	-35.15	-13.00	-22.15	V
2509.19	-34.62	10.50	10.86	-34.98	-13.00	-21.98	V
3345.90	-31.78	12.78	11.57	-30.57	-13.00	-17.57	V
LTE Band 26-Part22 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1693.61	-34.07	9.56	9.72	-34.23	-13.00	-21.23	H
2539.47	-34.52	10.50	10.86	-34.88	-13.00	-21.88	H
3386.16	-32.33	12.78	11.57	-31.12	-13.00	-18.12	H
1693.61	-34.73	9.56	9.72	-34.89	-13.00	-21.89	V
2539.47	-34.25	10.50	10.86	-34.61	-13.00	-21.61	V
3386.16	-32.00	12.78	11.57	-30.79	-13.00	-17.79	V



LTE Band 26-Part22 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1657.98	-33.98	9.56	9.72	-34.14	-13.00	-21.14	H
2486.54	-34.40	10.50	10.86	-34.76	-13.00	-21.76	H
3315.53	-33.12	12.78	11.57	-31.91	-13.00	-18.91	H
1657.98	-34.82	9.56	9.72	-34.98	-13.00	-21.98	V
2486.54	-34.01	10.50	10.86	-34.37	-13.00	-21.37	V
3315.53	-32.90	12.78	11.57	-31.69	-13.00	-18.69	V
LTE Band 26-Part22 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1672.85	-33.65	9.56	9.72	-33.81	-13.00	-20.81	H
2509.15	-34.87	10.50	10.86	-35.23	-13.00	-22.23	H
3346.27	-32.86	12.78	11.57	-31.65	-13.00	-18.65	H
1672.85	-35.08	9.56	9.72	-35.24	-13.00	-22.24	V
2509.15	-34.83	10.50	10.86	-35.19	-13.00	-22.19	V
3346.27	-32.69	12.78	11.57	-31.48	-13.00	-18.48	V
LTE Band 26-Part22 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1688.81	-34.34	9.56	9.72	-34.50	-13.00	-21.50	H
2532.09	-34.27	10.50	10.86	-34.63	-13.00	-21.63	H
3376.19	-32.20	12.78	11.57	-30.99	-13.00	-17.99	H
1688.81	-35.01	9.56	9.72	-35.17	-13.00	-22.17	V
2532.09	-34.12	10.50	10.86	-34.48	-13.00	-21.48	V
3376.19	-32.66	12.78	11.57	-31.45	-13.00	-18.45	V



LTE Band 26-Part22 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1663.27	-34.85	9.56	9.72	-35.01	-13.00	-22.01	H
2494.27	-34.39	10.50	10.86	-34.75	-13.00	-21.75	H
3325.67	-32.74	12.78	11.57	-31.53	-13.00	-18.53	H
1663.27	-35.36	9.56	9.72	-35.52	-13.00	-22.52	V
2494.27	-34.50	10.50	10.86	-34.86	-13.00	-21.86	V
3325.67	-33.10	12.78	11.57	-31.89	-13.00	-18.89	V
LTE Band 26-Part22 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1672.89	-34.85	9.56	9.72	-35.01	-13.00	-22.01	H
2509.20	-35.06	10.50	10.86	-35.42	-13.00	-22.42	H
3345.82	-32.80	12.78	11.57	-31.59	-13.00	-18.59	H
1672.89	-34.60	9.56	9.72	-34.76	-13.00	-21.76	V
2509.20	-34.56	10.50	10.86	-34.92	-13.00	-21.92	V
3345.82	-32.65	12.78	11.57	-31.44	-13.00	-18.44	V
LTE Band 26-Part22 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1683.71	-34.78	9.56	9.72	-34.94	-13.00	-21.94	H
2524.31	-35.48	10.50	10.86	-35.84	-13.00	-22.84	H
3366.28	-33.51	12.78	11.57	-32.30	-13.00	-19.30	H
1683.71	-34.79	9.56	9.72	-34.95	-13.00	-21.95	V
2524.31	-34.51	10.50	10.86	-34.87	-13.00	-21.87	V
3366.28	-32.27	12.78	11.57	-31.06	-13.00	-18.06	V



LTE Band 26-Part90 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1629.15	-33.52	9.56	9.72	-33.68	-13.00	-20.68	H
2444.63	-34.40	10.50	10.86	-34.76	-13.00	-21.76	H
3258.54	-33.10	12.78	11.57	-31.89	-13.00	-18.89	H
1629.15	-35.76	9.56	9.72	-35.92	-13.00	-22.92	V
2444.63	-33.95	10.50	10.86	-34.31	-13.00	-21.31	V
3258.54	-32.31	12.78	11.57	-31.10	-13.00	-18.10	V
LTE Band 26-Part90 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1637.93	-33.56	9.56	9.72	-33.72	-13.00	-20.72	H
2456.84	-35.17	10.50	10.86	-35.53	-13.00	-22.53	H
3276.19	-33.37	12.78	11.57	-32.16	-13.00	-19.16	H
1637.93	-34.80	9.56	9.72	-34.96	-13.00	-21.96	V
2456.84	-34.22	10.50	10.86	-34.58	-13.00	-21.58	V
3276.19	-32.91	12.78	11.57	-31.70	-13.00	-18.70	V
LTE Band 26-Part90 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1646.28	-33.50	9.56	9.72	-33.66	-13.00	-20.66	H
2469.46	-34.08	10.50	10.86	-34.44	-13.00	-21.44	H
3293.02	-33.19	12.78	11.57	-31.98	-13.00	-18.98	H
1646.28	-35.11	9.56	9.72	-35.27	-13.00	-22.27	V
2469.46	-34.86	10.50	10.86	-35.22	-13.00	-22.22	V
3293.02	-32.22	12.78	11.57	-31.01	-13.00	-18.01	V



LTE Band 26-Part90 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1631.12	-34.75	9.56	9.72	-34.91	-13.00	-21.91	H
2446.46	-35.07	10.50	10.86	-35.43	-13.00	-22.43	H
3261.95	-32.36	12.78	11.57	-31.15	-13.00	-18.15	H
1631.12	-34.91	9.56	9.72	-35.07	-13.00	-22.07	V
2446.46	-34.98	10.50	10.86	-35.34	-13.00	-22.34	V
3261.95	-32.63	12.78	11.57	-31.42	-13.00	-18.42	V
LTE Band 26-Part90 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1638.15	-34.16	9.56	9.72	-34.32	-13.00	-21.32	H
2456.90	-35.14	10.50	10.86	-35.50	-13.00	-22.50	H
3275.87	-32.70	12.78	11.57	-31.49	-13.00	-18.49	H
1638.15	-35.37	9.56	9.72	-35.53	-13.00	-22.53	V
2456.90	-34.60	10.50	10.86	-34.96	-13.00	-21.96	V
3275.87	-31.88	12.78	11.57	-30.67	-13.00	-17.67	V
LTE Band 26-Part90 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1645.01	-34.65	9.56	9.72	-34.81	-13.00	-21.81	H
2467.48	-35.38	10.50	10.86	-35.74	-13.00	-22.74	H
3289.86	-32.44	12.78	11.57	-31.23	-13.00	-18.23	H
1645.01	-35.89	9.56	9.72	-36.05	-13.00	-23.05	V
2467.48	-34.21	10.50	10.86	-34.57	-13.00	-21.57	V
3289.86	-31.79	12.78	11.57	-30.58	-13.00	-17.58	V



LTE Band 26-Part90 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1632.70	-34.11	9.56	9.72	-34.27	-13.00	-21.27	H
2448.92	-34.44	10.50	10.86	-34.80	-13.00	-21.80	H
3266.08	-32.38	12.78	11.57	-31.17	-13.00	-18.17	H
1632.70	-35.28	9.56	9.72	-35.44	-13.00	-22.44	V
2448.92	-34.78	10.50	10.86	-35.14	-13.00	-22.14	V
3266.08	-32.21	12.78	11.57	-31.00	-13.00	-18.00	V
LTE Band 26-Part90 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1643.05	-33.99	9.56	9.72	-34.15	-13.00	-21.15	H
2463.99	-34.08	10.50	10.86	-34.44	-13.00	-21.44	H
3286.09	-33.17	12.78	11.57	-31.96	-13.00	-18.96	H
1643.05	-35.69	9.56	9.72	-35.85	-13.00	-22.85	V
2463.99	-34.40	10.50	10.86	-34.76	-13.00	-21.76	V
3286.09	-32.32	12.78	11.57	-31.11	-13.00	-18.11	V
LTE Band 26-Part90 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1693.47	-33.97	9.56	9.72	-34.13	-13.00	-21.13	H
2539.33	-34.25	10.50	10.86	-34.61	-13.00	-21.61	H
3385.89	-32.92	12.78	11.57	-31.71	-13.00	-18.71	H
1693.47	-34.68	9.56	9.72	-34.84	-13.00	-21.84	V
2539.33	-34.20	10.50	10.86	-34.56	-13.00	-21.56	V
3385.89	-33.04	12.78	11.57	-31.83	-13.00	-18.83	V
LTE Band 26-Part90 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1637.79	-34.92	9.56	9.72	-35.08	-13.00	-22.08	H
2457.07	-34.53	10.50	10.86	-34.89	-13.00	-21.89	H
3276.02	-33.60	12.78	11.57	-32.39	-13.00	-19.39	H
1637.79	-35.81	9.56	9.72	-35.97	-13.00	-22.97	V
2457.07	-35.18	10.50	10.86	-35.54	-13.00	-22.54	V
3276.02	-31.85	12.78	11.57	-30.64	-13.00	-17.64	V



LTE Band 38 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5114.86	-34.67	12.66	15.86	-37.87	-25.00	-12.87	H
7672.57	-34.38	11.46	19.28	-42.20	-25.00	-17.20	H
10230.32	-32.55	12.79	23.19	-42.95	-25.00	-17.95	H
4996.86	-35.41	12.66	15.86	-38.61	-25.00	-13.61	V
7495.56	-33.81	11.46	19.28	-41.63	-25.00	-16.63	V
9994.48	-31.93	12.79	23.19	-42.33	-25.00	-17.33	V
LTE Band 38 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5210.05	-33.73	12.72	15.86	-36.87	-25.00	-11.87	H
7815.06	-34.76	11.46	19.28	-42.58	-25.00	-17.58	H
10420.05	-33.34	12.09	23.19	-44.44	-25.00	-19.44	H
5210.05	-35.25	12.72	15.86	-38.39	-25.00	-13.39	V
7815.06	-34.74	11.46	19.28	-42.56	-25.00	-17.56	V
10420.05	-31.98	12.09	23.19	-43.08	-25.00	-18.08	V
LTE Band 38 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5304.80	-34.84	12.76	15.86	-37.94	-25.00	-12.94	H
7957.42	-34.73	11.45	19.28	-42.56	-25.00	-17.56	H
10610.29	-33.54	12.28	23.19	-44.45	-25.00	-19.45	H
5304.80	-35.88	12.76	15.86	-38.98	-25.00	-13.98	V
7957.42	-34.62	11.45	19.28	-42.45	-25.00	-17.45	V
10610.29	-33.02	12.28	23.19	-43.93	-25.00	-18.93	V



LTE Band 38 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5119.86	-34.67	12.66	15.86	-37.87	-25.00	-12.87	H
7680.18	-35.30	11.46	19.28	-43.12	-25.00	-18.12	H
10239.99	-33.08	12.79	23.19	-43.48	-25.00	-18.48	H
5119.86	-34.88	12.66	15.86	-38.08	-25.00	-13.08	V
7680.18	-34.23	11.46	19.28	-42.05	-25.00	-17.05	V
10239.99	-32.38	12.79	23.19	-42.78	-25.00	-17.78	V
LTE Band 38 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5210.02	-34.71	12.72	15.86	-37.85	-25.00	-12.85	H
7815.08	-34.13	11.46	19.28	-41.95	-25.00	-16.95	H
10420.19	-33.23	12.09	23.19	-44.33	-25.00	-19.33	H
5210.02	-35.13	12.72	15.86	-38.27	-25.00	-13.27	V
7815.08	-34.17	11.46	19.28	-41.99	-25.00	-16.99	V
10420.19	-31.92	12.09	23.19	-43.02	-25.00	-18.02	V
LTE Band 38 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5300.24	-34.46	12.76	15.86	-37.56	-25.00	-12.56	H
7950.10	-34.43	11.45	19.28	-42.26	-25.00	-17.26	H
10599.75	-32.65	12.28	23.19	-43.56	-25.00	-18.56	H
5300.24	-34.84	12.76	15.86	-37.94	-25.00	-12.94	V
7950.10	-34.00	11.45	19.28	-41.83	-25.00	-16.83	V
10599.75	-33.18	12.28	23.19	-44.09	-25.00	-19.09	V



LTE Band 38 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5125.19	-33.46	12.66	15.86	-36.66	-25.00	-11.66	H
7687.50	-34.63	11.46	19.28	-42.45	-25.00	-17.45	H
10250.37	-33.56	12.79	23.19	-43.96	-25.00	-18.96	H
5125.19	-34.81	12.66	15.86	-38.01	-25.00	-13.01	V
7687.50	-34.97	11.46	19.28	-42.79	-25.00	-17.79	V
10250.37	-32.13	12.79	23.19	-42.53	-25.00	-17.53	V
LTE Band 38 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5209.85	-33.64	12.72	15.86	-36.78	-25.00	-11.78	H
7814.99	-34.78	11.46	19.28	-42.60	-25.00	-17.60	H
10419.98	-33.14	12.09	23.19	-44.24	-25.00	-19.24	H
5209.85	-35.77	12.72	15.86	-38.91	-25.00	-13.91	V
7814.99	-34.33	11.46	19.28	-42.15	-25.00	-17.15	V
10419.98	-33.12	12.09	23.19	-44.22	-25.00	-19.22	V
LTE Band 38 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5298.12	-33.71	12.76	15.86	-36.81	-25.00	-11.81	H
7942.50	-34.35	11.45	19.28	-42.18	-25.00	-17.18	H
10589.86	-33.40	12.28	23.19	-44.31	-25.00	-19.31	H
5298.12	-34.94	12.76	15.86	-38.04	-25.00	-13.04	V
7942.50	-34.75	11.45	19.28	-42.58	-25.00	-17.58	V
10589.86	-32.53	12.28	23.19	-43.44	-25.00	-18.44	V



LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5130.08	-33.86	12.66	15.86	-37.06	-25.00	-12.06	H
7695.14	-34.78	11.46	19.28	-42.60	-25.00	-17.60	H
10259.87	-32.61	12.79	23.19	-43.01	-25.00	-18.01	H
5130.08	-34.89	12.66	15.86	-38.09	-25.00	-13.09	V
7695.14	-35.11	11.46	19.28	-42.93	-25.00	-17.93	V
10259.87	-31.86	12.79	23.19	-42.26	-25.00	-17.26	V
LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5209.87	-33.72	12.72	15.86	-36.86	-25.00	-11.86	H
7815.25	-34.78	11.46	19.28	-42.60	-25.00	-17.60	H
10420.03	-33.17	12.09	23.19	-44.27	-25.00	-19.27	H
5209.87	-36.01	12.72	15.86	-39.15	-25.00	-14.15	V
7815.25	-34.65	11.46	19.28	-42.47	-25.00	-17.47	V
10420.03	-31.98	12.09	23.19	-43.08	-25.00	-18.08	V
LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5289.83	-34.85	12.76	15.86	-37.95	-25.00	-12.95	H
7935.26	-33.99	11.45	19.28	-41.82	-25.00	-16.82	H
10579.81	-33.62	12.28	23.19	-44.53	-25.00	-19.53	H
5289.83	-34.95	12.76	15.86	-38.05	-25.00	-13.05	V
7935.26	-33.92	11.45	19.28	-41.75	-25.00	-16.75	V
10579.81	-32.85	12.28	23.19	-43.76	-25.00	-18.76	V



LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
4996.98	-34.14	12.66	15.86	-37.34	-25.00	-12.34	H
7495.68	-34.47	11.46	19.28	-42.29	-25.00	-17.29	H
9993.93	-32.68	12.79	23.19	-43.08	-25.00	-18.08	H
4996.98	-35.21	12.66	15.86	-38.41	-25.00	-13.41	V
7495.68	-34.97	11.46	19.28	-42.79	-25.00	-17.79	V
9993.93	-32.00	12.79	23.19	-42.40	-25.00	-17.40	V
LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5186.01	-34.29	12.72	15.86	-37.43	-25.00	-12.43	H
7779.06	-35.28	11.46	19.28	-43.10	-25.00	-18.10	H
10372.25	-32.68	12.09	23.19	-43.78	-25.00	-18.78	H
5186.01	-34.94	12.72	15.86	-38.08	-25.00	-13.08	V
7779.06	-33.77	11.46	19.28	-41.59	-25.00	-16.59	V
10372.25	-32.05	12.09	23.19	-43.15	-25.00	-18.15	V
LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5374.87	-34.88	12.76	15.86	-37.98	-25.00	-12.98	H
8062.66	-35.15	11.45	19.28	-42.98	-25.00	-17.98	H
10750.26	-33.43	12.28	23.19	-44.34	-25.00	-19.34	H
5374.87	-35.17	12.76	15.86	-38.27	-25.00	-13.27	V
8062.66	-34.75	11.45	19.28	-42.58	-25.00	-17.58	V
10750.26	-32.79	12.28	23.19	-43.70	-25.00	-18.70	V



LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5002.22	-34.81	12.66	15.86	-38.01	-25.00	-13.01	H
7502.79	-34.34	11.46	19.28	-42.16	-25.00	-17.16	H
10004.06	-32.50	12.79	23.19	-42.90	-25.00	-17.90	H
5002.22	-35.47	12.66	15.86	-38.67	-25.00	-13.67	V
7502.79	-34.43	11.46	19.28	-42.25	-25.00	-17.25	V
10004.06	-32.63	12.79	23.19	-43.03	-25.00	-18.03	V
LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5185.85	-34.37	12.72	15.86	-37.51	-25.00	-12.51	H
7779.13	-35.04	11.46	19.28	-42.86	-25.00	-17.86	H
10372.28	-32.67	12.09	23.19	-43.77	-25.00	-18.77	H
5185.85	-35.79	12.72	15.86	-38.93	-25.00	-13.93	V
7779.13	-34.59	11.46	19.28	-42.41	-25.00	-17.41	V
10372.28	-32.16	12.09	23.19	-43.26	-25.00	-18.26	V
LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5370.24	-33.96	12.76	15.86	-37.06	-25.00	-12.06	H
8055.17	-35.48	11.45	19.28	-43.31	-25.00	-18.31	H
10739.77	-32.32	12.28	23.19	-43.23	-25.00	-18.23	H
5370.24	-35.60	12.76	15.86	-38.70	-25.00	-13.70	V
8055.17	-34.49	11.45	19.28	-42.32	-25.00	-17.32	V
10739.77	-31.82	12.28	23.19	-42.73	-25.00	-17.73	V



LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5007.08	-33.67	12.66	15.86	-36.87	-25.00	-11.87	H
7510.42	-35.48	11.46	19.28	-43.30	-25.00	-18.30	H
10014.37	-32.33	12.79	23.19	-42.73	-25.00	-17.73	H
5007.08	-34.91	12.66	15.86	-38.11	-25.00	-13.11	V
7510.42	-34.70	11.46	19.28	-42.52	-25.00	-17.52	V
10014.37	-32.89	12.79	23.19	-43.29	-25.00	-18.29	V
LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5186.19	-33.44	12.72	15.86	-36.58	-25.00	-11.58	H
7779.05	-34.00	11.46	19.28	-41.82	-25.00	-16.82	H
10372.09	-32.62	12.09	23.19	-43.72	-25.00	-18.72	H
5186.19	-34.58	12.72	15.86	-37.72	-25.00	-12.72	V
7779.05	-34.23	11.46	19.28	-42.05	-25.00	-17.05	V
10372.09	-32.96	12.09	23.19	-44.06	-25.00	-19.06	V
LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5364.79	-33.99	12.76	15.86	-37.09	-25.00	-12.09	H
8047.52	-35.07	11.45	19.28	-42.90	-25.00	-17.90	H
10730.05	-33.56	12.28	23.19	-44.47	-25.00	-19.47	H
5364.79	-35.00	12.76	15.86	-38.10	-25.00	-13.10	V
8047.52	-34.04	11.45	19.28	-41.87	-25.00	-16.87	V
10730.05	-32.76	12.28	23.19	-43.67	-25.00	-18.67	V



LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5012.15	-34.92	12.66	15.86	-38.12	-25.00	-13.12	H
7518.01	-35.41	11.46	19.28	-43.23	-25.00	-18.23	H
10023.92	-33.15	12.79	23.19	-43.55	-25.00	-18.55	H
5012.15	-35.67	12.66	15.86	-38.87	-25.00	-13.87	V
7518.01	-34.23	11.46	19.28	-42.05	-25.00	-17.05	V
10023.92	-32.08	12.79	23.19	-42.48	-25.00	-17.48	V
LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5186.23	-34.63	12.72	15.86	-37.77	-25.00	-12.77	H
7779.06	-35.35	11.46	19.28	-43.17	-25.00	-18.17	H
10371.88	-32.81	12.09	23.19	-43.91	-25.00	-18.91	H
5186.23	-35.25	12.72	15.86	-38.39	-25.00	-13.39	V
7779.06	-34.55	11.46	19.28	-42.37	-25.00	-17.37	V
10371.88	-32.00	12.09	23.19	-43.10	-25.00	-18.10	V
LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5360.11	-34.69	12.76	15.86	-37.79	-25.00	-12.79	H
8040.26	-34.82	11.45	19.28	-42.65	-25.00	-17.65	H
10720.18	-32.53	12.28	23.19	-43.44	-25.00	-18.44	H
5360.11	-35.17	12.76	15.86	-38.27	-25.00	-13.27	V
8040.26	-34.57	11.45	19.28	-42.40	-25.00	-17.40	V
10720.18	-32.72	12.28	23.19	-43.63	-25.00	-18.63	V



LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3421.47	-34.24	12.90	12.56	-33.90	-13.00	-20.90	H
5132.07	-35.40	13.10	16.32	-38.62	-13.00	-25.62	H
6842.77	-32.85	12.33	21.13	-41.65	-13.00	-28.65	H
3421.47	-34.65	12.90	12.56	-34.31	-13.00	-21.31	V
5132.07	-35.13	13.10	16.32	-38.35	-13.00	-25.35	V
6842.77	-32.71	12.33	21.13	-41.51	-13.00	-28.51	V
LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3490.27	-33.71	12.90	12.56	-33.37	-13.00	-20.37	H
5235.17	-34.88	13.10	16.32	-38.10	-13.00	-25.10	H
6979.98	-32.91	12.33	21.13	-41.71	-13.00	-28.71	H
3490.27	-35.44	12.90	12.56	-35.10	-13.00	-22.10	V
5235.17	-33.90	13.10	16.32	-37.12	-13.00	-24.12	V
6979.98	-32.64	12.33	21.13	-41.44	-13.00	-28.44	V
LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3557.76	-34.03	12.90	12.56	-33.69	-13.00	-20.69	H
5336.74	-34.21	13.10	16.32	-37.43	-13.00	-24.43	H
7116.79	-33.11	12.33	21.13	-41.91	-13.00	-28.91	H
3557.76	-34.58	12.90	12.56	-34.24	-13.00	-21.24	V
5336.74	-34.34	13.10	16.32	-37.56	-13.00	-24.56	V
7116.79	-31.90	12.33	21.13	-40.70	-13.00	-27.70	V



LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3423.12	-34.67	12.90	12.56	-34.33	-13.00	-21.33	H
5134.51	-34.02	13.10	16.32	-37.24	-13.00	-24.24	H
6846.23	-32.37	12.33	21.13	-41.17	-13.00	-28.17	H
3423.12	-34.73	12.90	12.56	-34.39	-13.00	-21.39	V
5134.51	-33.94	13.10	16.32	-37.16	-13.00	-24.16	V
6846.23	-32.74	12.33	21.13	-41.54	-13.00	-28.54	V
LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3490.05	-33.46	12.90	12.56	-33.12	-13.00	-20.12	H
5234.84	-34.79	13.10	16.32	-38.01	-13.00	-25.01	H
6980.29	-32.72	12.33	21.13	-41.52	-13.00	-28.52	H
3490.05	-34.79	12.90	12.56	-34.45	-13.00	-21.45	V
5234.84	-34.41	13.10	16.32	-37.63	-13.00	-24.63	V
6980.29	-32.84	12.33	21.13	-41.64	-13.00	-28.64	V
LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3557.08	-34.79	12.90	12.56	-34.45	-13.00	-21.45	H
5262.12	-34.75	13.10	16.32	-37.97	-13.00	-24.97	H
7114.13	-33.37	12.33	21.13	-42.17	-13.00	-29.17	H
3557.08	-35.23	12.90	12.56	-34.89	-13.00	-21.89	V
5262.12	-34.44	13.10	16.32	-37.66	-13.00	-24.66	V
7114.13	-32.26	12.33	21.13	-41.06	-13.00	-28.06	V



LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3425.42	-34.27	12.90	12.56	-33.93	-13.00	-20.93	H
5137.08	-35.22	13.10	16.32	-38.44	-13.00	-25.44	H
6850.12	-32.81	12.33	21.13	-41.61	-13.00	-28.61	H
3425.42	-34.75	12.90	12.56	-34.41	-13.00	-21.41	V
5137.08	-34.11	13.10	16.32	-37.33	-13.00	-24.33	V
6850.12	-32.19	12.33	21.13	-40.99	-13.00	-27.99	V
LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3489.92	-34.13	12.90	12.56	-33.79	-13.00	-20.79	H
5234.86	-35.42	13.10	16.32	-38.64	-13.00	-25.64	H
6980.00	-33.44	12.33	21.13	-42.24	-13.00	-29.24	H
3489.92	-35.18	12.90	12.56	-34.84	-13.00	-21.84	V
5234.86	-34.85	13.10	16.32	-38.07	-13.00	-25.07	V
6980.00	-32.07	12.33	21.13	-40.87	-13.00	-27.87	V
LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3557.90	-33.63	12.90	12.56	-33.29	-13.00	-20.29	H
5234.80	-34.50	13.10	16.32	-37.72	-13.00	-24.72	H
7110.02	-33.48	12.33	21.13	-42.28	-13.00	-29.28	H
3557.90	-35.53	12.90	12.56	-35.19	-13.00	-22.19	V
5234.80	-34.91	13.10	16.32	-38.13	-13.00	-25.13	V
7110.02	-32.48	12.33	21.13	-41.28	-13.00	-28.28	V



LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3429.96	-33.84	12.90	12.56	-33.50	-13.00	-20.50	H
5145.02	-34.01	13.10	16.32	-37.23	-13.00	-24.23	H
6879.87	-32.57	12.33	21.13	-41.37	-13.00	-28.37	H
3429.96	-35.58	12.90	12.56	-35.24	-13.00	-22.24	V
5145.02	-34.53	13.10	16.32	-37.75	-13.00	-24.75	V
6879.87	-33.19	12.33	21.13	-41.99	-13.00	-28.99	V
LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3489.96	-34.37	12.90	12.56	-34.03	-13.00	-21.03	H
5235.29	-34.14	13.10	16.32	-37.36	-13.00	-24.36	H
6979.91	-33.32	12.33	21.13	-42.12	-13.00	-29.12	H
3489.96	-34.59	12.90	12.56	-34.25	-13.00	-21.25	V
5235.29	-34.47	13.10	16.32	-37.69	-13.00	-24.69	V
6979.91	-31.77	12.33	21.13	-40.57	-13.00	-27.57	V
LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3550.50	-33.54	12.90	12.56	-33.20	-13.00	-20.20	H
5235.12	-34.33	13.10	16.32	-37.55	-13.00	-24.55	H
7099.93	-32.46	12.33	21.13	-41.26	-13.00	-28.26	H
3550.50	-34.56	12.90	12.56	-34.22	-13.00	-21.22	V
5235.12	-34.30	13.10	16.32	-37.52	-13.00	-24.52	V
7099.93	-32.83	12.33	21.13	-41.63	-13.00	-28.63	V