



LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3435.05	-34.39	12.90	12.56	-34.05	-13.00	-21.05	H
5152.23	-34.61	13.10	16.32	-37.83	-13.00	-24.83	H
6869.78	-33.16	12.33	21.13	-41.96	-13.00	-28.96	H
3435.05	-35.30	12.90	12.56	-34.96	-13.00	-21.96	V
5152.23	-34.90	13.10	16.32	-38.12	-13.00	-25.12	V
6869.78	-32.88	12.33	21.13	-41.68	-13.00	-28.68	V
LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3489.84	-34.93	12.90	12.56	-34.59	-13.00	-21.59	H
5235.23	-35.41	13.10	16.32	-38.63	-13.00	-25.63	H
6979.82	-33.50	12.33	21.13	-42.30	-13.00	-29.30	H
3489.84	-34.64	12.90	12.56	-34.30	-13.00	-21.30	V
5235.23	-35.20	13.10	16.32	-38.42	-13.00	-25.42	V
6979.82	-32.12	12.33	21.13	-40.92	-13.00	-27.92	V
LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3545.21	-34.89	12.90	12.56	-34.55	-13.00	-21.55	H
5332.28	-35.31	13.10	16.32	-38.53	-13.00	-25.53	H
7089.77	-32.50	12.33	21.13	-41.30	-13.00	-28.30	H
3545.21	-35.21	12.90	12.56	-34.87	-13.00	-21.87	V
5332.28	-34.56	13.10	16.32	-37.78	-13.00	-24.78	V
7089.77	-31.92	12.33	21.13	-40.72	-13.00	-27.72	V



LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3440.28	-34.84	12.90	12.56	-34.50	-13.00	-21.50	H
5160.00	-34.71	13.10	16.32	-37.93	-13.00	-24.93	H
6879.92	-32.62	12.33	21.13	-41.42	-13.00	-28.42	H
3440.28	-35.76	12.90	12.56	-35.42	-13.00	-22.42	V
5160.00	-33.83	13.10	16.32	-37.05	-13.00	-24.05	V
6879.92	-32.06	12.33	21.13	-40.86	-13.00	-27.86	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3490.09	-34.51	12.90	12.56	-34.17	-13.00	-21.17	H
5235.05	-34.63	13.10	16.32	-37.85	-13.00	-24.85	H
6979.81	-32.56	12.33	21.13	-41.36	-13.00	-28.36	H
3490.09	-34.60	12.90	12.56	-34.26	-13.00	-21.26	V
5235.05	-34.52	13.10	16.32	-37.74	-13.00	-24.74	V
6979.81	-32.58	12.33	21.13	-41.38	-13.00	-28.38	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3540.01	-34.59	12.90	12.56	-34.25	-13.00	-21.25	H
5309.92	-35.20	13.10	16.32	-38.42	-13.00	-25.42	H
7080.53	-32.77	12.33	21.13	-41.57	-13.00	-28.57	H
3540.01	-35.84	12.90	12.56	-35.50	-13.00	-22.50	V
5309.92	-35.14	13.10	16.32	-38.36	-13.00	-25.36	V
7080.53	-32.36	12.33	21.13	-41.16	-13.00	-28.16	V



APPENDIX-PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

*****END OF THE REPORT*****