

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	21.83	-1.14	20.69	<=33.01	Pass
			2	21.90	-1.14	20.76	<=33.01	Pass
			5	21.87	-1.14	20.73	<=33.01	Pass
		3	0	21.94	-1.14	20.80	<=33.01	Pass
			2	21.96	-1.14	20.82	<=33.01	Pass
			3	21.94	-1.14	20.80	<=33.01	Pass
		6	0	20.97	-1.14	19.83	<=33.01	Pass
	1880	1	0	22.06	-1.14	20.92	<=33.01	Pass
			2	22.02	-1.14	20.88	<=33.01	Pass
			5	22.03	-1.14	20.89	<=33.01	Pass
		3	0	22.11	-1.14	20.97	<=33.01	Pass
			2	22.11	-1.14	20.97	<=33.01	Pass
			3	22.09	-1.14	20.95	<=33.01	Pass
		6	0	21.12	-1.14	19.98	<=33.01	Pass
	1909.3	1	0	22.08	-1.14	20.94	<=33.01	Pass
			2	22.12	-1.14	20.98	<=33.01	Pass
			5	22.08	-1.14	20.94	<=33.01	Pass
		3	0	22.15	-1.14	21.01	<=33.01	Pass
			2	22.19	-1.14	21.05	<=33.01	Pass
			3	22.18	-1.14	21.04	<=33.01	Pass
		6	0	21.14	-1.14	20.00	<=33.01	Pass
16QAM	1850.7	1	0	21.11	-1.14	19.97	<=33.01	Pass
			2	21.14	-1.14	20.00	<=33.01	Pass
			5	21.11	-1.14	19.97	<=33.01	Pass
		3	0	20.94	-1.14	19.80	<=33.01	Pass
			2	20.98	-1.14	19.84	<=33.01	Pass
			3	20.98	-1.14	19.84	<=33.01	Pass
		6	0	20.02	-1.14	18.88	<=33.01	Pass
	1880	1	0	21.14	-1.14	20.00	<=33.01	Pass
			2	21.11	-1.14	19.97	<=33.01	Pass
			5	21.14	-1.14	20.00	<=33.01	Pass
		3	0	21.29	-1.14	20.15	<=33.01	Pass
			2	21.30	-1.14	20.16	<=33.01	Pass
			3	21.30	-1.14	20.16	<=33.01	Pass
		6	0	20.10	-1.14	18.96	<=33.01	Pass
	1909.3	1	0	21.14	-1.14	20.00	<=33.01	Pass
			2	21.16	-1.14	20.02	<=33.01	Pass
			5	21.18	-1.14	20.04	<=33.01	Pass
		3	0	21.15	-1.14	20.01	<=33.01	Pass
			2	21.17	-1.14	20.03	<=33.01	Pass
			3	21.15	-1.14	20.01	<=33.01	Pass
		6	0	20.04	-1.14	18.90	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1851.5	1	0	21.94	-1.14	20.80	<=33.01	Pass	
			7	22.02	-1.14	20.88	<=33.01	Pass	
			14	22.01	-1.14	20.87	<=33.01	Pass	
		8	0	21.08	-1.14	19.94	<=33.01	Pass	
			4	21.08	-1.14	19.94	<=33.01	Pass	
			7	21.08	-1.14	19.94	<=33.01	Pass	
		15	0	21.09	-1.14	19.95	<=33.01	Pass	
		1880	1	0	22.20	-1.14	21.06	<=33.01	Pass
				7	22.21	-1.14	21.07	<=33.01	Pass
	14			22.15	-1.14	21.01	<=33.01	Pass	
	8		0	21.19	-1.14	20.05	<=33.01	Pass	
			4	21.14	-1.14	20.00	<=33.01	Pass	
			7	21.14	-1.14	20.00	<=33.01	Pass	
	1908.5	1	0	21.14	-1.14	20.00	<=33.01	Pass	
			0	22.14	-1.14	21.00	<=33.01	Pass	
			7	22.14	-1.14	21.00	<=33.01	Pass	
		8	0	21.17	-1.14	20.03	<=33.01	Pass	
			4	21.17	-1.14	20.03	<=33.01	Pass	
			7	21.17	-1.14	20.03	<=33.01	Pass	
		15	0	21.17	-1.14	20.03	<=33.01	Pass	
		16QAM	1851.5	1	0	21.25	-1.14	20.11	<=33.01
7					21.29	-1.14	20.15	<=33.01	Pass
14	21.24				-1.14	20.10	<=33.01	Pass	
8	0			20.07	-1.14	18.93	<=33.01	Pass	
	4			20.07	-1.14	18.93	<=33.01	Pass	
	7			20.05	-1.14	18.91	<=33.01	Pass	
15	0			20.05	-1.14	18.91	<=33.01	Pass	
1880	1		0	21.72	-1.14	20.58	<=33.01	Pass	
			7	21.74	-1.14	20.60	<=33.01	Pass	
			14	21.67	-1.14	20.53	<=33.01	Pass	
	8		0	20.38	-1.14	19.24	<=33.01	Pass	
			4	20.32	-1.14	19.18	<=33.01	Pass	
			7	20.31	-1.14	19.17	<=33.01	Pass	
15	0		20.23	-1.14	19.09	<=33.01	Pass		
1908.5	1		0	21.21	-1.14	20.07	<=33.01	Pass	
			7	21.25	-1.14	20.11	<=33.01	Pass	
			14	21.24	-1.14	20.10	<=33.01	Pass	
	8		0	20.24	-1.14	19.10	<=33.01	Pass	
			4	20.24	-1.14	19.10	<=33.01	Pass	
			7	20.23	-1.14	19.09	<=33.01	Pass	
	15		0	20.26	-1.14	19.12	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	22.18	-1.14	21.04	<=33.01	Pass
			13	22.24	-1.14	21.10	<=33.01	Pass
			24	22.24	-1.14	21.10	<=33.01	Pass
		12	0	21.18	-1.14	20.04	<=33.01	Pass
			6	21.18	-1.14	20.04	<=33.01	Pass
			13	21.19	-1.14	20.05	<=33.01	Pass

16QAM	1880	25	0	21.18	-1.14	20.04	<=33.01	Pass
		1	0	22.24	-1.14	21.10	<=33.01	Pass
			13	22.24	-1.14	21.10	<=33.01	Pass
			24	22.24	-1.14	21.10	<=33.01	Pass
		12	0	21.32	-1.14	20.18	<=33.01	Pass
			6	21.28	-1.14	20.14	<=33.01	Pass
			13	21.21	-1.14	20.07	<=33.01	Pass
		25	0	21.25	-1.14	20.11	<=33.01	Pass
	1907.5	1	0	22.39	-1.14	21.25	<=33.01	Pass
			13	22.44	-1.14	21.30	<=33.01	Pass
			24	22.49	-1.14	21.35	<=33.01	Pass
		12	0	21.33	-1.14	20.19	<=33.01	Pass
			6	21.28	-1.14	20.14	<=33.01	Pass
			13	21.25	-1.14	20.11	<=33.01	Pass
		25	0	21.28	-1.14	20.14	<=33.01	Pass
	1852.5	1	0	21.28	-1.14	20.14	<=33.01	Pass
			13	21.29	-1.14	20.15	<=33.01	Pass
			24	21.30	-1.14	20.16	<=33.01	Pass
		12	0	20.16	-1.14	19.02	<=33.01	Pass
			6	20.15	-1.14	19.01	<=33.01	Pass
			13	20.14	-1.14	19.00	<=33.01	Pass
		25	0	20.20	-1.14	19.06	<=33.01	Pass
	1880	1	0	21.52	-1.14	20.38	<=33.01	Pass
			13	21.50	-1.14	20.36	<=33.01	Pass
			24	21.48	-1.14	20.34	<=33.01	Pass
		12	0	20.33	-1.14	19.19	<=33.01	Pass
			6	20.28	-1.14	19.14	<=33.01	Pass
			13	20.21	-1.14	19.07	<=33.01	Pass
		25	0	20.26	-1.14	19.12	<=33.01	Pass
	1907.5	1	0	21.13	-1.14	19.99	<=33.01	Pass
			13	21.15	-1.14	20.01	<=33.01	Pass
			24	21.15	-1.14	20.01	<=33.01	Pass
		12	0	20.33	-1.14	19.19	<=33.01	Pass
			6	20.26	-1.14	19.12	<=33.01	Pass
			13	20.24	-1.14	19.10	<=33.01	Pass
		25	0	20.33	-1.14	19.19	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	22.11	-1.14	20.97	<=33.01	Pass
			25	22.23	-1.14	21.09	<=33.01	Pass
			49	22.19	-1.14	21.05	<=33.01	Pass
		25	0	21.15	-1.14	20.01	<=33.01	Pass
			13	21.23	-1.14	20.09	<=33.01	Pass
			25	21.27	-1.14	20.13	<=33.01	Pass
		50	0	21.28	-1.14	20.14	<=33.01	Pass
	1880	1	0	22.24	-1.14	21.10	<=33.01	Pass
			25	22.29	-1.14	21.15	<=33.01	Pass
			49	22.22	-1.14	21.08	<=33.01	Pass
		25	0	21.31	-1.14	20.17	<=33.01	Pass
			13	21.29	-1.14	20.15	<=33.01	Pass
			25	21.21	-1.14	20.07	<=33.01	Pass
		50	0	21.31	-1.14	20.17	<=33.01	Pass

	1905	1	0	22.25	-1.14	21.11	<=33.01	Pass		
			25	22.30	-1.14	21.16	<=33.01	Pass		
			49	22.31	-1.14	21.17	<=33.01	Pass		
		25	0	21.38	-1.14	20.24	<=33.01	Pass		
			13	21.28	-1.14	20.14	<=33.01	Pass		
			25	21.25	-1.14	20.11	<=33.01	Pass		
		50	0	21.30	-1.14	20.16	<=33.01	Pass		
		16QAM	1855	1	0	21.13	-1.14	19.99	<=33.01	Pass
					25	21.23	-1.14	20.09	<=33.01	Pass
49	21.22				-1.14	20.08	<=33.01	Pass		
25	0			20.24	-1.14	19.10	<=33.01	Pass		
	13			20.32	-1.14	19.18	<=33.01	Pass		
	25			20.33	-1.14	19.19	<=33.01	Pass		
50	0			20.25	-1.14	19.11	<=33.01	Pass		
1880	1			0	21.41	-1.14	20.27	<=33.01	Pass	
				25	21.47	-1.14	20.33	<=33.01	Pass	
			49	21.40	-1.14	20.26	<=33.01	Pass		
	25		0	20.34	-1.14	19.20	<=33.01	Pass		
			13	20.32	-1.14	19.18	<=33.01	Pass		
			25	20.23	-1.14	19.09	<=33.01	Pass		
	50		0	20.25	-1.14	19.11	<=33.01	Pass		
	1905		1	0	21.69	-1.14	20.55	<=33.01	Pass	
				25	21.77	-1.14	20.63	<=33.01	Pass	
49				21.73	-1.14	20.59	<=33.01	Pass		
25			0	20.41	-1.14	19.27	<=33.01	Pass		
			13	20.32	-1.14	19.18	<=33.01	Pass		
			25	20.27	-1.14	19.13	<=33.01	Pass		
50			0	20.29	-1.14	19.15	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	21.99	-1.14	20.85	<=33.01	Pass
			38	22.17	-1.14	21.03	<=33.01	Pass
			74	22.07	-1.14	20.93	<=33.01	Pass
		36	0	21.08	-1.14	19.94	<=33.01	Pass
			18	21.16	-1.14	20.02	<=33.01	Pass
			39	21.22	-1.14	20.08	<=33.01	Pass
		75	0	21.22	-1.14	20.08	<=33.01	Pass
	1880	1	0	22.14	-1.14	21.00	<=33.01	Pass
			38	22.26	-1.14	21.12	<=33.01	Pass
			74	22.15	-1.14	21.01	<=33.01	Pass
		36	0	21.26	-1.14	20.12	<=33.01	Pass
			18	21.21	-1.14	20.07	<=33.01	Pass
			39	21.16	-1.14	20.02	<=33.01	Pass
		75	0	21.23	-1.14	20.09	<=33.01	Pass
	1902.5	1	0	22.16	-1.14	21.02	<=33.01	Pass
			38	22.27	-1.14	21.13	<=33.01	Pass
			74	22.26	-1.14	21.12	<=33.01	Pass
		36	0	21.19	-1.14	20.05	<=33.01	Pass
			18	21.23	-1.14	20.09	<=33.01	Pass
			39	21.18	-1.14	20.04	<=33.01	Pass
		75	0	21.22	-1.14	20.08	<=33.01	Pass
16QAM	1857.5	1	0	21.41	-1.14	20.27	<=33.01	Pass

			38	21.58	-1.14	20.44	<=33.01	Pass
			74	21.50	-1.14	20.36	<=33.01	Pass
		36	0	20.08	-1.14	18.94	<=33.01	Pass
			18	20.17	-1.14	19.03	<=33.01	Pass
			39	20.22	-1.14	19.08	<=33.01	Pass
		75	0	20.17	-1.14	19.03	<=33.01	Pass
	1880	1	0	21.33	-1.14	20.19	<=33.01	Pass
			38	21.45	-1.14	20.31	<=33.01	Pass
			74	21.33	-1.14	20.19	<=33.01	Pass
		36	0	20.30	-1.14	19.16	<=33.01	Pass
			18	20.26	-1.14	19.12	<=33.01	Pass
			39	20.18	-1.14	19.04	<=33.01	Pass
	75	0	20.23	-1.14	19.09	<=33.01	Pass	
	1902.5	1	0	21.62	-1.14	20.48	<=33.01	Pass
			38	21.73	-1.14	20.59	<=33.01	Pass
			74	21.70	-1.14	20.56	<=33.01	Pass
		36	0	20.26	-1.14	19.12	<=33.01	Pass
			18	20.27	-1.14	19.13	<=33.01	Pass
			39	20.17	-1.14	19.03	<=33.01	Pass
		75	0	20.24	-1.14	19.10	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	22.01	-1.14	20.87	<=33.01	Pass
			50	22.19	-1.14	21.05	<=33.01	Pass
			99	22.09	-1.14	20.95	<=33.01	Pass
		50	0	21.08	-1.14	19.94	<=33.01	Pass
			25	21.27	-1.14	20.13	<=33.01	Pass
			50	21.29	-1.14	20.15	<=33.01	Pass
		100	0	21.22	-1.14	20.08	<=33.01	Pass
	1880	1	0	22.10	-1.14	20.96	<=33.01	Pass
			50	22.31	-1.14	21.17	<=33.01	Pass
			99	22.14	-1.14	21.00	<=33.01	Pass
		50	0	21.37	-1.14	20.23	<=33.01	Pass
			25	21.30	-1.14	20.16	<=33.01	Pass
			50	21.21	-1.14	20.07	<=33.01	Pass
		100	0	21.26	-1.14	20.12	<=33.01	Pass
	1900	1	0	22.06	-1.14	20.92	<=33.01	Pass
			50	22.22	-1.14	21.08	<=33.01	Pass
			99	22.15	-1.14	21.01	<=33.01	Pass
		50	0	21.22	-1.14	20.08	<=33.01	Pass
			25	21.25	-1.14	20.11	<=33.01	Pass
			50	21.06	-1.14	19.92	<=33.01	Pass
		100	0	21.16	-1.14	20.02	<=33.01	Pass
16QAM	1860	1	0	21.64	-1.14	20.50	<=33.01	Pass
			50	21.83	-1.14	20.69	<=33.01	Pass
			99	21.73	-1.14	20.59	<=33.01	Pass
		50	0	20.08	-1.14	18.94	<=33.01	Pass
			25	20.24	-1.14	19.10	<=33.01	Pass
			50	20.28	-1.14	19.14	<=33.01	Pass
		100	0	20.20	-1.14	19.06	<=33.01	Pass
	1880	1	0	21.33	-1.14	20.19	<=33.01	Pass
			50	21.52	-1.14	20.38	<=33.01	Pass

		50	99	21.34	-1.14	20.20	<=33.01	Pass
			0	20.33	-1.14	19.19	<=33.01	Pass
			25	20.23	-1.14	19.09	<=33.01	Pass
			50	20.21	-1.14	19.07	<=33.01	Pass
	1900	100	0	20.23	-1.14	19.09	<=33.01	Pass
			0	21.36	-1.14	20.22	<=33.01	Pass
			50	21.50	-1.14	20.36	<=33.01	Pass
		50	99	21.41	-1.14	20.27	<=33.01	Pass
			0	20.17	-1.14	19.03	<=33.01	Pass
			25	20.24	-1.14	19.10	<=33.01	Pass
			50	20.03	-1.14	18.89	<=33.01	Pass
		100	0	20.12	-1.14	18.98	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1850.7	6	0	20	3.27	5.679	0.0031	-2.5 to 2.5	Pass
					3.85	-29.869	-0.0161	-2.5 to 2.5	Pass
					4.43	-5.236	-0.0028	-2.5 to 2.5	Pass
				-30	3.85	11.015	0.0060	-2.5 to 2.5	Pass
				-20	3.85	10.371	0.0056	-2.5 to 2.5	Pass
				-10	3.85	-4.835	-0.0026	-2.5 to 2.5	Pass
				0	3.85	9.112	0.0049	-2.5 to 2.5	Pass
				10	3.85	-2.131	-0.0012	-2.5 to 2.5	Pass
				30	3.85	0.515	0.0003	-2.5 to 2.5	Pass
				40	3.85	8.211	0.0044	-2.5 to 2.5	Pass
				50	3.85	-1.359	-0.0007	-2.5 to 2.5	Pass
	1880	6	0	20	3.27	-50.368	-0.0268	-2.5 to 2.5	Pass
					3.85	-40.026	-0.0213	-2.5 to 2.5	Pass
					4.43	-6.237	-0.0033	-2.5 to 2.5	Pass
				-30	3.85	10.643	0.0057	-2.5 to 2.5	Pass
				-20	3.85	3.705	0.0020	-2.5 to 2.5	Pass
				-10	3.85	-2.117	-0.0011	-2.5 to 2.5	Pass
				0	3.85	12.088	0.0064	-2.5 to 2.5	Pass
				10	3.85	3.691	0.0020	-2.5 to 2.5	Pass
				30	3.85	-4.134	-0.0022	-2.5 to 2.5	Pass
				40	3.85	-2.346	-0.0012	-2.5 to 2.5	Pass
				50	3.85	-3.347	-0.0018	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.27	-68.293	-0.0358	-2.5 to 2.5	Pass
					3.85	-28.024	-0.0147	-2.5 to 2.5	Pass
					4.43	10.257	0.0054	-2.5 to 2.5	Pass
				-30	3.85	20.542	0.0108	-2.5 to 2.5	Pass
				-20	3.85	7.167	0.0038	-2.5 to 2.5	Pass
				-10	3.85	4.463	0.0023	-2.5 to 2.5	Pass
				0	3.85	9.785	0.0051	-2.5 to 2.5	Pass
				10	3.85	1.273	0.0007	-2.5 to 2.5	Pass
				30	3.85	0.730	0.0004	-2.5 to 2.5	Pass
				40	3.85	3.419	0.0018	-2.5 to 2.5	Pass
				50	3.85	4.864	0.0025	-2.5 to 2.5	Pass

16QAM	1850.7	6	0	20	3.27	0.901	0.0005	-2.5 to 2.5	Pass
					3.85	16.208	0.0088	-2.5 to 2.5	Pass
					4.43	8.812	0.0048	-2.5 to 2.5	Pass
				-30	3.85	-3.633	-0.0020	-2.5 to 2.5	Pass
				-20	3.85	8.669	0.0047	-2.5 to 2.5	Pass
				-10	3.85	-1.330	-0.0007	-2.5 to 2.5	Pass
				0	3.85	14.563	0.0079	-2.5 to 2.5	Pass
				10	3.85	-7.682	-0.0042	-2.5 to 2.5	Pass
				30	3.85	-7.281	-0.0039	-2.5 to 2.5	Pass
				40	3.85	-3.691	-0.0020	-2.5 to 2.5	Pass
				50	3.85	7.796	0.0042	-2.5 to 2.5	Pass
	1880	6	0	20	3.27	-3.691	-0.0020	-2.5 to 2.5	Pass
					3.85	-3.734	-0.0020	-2.5 to 2.5	Pass
					4.43	10.271	0.0055	-2.5 to 2.5	Pass
				-30	3.85	0.629	0.0003	-2.5 to 2.5	Pass
				-20	3.85	0.787	0.0004	-2.5 to 2.5	Pass
				-10	3.85	8.497	0.0045	-2.5 to 2.5	Pass
				0	3.85	-5.322	-0.0028	-2.5 to 2.5	Pass
				10	3.85	1.445	0.0008	-2.5 to 2.5	Pass
				30	3.85	10.057	0.0053	-2.5 to 2.5	Pass
				40	3.85	-4.706	-0.0025	-2.5 to 2.5	Pass
				50	3.85	10.114	0.0054	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.27	2.961	0.0016	-2.5 to 2.5	Pass
					3.85	-1.316	-0.0007	-2.5 to 2.5	Pass
					4.43	7.896	0.0041	-2.5 to 2.5	Pass
				-30	3.85	4.964	0.0026	-2.5 to 2.5	Pass
				-20	3.85	4.177	0.0022	-2.5 to 2.5	Pass
				-10	3.85	3.233	0.0017	-2.5 to 2.5	Pass
				0	3.85	0.815	0.0004	-2.5 to 2.5	Pass
				10	3.85	1.473	0.0008	-2.5 to 2.5	Pass
				30	3.85	3.576	0.0019	-2.5 to 2.5	Pass
				40	3.85	7.553	0.0040	-2.5 to 2.5	Pass
				50	3.85	4.148	0.0022	-2.5 to 2.5	Pass

2.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1851.5	15	0	20	3.27	11.530	0.0062	-2.5 to 2.5	Pass
					3.85	-43.502	-0.0235	-2.5 to 2.5	Pass
					4.43	9.069	0.0049	-2.5 to 2.5	Pass
				-30	3.85	15.421	0.0083	-2.5 to 2.5	Pass
				-20	3.85	24.118	0.0130	-2.5 to 2.5	Pass
				-10	3.85	12.903	0.0070	-2.5 to 2.5	Pass
				0	3.85	17.152	0.0093	-2.5 to 2.5	Pass
				10	3.85	11.673	0.0063	-2.5 to 2.5	Pass
				30	3.85	10.242	0.0055	-2.5 to 2.5	Pass
				40	3.85	3.119	0.0017	-2.5 to 2.5	Pass
				50	3.85	5.593	0.0030	-2.5 to 2.5	Pass
	1880	15	0	20	3.27	-57.249	-0.0305	-2.5 to 2.5	Pass
					3.85	-32.930	-0.0175	-2.5 to 2.5	Pass
					4.43	-8.683	-0.0046	-2.5 to 2.5	Pass
				-30	3.85	9.084	0.0048	-2.5 to 2.5	Pass
				-20	3.85	-3.777	-0.0020	-2.5 to 2.5	Pass
				-10	3.85	3.562	0.0019	-2.5 to 2.5	Pass
				0	3.85	-1.044	-0.0006	-2.5 to 2.5	Pass

				10	3.85	5.851	0.0031	-2.5 to 2.5	Pass
				30	3.85	2.117	0.0011	-2.5 to 2.5	Pass
				40	3.85	-8.783	-0.0047	-2.5 to 2.5	Pass
				50	3.85	-6.995	-0.0037	-2.5 to 2.5	Pass
	1908.5	15	0	20	3.27	-79.179	-0.0415	-2.5 to 2.5	Pass
					3.85	-31.972	-0.0168	-2.5 to 2.5	Pass
					4.43	17.381	0.0091	-2.5 to 2.5	Pass
				-30	3.85	11.644	0.0061	-2.5 to 2.5	Pass
				-20	3.85	11.601	0.0061	-2.5 to 2.5	Pass
				-10	3.85	6.294	0.0033	-2.5 to 2.5	Pass
				0	3.85	4.177	0.0022	-2.5 to 2.5	Pass
				10	3.85	5.522	0.0029	-2.5 to 2.5	Pass
				30	3.85	7.567	0.0040	-2.5 to 2.5	Pass
				40	3.85	1.845	0.0010	-2.5 to 2.5	Pass
				50	3.85	12.174	0.0064	-2.5 to 2.5	Pass
16QAM	1851.5	15	0	20	3.27	5.879	0.0032	-2.5 to 2.5	Pass
					3.85	15.435	0.0083	-2.5 to 2.5	Pass
					4.43	6.065	0.0033	-2.5 to 2.5	Pass
				-30	3.85	1.230	0.0007	-2.5 to 2.5	Pass
				-20	3.85	9.255	0.0050	-2.5 to 2.5	Pass
				-10	3.85	-5.336	-0.0029	-2.5 to 2.5	Pass
				0	3.85	1.574	0.0009	-2.5 to 2.5	Pass
				10	3.85	4.220	0.0023	-2.5 to 2.5	Pass
				30	3.85	1.831	0.0010	-2.5 to 2.5	Pass
				40	3.85	12.131	0.0066	-2.5 to 2.5	Pass
				50	3.85	5.908	0.0032	-2.5 to 2.5	Pass
	1880	15	0	20	3.27	-1.373	-0.0007	-2.5 to 2.5	Pass
					3.85	1.259	0.0007	-2.5 to 2.5	Pass
					4.43	-11.230	-0.0060	-2.5 to 2.5	Pass
				-30	3.85	3.605	0.0019	-2.5 to 2.5	Pass
				-20	3.85	-9.799	-0.0052	-2.5 to 2.5	Pass
				-10	3.85	10.014	0.0053	-2.5 to 2.5	Pass
				0	3.85	5.779	0.0031	-2.5 to 2.5	Pass
				10	3.85	-1.645	-0.0009	-2.5 to 2.5	Pass
				30	3.85	-3.633	-0.0019	-2.5 to 2.5	Pass
				40	3.85	-2.747	-0.0015	-2.5 to 2.5	Pass
				50	3.85	-5.507	-0.0029	-2.5 to 2.5	Pass
	1908.5	15	0	20	3.27	8.712	0.0046	-2.5 to 2.5	Pass
					3.85	10.271	0.0054	-2.5 to 2.5	Pass
					4.43	-9.513	-0.0050	-2.5 to 2.5	Pass
				-30	3.85	-3.004	-0.0016	-2.5 to 2.5	Pass
				-20	3.85	3.047	0.0016	-2.5 to 2.5	Pass
				-10	3.85	-11.487	-0.0060	-2.5 to 2.5	Pass
				0	3.85	-11.029	-0.0058	-2.5 to 2.5	Pass
				10	3.85	4.034	0.0021	-2.5 to 2.5	Pass
				30	3.85	-0.672	-0.0004	-2.5 to 2.5	Pass
				40	3.85	-6.809	-0.0036	-2.5 to 2.5	Pass
				50	3.85	0.000	0.0000	-2.5 to 2.5	Pass

2.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1852.5	25	0	20	3.27	-8.898	-0.0048	-2.5 to 2.5	Pass
					3.85	-6.180	-0.0033	-2.5 to 2.5	Pass
					4.43	10.529	0.0057	-2.5 to 2.5	Pass

				-30	3.85	5.693	0.0031	-2.5 to 2.5	Pass
				-20	3.85	5.364	0.0029	-2.5 to 2.5	Pass
				-10	3.85	4.835	0.0026	-2.5 to 2.5	Pass
				0	3.85	4.649	0.0025	-2.5 to 2.5	Pass
				10	3.85	15.578	0.0084	-2.5 to 2.5	Pass
				30	3.85	7.339	0.0040	-2.5 to 2.5	Pass
				40	3.85	7.181	0.0039	-2.5 to 2.5	Pass
				50	3.85	0.629	0.0003	-2.5 to 2.5	Pass
	1880	25	0	20	3.27	-44.217	-0.0235	-2.5 to 2.5	Pass
					3.85	-3.304	-0.0018	-2.5 to 2.5	Pass
					4.43	-4.706	-0.0025	-2.5 to 2.5	Pass
				-30	3.85	-3.805	-0.0020	-2.5 to 2.5	Pass
				-20	3.85	-3.119	-0.0017	-2.5 to 2.5	Pass
				-10	3.85	-3.934	-0.0021	-2.5 to 2.5	Pass
				0	3.85	3.533	0.0019	-2.5 to 2.5	Pass
				10	3.85	1.988	0.0011	-2.5 to 2.5	Pass
				30	3.85	-6.595	-0.0035	-2.5 to 2.5	Pass
				40	3.85	-1.702	-0.0009	-2.5 to 2.5	Pass
				50	3.85	-8.068	-0.0043	-2.5 to 2.5	Pass
	1907.5	25	0	20	3.27	-48.122	-0.0252	-2.5 to 2.5	Pass
					3.85	5.121	0.0027	-2.5 to 2.5	Pass
					4.43	11.902	0.0062	-2.5 to 2.5	Pass
				-30	3.85	6.852	0.0036	-2.5 to 2.5	Pass
				-20	3.85	-3.262	-0.0017	-2.5 to 2.5	Pass
				-10	3.85	6.981	0.0037	-2.5 to 2.5	Pass
				0	3.85	-2.661	-0.0014	-2.5 to 2.5	Pass
				10	3.85	-0.029	0.0000	-2.5 to 2.5	Pass
				30	3.85	-0.343	-0.0002	-2.5 to 2.5	Pass
				40	3.85	3.734	0.0020	-2.5 to 2.5	Pass
				50	3.85	-3.376	-0.0018	-2.5 to 2.5	Pass
16QAM	1852.5	25	0	20	3.27	6.051	0.0033	-2.5 to 2.5	Pass
					3.85	0.300	0.0002	-2.5 to 2.5	Pass
					4.43	-4.106	-0.0022	-2.5 to 2.5	Pass
				-30	3.85	-16.737	-0.0090	-2.5 to 2.5	Pass
				-20	3.85	1.345	0.0007	-2.5 to 2.5	Pass
				-10	3.85	-7.954	-0.0043	-2.5 to 2.5	Pass
				0	3.85	-5.221	-0.0028	-2.5 to 2.5	Pass
				10	3.85	-4.334	-0.0023	-2.5 to 2.5	Pass
				30	3.85	-4.249	-0.0023	-2.5 to 2.5	Pass
				40	3.85	-8.211	-0.0044	-2.5 to 2.5	Pass
				50	3.85	-11.401	-0.0062	-2.5 to 2.5	Pass
	1880	25	0	20	3.27	-6.738	-0.0036	-2.5 to 2.5	Pass
					3.85	-7.911	-0.0042	-2.5 to 2.5	Pass
					4.43	-6.080	-0.0032	-2.5 to 2.5	Pass
				-30	3.85	-2.704	-0.0014	-2.5 to 2.5	Pass
				-20	3.85	-4.592	-0.0024	-2.5 to 2.5	Pass
				-10	3.85	-10.614	-0.0056	-2.5 to 2.5	Pass
				0	3.85	2.518	0.0013	-2.5 to 2.5	Pass
				10	3.85	-10.328	-0.0055	-2.5 to 2.5	Pass
				30	3.85	4.249	0.0023	-2.5 to 2.5	Pass
				40	3.85	-3.161	-0.0017	-2.5 to 2.5	Pass
				50	3.85	-6.938	-0.0037	-2.5 to 2.5	Pass
	1907.5	25	0	20	3.27	-0.873	-0.0005	-2.5 to 2.5	Pass
					3.85	-1.774	-0.0009	-2.5 to 2.5	Pass
					4.43	-5.035	-0.0026	-2.5 to 2.5	Pass
				-30	3.85	-6.194	-0.0032	-2.5 to 2.5	Pass
				-20	3.85	-6.323	-0.0033	-2.5 to 2.5	Pass
				-10	3.85	-4.606	-0.0024	-2.5 to 2.5	Pass
				0	3.85	-2.146	-0.0011	-2.5 to 2.5	Pass

				10	3.85	-10.972	-0.0058	-2.5 to 2.5	Pass
				30	3.85	-1.245	-0.0007	-2.5 to 2.5	Pass
				40	3.85	3.777	0.0020	-2.5 to 2.5	Pass
				50	3.85	-8.140	-0.0043	-2.5 to 2.5	Pass

2.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1855	50	0	20	3.27	-16.408	-0.0088	-2.5 to 2.5	Pass
					3.85	3.848	0.0021	-2.5 to 2.5	Pass
					4.43	3.977	0.0021	-2.5 to 2.5	Pass
				-30	3.85	1.888	0.0010	-2.5 to 2.5	Pass
				-20	3.85	-6.523	-0.0035	-2.5 to 2.5	Pass
				-10	3.85	2.217	0.0012	-2.5 to 2.5	Pass
				0	3.85	-0.658	-0.0004	-2.5 to 2.5	Pass
				10	3.85	3.405	0.0018	-2.5 to 2.5	Pass
				30	3.85	-0.243	-0.0001	-2.5 to 2.5	Pass
				40	3.85	1.302	0.0007	-2.5 to 2.5	Pass
				50	3.85	4.320	0.0023	-2.5 to 2.5	Pass
	1880	50	0	20	3.27	-22.073	-0.0117	-2.5 to 2.5	Pass
					3.85	3.648	0.0019	-2.5 to 2.5	Pass
					4.43	5.279	0.0028	-2.5 to 2.5	Pass
				-30	3.85	3.619	0.0019	-2.5 to 2.5	Pass
				-20	3.85	5.593	0.0030	-2.5 to 2.5	Pass
				-10	3.85	3.691	0.0020	-2.5 to 2.5	Pass
				0	3.85	2.174	0.0012	-2.5 to 2.5	Pass
				10	3.85	0.644	0.0003	-2.5 to 2.5	Pass
				30	3.85	1.531	0.0008	-2.5 to 2.5	Pass
				40	3.85	5.965	0.0032	-2.5 to 2.5	Pass
				50	3.85	1.359	0.0007	-2.5 to 2.5	Pass
	1905	50	0	20	3.27	-26.307	-0.0138	-2.5 to 2.5	Pass
					3.85	5.565	0.0029	-2.5 to 2.5	Pass
					4.43	3.748	0.0020	-2.5 to 2.5	Pass
				-30	3.85	8.354	0.0044	-2.5 to 2.5	Pass
				-20	3.85	0.143	0.0001	-2.5 to 2.5	Pass
				-10	3.85	4.792	0.0025	-2.5 to 2.5	Pass
				0	3.85	3.948	0.0021	-2.5 to 2.5	Pass
				10	3.85	5.021	0.0026	-2.5 to 2.5	Pass
				30	3.85	1.559	0.0008	-2.5 to 2.5	Pass
				40	3.85	3.262	0.0017	-2.5 to 2.5	Pass
				50	3.85	1.488	0.0008	-2.5 to 2.5	Pass
16QAM	1855	50	0	20	3.27	2.089	0.0011	-2.5 to 2.5	Pass
					3.85	1.287	0.0007	-2.5 to 2.5	Pass
					4.43	-3.419	-0.0018	-2.5 to 2.5	Pass
				-30	3.85	1.130	0.0006	-2.5 to 2.5	Pass
				-20	3.85	1.044	0.0006	-2.5 to 2.5	Pass
				-10	3.85	-1.330	-0.0007	-2.5 to 2.5	Pass
				0	3.85	-0.343	-0.0002	-2.5 to 2.5	Pass
				10	3.85	-2.360	-0.0013	-2.5 to 2.5	Pass
				30	3.85	0.286	0.0002	-2.5 to 2.5	Pass
				40	3.85	1.917	0.0010	-2.5 to 2.5	Pass
				50	3.85	2.589	0.0014	-2.5 to 2.5	Pass
	1880	50	0	20	3.27	6.652	0.0035	-2.5 to 2.5	Pass
					3.85	1.631	0.0009	-2.5 to 2.5	Pass
					4.43	4.621	0.0025	-2.5 to 2.5	Pass

				-30	3.85	0.043	0.0000	-2.5 to 2.5	Pass
				-20	3.85	0.458	0.0002	-2.5 to 2.5	Pass
				-10	3.85	3.190	0.0017	-2.5 to 2.5	Pass
				0	3.85	-1.187	-0.0006	-2.5 to 2.5	Pass
				10	3.85	3.304	0.0018	-2.5 to 2.5	Pass
				30	3.85	0.701	0.0004	-2.5 to 2.5	Pass
				40	3.85	3.462	0.0018	-2.5 to 2.5	Pass
				50	3.85	2.947	0.0016	-2.5 to 2.5	Pass
	1905	50	0	20	3.27	6.380	0.0033	-2.5 to 2.5	Pass
					3.85	3.047	0.0016	-2.5 to 2.5	Pass
					4.43	3.448	0.0018	-2.5 to 2.5	Pass
				-30	3.85	0.844	0.0004	-2.5 to 2.5	Pass
				-20	3.85	0.172	0.0001	-2.5 to 2.5	Pass
				-10	3.85	0.858	0.0005	-2.5 to 2.5	Pass
				0	3.85	4.678	0.0025	-2.5 to 2.5	Pass
				10	3.85	1.888	0.0010	-2.5 to 2.5	Pass
				30	3.85	3.605	0.0019	-2.5 to 2.5	Pass
				40	3.85	4.663	0.0024	-2.5 to 2.5	Pass
				50	3.85	1.731	0.0009	-2.5 to 2.5	Pass

2.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1857.5	75	0	20	3.27	-13.661	-0.0074	-2.5 to 2.5	Pass
					3.85	2.646	0.0014	-2.5 to 2.5	Pass
					4.43	2.747	0.0015	-2.5 to 2.5	Pass
				-30	3.85	-3.963	-0.0021	-2.5 to 2.5	Pass
				-20	3.85	-1.888	-0.0010	-2.5 to 2.5	Pass
				-10	3.85	-0.300	-0.0002	-2.5 to 2.5	Pass
				0	3.85	-6.809	-0.0037	-2.5 to 2.5	Pass
				10	3.85	-1.988	-0.0011	-2.5 to 2.5	Pass
				30	3.85	-0.658	-0.0004	-2.5 to 2.5	Pass
				40	3.85	0.687	0.0004	-2.5 to 2.5	Pass
				50	3.85	0.215	0.0001	-2.5 to 2.5	Pass
	1880	75	0	20	3.27	-23.603	-0.0126	-2.5 to 2.5	Pass
					3.85	2.632	0.0014	-2.5 to 2.5	Pass
					4.43	2.260	0.0012	-2.5 to 2.5	Pass
				-30	3.85	0.815	0.0004	-2.5 to 2.5	Pass
				-20	3.85	4.377	0.0023	-2.5 to 2.5	Pass
				-10	3.85	4.077	0.0022	-2.5 to 2.5	Pass
				0	3.85	2.747	0.0015	-2.5 to 2.5	Pass
				10	3.85	1.302	0.0007	-2.5 to 2.5	Pass
				30	3.85	-1.016	-0.0005	-2.5 to 2.5	Pass
				40	3.85	1.216	0.0006	-2.5 to 2.5	Pass
				50	3.85	0.272	0.0001	-2.5 to 2.5	Pass
	1902.5	75	0	20	3.27	-13.347	-0.0070	-2.5 to 2.5	Pass
					3.85	-0.987	-0.0005	-2.5 to 2.5	Pass
					4.43	2.174	0.0011	-2.5 to 2.5	Pass
				-30	3.85	3.333	0.0018	-2.5 to 2.5	Pass
				-20	3.85	4.950	0.0026	-2.5 to 2.5	Pass
				-10	3.85	1.302	0.0007	-2.5 to 2.5	Pass
				0	3.85	2.918	0.0015	-2.5 to 2.5	Pass
				10	3.85	-1.073	-0.0006	-2.5 to 2.5	Pass
				30	3.85	3.576	0.0019	-2.5 to 2.5	Pass
				40	3.85	3.834	0.0020	-2.5 to 2.5	Pass

16QAM	1857.5	75	0	50	3.85	-0.558	-0.0003	-2.5 to 2.5	Pass
				20	3.27	4.134	0.0022	-2.5 to 2.5	Pass
					3.85	0.887	0.0005	-2.5 to 2.5	Pass
					4.43	2.890	0.0016	-2.5 to 2.5	Pass
				-30	3.85	1.459	0.0008	-2.5 to 2.5	Pass
				-20	3.85	-0.644	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	4.406	0.0024	-2.5 to 2.5	Pass
				0	3.85	5.507	0.0030	-2.5 to 2.5	Pass
				10	3.85	-1.645	-0.0009	-2.5 to 2.5	Pass
				30	3.85	3.247	0.0017	-2.5 to 2.5	Pass
	1880	75	0	40	3.85	-1.559	-0.0008	-2.5 to 2.5	Pass
				50	3.85	-0.329	-0.0002	-2.5 to 2.5	Pass
				20	3.27	1.688	0.0009	-2.5 to 2.5	Pass
					3.85	-0.243	-0.0001	-2.5 to 2.5	Pass
					4.43	0.558	0.0003	-2.5 to 2.5	Pass
				-30	3.85	-2.103	-0.0011	-2.5 to 2.5	Pass
				-20	3.85	-0.601	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	-3.734	-0.0020	-2.5 to 2.5	Pass
				0	3.85	-0.844	-0.0004	-2.5 to 2.5	Pass
				10	3.85	0.858	0.0005	-2.5 to 2.5	Pass
	1902.5	75	0	30	3.85	-0.687	-0.0004	-2.5 to 2.5	Pass
				40	3.85	0.443	0.0002	-2.5 to 2.5	Pass
				50	3.85	-3.176	-0.0017	-2.5 to 2.5	Pass
				20	3.27	4.506	0.0024	-2.5 to 2.5	Pass
					3.85	-0.329	-0.0002	-2.5 to 2.5	Pass
					4.43	0.186	0.0001	-2.5 to 2.5	Pass
				-30	3.85	0.458	0.0002	-2.5 to 2.5	Pass
				-20	3.85	1.116	0.0006	-2.5 to 2.5	Pass
				-10	3.85	0.043	0.0000	-2.5 to 2.5	Pass
				0	3.85	1.402	0.0007	-2.5 to 2.5	Pass
				10	3.85	0.758	0.0004	-2.5 to 2.5	Pass
				30	3.85	-0.429	-0.0002	-2.5 to 2.5	Pass
				40	3.85	2.661	0.0014	-2.5 to 2.5	Pass
				50	3.85	-0.157	-0.0001	-2.5 to 2.5	Pass

2.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1860	100	0	20	3.27	-20.642	-0.0111	-2.5 to 2.5	Pass
					3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
					4.43	4.406	0.0024	-2.5 to 2.5	Pass
				-30	3.85	1.216	0.0007	-2.5 to 2.5	Pass
				-20	3.85	2.074	0.0011	-2.5 to 2.5	Pass
				-10	3.85	1.087	0.0006	-2.5 to 2.5	Pass
				0	3.85	3.576	0.0019	-2.5 to 2.5	Pass
				10	3.85	-1.030	-0.0006	-2.5 to 2.5	Pass
				30	3.85	3.047	0.0016	-2.5 to 2.5	Pass
				40	3.85	-1.159	-0.0006	-2.5 to 2.5	Pass
				50	3.85	-3.433	-0.0018	-2.5 to 2.5	Pass
	1880	100	0	20	3.27	-11.001	-0.0059	-2.5 to 2.5	Pass
					3.85	0.472	0.0003	-2.5 to 2.5	Pass
					4.43	-2.117	-0.0011	-2.5 to 2.5	Pass
				-30	3.85	-0.472	-0.0003	-2.5 to 2.5	Pass
				-20	3.85	-0.386	-0.0002	-2.5 to 2.5	Pass
				-10	3.85	-3.991	-0.0021	-2.5 to 2.5	Pass

				0	3.85	-0.443	-0.0002	-2.5 to 2.5	Pass
				10	3.85	2.217	0.0012	-2.5 to 2.5	Pass
				30	3.85	8.254	0.0044	-2.5 to 2.5	Pass
				40	3.85	-5.350	-0.0028	-2.5 to 2.5	Pass
				50	3.85	-1.001	-0.0005	-2.5 to 2.5	Pass
	1900	100	0	20	3.27	-18.425	-0.0097	-2.5 to 2.5	Pass
					3.85	0.658	0.0003	-2.5 to 2.5	Pass
					4.43	2.990	0.0016	-2.5 to 2.5	Pass
				-30	3.85	-0.386	-0.0002	-2.5 to 2.5	Pass
				-20	3.85	-1.588	-0.0008	-2.5 to 2.5	Pass
				-10	3.85	0.515	0.0003	-2.5 to 2.5	Pass
				0	3.85	-0.730	-0.0004	-2.5 to 2.5	Pass
				10	3.85	-1.359	-0.0007	-2.5 to 2.5	Pass
				30	3.85	4.621	0.0024	-2.5 to 2.5	Pass
				40	3.85	-1.631	-0.0009	-2.5 to 2.5	Pass
				50	3.85	1.259	0.0007	-2.5 to 2.5	Pass
16QAM	1860	100	0	20	3.27	-0.901	-0.0005	-2.5 to 2.5	Pass
					3.85	-0.315	-0.0002	-2.5 to 2.5	Pass
					4.43	2.718	0.0015	-2.5 to 2.5	Pass
				-30	3.85	-1.059	-0.0006	-2.5 to 2.5	Pass
				-20	3.85	0.215	0.0001	-2.5 to 2.5	Pass
				-10	3.85	-2.031	-0.0011	-2.5 to 2.5	Pass
				0	3.85	-1.216	-0.0007	-2.5 to 2.5	Pass
				10	3.85	-1.459	-0.0008	-2.5 to 2.5	Pass
				30	3.85	-2.003	-0.0011	-2.5 to 2.5	Pass
				40	3.85	-3.548	-0.0019	-2.5 to 2.5	Pass
				50	3.85	-2.360	-0.0013	-2.5 to 2.5	Pass
	1880	100	0	20	3.27	-0.186	-0.0001	-2.5 to 2.5	Pass
					3.85	-0.257	-0.0001	-2.5 to 2.5	Pass
					4.43	-0.544	-0.0003	-2.5 to 2.5	Pass
				-30	3.85	0.129	0.0001	-2.5 to 2.5	Pass
				-20	3.85	-1.945	-0.0010	-2.5 to 2.5	Pass
				-10	3.85	0.300	0.0002	-2.5 to 2.5	Pass
				0	3.85	1.473	0.0008	-2.5 to 2.5	Pass
				10	3.85	-1.159	-0.0006	-2.5 to 2.5	Pass
				30	3.85	-4.277	-0.0023	-2.5 to 2.5	Pass
				40	3.85	-0.758	-0.0004	-2.5 to 2.5	Pass
				50	3.85	1.945	0.0010	-2.5 to 2.5	Pass
	1900	100	0	20	3.27	-1.545	-0.0008	-2.5 to 2.5	Pass
					3.85	1.717	0.0009	-2.5 to 2.5	Pass
					4.43	-1.674	-0.0009	-2.5 to 2.5	Pass
				-30	3.85	-2.704	-0.0014	-2.5 to 2.5	Pass
				-20	3.85	2.117	0.0011	-2.5 to 2.5	Pass
				-10	3.85	-0.873	-0.0005	-2.5 to 2.5	Pass
				0	3.85	-4.191	-0.0022	-2.5 to 2.5	Pass
				10	3.85	-4.478	-0.0024	-2.5 to 2.5	Pass
				30	3.85	-1.245	-0.0007	-2.5 to 2.5	Pass
				40	3.85	-2.317	-0.0012	-2.5 to 2.5	Pass
				50	3.85	-0.758	-0.0004	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	6	0	Refer To Test Graph		Pass
16QAM	1880	6	0	Refer To Test Graph		Pass

3.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	15	0	Refer To Test Graph		Pass
16QAM	1880	15	0	Refer To Test Graph		Pass

3.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	25	0	Refer To Test Graph		Pass
16QAM	1880	25	0	Refer To Test Graph		Pass

3.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	50	0	Refer To Test Graph		Pass
16QAM	1880	50	0	Refer To Test Graph		Pass

3.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	75	0	Refer To Test Graph		Pass
16QAM	1880	75	0	Refer To Test Graph		Pass

3.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	100	0	Refer To Test Graph		Pass
16QAM	1880	100	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B2_1.4MHz




3.2.2 B2_3MHz




3.2.3 B2_5MHz




3.2.4 B2_10MHz



3.2.5 B2_15MHz



3.2.6 B2_20MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band2_OBW

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.116	/	Pass
		1880	6	0	1.113	/	Pass
		1909.3	6	0	1.117	/	Pass
	16QAM	1850.7	6	0	1.103	/	Pass
		1880	6	0	1.110	/	Pass
		1909.3	6	0	1.113	/	Pass
3	QPSK	1851.5	15	0	2.742	/	Pass
		1880	15	0	2.736	/	Pass
		1908.5	15	0	2.740	/	Pass
	16QAM	1851.5	15	0	2.723	/	Pass
		1880	15	0	2.731	/	Pass
		1908.5	15	0	2.726	/	Pass
5	QPSK	1852.5	25	0	4.559	/	Pass
		1880	25	0	4.546	/	Pass
		1907.5	25	0	4.549	/	Pass
	16QAM	1852.5	25	0	4.532	/	Pass
		1880	25	0	4.551	/	Pass
		1907.5	25	0	4.558	/	Pass
10	QPSK	1855	50	0	9.074	/	Pass
		1880	50	0	9.034	/	Pass
		1905	50	0	9.082	/	Pass
	16QAM	1855	50	0	9.062	/	Pass
		1880	50	0	9.059	/	Pass
		1905	50	0	9.089	/	Pass
15	QPSK	1857.5	75	0	13.592	/	Pass
		1880	75	0	13.565	/	Pass
		1902.5	75	0	13.558	/	Pass
	16QAM	1857.5	75	0	13.607	/	Pass
		1880	75	0	13.580	/	Pass
		1902.5	75	0	13.531	/	Pass
20	QPSK	1860	100	0	18.084	/	Pass
		1880	100	0	18.069	/	Pass
		1900	100	0	18.043	/	Pass
	16QAM	1860	100	0	18.130	/	Pass
		1880	100	0	18.093	/	Pass
		1900	100	0	18.053	/	Pass


4.1.2 Band2_XDB

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.341	/	Pass
		1880	6	0	1.340	/	Pass
		1909.3	6	0	1.327	/	Pass


	16QAM	1850.7	6	0	1.310	/	Pass
		1880	6	0	1.343	/	Pass
		1909.3	6	0	1.346	/	Pass
3	QPSK	1851.5	15	0	3.020	/	Pass
		1880	15	0	2.988	/	Pass
		1908.5	15	0	3.018	/	Pass
	16QAM	1851.5	15	0	3.015	/	Pass
		1880	15	0	3.007	/	Pass
		1908.5	15	0	3.012	/	Pass
5	QPSK	1852.5	25	0	5.040	/	Pass
		1880	25	0	5.057	/	Pass
		1907.5	25	0	5.059	/	Pass
	16QAM	1852.5	25	0	5.044	/	Pass
		1880	25	0	5.084	/	Pass
		1907.5	25	0	5.022	/	Pass
10	QPSK	1855	50	0	9.976	/	Pass
		1880	50	0	9.972	/	Pass
		1905	50	0	10.043	/	Pass
	16QAM	1855	50	0	9.926	/	Pass
		1880	50	0	10.009	/	Pass
		1905	50	0	9.931	/	Pass
15	QPSK	1857.5	75	0	14.995	/	Pass
		1880	75	0	14.916	/	Pass
		1902.5	75	0	14.897	/	Pass
	16QAM	1857.5	75	0	15.497	/	Pass
		1880	75	0	14.973	/	Pass
		1902.5	75	0	14.859	/	Pass
20	QPSK	1860	100	0	19.901	/	Pass
		1880	100	0	19.929	/	Pass
		1900	100	0	19.665	/	Pass
	16QAM	1860	100	0	19.795	/	Pass
		1880	100	0	19.735	/	Pass
		1900	100	0	19.727	/	Pass

4.2 Test Graph


4.2.1 Band2_OBW




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




Band2 3MHz QPSK LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz QPSK MCH 1880MHz RB 15 0 NTNV




Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTNV




Band2 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTV




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTNV




Band2 5MHz QPSK MCH 1880MHz RB 25 0 NTNV




Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTN




Band2 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTN




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTNV




Band2 5MHz 16QAM HCH 1907.5MHz RB 25 0 NTNV




Band2 10MHz QPSK LCH 1855MHz RB 50 0 NTN




Band2 10MHz QPSK MCH 1880MHz RB 50 0 NTN




Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTNV




Band2 10MHz 16QAM LCH 1855MHz RB 50 0 NTNV




Band2 10MHz 16QAM MCH 1880MHz RB 50 0 NTV




Band2 10MHz 16QAM HCH 1905MHz RB 50 0 NTV




Band2 15MHz QPSK LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz QPSK MCH 1880MHz RB 75 0 NTNV




Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 75 0 NTNV




Band2 20MHz QPSK LCH 1860MHz RB 100 0 NTNV




Band2 20MHz QPSK MCH 1880MHz RB 100 0 NTNV




Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTNV




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV




Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV




Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTNV




4.2.2 Band2_XDB




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




Band2 3MHz QPSK LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz QPSK MCH 1880MHz RB 15 0 NTNV




Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTV




Band2 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTV




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTV




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTNV




Band2 5MHz QPSK MCH 1880MHz RB 25 0 NTNV




Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTV




Band2 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTV




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTV




Band2 5MHz 16QAM HCH 1907.5MHz RB 25 0 NTV




Band2 10MHz QPSK LCH 1855MHz RB 50 0 NTN




Band2 10MHz QPSK MCH 1880MHz RB 50 0 NTN




Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTNV




Band2 10MHz 16QAM LCH 1855MHz RB 50 0 NTNV




Band2 10MHz 16QAM MCH 1880MHz RB 50 0 NTNV




Band2 10MHz 16QAM HCH 1905MHz RB 50 0 NTNV




Band2 15MHz QPSK LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz QPSK MCH 1880MHz RB 75 0 NTNV




Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 75 0 NTNV




Band2 20MHz QPSK LCH 1860MHz RB 100 0 NTNV




Band2 20MHz QPSK MCH 1880MHz RB 100 0 NTNV




Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTNV




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV



Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV



Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	6	0	5.31	<=13	Pass
	1880	6	0	5.33	<=13	Pass
	1909.3	6	0	4.87	<=13	Pass
16QAM	1850.7	6	0	6.02	<=13	Pass
	1880	6	0	6.09	<=13	Pass
	1909.3	6	0	5.77	<=13	Pass

5.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	15	0	5.31	<=13	Pass
	1880	15	0	5.33	<=13	Pass
	1908.5	15	0	5.11	<=13	Pass
16QAM	1851.5	15	0	6.08	<=13	Pass
	1880	15	0	6.16	<=13	Pass
	1908.5	15	0	5.95	<=13	Pass

5.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	25	0	5.42	<=13	Pass
	1880	25	0	5.49	<=13	Pass
	1907.5	25	0	5.36	<=13	Pass
16QAM	1852.5	25	0	6.11	<=13	Pass
	1880	25	0	6.17	<=13	Pass
	1907.5	25	0	6.02	<=13	Pass

5.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	50	0	5.36	<=13	Pass
	1880	50	0	5.43	<=13	Pass
	1905	50	0	5.31	<=13	Pass
16QAM	1855	50	0	6.09	<=13	Pass
	1880	50	0	6.19	<=13	Pass

	1905	50	0	6.03	<=13	Pass
--	------	----	---	------	------	------

5.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	75	0	5.55	<=13	Pass
	1880	75	0	5.66	<=13	Pass
	1902.5	75	0	5.40	<=13	Pass
16QAM	1857.5	75	0	6.07	<=13	Pass
	1880	75	0	6.20	<=13	Pass
	1902.5	75	0	5.99	<=13	Pass

5.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	100	0	5.34	<=13	Pass
	1880	100	0	5.38	<=13	Pass
	1900	100	0	5.20	<=13	Pass
16QAM	1860	100	0	6.03	<=13	Pass
	1880	100	0	6.15	<=13	Pass
	1900	100	0	5.99	<=13	Pass

5.2 Test Graph


5.2.1 B2_1.4MHz




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




5.2.2 B2_3MHz




Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTN




Band2 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTN



Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTNV




5.2.3 B2_5MHz


Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTN




Band2 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTN




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTN




Band2 5MHz 16QAM HCH 1907.5MHz RB 25 0 NTN




5.2.4 B2_10MHz




Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTN




Band2 10MHz 16QAM LCH 1855MHz RB 50 0 NTN



Band2 10MHz 16QAM MCH 1880MHz RB 50 0 NTNV




Band2 10MHz 16QAM HCH 1905MHz RB 50 0 NTNV




5.2.5 B2_15MHz


Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTNV



Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 75 0 NTNV




5.2.6 B2_20MHz


Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTNV




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV



Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV



Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTNV



6. Spurious Emission

6.1 Test Result

6.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass

6.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass

6.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	1852.5	1	0	Refer To Test Graph		Pass

	1880	25	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
	1907.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

6.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

6.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1902.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
16QAM	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1902.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass


6.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1900	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
16QAM	1860	1	0	Refer To Test Graph		Pass


		100	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
	1900	1	0	Refer To Test Graph	Pass
			99	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass

6.2 Test Graph


6.2.1 B2_1.4MHz




Band2 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTNV




Band2 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTNV




Band2 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTNV



Band2 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTNV



Band2 1.4MHz QPSK LCH 1850.7MHz RB 6 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-28.21	-13	Pass
1849	1850	0.013	CHP	2	1849.995	-30.53	-13	Pass
1850	1853	0.013	CHP	/	/	/	/	/

Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTNV

