

## 1. Effective (Isotropic) Radiated Power Output Data

### 1.1 Test Result

#### 1.1.1 B25\_1.4MHz\_EIRP

| Band: 25 / Bandwidth: 1.4MHz / NTNV |                 |               |        |                       |            |            |         |         |
|-------------------------------------|-----------------|---------------|--------|-----------------------|------------|------------|---------|---------|
| Modulation                          | Frequency (MHz) | RB Allocation |        | Conducted Power (dBm) | Gain (dBi) | EIRP (dBm) |         | Verdict |
|                                     |                 | Size          | Offset |                       |            | Result     | Limit   |         |
| QPSK                                | 1850.7          | 1             | 0      | 20.78                 | 0.82       | 21.60      | <=33.01 | Pass    |
|                                     |                 |               | 2      | 21.87                 | 0.82       | 22.69      | <=33.01 | Pass    |
|                                     |                 |               | 5      | 21.79                 | 0.82       | 22.61      | <=33.01 | Pass    |
|                                     |                 | 3             | 0      | 21.92                 | 0.82       | 22.74      | <=33.01 | Pass    |
|                                     |                 |               | 2      | 21.94                 | 0.82       | 22.76      | <=33.01 | Pass    |
|                                     |                 |               | 3      | 21.84                 | 0.82       | 22.66      | <=33.01 | Pass    |
|                                     |                 | 6             | 0      | 20.84                 | 0.82       | 21.66      | <=33.01 | Pass    |
|                                     | 1882.5          | 1             | 0      | 21.88                 | 0.82       | 22.70      | <=33.01 | Pass    |
|                                     |                 |               | 2      | 21.90                 | 0.82       | 22.72      | <=33.01 | Pass    |
|                                     |                 |               | 5      | 21.86                 | 0.82       | 22.68      | <=33.01 | Pass    |
|                                     |                 | 3             | 0      | 21.85                 | 0.82       | 22.67      | <=33.01 | Pass    |
|                                     |                 |               | 2      | 21.91                 | 0.82       | 22.73      | <=33.01 | Pass    |
|                                     |                 |               | 3      | 21.86                 | 0.82       | 22.68      | <=33.01 | Pass    |
|                                     |                 | 6             | 0      | 20.82                 | 0.82       | 21.64      | <=33.01 | Pass    |
|                                     | 1914.3          | 1             | 0      | 21.85                 | 0.82       | 22.67      | <=33.01 | Pass    |
|                                     |                 |               | 2      | 21.84                 | 0.82       | 22.66      | <=33.01 | Pass    |
|                                     |                 |               | 5      | 21.79                 | 0.82       | 22.61      | <=33.01 | Pass    |
|                                     |                 | 3             | 0      | 21.78                 | 0.82       | 22.60      | <=33.01 | Pass    |
|                                     |                 |               | 2      | 21.82                 | 0.82       | 22.64      | <=33.01 | Pass    |
|                                     |                 |               | 3      | 21.77                 | 0.82       | 22.59      | <=33.01 | Pass    |
| 16QAM                               | 1850.7          | 1             | 0      | 20.76                 | 0.82       | 21.58      | <=33.01 | Pass    |
|                                     |                 |               | 2      | 21.21                 | 0.82       | 22.03      | <=33.01 | Pass    |
|                                     |                 |               | 5      | 21.22                 | 0.82       | 22.04      | <=33.01 | Pass    |
|                                     |                 | 3             | 0      | 21.23                 | 0.82       | 22.05      | <=33.01 | Pass    |
|                                     |                 |               | 2      | 21.09                 | 0.82       | 21.91      | <=33.01 | Pass    |
|                                     |                 |               | 3      | 21.09                 | 0.82       | 21.91      | <=33.01 | Pass    |
|                                     |                 | 6             | 0      | 21.06                 | 0.82       | 21.88      | <=33.01 | Pass    |
|                                     | 1882.5          | 1             | 0      | 20.11                 | 0.82       | 20.93      | <=33.01 | Pass    |
|                                     |                 |               | 2      | 20.94                 | 0.82       | 21.76      | <=33.01 | Pass    |
|                                     |                 |               | 5      | 20.97                 | 0.82       | 21.79      | <=33.01 | Pass    |
|                                     |                 | 3             | 0      | 20.94                 | 0.82       | 21.76      | <=33.01 | Pass    |
|                                     |                 |               | 2      | 20.98                 | 0.82       | 21.80      | <=33.01 | Pass    |
|                                     |                 |               | 3      | 20.95                 | 0.82       | 21.77      | <=33.01 | Pass    |
|                                     |                 | 6             | 0      | 20.86                 | 0.82       | 21.68      | <=33.01 | Pass    |
|                                     | 1914.3          | 1             | 0      | 20.16                 | 0.82       | 20.98      | <=33.01 | Pass    |
|                                     |                 |               | 2      | 20.90                 | 0.82       | 21.72      | <=33.01 | Pass    |
|                                     |                 |               | 5      | 20.88                 | 0.82       | 21.70      | <=33.01 | Pass    |
|                                     |                 | 3             | 0      | 20.84                 | 0.82       | 21.66      | <=33.01 | Pass    |
|                                     |                 |               | 2      | 20.90                 | 0.82       | 21.72      | <=33.01 | Pass    |
|                                     |                 |               | 3      | 20.90                 | 0.82       | 21.72      | <=33.01 | Pass    |
|                                     |                 | 6             | 0      | 20.76                 | 0.82       | 21.58      | <=33.01 | Pass    |
|                                     |                 | 6             | 0      | 20.14                 | 0.82       | 20.96      | <=33.01 | Pass    |

Note1: EIRP=Conducted Power+Antenna Gain

#### 1.1.2 B25\_3MHz\_EIRP

| Band: 25 / Bandwidth: 3MHz / NTNV |
|-----------------------------------|
|-----------------------------------|

| Modulation | Frequency (MHz) | RB Allocation |        | Conducted Power (dBm) | Gain (dBi) | EIRP (dBm) |         | Verdict |
|------------|-----------------|---------------|--------|-----------------------|------------|------------|---------|---------|
|            |                 | Size          | Offset |                       |            | Result     | Limit   |         |
| QPSK       | 1851.5          | 1             | 0      | 22.06                 | 0.82       | 22.88      | <=33.01 | Pass    |
|            |                 |               | 7      | 22.08                 | 0.82       | 22.90      | <=33.01 | Pass    |
|            |                 |               | 14     | 22.02                 | 0.82       | 22.84      | <=33.01 | Pass    |
|            |                 | 8             | 0      | 20.94                 | 0.82       | 21.76      | <=33.01 | Pass    |
|            |                 |               | 4      | 20.92                 | 0.82       | 21.74      | <=33.01 | Pass    |
|            |                 |               | 7      | 20.89                 | 0.82       | 21.71      | <=33.01 | Pass    |
|            |                 | 15            | 0      | 20.91                 | 0.82       | 21.73      | <=33.01 | Pass    |
|            | 1882.5          | 1             | 0      | 21.70                 | 0.82       | 22.52      | <=33.01 | Pass    |
|            |                 |               | 7      | 21.76                 | 0.82       | 22.58      | <=33.01 | Pass    |
|            |                 |               | 14     | 21.67                 | 0.82       | 22.49      | <=33.01 | Pass    |
|            |                 | 8             | 0      | 20.90                 | 0.82       | 21.72      | <=33.01 | Pass    |
|            |                 |               | 4      | 20.90                 | 0.82       | 21.72      | <=33.01 | Pass    |
|            |                 |               | 7      | 20.81                 | 0.82       | 21.63      | <=33.01 | Pass    |
|            |                 | 15            | 0      | 20.84                 | 0.82       | 21.66      | <=33.01 | Pass    |
|            | 1913.5          | 1             | 0      | 21.74                 | 0.82       | 22.56      | <=33.01 | Pass    |
|            |                 |               | 7      | 21.78                 | 0.82       | 22.60      | <=33.01 | Pass    |
|            |                 |               | 14     | 21.72                 | 0.82       | 22.54      | <=33.01 | Pass    |
|            |                 | 8             | 0      | 20.78                 | 0.82       | 21.60      | <=33.01 | Pass    |
|            |                 |               | 4      | 20.77                 | 0.82       | 21.59      | <=33.01 | Pass    |
|            |                 |               | 7      | 20.74                 | 0.82       | 21.56      | <=33.01 | Pass    |
|            |                 | 15            | 0      | 20.74                 | 0.82       | 21.56      | <=33.01 | Pass    |
| 16QAM      | 1851.5          | 1             | 0      | 20.87                 | 0.82       | 21.69      | <=33.01 | Pass    |
|            |                 |               | 7      | 20.76                 | 0.82       | 21.58      | <=33.01 | Pass    |
|            |                 |               | 14     | 20.81                 | 0.82       | 21.63      | <=33.01 | Pass    |
|            |                 | 8             | 0      | 20.31                 | 0.82       | 21.13      | <=33.01 | Pass    |
|            |                 |               | 4      | 20.27                 | 0.82       | 21.09      | <=33.01 | Pass    |
|            |                 |               | 7      | 20.32                 | 0.82       | 21.14      | <=33.01 | Pass    |
|            |                 | 15            | 0      | 20.18                 | 0.82       | 21.00      | <=33.01 | Pass    |
|            | 1882.5          | 1             | 0      | 21.33                 | 0.82       | 22.15      | <=33.01 | Pass    |
|            |                 |               | 7      | 21.37                 | 0.82       | 22.19      | <=33.01 | Pass    |
|            |                 |               | 14     | 21.36                 | 0.82       | 22.18      | <=33.01 | Pass    |
|            |                 | 8             | 0      | 20.02                 | 0.82       | 20.84      | <=33.01 | Pass    |
|            |                 |               | 4      | 20.12                 | 0.82       | 20.94      | <=33.01 | Pass    |
|            |                 |               | 7      | 20.05                 | 0.82       | 20.87      | <=33.01 | Pass    |
|            |                 | 15            | 0      | 19.97                 | 0.82       | 20.79      | <=33.01 | Pass    |
|            | 1913.5          | 1             | 0      | 21.23                 | 0.82       | 22.05      | <=33.01 | Pass    |
|            |                 |               | 7      | 21.15                 | 0.82       | 21.97      | <=33.01 | Pass    |
|            |                 |               | 14     | 21.12                 | 0.82       | 21.94      | <=33.01 | Pass    |
|            |                 | 8             | 0      | 20.16                 | 0.82       | 20.98      | <=33.01 | Pass    |
|            |                 |               | 4      | 20.15                 | 0.82       | 20.97      | <=33.01 | Pass    |
|            |                 |               | 7      | 20.06                 | 0.82       | 20.88      | <=33.01 | Pass    |
|            |                 | 15            | 0      | 20.02                 | 0.82       | 20.84      | <=33.01 | Pass    |

Note1: EIRP=Conducted Power+Antenna Gain

### 1.1.3 B25\_5MHz\_EIRP

| Band: 25 / Bandwidth: 5MHz / NTNV |                 |               |        |                       |            |            |         |         |
|-----------------------------------|-----------------|---------------|--------|-----------------------|------------|------------|---------|---------|
| Modulation                        | Frequency (MHz) | RB Allocation |        | Conducted Power (dBm) | Gain (dBi) | EIRP (dBm) |         | Verdict |
|                                   |                 | Size          | Offset |                       |            | Result     | Limit   |         |
| QPSK                              | 1852.5          | 1             | 0      | 21.72                 | 0.82       | 22.54      | <=33.01 | Pass    |
|                                   |                 |               | 13     | 21.76                 | 0.82       | 22.58      | <=33.01 | Pass    |
|                                   |                 |               | 24     | 21.83                 | 0.82       | 22.65      | <=33.01 | Pass    |
|                                   |                 | 12            | 0      | 21.03                 | 0.82       | 21.85      | <=33.01 | Pass    |
|                                   |                 |               | 6      | 21.01                 | 0.82       | 21.83      | <=33.01 | Pass    |
|                                   |                 |               | 13     | 20.99                 | 0.82       | 21.81      | <=33.01 | Pass    |

|        |        |        |       |       |       |         |         |         |      |
|--------|--------|--------|-------|-------|-------|---------|---------|---------|------|
| 16QAM  | 1882.5 | 25     | 0     | 21.00 | 0.82  | 21.82   | <=33.01 | Pass    |      |
|        |        | 1      | 0     | 21.91 | 0.82  | 22.73   | <=33.01 | Pass    |      |
|        |        |        | 13    | 21.97 | 0.82  | 22.79   | <=33.01 | Pass    |      |
|        |        |        | 24    | 21.98 | 0.82  | 22.80   | <=33.01 | Pass    |      |
|        |        |        | 0     | 21.00 | 0.82  | 21.82   | <=33.01 | Pass    |      |
|        |        | 12     | 6     | 21.00 | 0.82  | 21.82   | <=33.01 | Pass    |      |
|        |        |        | 13    | 20.98 | 0.82  | 21.80   | <=33.01 | Pass    |      |
|        |        |        | 0     | 20.97 | 0.82  | 21.79   | <=33.01 | Pass    |      |
|        |        | 1912.5 | 1     | 0     | 21.79 | 0.82    | 22.61   | <=33.01 | Pass |
|        |        |        |       | 13    | 21.87 | 0.82    | 22.69   | <=33.01 | Pass |
|        | 24     |        |       | 21.80 | 0.82  | 22.62   | <=33.01 | Pass    |      |
|        | 12     |        | 0     | 20.89 | 0.82  | 21.71   | <=33.01 | Pass    |      |
|        |        |        | 6     | 20.90 | 0.82  | 21.72   | <=33.01 | Pass    |      |
|        |        |        | 13    | 20.84 | 0.82  | 21.66   | <=33.01 | Pass    |      |
|        | 25     | 0      | 20.84 | 0.82  | 21.66 | <=33.01 | Pass    |         |      |
|        | 1852.5 | 1882.5 | 1     | 0     | 20.99 | 0.82    | 21.81   | <=33.01 | Pass |
| 13     |        |        |       | 21.02 | 0.82  | 21.84   | <=33.01 | Pass    |      |
| 24     |        |        |       | 21.03 | 0.82  | 21.85   | <=33.01 | Pass    |      |
| 12     |        |        | 0     | 20.23 | 0.82  | 21.05   | <=33.01 | Pass    |      |
|        |        |        | 6     | 20.21 | 0.82  | 21.03   | <=33.01 | Pass    |      |
|        |        |        | 13    | 20.26 | 0.82  | 21.08   | <=33.01 | Pass    |      |
| 25     |        |        | 0     | 20.35 | 0.82  | 21.17   | <=33.01 | Pass    |      |
| 1912.5 |        |        | 1     | 0     | 21.01 | 0.82    | 21.83   | <=33.01 | Pass |
|        |        |        |       | 13    | 21.04 | 0.82    | 21.86   | <=33.01 | Pass |
|        |        | 24     |       | 20.98 | 0.82  | 21.80   | <=33.01 | Pass    |      |
|        |        | 12     | 0     | 20.06 | 0.82  | 20.88   | <=33.01 | Pass    |      |
|        |        |        | 6     | 20.01 | 0.82  | 20.83   | <=33.01 | Pass    |      |
|        |        |        | 13    | 20.10 | 0.82  | 20.92   | <=33.01 | Pass    |      |
| 25     |        | 0      | 20.03 | 0.82  | 20.85 | <=33.01 | Pass    |         |      |
| 1852.5 |        | 1      | 0     | 20.15 | 0.82  | 20.97   | <=33.01 | Pass    |      |
|        |        |        | 13    | 20.17 | 0.82  | 20.99   | <=33.01 | Pass    |      |
|        |        |        | 24    | 20.14 | 0.82  | 20.96   | <=33.01 | Pass    |      |
|        |        | 12     | 0     | 20.02 | 0.82  | 20.84   | <=33.01 | Pass    |      |
|        | 6      |        | 20.03 | 0.82  | 20.85 | <=33.01 | Pass    |         |      |
|        | 13     |        | 20.00 | 0.82  | 20.82 | <=33.01 | Pass    |         |      |
|        | 25     | 0      | 20.09 | 0.82  | 20.91 | <=33.01 | Pass    |         |      |

Note1: EIRP=Conducted Power+Antenna Gain

Note1: EIRP=Conducted Power+Antenna Gain

## 1.1.4 B25\_10MHz\_EIRP

| Band: 25 / Bandwidth: 10MHz / NTNV |                 |               |        |                       |            |            |         |         |
|------------------------------------|-----------------|---------------|--------|-----------------------|------------|------------|---------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Conducted Power (dBm) | Gain (dBi) | EIRP (dBm) |         | Verdict |
|                                    |                 | Size          | Offset |                       |            | Result     | Limit   |         |
| QPSK                               | 1855            | 1             | 0      | 22.02                 | 0.82       | 22.84      | <=33.01 | Pass    |
|                                    |                 |               | 25     | 22.18                 | 0.82       | 23.00      | <=33.01 | Pass    |
|                                    |                 |               | 49     | 22.18                 | 0.82       | 23.00      | <=33.01 | Pass    |
|                                    |                 | 25            | 0      | 21.03                 | 0.82       | 21.85      | <=33.01 | Pass    |
|                                    |                 |               | 13     | 21.08                 | 0.82       | 21.90      | <=33.01 | Pass    |
|                                    |                 |               | 25     | 21.06                 | 0.82       | 21.88      | <=33.01 | Pass    |
|                                    |                 | 50            | 0      | 21.03                 | 0.82       | 21.85      | <=33.01 | Pass    |
|                                    |                 | 1             | 0      | 21.76                 | 0.82       | 22.58      | <=33.01 | Pass    |
|                                    |                 |               | 25     | 21.78                 | 0.82       | 22.60      | <=33.01 | Pass    |
|                                    |                 |               | 49     | 21.72                 | 0.82       | 22.54      | <=33.01 | Pass    |
|                                    | 1882.5          | 25            | 0      | 20.93                 | 0.82       | 21.75      | <=33.01 | Pass    |
|                                    |                 |               | 13     | 21.01                 | 0.82       | 21.83      | <=33.01 | Pass    |
|                                    |                 |               | 25     | 20.93                 | 0.82       | 21.75      | <=33.01 | Pass    |
|                                    |                 | 50            | 0      | 20.95                 | 0.82       | 21.77      | <=33.01 | Pass    |

|       |        |    |    |       |      |       |         |      |
|-------|--------|----|----|-------|------|-------|---------|------|
| 16QAM | 1910   | 1  | 0  | 21.63 | 0.82 | 22.45 | <=33.01 | Pass |
|       |        |    | 25 | 21.64 | 0.82 | 22.46 | <=33.01 | Pass |
|       |        |    | 49 | 21.63 | 0.82 | 22.45 | <=33.01 | Pass |
|       |        | 25 | 0  | 20.82 | 0.82 | 21.64 | <=33.01 | Pass |
|       |        |    | 13 | 20.84 | 0.82 | 21.66 | <=33.01 | Pass |
|       |        |    | 25 | 20.80 | 0.82 | 21.62 | <=33.01 | Pass |
|       |        | 50 | 0  | 20.87 | 0.82 | 21.69 | <=33.01 | Pass |
|       | 1855   | 1  | 0  | 20.80 | 0.82 | 21.62 | <=33.01 | Pass |
|       |        |    | 25 | 20.84 | 0.82 | 21.66 | <=33.01 | Pass |
|       |        |    | 49 | 20.84 | 0.82 | 21.66 | <=33.01 | Pass |
|       |        | 25 | 0  | 20.35 | 0.82 | 21.17 | <=33.01 | Pass |
|       |        |    | 13 | 20.37 | 0.82 | 21.19 | <=33.01 | Pass |
|       |        |    | 25 | 20.36 | 0.82 | 21.18 | <=33.01 | Pass |
|       |        | 50 | 0  | 20.30 | 0.82 | 21.12 | <=33.01 | Pass |
| 16QAM | 1882.5 | 1  | 0  | 21.35 | 0.82 | 22.17 | <=33.01 | Pass |
|       |        |    | 25 | 21.42 | 0.82 | 22.24 | <=33.01 | Pass |
|       |        |    | 49 | 21.39 | 0.82 | 22.21 | <=33.01 | Pass |
|       |        | 25 | 0  | 20.15 | 0.82 | 20.97 | <=33.01 | Pass |
|       |        |    | 13 | 20.14 | 0.82 | 20.96 | <=33.01 | Pass |
|       |        |    | 25 | 20.10 | 0.82 | 20.92 | <=33.01 | Pass |
|       |        | 50 | 0  | 20.14 | 0.82 | 20.96 | <=33.01 | Pass |
|       | 1910   | 1  | 0  | 21.26 | 0.82 | 22.08 | <=33.01 | Pass |
|       |        |    | 25 | 21.32 | 0.82 | 22.14 | <=33.01 | Pass |
|       |        |    | 49 | 21.35 | 0.82 | 22.17 | <=33.01 | Pass |
|       |        | 25 | 0  | 20.05 | 0.82 | 20.87 | <=33.01 | Pass |
|       |        |    | 13 | 20.05 | 0.82 | 20.87 | <=33.01 | Pass |
|       |        |    | 25 | 20.01 | 0.82 | 20.83 | <=33.01 | Pass |
|       |        | 50 | 0  | 20.09 | 0.82 | 20.91 | <=33.01 | Pass |
|       |        | 25 | 0  | 20.05 | 0.82 | 20.87 | <=33.01 | Pass |
|       |        |    | 13 | 20.05 | 0.82 | 20.87 | <=33.01 | Pass |
|       |        |    | 25 | 20.01 | 0.82 | 20.83 | <=33.01 | Pass |

Note1: EIRP=Conducted Power+Antenna Gain

## 1.1.5 B25\_15MHz\_EIRP

| Band: 25 / Bandwidth: 15MHz / NTNV |                 |               |        |                       |            |            |         |         |
|------------------------------------|-----------------|---------------|--------|-----------------------|------------|------------|---------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Conducted Power (dBm) | Gain (dBi) | EIRP (dBm) |         | Verdict |
|                                    |                 | Size          | Offset |                       |            | Result     | Limit   |         |
| QPSK                               | 1857.5          | 1             | 0      | 22.12                 | 0.82       | 22.94      | <=33.01 | Pass    |
|                                    |                 |               | 38     | 22.30                 | 0.82       | 23.12      | <=33.01 | Pass    |
|                                    |                 |               | 74     | 22.28                 | 0.82       | 23.10      | <=33.01 | Pass    |
|                                    |                 | 36            | 0      | 21.02                 | 0.82       | 21.84      | <=33.01 | Pass    |
|                                    |                 |               | 18     | 21.06                 | 0.82       | 21.88      | <=33.01 | Pass    |
|                                    |                 |               | 39     | 21.02                 | 0.82       | 21.84      | <=33.01 | Pass    |
|                                    | 1882.5          | 75            | 0      | 21.03                 | 0.82       | 21.85      | <=33.01 | Pass    |
|                                    |                 | 1             | 0      | 21.75                 | 0.82       | 22.57      | <=33.01 | Pass    |
|                                    |                 |               | 38     | 21.74                 | 0.82       | 22.56      | <=33.01 | Pass    |
|                                    |                 |               | 74     | 21.84                 | 0.82       | 22.66      | <=33.01 | Pass    |
|                                    |                 | 36            | 0      | 20.98                 | 0.82       | 21.80      | <=33.01 | Pass    |
|                                    |                 |               | 18     | 21.00                 | 0.82       | 21.82      | <=33.01 | Pass    |
|                                    |                 |               | 39     | 20.92                 | 0.82       | 21.74      | <=33.01 | Pass    |
|                                    |                 | 75            | 0      | 20.95                 | 0.82       | 21.77      | <=33.01 | Pass    |
|                                    | 1907.5          | 1             | 0      | 21.62                 | 0.82       | 22.44      | <=33.01 | Pass    |
|                                    |                 |               | 38     | 21.64                 | 0.82       | 22.46      | <=33.01 | Pass    |
|                                    |                 |               | 74     | 21.63                 | 0.82       | 22.45      | <=33.01 | Pass    |
|                                    |                 | 36            | 0      | 20.77                 | 0.82       | 21.59      | <=33.01 | Pass    |
|                                    |                 |               | 18     | 20.78                 | 0.82       | 21.60      | <=33.01 | Pass    |
|                                    |                 |               | 39     | 20.78                 | 0.82       | 21.60      | <=33.01 | Pass    |
|                                    |                 | 75            | 0      | 20.88                 | 0.82       | 21.70      | <=33.01 | Pass    |
| 16QAM                              | 1857.5          | 1             | 0      | 21.43                 | 0.82       | 22.25      | <=33.01 | Pass    |

|  |        |    |    |       |      |       |         |      |
|--|--------|----|----|-------|------|-------|---------|------|
|  | 1882.5 | 36 | 38 | 21.62 | 0.82 | 22.44 | <=33.01 | Pass |
|  |        |    | 74 | 21.53 | 0.82 | 22.35 | <=33.01 | Pass |
|  |        |    | 0  | 20.26 | 0.82 | 21.08 | <=33.01 | Pass |
|  |        |    | 18 | 20.27 | 0.82 | 21.09 | <=33.01 | Pass |
|  |        |    | 39 | 20.25 | 0.82 | 21.07 | <=33.01 | Pass |
|  |        |    | 75 | 0     | 0.82 | 21.06 | <=33.01 | Pass |
|  |        | 1  | 0  | 21.72 | 0.82 | 22.54 | <=33.01 | Pass |
|  |        |    | 38 | 21.76 | 0.82 | 22.58 | <=33.01 | Pass |
|  |        |    | 74 | 21.98 | 0.82 | 22.80 | <=33.01 | Pass |
|  |        |    | 0  | 20.05 | 0.82 | 20.87 | <=33.01 | Pass |
|  |        |    | 18 | 20.06 | 0.82 | 20.88 | <=33.01 | Pass |
|  |        |    | 39 | 20.04 | 0.82 | 20.86 | <=33.01 | Pass |
|  | 1907.5 | 75 | 0  | 20.15 | 0.82 | 20.97 | <=33.01 | Pass |
|  |        |    | 0  | 21.38 | 0.82 | 22.20 | <=33.01 | Pass |
|  |        |    | 38 | 21.23 | 0.82 | 22.05 | <=33.01 | Pass |
|  |        |    | 74 | 21.32 | 0.82 | 22.14 | <=33.01 | Pass |
|  |        |    | 0  | 20.01 | 0.82 | 20.83 | <=33.01 | Pass |
|  |        |    | 18 | 20.07 | 0.82 | 20.89 | <=33.01 | Pass |
|  |        | 36 | 39 | 19.97 | 0.82 | 20.79 | <=33.01 | Pass |
|  |        |    | 0  | 20.08 | 0.82 | 20.90 | <=33.01 | Pass |

Note1: EIRP=Conducted Power+Antenna Gain

### 1.1.6 B25\_20MHz\_EIRP

| Band: 25 / Bandwidth: 20MHz / NTNV |                 |               |        |                       |            |            |         |         |
|------------------------------------|-----------------|---------------|--------|-----------------------|------------|------------|---------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Conducted Power (dBm) | Gain (dBi) | EIRP (dBm) |         | Verdict |
|                                    |                 | Size          | Offset |                       |            | Result     | Limit   |         |
| QPSK                               | 1860            | 1             | 0      | 21.88                 | 0.82       | 22.70      | <=33.01 | Pass    |
|                                    |                 |               | 50     | 21.99                 | 0.82       | 22.81      | <=33.01 | Pass    |
|                                    |                 |               | 99     | 21.88                 | 0.82       | 22.70      | <=33.01 | Pass    |
|                                    |                 | 50            | 0      | 21.04                 | 0.82       | 21.86      | <=33.01 | Pass    |
|                                    |                 |               | 25     | 21.02                 | 0.82       | 21.84      | <=33.01 | Pass    |
|                                    |                 |               | 50     | 20.95                 | 0.82       | 21.77      | <=33.01 | Pass    |
|                                    |                 | 100           | 0      | 21.05                 | 0.82       | 21.87      | <=33.01 | Pass    |
|                                    |                 |               | 0      | 21.69                 | 0.82       | 22.51      | <=33.01 | Pass    |
|                                    |                 |               | 50     | 21.78                 | 0.82       | 22.60      | <=33.01 | Pass    |
|                                    |                 | 1             | 99     | 21.81                 | 0.82       | 22.63      | <=33.01 | Pass    |
|                                    |                 |               | 0      | 20.98                 | 0.82       | 21.80      | <=33.01 | Pass    |
|                                    |                 |               | 25     | 21.00                 | 0.82       | 21.82      | <=33.01 | Pass    |
| 16QAM                              | 1860            | 50            | 50     | 20.89                 | 0.82       | 21.71      | <=33.01 | Pass    |
|                                    |                 |               | 0      | 21.00                 | 0.82       | 21.82      | <=33.01 | Pass    |
|                                    |                 |               | 0      | 21.99                 | 0.82       | 22.81      | <=33.01 | Pass    |
|                                    |                 | 1             | 50     | 21.82                 | 0.82       | 22.64      | <=33.01 | Pass    |
|                                    |                 |               | 99     | 21.87                 | 0.82       | 22.69      | <=33.01 | Pass    |
|                                    |                 |               | 0      | 20.82                 | 0.82       | 21.64      | <=33.01 | Pass    |
|                                    |                 | 50            | 25     | 20.78                 | 0.82       | 21.60      | <=33.01 | Pass    |
|                                    |                 |               | 50     | 20.82                 | 0.82       | 21.64      | <=33.01 | Pass    |
|                                    |                 |               | 0      | 20.90                 | 0.82       | 21.72      | <=33.01 | Pass    |
|                                    |                 | 100           | 0      | 21.65                 | 0.82       | 22.47      | <=33.01 | Pass    |
|                                    |                 |               | 50     | 21.94                 | 0.82       | 22.76      | <=33.01 | Pass    |
|                                    |                 |               | 99     | 21.70                 | 0.82       | 22.52      | <=33.01 | Pass    |
|                                    | 1882.5          | 1             | 0      | 20.30                 | 0.82       | 21.12      | <=33.01 | Pass    |
|                                    |                 |               | 25     | 20.29                 | 0.82       | 21.11      | <=33.01 | Pass    |
|                                    |                 |               | 50     | 20.25                 | 0.82       | 21.07      | <=33.01 | Pass    |
|                                    |                 | 50            | 0      | 20.38                 | 0.82       | 21.20      | <=33.01 | Pass    |
|                                    |                 |               | 0      | 21.23                 | 0.82       | 22.05      | <=33.01 | Pass    |
|                                    |                 |               | 50     | 21.26                 | 0.82       | 22.08      | <=33.01 | Pass    |

|  |      |     |    |       |      |       |         |      |
|--|------|-----|----|-------|------|-------|---------|------|
|  |      | 50  | 99 | 21.38 | 0.82 | 22.20 | <=33.01 | Pass |
|  |      |     | 0  | 20.25 | 0.82 | 21.07 | <=33.01 | Pass |
|  |      |     | 25 | 20.23 | 0.82 | 21.05 | <=33.01 | Pass |
|  |      |     | 50 | 20.25 | 0.82 | 21.07 | <=33.01 | Pass |
|  | 1905 | 100 | 0  | 20.12 | 0.82 | 20.94 | <=33.01 | Pass |
|  |      |     | 0  | 20.97 | 0.82 | 21.79 | <=33.01 | Pass |
|  |      |     | 50 | 20.84 | 0.82 | 21.66 | <=33.01 | Pass |
|  |      | 1   | 99 | 20.82 | 0.82 | 21.64 | <=33.01 | Pass |
|  |      |     | 0  | 20.11 | 0.82 | 20.93 | <=33.01 | Pass |
|  |      |     | 25 | 20.11 | 0.82 | 20.93 | <=33.01 | Pass |
|  |      | 50  | 50 | 20.07 | 0.82 | 20.89 | <=33.01 | Pass |
|  |      |     | 0  | 20.06 | 0.82 | 20.88 | <=33.01 | Pass |
|  |      |     |    |       |      |       |         |      |
|  |      |     |    |       |      |       |         |      |
|  |      |     |    |       |      |       |         |      |
|  |      |     |    |       |      |       |         |      |
|  |      |     |    |       |      |       |         |      |
|  |      |     |    |       |      |       |         |      |
|  |      |     |    |       |      |       |         |      |

Note1: EIRP=Conducted Power+Antenna Gain

## 2. Frequency Stability

### 2.1 Test Result

#### 2.1.1 B25\_1.4MHz

| Band: 25 / Bandwidth: 1.4MHz |                 |               |        |            |               |                  |                       |             |         |
|------------------------------|-----------------|---------------|--------|------------|---------------|------------------|-----------------------|-------------|---------|
| Modulation                   | Frequency (MHz) | RB Allocation |        | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|                              |                 | Size          | Offset |            |               |                  | Result                | Limit       |         |
| QPSK                         | 1850.7          | 6             | 0      | 20         | 3.27          | 0.844            | 0.0005                | -2.5 to 2.5 | Pass    |
|                              |                 |               |        |            | 3.85          | 2.847            | 0.0015                | -2.5 to 2.5 | Pass    |
|                              |                 |               |        |            | 4.43          | 0.272            | 0.0001                | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | -30        | 3.85          | 1.202            | 0.0006                | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | -20        | 3.85          | 0.401            | 0.0002                | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | -10        | 3.85          | 2.232            | 0.0012                | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 0          | 3.85          | 1.960            | 0.0011                | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 10         | 3.85          | 2.017            | 0.0011                | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 30         | 3.85          | 1.545            | 0.0008                | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 40         | 3.85          | 2.646            | 0.0014                | -2.5 to 2.5 | Pass    |
|                              | 1882.5          | 6             | 0      | 50         | 3.85          | 1.688            | 0.0009                | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 20         | 3.27          | 1.631            | 0.0009                | -2.5 to 2.5 | Pass    |
|                              |                 |               |        |            | 3.85          | -0.472           | -0.0003               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        |            | 4.43          | -0.372           | -0.0002               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | -30        | 3.85          | 0.858            | 0.0005                | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | -20        | 3.85          | 1.116            | 0.0006                | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | -10        | 3.85          | 0.958            | 0.0005                | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 0          | 3.85          | 1.817            | 0.0010                | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 10         | 3.85          | -0.129           | -0.0001               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 30         | 3.85          | 1.116            | 0.0006                | -2.5 to 2.5 | Pass    |
|                              | 1914.3          | 6             | 0      | 40         | 3.85          | 2.432            | 0.0013                | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 50         | 3.85          | 1.144            | 0.0006                | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 20         | 3.27          | 1.230            | 0.0006                | -2.5 to 2.5 | Pass    |
|                              |                 |               |        |            | 3.85          | 1.574            | 0.0008                | -2.5 to 2.5 | Pass    |
|                              |                 |               |        |            | 4.43          | 1.688            | 0.0009                | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | -30        | 3.85          | -1.345           | -0.0007               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | -20        | 3.85          | 2.089            | 0.0011                | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | -10        | 3.85          | 0.529            | 0.0003                | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 0          | 3.85          | 0.086            | 0.0000                | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 10         | 3.85          | 1.059            | 0.0006                | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 30         | 3.85          | 1.259            | 0.0007                | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 40         | 3.85          | 1.445            | 0.0008                | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 50         | 3.85          | -1.330           | -0.0007               | -2.5 to 2.5 | Pass    |

|       |        |   |   |     |      |        |         |             |      |
|-------|--------|---|---|-----|------|--------|---------|-------------|------|
| 16QAM | 1850.7 | 6 | 0 | 20  | 3.27 | -1.674 | -0.0009 | -2.5 to 2.5 | Pass |
|       |        |   |   |     | 3.85 | 1.216  | 0.0007  | -2.5 to 2.5 | Pass |
|       |        |   |   |     | 4.43 | 0.343  | 0.0002  | -2.5 to 2.5 | Pass |
|       |        |   |   | -30 | 3.85 | 1.330  | 0.0007  | -2.5 to 2.5 | Pass |
|       |        |   |   | -20 | 3.85 | 0.186  | 0.0001  | -2.5 to 2.5 | Pass |
|       |        |   |   | -10 | 3.85 | 0.057  | 0.0000  | -2.5 to 2.5 | Pass |
|       |        |   |   | 0   | 3.85 | -0.172 | -0.0001 | -2.5 to 2.5 | Pass |
|       |        |   |   | 10  | 3.85 | 1.173  | 0.0006  | -2.5 to 2.5 | Pass |
|       |        |   |   | 30  | 3.85 | 1.159  | 0.0006  | -2.5 to 2.5 | Pass |
|       |        |   |   | 40  | 3.85 | 1.917  | 0.0010  | -2.5 to 2.5 | Pass |
|       |        |   |   | 50  | 3.85 | 1.216  | 0.0007  | -2.5 to 2.5 | Pass |
|       | 1882.5 | 6 | 0 | 20  | 3.27 | -0.014 | 0.0000  | -2.5 to 2.5 | Pass |
|       |        |   |   |     | 3.85 | -0.100 | -0.0001 | -2.5 to 2.5 | Pass |
|       |        |   |   |     | 4.43 | 0.215  | 0.0001  | -2.5 to 2.5 | Pass |
|       |        |   |   | -30 | 3.85 | -0.615 | -0.0003 | -2.5 to 2.5 | Pass |
|       |        |   |   | -20 | 3.85 | -0.758 | -0.0004 | -2.5 to 2.5 | Pass |
|       |        |   |   | -10 | 3.85 | -1.001 | -0.0005 | -2.5 to 2.5 | Pass |
|       |        |   |   | 0   | 3.85 | 0.043  | 0.0000  | -2.5 to 2.5 | Pass |
|       |        |   |   | 10  | 3.85 | 0.501  | 0.0003  | -2.5 to 2.5 | Pass |
|       |        |   |   | 30  | 3.85 | -0.486 | -0.0003 | -2.5 to 2.5 | Pass |
|       |        |   |   | 40  | 3.85 | -0.200 | -0.0001 | -2.5 to 2.5 | Pass |
|       |        |   |   | 50  | 3.85 | 0.186  | 0.0001  | -2.5 to 2.5 | Pass |
|       | 1914.3 | 6 | 0 | 20  | 3.27 | 0.601  | 0.0003  | -2.5 to 2.5 | Pass |
|       |        |   |   |     | 3.85 | -0.100 | -0.0001 | -2.5 to 2.5 | Pass |
|       |        |   |   |     | 4.43 | 0.215  | 0.0001  | -2.5 to 2.5 | Pass |
|       |        |   |   | -30 | 3.85 | -0.229 | -0.0001 | -2.5 to 2.5 | Pass |
|       |        |   |   | -20 | 3.85 | 1.287  | 0.0007  | -2.5 to 2.5 | Pass |
|       |        |   |   | -10 | 3.85 | 1.574  | 0.0008  | -2.5 to 2.5 | Pass |
|       |        |   |   | 0   | 3.85 | 0.515  | 0.0003  | -2.5 to 2.5 | Pass |
|       |        |   |   | 10  | 3.85 | 1.717  | 0.0009  | -2.5 to 2.5 | Pass |
|       |        |   |   | 30  | 3.85 | 1.960  | 0.0010  | -2.5 to 2.5 | Pass |
|       |        |   |   | 40  | 3.85 | 0.114  | 0.0001  | -2.5 to 2.5 | Pass |
|       |        |   |   | 50  | 3.85 | 1.531  | 0.0008  | -2.5 to 2.5 | Pass |

## 2.1.2 B25\_3MHz

| Band: 25 / Bandwidth: 3MHz |                 |               |        |            |               |                  |                       |             |         |
|----------------------------|-----------------|---------------|--------|------------|---------------|------------------|-----------------------|-------------|---------|
| Modulation                 | Frequency (MHz) | RB Allocation |        | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|                            |                 | Size          | Offset |            |               |                  | Result                | Limit       |         |
| QPSK                       | 1851.5          | 15            | 0      | 20         | 3.27          | -1.545           | -0.0008               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        |            | 3.85          | 0.114            | 0.0001                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        |            | 4.43          | 0.415            | 0.0002                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -30        | 3.85          | -0.429           | -0.0002               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -20        | 3.85          | -0.100           | -0.0001               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -10        | 3.85          | -1.173           | -0.0006               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 0          | 3.85          | -3.219           | -0.0017               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 10         | 3.85          | -1.202           | -0.0006               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 30         | 3.85          | -1.860           | -0.0010               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 40         | 3.85          | -1.001           | -0.0005               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 50         | 3.85          | -0.916           | -0.0005               | -2.5 to 2.5 | Pass    |
|                            | 1882.5          | 15            | 0      | 20         | 3.27          | 0.372            | 0.0002                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        |            | 3.85          | -0.572           | -0.0003               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        |            | 4.43          | 0.372            | 0.0002                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -30        | 3.85          | 0.873            | 0.0005                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -20        | 3.85          | 1.130            | 0.0006                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -10        | 3.85          | 2.017            | 0.0011                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 0          | 3.85          | 1.230            | 0.0007                | -2.5 to 2.5 | Pass    |

|       |        |    |   |     |      |        |         |             |      |
|-------|--------|----|---|-----|------|--------|---------|-------------|------|
| 16QAM | 1913.5 | 15 | 0 | 10  | 3.85 | 1.402  | 0.0007  | -2.5 to 2.5 | Pass |
|       |        |    |   | 30  | 3.85 | -0.815 | -0.0004 | -2.5 to 2.5 | Pass |
|       |        |    |   | 40  | 3.85 | 1.659  | 0.0009  | -2.5 to 2.5 | Pass |
|       |        |    |   | 50  | 3.85 | 1.044  | 0.0006  | -2.5 to 2.5 | Pass |
|       |        |    |   | 20  | 3.27 | -1.531 | -0.0008 | -2.5 to 2.5 | Pass |
|       |        |    |   |     | 3.85 | -1.230 | -0.0006 | -2.5 to 2.5 | Pass |
|       |        |    |   |     | 4.43 | 0.000  | 0.0000  | -2.5 to 2.5 | Pass |
|       |        |    |   | -30 | 3.85 | -0.629 | -0.0003 | -2.5 to 2.5 | Pass |
|       |        |    |   | -20 | 3.85 | -0.300 | -0.0002 | -2.5 to 2.5 | Pass |
|       |        |    |   | -10 | 3.85 | -0.186 | -0.0001 | -2.5 to 2.5 | Pass |
|       | 1851.5 | 15 | 0 | 0   | 3.85 | 0.944  | 0.0005  | -2.5 to 2.5 | Pass |
|       |        |    |   | 10  | 3.85 | -0.186 | -0.0001 | -2.5 to 2.5 | Pass |
|       |        |    |   | 30  | 3.85 | -0.129 | -0.0001 | -2.5 to 2.5 | Pass |
|       |        |    |   | 40  | 3.85 | -0.429 | -0.0002 | -2.5 to 2.5 | Pass |
|       |        |    |   | 50  | 3.85 | -0.701 | -0.0004 | -2.5 to 2.5 | Pass |
|       |        |    |   | 20  | 3.27 | -1.903 | -0.0010 | -2.5 to 2.5 | Pass |
|       |        |    |   |     | 3.85 | -1.473 | -0.0008 | -2.5 to 2.5 | Pass |
|       |        |    |   |     | 4.43 | 0.944  | 0.0005  | -2.5 to 2.5 | Pass |
|       |        |    |   | -30 | 3.85 | -1.917 | -0.0010 | -2.5 to 2.5 | Pass |
|       |        |    |   | -20 | 3.85 | -1.717 | -0.0009 | -2.5 to 2.5 | Pass |
| 16QAM | 1882.5 | 15 | 0 | -10 | 3.85 | -1.459 | -0.0008 | -2.5 to 2.5 | Pass |
|       |        |    |   | 0   | 3.85 | -1.059 | -0.0006 | -2.5 to 2.5 | Pass |
|       |        |    |   | 10  | 3.85 | -1.602 | -0.0009 | -2.5 to 2.5 | Pass |
|       |        |    |   | 30  | 3.85 | -1.931 | -0.0010 | -2.5 to 2.5 | Pass |
|       |        |    |   | 40  | 3.85 | -1.416 | -0.0008 | -2.5 to 2.5 | Pass |
|       |        |    |   | 50  | 3.85 | -0.815 | -0.0004 | -2.5 to 2.5 | Pass |
|       | 1913.5 | 15 | 0 | 20  | 3.27 | -1.016 | -0.0005 | -2.5 to 2.5 | Pass |
|       |        |    |   |     | 3.85 | 0.987  | 0.0005  | -2.5 to 2.5 | Pass |
|       |        |    |   |     | 4.43 | 1.888  | 0.0010  | -2.5 to 2.5 | Pass |
|       |        |    |   | -30 | 3.85 | 0.887  | 0.0005  | -2.5 to 2.5 | Pass |
|       |        |    |   | -20 | 3.85 | 0.472  | 0.0003  | -2.5 to 2.5 | Pass |
|       |        |    |   | -10 | 3.85 | -0.143 | -0.0001 | -2.5 to 2.5 | Pass |
|       |        |    |   | 0   | 3.85 | 0.172  | 0.0001  | -2.5 to 2.5 | Pass |
|       |        |    |   | 10  | 3.85 | -0.129 | -0.0001 | -2.5 to 2.5 | Pass |
|       |        |    |   | 30  | 3.85 | -0.257 | -0.0001 | -2.5 to 2.5 | Pass |
|       |        |    |   | 40  | 3.85 | 0.186  | 0.0001  | -2.5 to 2.5 | Pass |
|       | 1851.5 | 15 | 0 | 50  | 3.85 | -0.587 | -0.0003 | -2.5 to 2.5 | Pass |
|       |        |    |   | 20  | 3.27 | -0.772 | -0.0004 | -2.5 to 2.5 | Pass |
|       |        |    |   |     | 3.85 | -0.014 | 0.0000  | -2.5 to 2.5 | Pass |
|       |        |    |   |     | 4.43 | -1.230 | -0.0006 | -2.5 to 2.5 | Pass |
|       |        |    |   | -30 | 3.85 | -0.615 | -0.0003 | -2.5 to 2.5 | Pass |
|       |        |    |   | -20 | 3.85 | -0.544 | -0.0003 | -2.5 to 2.5 | Pass |
|       |        |    |   | -10 | 3.85 | 0.072  | 0.0000  | -2.5 to 2.5 | Pass |
|       |        |    |   | 0   | 3.85 | -0.114 | -0.0001 | -2.5 to 2.5 | Pass |
|       |        |    |   | 10  | 3.85 | -0.758 | -0.0004 | -2.5 to 2.5 | Pass |
|       |        |    |   | 30  | 3.85 | -0.558 | -0.0003 | -2.5 to 2.5 | Pass |
|       |        |    |   | 40  | 3.85 | -0.801 | -0.0004 | -2.5 to 2.5 | Pass |
|       |        |    |   | 50  | 3.85 | -1.187 | -0.0006 | -2.5 to 2.5 | Pass |

## 2.1.3 B25\_5MHz

| Band: 25 / Bandwidth: 5MHz |                 |               |        |            |               |                  |                       |             |         |
|----------------------------|-----------------|---------------|--------|------------|---------------|------------------|-----------------------|-------------|---------|
| Modulation                 | Frequency (MHz) | RB Allocation |        | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|                            |                 | Size          | Offset |            |               |                  | Result                | Limit       |         |
| QPSK                       | 1852.5          | 25            | 0      | 20         | 3.27          | -0.758           | -0.0004               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        |            | 3.85          | 0.458            | 0.0002                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        |            | 4.43          | 0.658            | 0.0004                | -2.5 to 2.5 | Pass    |

|       |        |    |   |     |      |        |         |             |      |
|-------|--------|----|---|-----|------|--------|---------|-------------|------|
|       |        |    |   | -30 | 3.85 | -0.830 | -0.0004 | -2.5 to 2.5 | Pass |
|       |        |    |   | -20 | 3.85 | -0.415 | -0.0002 | -2.5 to 2.5 | Pass |
|       |        |    |   | -10 | 3.85 | -0.272 | -0.0001 | -2.5 to 2.5 | Pass |
|       |        |    |   | 0   | 3.85 | -0.172 | -0.0001 | -2.5 to 2.5 | Pass |
|       |        |    |   | 10  | 3.85 | -0.300 | -0.0002 | -2.5 to 2.5 | Pass |
|       |        |    |   | 30  | 3.85 | 0.043  | 0.0000  | -2.5 to 2.5 | Pass |
|       |        |    |   | 40  | 3.85 | -0.672 | -0.0004 | -2.5 to 2.5 | Pass |
|       |        |    |   | 50  | 3.85 | 0.257  | 0.0001  | -2.5 to 2.5 | Pass |
|       | 1882.5 | 25 | 0 | 20  | 3.27 | 1.330  | 0.0007  | -2.5 to 2.5 | Pass |
|       |        |    |   |     | 3.85 | -0.944 | -0.0005 | -2.5 to 2.5 | Pass |
|       |        |    |   |     | 4.43 | 0.830  | 0.0004  | -2.5 to 2.5 | Pass |
|       |        |    |   | -30 | 3.85 | 0.000  | 0.0000  | -2.5 to 2.5 | Pass |
|       |        |    |   | -20 | 3.85 | 0.315  | 0.0002  | -2.5 to 2.5 | Pass |
|       |        |    |   | -10 | 3.85 | 0.772  | 0.0004  | -2.5 to 2.5 | Pass |
|       |        |    |   | 0   | 3.85 | 0.758  | 0.0004  | -2.5 to 2.5 | Pass |
|       |        |    |   | 10  | 3.85 | 0.229  | 0.0001  | -2.5 to 2.5 | Pass |
|       |        |    |   | 30  | 3.85 | 1.187  | 0.0006  | -2.5 to 2.5 | Pass |
|       |        |    |   | 40  | 3.85 | 0.172  | 0.0001  | -2.5 to 2.5 | Pass |
|       |        |    |   | 50  | 3.85 | 0.715  | 0.0004  | -2.5 to 2.5 | Pass |
|       | 1912.5 | 25 | 0 | 20  | 3.27 | 0.100  | 0.0001  | -2.5 to 2.5 | Pass |
|       |        |    |   |     | 3.85 | -0.658 | -0.0003 | -2.5 to 2.5 | Pass |
|       |        |    |   |     | 4.43 | -0.858 | -0.0004 | -2.5 to 2.5 | Pass |
|       |        |    |   | -30 | 3.85 | 0.744  | 0.0004  | -2.5 to 2.5 | Pass |
|       |        |    |   | -20 | 3.85 | 1.101  | 0.0006  | -2.5 to 2.5 | Pass |
|       |        |    |   | -10 | 3.85 | 1.130  | 0.0006  | -2.5 to 2.5 | Pass |
|       |        |    |   | 0   | 3.85 | 0.300  | 0.0002  | -2.5 to 2.5 | Pass |
|       |        |    |   | 10  | 3.85 | -0.186 | -0.0001 | -2.5 to 2.5 | Pass |
| 16QAM | 1852.5 | 25 | 0 | 20  | 3.27 | 0.286  | 0.0002  | -2.5 to 2.5 | Pass |
|       |        |    |   |     | 3.85 | 0.544  | 0.0003  | -2.5 to 2.5 | Pass |
|       |        |    |   |     | 4.43 | -0.143 | -0.0001 | -2.5 to 2.5 | Pass |
|       |        |    |   | -30 | 3.85 | -0.401 | -0.0002 | -2.5 to 2.5 | Pass |
|       |        |    |   | -20 | 3.85 | 0.014  | 0.0000  | -2.5 to 2.5 | Pass |
|       |        |    |   | -10 | 3.85 | -0.114 | -0.0001 | -2.5 to 2.5 | Pass |
|       |        |    |   | 0   | 3.85 | -1.845 | -0.0010 | -2.5 to 2.5 | Pass |
|       |        |    |   | 10  | 3.85 | -0.315 | -0.0002 | -2.5 to 2.5 | Pass |
|       | 1882.5 | 25 | 0 | 30  | 3.85 | -1.073 | -0.0006 | -2.5 to 2.5 | Pass |
|       |        |    |   | 40  | 3.85 | 0.029  | 0.0000  | -2.5 to 2.5 | Pass |
|       |        |    |   | 50  | 3.85 | -0.744 | -0.0004 | -2.5 to 2.5 | Pass |
|       |        |    |   | 20  | 3.27 | 0.644  | 0.0003  | -2.5 to 2.5 | Pass |
|       |        |    |   |     | 3.85 | 0.372  | 0.0002  | -2.5 to 2.5 | Pass |
|       |        |    |   |     | 4.43 | -0.272 | -0.0001 | -2.5 to 2.5 | Pass |
|       |        |    |   | -30 | 3.85 | -0.386 | -0.0002 | -2.5 to 2.5 | Pass |
|       |        |    |   | -20 | 3.85 | 0.458  | 0.0002  | -2.5 to 2.5 | Pass |
|       | 1912.5 | 25 | 0 | -10 | 3.85 | -0.429 | -0.0002 | -2.5 to 2.5 | Pass |
|       |        |    |   | 0   | 3.85 | -0.186 | -0.0001 | -2.5 to 2.5 | Pass |
|       |        |    |   | 10  | 3.85 | -0.186 | -0.0001 | -2.5 to 2.5 | Pass |
|       |        |    |   | 30  | 3.85 | 0.315  | 0.0002  | -2.5 to 2.5 | Pass |
|       |        |    |   | 40  | 3.85 | -0.114 | -0.0001 | -2.5 to 2.5 | Pass |
|       |        |    |   | 50  | 3.85 | 0.601  | 0.0003  | -2.5 to 2.5 | Pass |
|       |        |    |   | 20  | 3.27 | 1.931  | 0.0010  | -2.5 to 2.5 | Pass |
|       |        |    |   |     | 3.85 | 0.458  | 0.0002  | -2.5 to 2.5 | Pass |
|       |        |    |   |     | 4.43 | 1.602  | 0.0008  | -2.5 to 2.5 | Pass |
|       |        |    |   | -30 | 3.85 | 1.144  | 0.0006  | -2.5 to 2.5 | Pass |
|       |        |    |   | -20 | 3.85 | -0.429 | -0.0002 | -2.5 to 2.5 | Pass |
|       |        |    |   | -10 | 3.85 | 0.429  | 0.0002  | -2.5 to 2.5 | Pass |
|       |        |    |   | 0   | 3.85 | -0.072 | 0.0000  | -2.5 to 2.5 | Pass |

|  |  |  |  |    |      |        |         |             |      |
|--|--|--|--|----|------|--------|---------|-------------|------|
|  |  |  |  | 10 | 3.85 | 0.229  | 0.0001  | -2.5 to 2.5 | Pass |
|  |  |  |  | 30 | 3.85 | -0.114 | -0.0001 | -2.5 to 2.5 | Pass |
|  |  |  |  | 40 | 3.85 | 0.043  | 0.0000  | -2.5 to 2.5 | Pass |
|  |  |  |  | 50 | 3.85 | 0.401  | 0.0002  | -2.5 to 2.5 | Pass |

## 2.1.4 B25\_10MHz

| Band: 25 / Bandwidth: 10MHz |                 |               |        |            |               |                  |                       |             |         |
|-----------------------------|-----------------|---------------|--------|------------|---------------|------------------|-----------------------|-------------|---------|
| Modulation                  | Frequency (MHz) | RB Allocation |        | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|                             |                 | Size          | Offset |            |               |                  | Result                | Limit       |         |
| QPSK                        | 1855            | 50            | 0      | 20         | 3.27          | -0.772           | -0.0004               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 3.85          | -0.429           | -0.0002               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 4.43          | 0.715            | 0.0004                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -30        | 3.85          | 1.087            | 0.0006                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -20        | 3.85          | 0.958            | 0.0005                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -10        | 3.85          | -0.958           | -0.0005               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 0          | 3.85          | 0.186            | 0.0001                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 10         | 3.85          | 0.730            | 0.0004                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 30         | 3.85          | -0.043           | 0.0000                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 40         | 3.85          | -0.987           | -0.0005               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 50         | 3.85          | -1.359           | -0.0007               | -2.5 to 2.5 | Pass    |
|                             | 1882.5          | 50            | 0      | 20         | 3.27          | -0.429           | -0.0002               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 3.85          | 0.415            | 0.0002                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 4.43          | -1.001           | -0.0005               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -30        | 3.85          | -1.030           | -0.0005               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -20        | 3.85          | -0.343           | -0.0002               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -10        | 3.85          | 0.343            | 0.0002                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 0          | 3.85          | -0.215           | -0.0001               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 10         | 3.85          | 0.014            | 0.0000                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 30         | 3.85          | -0.272           | -0.0001               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 40         | 3.85          | -0.429           | -0.0002               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 50         | 3.85          | 0.086            | 0.0000                | -2.5 to 2.5 | Pass    |
|                             | 1910            | 50            | 0      | 20         | 3.27          | -0.715           | -0.0004               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 3.85          | -0.572           | -0.0003               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 4.43          | -1.917           | -0.0010               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -30        | 3.85          | -1.645           | -0.0009               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -20        | 3.85          | -1.473           | -0.0008               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -10        | 3.85          | -1.945           | -0.0010               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 0          | 3.85          | -1.101           | -0.0006               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 10         | 3.85          | -2.403           | -0.0013               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 30         | 3.85          | -2.031           | -0.0011               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 40         | 3.85          | -2.418           | -0.0013               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 50         | 3.85          | -2.847           | -0.0015               | -2.5 to 2.5 | Pass    |
| 16QAM                       | 1855            | 50            | 0      | 20         | 3.27          | -0.443           | -0.0002               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 3.85          | -0.572           | -0.0003               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 4.43          | -0.200           | -0.0001               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -30        | 3.85          | -0.815           | -0.0004               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -20        | 3.85          | -1.073           | -0.0006               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -10        | 3.85          | -0.572           | -0.0003               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 0          | 3.85          | -0.057           | 0.0000                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 10         | 3.85          | -0.515           | -0.0003               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 30         | 3.85          | -0.958           | -0.0005               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 40         | 3.85          | -0.386           | -0.0002               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 50         | 3.85          | 0.315            | 0.0002                | -2.5 to 2.5 | Pass    |
|                             | 1882.5          | 50            | 0      | 20         | 3.27          | -1.073           | -0.0006               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 3.85          | -0.658           | -0.0003               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 4.43          | -1.087           | -0.0006               | -2.5 to 2.5 | Pass    |

|  |      |    |   |     |      |        |         |             |      |
|--|------|----|---|-----|------|--------|---------|-------------|------|
|  |      |    |   | -30 | 3.85 | -1.030 | -0.0005 | -2.5 to 2.5 | Pass |
|  |      |    |   | -20 | 3.85 | -0.772 | -0.0004 | -2.5 to 2.5 | Pass |
|  |      |    |   | -10 | 3.85 | -1.044 | -0.0006 | -2.5 to 2.5 | Pass |
|  |      |    |   | 0   | 3.85 | -0.515 | -0.0003 | -2.5 to 2.5 | Pass |
|  |      |    |   | 10  | 3.85 | -0.443 | -0.0002 | -2.5 to 2.5 | Pass |
|  |      |    |   | 30  | 3.85 | -0.830 | -0.0004 | -2.5 to 2.5 | Pass |
|  |      |    |   | 40  | 3.85 | 0.329  | 0.0002  | -2.5 to 2.5 | Pass |
|  |      |    |   | 50  | 3.85 | -0.715 | -0.0004 | -2.5 to 2.5 | Pass |
|  | 1910 | 50 | 0 | 20  | 3.27 | -2.003 | -0.0010 | -2.5 to 2.5 | Pass |
|  |      |    |   |     | 3.85 | -1.788 | -0.0009 | -2.5 to 2.5 | Pass |
|  |      |    |   |     | 4.43 | -2.317 | -0.0012 | -2.5 to 2.5 | Pass |
|  |      |    |   | -30 | 3.85 | -2.089 | -0.0011 | -2.5 to 2.5 | Pass |
|  |      |    |   | -20 | 3.85 | -2.246 | -0.0012 | -2.5 to 2.5 | Pass |
|  |      |    |   | -10 | 3.85 | -2.360 | -0.0012 | -2.5 to 2.5 | Pass |
|  |      |    |   | 0   | 3.85 | -2.275 | -0.0012 | -2.5 to 2.5 | Pass |
|  |      |    |   | 10  | 3.85 | -2.561 | -0.0013 | -2.5 to 2.5 | Pass |
|  |      |    |   | 30  | 3.85 | -2.432 | -0.0013 | -2.5 to 2.5 | Pass |
|  |      |    |   | 40  | 3.85 | -1.917 | -0.0010 | -2.5 to 2.5 | Pass |
|  |      |    |   | 50  | 3.85 | -1.988 | -0.0010 | -2.5 to 2.5 | Pass |

## 2.1.5 B25\_15MHz

| Band: 25 / Bandwidth: 15MHz |                 |               |        |            |               |                  |                       |             |         |
|-----------------------------|-----------------|---------------|--------|------------|---------------|------------------|-----------------------|-------------|---------|
| Modulation                  | Frequency (MHz) | RB Allocation |        | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|                             |                 | Size          | Offset |            |               |                  | Result                | Limit       |         |
| QPSK                        | 1857.5          | 75            | 0      | 20         | 3.27          | -1.431           | -0.0008               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 3.85          | 1.445            | 0.0008                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 4.43          | -1.416           | -0.0008               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -30        | 3.85          | -0.029           | 0.0000                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -20        | 3.85          | -1.588           | -0.0009               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -10        | 3.85          | -0.286           | -0.0002               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 0          | 3.85          | -0.987           | -0.0005               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 10         | 3.85          | 0.787            | 0.0004                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 30         | 3.85          | 0.014            | 0.0000                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 40         | 3.85          | -0.186           | -0.0001               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 50         | 3.85          | -0.229           | -0.0001               | -2.5 to 2.5 | Pass    |
|                             | 1882.5          | 75            | 0      | 20         | 3.27          | -0.787           | -0.0004               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 3.85          | 0.029            | 0.0000                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 4.43          | -0.386           | -0.0002               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -30        | 3.85          | -0.715           | -0.0004               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -20        | 3.85          | -1.159           | -0.0006               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -10        | 3.85          | 0.200            | 0.0001                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 0          | 3.85          | -0.701           | -0.0004               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 10         | 3.85          | 1.016            | 0.0005                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 30         | 3.85          | 0.587            | 0.0003                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 40         | 3.85          | -0.157           | -0.0001               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 50         | 3.85          | -0.644           | -0.0003               | -2.5 to 2.5 | Pass    |
|                             | 1907.5          | 75            | 0      | 20         | 3.27          | -0.200           | -0.0001               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 3.85          | -0.014           | 0.0000                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 4.43          | -0.143           | -0.0001               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -30        | 3.85          | 1.373            | 0.0007                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -20        | 3.85          | -0.057           | 0.0000                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -10        | 3.85          | 0.443            | 0.0002                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 0          | 3.85          | 0.186            | 0.0001                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 10         | 3.85          | 0.043            | 0.0000                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 30         | 3.85          | 0.601            | 0.0003                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 40         | 3.85          | 1.960            | 0.0010                | -2.5 to 2.5 | Pass    |

|       |        |        |        |        |       |        |         |             |             |
|-------|--------|--------|--------|--------|-------|--------|---------|-------------|-------------|
|       |        |        |        | 50     | 3.85  | 0.429  | 0.0002  | -2.5 to 2.5 | Pass        |
| 16QAM | 1857.5 | 75     | 0      | 20     | 3.27  | 0.143  | 0.0001  | -2.5 to 2.5 | Pass        |
|       |        |        |        |        | 3.85  | -0.014 | 0.0000  | -2.5 to 2.5 | Pass        |
|       |        |        |        |        | 4.43  | -0.458 | -0.0002 | -2.5 to 2.5 | Pass        |
|       |        |        |        |        | -30   | 3.85   | 0.701   | 0.0004      | -2.5 to 2.5 |
|       |        |        |        | -20    | 3.85  | 0.701  | 0.0004  | -2.5 to 2.5 | Pass        |
|       |        |        |        | -10    | 3.85  | 0.014  | 0.0000  | -2.5 to 2.5 | Pass        |
|       |        |        |        | 0      | 3.85  | -0.730 | -0.0004 | -2.5 to 2.5 | Pass        |
|       |        |        |        | 10     | 3.85  | 0.043  | 0.0000  | -2.5 to 2.5 | Pass        |
|       |        |        |        | 30     | 3.85  | -0.486 | -0.0003 | -2.5 to 2.5 | Pass        |
|       |        |        |        | 40     | 3.85  | 0.014  | 0.0000  | -2.5 to 2.5 | Pass        |
|       |        |        |        | 50     | 3.85  | -0.057 | 0.0000  | -2.5 to 2.5 | Pass        |
|       |        |        |        | 1882.5 | 75    | 0      | 20      | 3.27        | 0.272       |
|       | 3.85   | 0.386  | 0.0002 |        |       |        |         | -2.5 to 2.5 | Pass        |
|       | 4.43   | -0.072 | 0.0000 |        |       |        |         | -2.5 to 2.5 | Pass        |
|       | -30    | 3.85   | 0.472  |        |       |        |         | 0.0003      | -2.5 to 2.5 |
|       | -20    | 3.85   | 0.401  |        |       |        | 0.0002  | -2.5 to 2.5 | Pass        |
|       | -10    | 3.85   | 0.429  |        |       |        | 0.0002  | -2.5 to 2.5 | Pass        |
|       | 0      | 3.85   | 0.572  |        |       |        | 0.0003  | -2.5 to 2.5 | Pass        |
|       | 10     | 3.85   | -1.702 |        |       |        | -0.0009 | -2.5 to 2.5 | Pass        |
|       | 30     | 3.85   | 0.057  |        |       |        | 0.0000  | -2.5 to 2.5 | Pass        |
|       | 40     | 3.85   | 0.629  |        |       |        | 0.0003  | -2.5 to 2.5 | Pass        |
|       | 50     | 3.85   | 0.257  |        |       |        | 0.0001  | -2.5 to 2.5 | Pass        |
|       | 1907.5 | 75     | 0      |        |       |        | 20      | 3.27        | 0.815       |
|       |        |        |        | 3.85   | 0.343 | 0.0002 |         | -2.5 to 2.5 | Pass        |
|       |        |        |        | 4.43   | 1.159 | 0.0006 |         | -2.5 to 2.5 | Pass        |
|       |        |        |        | -30    | 3.85  | 0.443  |         | 0.0002      | -2.5 to 2.5 |
|       |        |        |        | -20    | 3.85  | 0.315  | 0.0002  | -2.5 to 2.5 | Pass        |
|       |        |        |        | -10    | 3.85  | 0.386  | 0.0002  | -2.5 to 2.5 | Pass        |
|       |        |        |        | 0      | 3.85  | 0.157  | 0.0001  | -2.5 to 2.5 | Pass        |
|       |        |        |        | 10     | 3.85  | 1.688  | 0.0009  | -2.5 to 2.5 | Pass        |
|       |        |        |        | 30     | 3.85  | 0.515  | 0.0003  | -2.5 to 2.5 | Pass        |
|       |        |        |        | 40     | 3.85  | 0.486  | 0.0003  | -2.5 to 2.5 | Pass        |
|       |        |        |        | 50     | 3.85  | 0.815  | 0.0004  | -2.5 to 2.5 | Pass        |

## 2.1.6 B25\_20MHz

| Band: 25 / Bandwidth: 20MHz |                 |               |        |            |               |                  |                       |             |         |
|-----------------------------|-----------------|---------------|--------|------------|---------------|------------------|-----------------------|-------------|---------|
| Modulation                  | Frequency (MHz) | RB Allocation |        | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|                             |                 | Size          | Offset |            |               |                  | Result                | Limit       |         |
| QPSK                        | 1860            | 100           | 0      | 20         | 3.27          | -0.386           | -0.0002               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 3.85          | -0.172           | -0.0001               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 4.43          | 0.744            | 0.0004                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -30        | 3.85          | 0.901            | 0.0005                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -20        | 3.85          | -0.029           | 0.0000                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -10        | 3.85          | 0.043            | 0.0000                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 0          | 3.85          | 0.286            | 0.0002                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 10         | 3.85          | -1.445           | -0.0008               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 30         | 3.85          | -0.615           | -0.0003               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 40         | 3.85          | -1.545           | -0.0008               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 50         | 3.85          | -0.901           | -0.0005               | -2.5 to 2.5 | Pass    |
|                             | 1882.5          | 100           | 0      | 20         | 3.27          | 0.472            | 0.0003                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 3.85          | 1.144            | 0.0006                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 4.43          | 0.501            | 0.0003                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -30        | 3.85          | 1.016            | 0.0005                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -20        | 3.85          | 0.958            | 0.0005                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -10        | 3.85          | 0.529            | 0.0003                | -2.5 to 2.5 | Pass    |

|       |        |     |   |     |      |        |         |             |      |
|-------|--------|-----|---|-----|------|--------|---------|-------------|------|
|       | 1905   | 100 | 0 | 0   | 3.85 | 1.903  | 0.0010  | -2.5 to 2.5 | Pass |
|       |        |     |   | 10  | 3.85 | 0.629  | 0.0003  | -2.5 to 2.5 | Pass |
|       |        |     |   | 30  | 3.85 | 0.014  | 0.0000  | -2.5 to 2.5 | Pass |
|       |        |     |   | 40  | 3.85 | 1.388  | 0.0007  | -2.5 to 2.5 | Pass |
|       |        |     |   | 50  | 3.85 | 1.459  | 0.0008  | -2.5 to 2.5 | Pass |
|       |        |     |   | 20  | 3.27 | -0.916 | -0.0005 | -2.5 to 2.5 | Pass |
|       |        |     |   |     | 3.85 | -1.073 | -0.0006 | -2.5 to 2.5 | Pass |
|       |        |     |   |     | 4.43 | -1.116 | -0.0006 | -2.5 to 2.5 | Pass |
|       |        |     |   | -30 | 3.85 | -0.401 | -0.0002 | -2.5 to 2.5 | Pass |
|       |        |     |   | -20 | 3.85 | 0.100  | 0.0001  | -2.5 to 2.5 | Pass |
|       |        |     |   | -10 | 3.85 | 0.558  | 0.0003  | -2.5 to 2.5 | Pass |
|       |        |     |   | 0   | 3.85 | -1.130 | -0.0006 | -2.5 to 2.5 | Pass |
|       |        |     |   | 10  | 3.85 | -0.730 | -0.0004 | -2.5 to 2.5 | Pass |
|       |        |     |   | 30  | 3.85 | -1.173 | -0.0006 | -2.5 to 2.5 | Pass |
|       |        |     |   | 40  | 3.85 | 0.572  | 0.0003  | -2.5 to 2.5 | Pass |
|       |        |     |   | 50  | 3.85 | -0.143 | -0.0001 | -2.5 to 2.5 | Pass |
| 16QAM | 1860   | 100 | 0 | 20  | 3.27 | 1.216  | 0.0007  | -2.5 to 2.5 | Pass |
|       |        |     |   |     | 3.85 | 1.431  | 0.0008  | -2.5 to 2.5 | Pass |
|       |        |     |   |     | 4.43 | 1.101  | 0.0006  | -2.5 to 2.5 | Pass |
|       |        |     |   | -30 | 3.85 | 1.187  | 0.0006  | -2.5 to 2.5 | Pass |
|       |        |     |   | -20 | 3.85 | 1.760  | 0.0009  | -2.5 to 2.5 | Pass |
|       |        |     |   | -10 | 3.85 | 1.459  | 0.0008  | -2.5 to 2.5 | Pass |
|       |        |     |   | 0   | 3.85 | 1.216  | 0.0007  | -2.5 to 2.5 | Pass |
|       |        |     |   | 10  | 3.85 | 1.631  | 0.0009  | -2.5 to 2.5 | Pass |
|       |        |     |   | 30  | 3.85 | 1.273  | 0.0007  | -2.5 to 2.5 | Pass |
|       |        |     |   | 40  | 3.85 | 0.815  | 0.0004  | -2.5 to 2.5 | Pass |
|       |        |     |   | 50  | 3.85 | 0.701  | 0.0004  | -2.5 to 2.5 | Pass |
|       | 1882.5 | 100 | 0 | 20  | 3.27 | 0.601  | 0.0003  | -2.5 to 2.5 | Pass |
|       |        |     |   |     | 3.85 | 0.100  | 0.0001  | -2.5 to 2.5 | Pass |
|       |        |     |   |     | 4.43 | 1.273  | 0.0007  | -2.5 to 2.5 | Pass |
|       |        |     |   | -30 | 3.85 | -0.072 | 0.0000  | -2.5 to 2.5 | Pass |
|       |        |     |   | -20 | 3.85 | 0.515  | 0.0003  | -2.5 to 2.5 | Pass |
|       |        |     |   | -10 | 3.85 | 0.744  | 0.0004  | -2.5 to 2.5 | Pass |
|       |        |     |   | 0   | 3.85 | 0.143  | 0.0001  | -2.5 to 2.5 | Pass |
|       |        |     |   | 10  | 3.85 | -0.572 | -0.0003 | -2.5 to 2.5 | Pass |
|       |        |     |   | 30  | 3.85 | -1.044 | -0.0006 | -2.5 to 2.5 | Pass |
|       |        |     |   | 40  | 3.85 | -0.372 | -0.0002 | -2.5 to 2.5 | Pass |
|       |        |     |   | 50  | 3.85 | -0.544 | -0.0003 | -2.5 to 2.5 | Pass |
|       | 1905   | 100 | 0 | 20  | 3.27 | -0.172 | -0.0001 | -2.5 to 2.5 | Pass |
|       |        |     |   |     | 3.85 | -0.229 | -0.0001 | -2.5 to 2.5 | Pass |
|       |        |     |   |     | 4.43 | -0.501 | -0.0003 | -2.5 to 2.5 | Pass |
|       |        |     |   | -30 | 3.85 | -0.129 | -0.0001 | -2.5 to 2.5 | Pass |
|       |        |     |   | -20 | 3.85 | 0.644  | 0.0003  | -2.5 to 2.5 | Pass |
|       |        |     |   | -10 | 3.85 | 0.215  | 0.0001  | -2.5 to 2.5 | Pass |
|       |        |     |   | 0   | 3.85 | -0.501 | -0.0003 | -2.5 to 2.5 | Pass |
|       |        |     |   | 10  | 3.85 | -1.030 | -0.0005 | -2.5 to 2.5 | Pass |
|       |        |     |   | 30  | 3.85 | -0.257 | -0.0001 | -2.5 to 2.5 | Pass |
|       |        |     |   | 40  | 3.85 | -0.114 | -0.0001 | -2.5 to 2.5 | Pass |
|       |        |     |   | 50  | 3.85 | 0.443  | 0.0002  | -2.5 to 2.5 | Pass |

### 3. Modulation Characteristics

#### 3.1 Test Result

##### 3.1.1 B25\_1.4MHz

| Band: 25 / Bandwidth: 1.4MHz / NTNV |                 |               |        |                            |       |         |
|-------------------------------------|-----------------|---------------|--------|----------------------------|-------|---------|
| Modulation                          | Frequency (MHz) | RB Allocation |        | Modulation Characteristics |       | Verdict |
|                                     |                 | Size          | Offset | Result                     | Limit |         |
| QPSK                                | 1882.5          | 6             | 0      | Refer To Test Graph        |       | Pass    |
| 16QAM                               | 1882.5          | 6             | 0      | Refer To Test Graph        |       | Pass    |

### 3.1.2 B25\_3MHz

| Band: 25 / Bandwidth: 3MHz / NTVN |                 |               |        |                            |       |         |
|-----------------------------------|-----------------|---------------|--------|----------------------------|-------|---------|
| Modulation                        | Frequency (MHz) | RB Allocation |        | Modulation Characteristics |       | Verdict |
|                                   |                 | Size          | Offset | Result                     | Limit |         |
| QPSK                              | 1882.5          | 15            | 0      | Refer To Test Graph        |       | Pass    |
| 16QAM                             | 1882.5          | 15            | 0      | Refer To Test Graph        |       | Pass    |

### 3.1.3 B25\_5MHz

| Band: 25 / Bandwidth: 5MHz / NTVN |                 |               |        |                            |       |         |
|-----------------------------------|-----------------|---------------|--------|----------------------------|-------|---------|
| Modulation                        | Frequency (MHz) | RB Allocation |        | Modulation Characteristics |       | Verdict |
|                                   |                 | Size          | Offset | Result                     | Limit |         |
| QPSK                              | 1882.5          | 25            | 0      | Refer To Test Graph        |       | Pass    |
| 16QAM                             | 1882.5          | 25            | 0      | Refer To Test Graph        |       | Pass    |

### 3.1.4 B25\_10MHz

| Band: 25 / Bandwidth: 10MHz / NTNV |                 |               |        |                            |       |         |
|------------------------------------|-----------------|---------------|--------|----------------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Modulation Characteristics |       | Verdict |
|                                    |                 | Size          | Offset | Result                     | Limit |         |
| QPSK                               | 1882.5          | 50            | 0      | Refer To Test Graph        |       | Pass    |
| 16QAM                              | 1882.5          | 50            | 0      | Refer To Test Graph        |       | Pass    |

### 3.1.5 B25\_15MHz


| Band: 25 / Bandwidth: 15MHz / NTNV |                 |               |        |                            |       |         |
|------------------------------------|-----------------|---------------|--------|----------------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Modulation Characteristics |       | Verdict |
|                                    |                 | Size          | Offset | Result                     | Limit |         |
| QPSK                               | 1882.5          | 75            | 0      | Refer To Test Graph        |       | Pass    |
| 16QAM                              | 1882.5          | 75            | 0      | Refer To Test Graph        |       | Pass    |

### 3.1.6 B25\_20MHz


| Band: 25 / Bandwidth: 20MHz / NTNV |                 |               |        |                            |       |         |
|------------------------------------|-----------------|---------------|--------|----------------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Modulation Characteristics |       | Verdict |
|                                    |                 | Size          | Offset | Result                     | Limit |         |
| QPSK                               | 1882.5          | 100           | 0      | Refer To Test Graph        |       | Pass    |
| 16QAM                              | 1882.5          | 100           | 0      | Refer To Test Graph        |       | Pass    |

## 3.2 Test Graph


### 3.2.1 B25\_1.4MHz




### 3.2.2 B25\_3MHz




### 3.2.3 B25\_5MHz




### 3.2.4 B25\_10MHz



### 3.2.5 B25\_15MHz



### 3.2.6 B25\_20MHz



## 4. 99% & 26dB Bandwidth

### 4.1 Test Result

#### 4.1.1 Band25\_OBW

| Band: 25 / NTNV |            |                 |               |        |                              |       |         |
|-----------------|------------|-----------------|---------------|--------|------------------------------|-------|---------|
| Bandwidth (MHz) | Modulation | Frequency (MHz) | RB Allocation |        | 99% Occupied Bandwidth (MHz) |       | Verdict |
|                 |            |                 | Size          | Offset | Result                       | Limit |         |
| 1.4             | QPSK       | 1850.7          | 6             | 0      | 1.109                        | /     | Pass    |
|                 |            | 1882.5          | 6             | 0      | 1.115                        | /     | Pass    |
|                 |            | 1914.3          | 6             | 0      | 1.102                        | /     | Pass    |
|                 | 16QAM      | 1850.7          | 6             | 0      | 1.113                        | /     | Pass    |
|                 |            | 1882.5          | 6             | 0      | 1.116                        | /     | Pass    |
|                 |            | 1914.3          | 6             | 0      | 1.103                        | /     | Pass    |
| 3               | QPSK       | 1851.5          | 15            | 0      | 2.730                        | /     | Pass    |
|                 |            | 1882.5          | 15            | 0      | 2.731                        | /     | Pass    |
|                 |            | 1913.5          | 15            | 0      | 2.710                        | /     | Pass    |
|                 | 16QAM      | 1851.5          | 15            | 0      | 2.724                        | /     | Pass    |
|                 |            | 1882.5          | 15            | 0      | 2.731                        | /     | Pass    |
|                 |            | 1913.5          | 15            | 0      | 2.715                        | /     | Pass    |
| 5               | QPSK       | 1852.5          | 25            | 0      | 4.569                        | /     | Pass    |
|                 |            | 1882.5          | 25            | 0      | 4.575                        | /     | Pass    |
|                 |            | 1912.5          | 25            | 0      | 4.561                        | /     | Pass    |
|                 | 16QAM      | 1852.5          | 25            | 0      | 4.567                        | /     | Pass    |
|                 |            | 1882.5          | 25            | 0      | 4.595                        | /     | Pass    |
|                 |            | 1912.5          | 25            | 0      | 4.596                        | /     | Pass    |
| 10              | QPSK       | 1855            | 50            | 0      | 9.079                        | /     | Pass    |
|                 |            | 1882.5          | 50            | 0      | 9.081                        | /     | Pass    |
|                 |            | 1910            | 50            | 0      | 9.075                        | /     | Pass    |
|                 | 16QAM      | 1855            | 50            | 0      | 9.058                        | /     | Pass    |
|                 |            | 1882.5          | 50            | 0      | 9.087                        | /     | Pass    |
|                 |            | 1910            | 50            | 0      | 9.083                        | /     | Pass    |
| 15              | QPSK       | 1857.5          | 75            | 0      | 13.588                       | /     | Pass    |
|                 |            | 1882.5          | 75            | 0      | 13.624                       | /     | Pass    |
|                 |            | 1907.5          | 75            | 0      | 13.533                       | /     | Pass    |
|                 | 16QAM      | 1857.5          | 75            | 0      | 13.558                       | /     | Pass    |
|                 |            | 1882.5          | 75            | 0      | 13.607                       | /     | Pass    |
|                 |            | 1907.5          | 75            | 0      | 13.572                       | /     | Pass    |
| 20              | QPSK       | 1860            | 100           | 0      | 18.157                       | /     | Pass    |
|                 |            | 1882.5          | 100           | 0      | 18.129                       | /     | Pass    |
|                 |            | 1905            | 100           | 0      | 18.045                       | /     | Pass    |
|                 | 16QAM      | 1860            | 100           | 0      | 18.090                       | /     | Pass    |
|                 |            | 1882.5          | 100           | 0      | 18.102                       | /     | Pass    |
|                 |            | 1905            | 100           | 0      | 18.078                       | /     | Pass    |


#### 4.1.2 Band25\_XDB

| Band: 25 / NTNV |            |                 |               |        |                      |       |         |
|-----------------|------------|-----------------|---------------|--------|----------------------|-------|---------|
| Bandwidth (MHz) | Modulation | Frequency (MHz) | RB Allocation |        | 26dB Bandwidth (MHz) |       | Verdict |
|                 |            |                 | Size          | Offset | Result               | Limit |         |
| 1.4             | QPSK       | 1850.7          | 6             | 0      | 1.272                | /     | Pass    |
|                 |            | 1882.5          | 6             | 0      | 1.284                | /     | Pass    |
|                 |            | 1914.3          | 6             | 0      | 1.276                | /     | Pass    |


|    |       |        |     |   |        |   |      |
|----|-------|--------|-----|---|--------|---|------|
|    | 16QAM | 1850.7 | 6   | 0 | 1.271  | / | Pass |
|    |       | 1882.5 | 6   | 0 | 1.301  | / | Pass |
|    |       | 1914.3 | 6   | 0 | 1.262  | / | Pass |
| 3  | QPSK  | 1851.5 | 15  | 0 | 2.978  | / | Pass |
|    |       | 1882.5 | 15  | 0 | 3.015  | / | Pass |
|    |       | 1913.5 | 15  | 0 | 2.976  | / | Pass |
|    | 16QAM | 1851.5 | 15  | 0 | 2.991  | / | Pass |
|    |       | 1882.5 | 15  | 0 | 3.102  | / | Pass |
|    |       | 1913.5 | 15  | 0 | 2.967  | / | Pass |
| 5  | QPSK  | 1852.5 | 25  | 0 | 5.074  | / | Pass |
|    |       | 1882.5 | 25  | 0 | 5.469  | / | Pass |
|    |       | 1912.5 | 25  | 0 | 5.064  | / | Pass |
|    | 16QAM | 1852.5 | 25  | 0 | 5.103  | / | Pass |
|    |       | 1882.5 | 25  | 0 | 6.436  | / | Pass |
|    |       | 1912.5 | 25  | 0 | 5.080  | / | Pass |
| 10 | QPSK  | 1855   | 50  | 0 | 10.067 | / | Pass |
|    |       | 1882.5 | 50  | 0 | 10.604 | / | Pass |
|    |       | 1910   | 50  | 0 | 10.106 | / | Pass |
|    | 16QAM | 1855   | 50  | 0 | 10.097 | / | Pass |
|    |       | 1882.5 | 50  | 0 | 10.757 | / | Pass |
|    |       | 1910   | 50  | 0 | 10.052 | / | Pass |
| 15 | QPSK  | 1857.5 | 75  | 0 | 15.229 | / | Pass |
|    |       | 1882.5 | 75  | 0 | 15.302 | / | Pass |
|    |       | 1907.5 | 75  | 0 | 15.126 | / | Pass |
|    | 16QAM | 1857.5 | 75  | 0 | 15.220 | / | Pass |
|    |       | 1882.5 | 75  | 0 | 15.426 | / | Pass |
|    |       | 1907.5 | 75  | 0 | 15.207 | / | Pass |
| 20 | QPSK  | 1860   | 100 | 0 | 20.021 | / | Pass |
|    |       | 1882.5 | 100 | 0 | 20.141 | / | Pass |
|    |       | 1905   | 100 | 0 | 20.047 | / | Pass |
|    | 16QAM | 1860   | 100 | 0 | 20.122 | / | Pass |
|    |       | 1882.5 | 100 | 0 | 20.643 | / | Pass |
|    |       | 1905   | 100 | 0 | 19.930 | / | Pass |

## 4.2 Test Graph


### 4.2.1 Band25\_OBW




Band25 1.4MHz QPSK HCH 1914.3MHz RB 6 0 NTN




Band25 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTN




Band25 1.4MHz 16QAM MCH 1882.5MHz RB 6 0 NTNV




Band25 1.4MHz 16QAM HCH 1914.3MHz RB 6 0 NTNV




Band25 3MHz QPSK LCH 1851.5MHz RB 15 0 NTV




Band25 3MHz QPSK MCH 1882.5MHz RB 15 0 NTV




Band25 3MHz QPSK HCH 1913.5MHz RB 15 0 NTNV




Band25 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTNV




Band25 3MHz 16QAM MCH 1882.5MHz RB 15 0 NTNV




Band25 3MHz 16QAM HCH 1913.5MHz RB 15 0 NTNV




Band25 5MHz QPSK LCH 1852.5MHz RB 25 0 NTV




Band25 5MHz QPSK MCH 1882.5MHz RB 25 0 NTV




Band25 5MHz QPSK HCH 1912.5MHz RB 25 0 NTNV




Band25 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTNV




Band25 5MHz 16QAM MCH 1882.5MHz RB 25 0 NTNV




Band25 5MHz 16QAM HCH 1912.5MHz RB 25 0 NTNV




Band25 10MHz QPSK LCH 1855MHz RB 50 0 NTV




Band25 10MHz QPSK MCH 1882.5MHz RB 50 0 NTV




Band25 10MHz QPSK HCH 1910MHz RB 50 0 NTNV




Band25 10MHz 16QAM LCH 1855MHz RB 50 0 NTNV




Band25 10MHz 16QAM MCH 1882.5MHz RB 50 0 NTNV




Band25 10MHz 16QAM HCH 1910MHz RB 50 0 NTNV




Band25 15MHz QPSK LCH 1857.5MHz RB 75 0 NTNV




Band25 15MHz QPSK MCH 1882.5MHz RB 75 0 NTNV




Band25 15MHz QPSK HCH 1907.5MHz RB 75 0 NTN




Band25 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTN




Band25 15MHz 16QAM MCH 1882.5MHz RB 75 0 NTNV




Band25 15MHz 16QAM HCH 1907.5MHz RB 75 0 NTNV




Band25 20MHz QPSK LCH 1860MHz RB 100 0 NTNV




Band25 20MHz QPSK MCH 1882.5MHz RB 100 0 NTNV




Band25 20MHz QPSK HCH 1905MHz RB 100 0 NTNV




Band25 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV




Band25 20MHz 16QAM MCH 1882.5MHz RB 100 0 NTN




Band25 20MHz 16QAM HCH 1905MHz RB 100 0 NTN




#### 4.2.2 Band25\_XDB




Band25 1.4MHz QPSK HCH 1914.3MHz RB 6 0 NTN




Band25 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTN




Band25 1.4MHz 16QAM MCH 1882.5MHz RB 6 0 NTN




Band25 1.4MHz 16QAM HCH 1914.3MHz RB 6 0 NTN




Band25 3MHz QPSK LCH 1851.5MHz RB 15 0 NTNV




Band25 3MHz QPSK MCH 1882.5MHz RB 15 0 NTNV




Band25 3MHz QPSK HCH 1913.5MHz RB 15 0 NTV




Band25 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTV




Band25 3MHz 16QAM MCH 1882.5MHz RB 15 0 NTN




Band25 3MHz 16QAM HCH 1913.5MHz RB 15 0 NTN




Band25 5MHz QPSK LCH 1852.5MHz RB 25 0 NTNV




Band25 5MHz QPSK MCH 1882.5MHz RB 25 0 NTNV




Band25 5MHz QPSK HCH 1912.5MHz RB 25 0 NTNV




Band25 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTNV




Band25 5MHz 16QAM MCH 1882.5MHz RB 25 0 NTN




Band25 5MHz 16QAM HCH 1912.5MHz RB 25 0 NTN




Band25 10MHz QPSK LCH 1855MHz RB 50 0 NTV




Band25 10MHz QPSK MCH 1882.5MHz RB 50 0 NTV




Band25 10MHz QPSK HCH 1910MHz RB 50 0 NTNV




Band25 10MHz 16QAM LCH 1855MHz RB 50 0 NTNV




Band25 10MHz 16QAM MCH 1882.5MHz RB 50 0 NTNV




Band25 10MHz 16QAM HCH 1910MHz RB 50 0 NTNV




Band25 15MHz QPSK LCH 1857.5MHz RB 75 0 NTNV




Band25 15MHz QPSK MCH 1882.5MHz RB 75 0 NTNV




Band25 15MHz QPSK HCH 1907.5MHz RB 75 0 NTN




Band25 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTN




Band25 15MHz 16QAM MCH 1882.5MHz RB 75 0 NTN




Band25 15MHz 16QAM HCH 1907.5MHz RB 75 0 NTN




Band25 20MHz QPSK LCH 1860MHz RB 100 0 NTNV




Band25 20MHz QPSK MCH 1882.5MHz RB 100 0 NTNV




Band25 20MHz QPSK HCH 1905MHz RB 100 0 NTNV




Band25 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV



Band25 20MHz 16QAM MCH 1882.5MHz RB 100 0 NTN



Band25 20MHz 16QAM HCH 1905MHz RB 100 0 NTN



## 5. Peak-Average Ratio

### 5.1 Test Result

#### 5.1.1 B25\_1.4MHz

| Band: 25 / Bandwidth: 1.4MHz / NTNV |                 |               |        |                         |       |         |
|-------------------------------------|-----------------|---------------|--------|-------------------------|-------|---------|
| Modulation                          | Frequency (MHz) | RB Allocation |        | Peak-Average Ratio (dB) |       | Verdict |
|                                     |                 | Size          | Offset | Result                  | Limit |         |
| QPSK                                | 1850.7          | 6             | 0      | 4.05                    | <=13  | Pass    |
|                                     | 1882.5          | 6             | 0      | 3.45                    | <=13  | Pass    |
|                                     | 1914.3          | 6             | 0      | 4.47                    | <=13  | Pass    |
| 16QAM                               | 1850.7          | 6             | 0      | 5.65                    | <=13  | Pass    |
|                                     | 1882.5          | 6             | 0      | 4.09                    | <=13  | Pass    |
|                                     | 1914.3          | 6             | 0      | 5.09                    | <=13  | Pass    |

#### 5.1.2 B25\_3MHz

| Band: 25 / Bandwidth: 3MHz / NTNV |                 |               |        |                         |       |         |
|-----------------------------------|-----------------|---------------|--------|-------------------------|-------|---------|
| Modulation                        | Frequency (MHz) | RB Allocation |        | Peak-Average Ratio (dB) |       | Verdict |
|                                   |                 | Size          | Offset | Result                  | Limit |         |
| QPSK                              | 1851.5          | 15            | 0      | 4.25                    | <=13  | Pass    |
|                                   | 1882.5          | 15            | 0      | 3.40                    | <=13  | Pass    |
|                                   | 1913.5          | 15            | 0      | 4.74                    | <=13  | Pass    |
| 16QAM                             | 1851.5          | 15            | 0      | 5.02                    | <=13  | Pass    |
|                                   | 1882.5          | 15            | 0      | 4.19                    | <=13  | Pass    |
|                                   | 1913.5          | 15            | 0      | 5.43                    | <=13  | Pass    |

#### 5.1.3 B25\_5MHz

| Band: 25 / Bandwidth: 5MHz / NTNV |                 |               |        |                         |       |         |
|-----------------------------------|-----------------|---------------|--------|-------------------------|-------|---------|
| Modulation                        | Frequency (MHz) | RB Allocation |        | Peak-Average Ratio (dB) |       | Verdict |
|                                   |                 | Size          | Offset | Result                  | Limit |         |
| QPSK                              | 1852.5          | 25            | 0      | 4.75                    | <=13  | Pass    |
|                                   | 1882.5          | 25            | 0      | 3.98                    | <=13  | Pass    |
|                                   | 1912.5          | 25            | 0      | 4.93                    | <=13  | Pass    |
| 16QAM                             | 1852.5          | 25            | 0      | 5.36                    | <=13  | Pass    |
|                                   | 1882.5          | 25            | 0      | 4.68                    | <=13  | Pass    |
|                                   | 1912.5          | 25            | 0      | 5.55                    | <=13  | Pass    |

#### 5.1.4 B25\_10MHz

| Band: 25 / Bandwidth: 10MHz / NTNV |                 |               |        |                         |       |         |
|------------------------------------|-----------------|---------------|--------|-------------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Peak-Average Ratio (dB) |       | Verdict |
|                                    |                 | Size          | Offset | Result                  | Limit |         |
| QPSK                               | 1855            | 50            | 0      | 5.08                    | <=13  | Pass    |
|                                    | 1882.5          | 50            | 0      | 4.10                    | <=13  | Pass    |
|                                    | 1910            | 50            | 0      | 4.65                    | <=13  | Pass    |
| 16QAM                              | 1855            | 50            | 0      | 5.77                    | <=13  | Pass    |
|                                    | 1882.5          | 50            | 0      | 4.77                    | <=13  | Pass    |

|  |      |    |   |      |      |      |
|--|------|----|---|------|------|------|
|  | 1910 | 50 | 0 | 5.25 | <=13 | Pass |
|--|------|----|---|------|------|------|

## 5.1.5 B25\_15MHz


| Band: 25 / Bandwidth: 15MHz / NTNV |                 |               |        |                         |       |         |
|------------------------------------|-----------------|---------------|--------|-------------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Peak-Average Ratio (dB) |       | Verdict |
|                                    |                 | Size          | Offset | Result                  | Limit |         |
| QPSK                               | 1857.5          | 75            | 0      | 5.16                    | <=13  | Pass    |
|                                    | 1882.5          | 75            | 0      | 3.90                    | <=13  | Pass    |
|                                    | 1907.5          | 75            | 0      | 4.54                    | <=13  | Pass    |
| 16QAM                              | 1857.5          | 75            | 0      | 5.78                    | <=13  | Pass    |
|                                    | 1882.5          | 75            | 0      | 4.57                    | <=13  | Pass    |
|                                    | 1907.5          | 75            | 0      | 5.09                    | <=13  | Pass    |

## 5.1.6 B25\_20MHz


| Band: 25 / Bandwidth: 20MHz / NTNV |                 |               |        |                         |       |         |
|------------------------------------|-----------------|---------------|--------|-------------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Peak-Average Ratio (dB) |       | Verdict |
|                                    |                 | Size          | Offset | Result                  | Limit |         |
| QPSK                               | 1860            | 100           | 0      | 5.03                    | <=13  | Pass    |
|                                    | 1882.5          | 100           | 0      | 4.24                    | <=13  | Pass    |
|                                    | 1905            | 100           | 0      | 4.71                    | <=13  | Pass    |
| 16QAM                              | 1860            | 100           | 0      | 5.81                    | <=13  | Pass    |
|                                    | 1882.5          | 100           | 0      | 4.91                    | <=13  | Pass    |
|                                    | 1905            | 100           | 0      | 5.41                    | <=13  | Pass    |

## 5.2 Test Graph

### 5.2.1 B25\_1.4MHz




Band25 1.4MHz QPSK HCH 1914.3MHz RB 6.0 NTNV




2024-08-29 13:59:11

Band25 1.4MHz 16QAM LCH 1850.7MHz RB 6.0 NTNV




2024-08-29 13:58:26

Band25 1.4MHz 16QAM MCH 1882.5MHz RB 6 0 NTNV




2024-08-29 13:58:58

Band25 1.4MHz 16QAM HCH 1914.3MHz RB 6 0 NTNV




2024-08-29 13:59:22

### 5.2.2 B25\_3MHz




Band25 3MHz QPSK HCH 1913.5MHz RB 15 0 NTNV




2024-08-29 14:00:52

Band25 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTNV




2024-08-29 14:00:12

Band25 3MHz 16QAM MCH 1882.5MHz RB 15 0 NTNV




2024-08-29 14:00:38

Band25 3MHz 16QAM HCH 1913.5MHz RB 15 0 NTNV




2024-08-29 14:01:03

### 5.2.3 B25\_5MHz




Band25 5MHz QPSK HCH 1912.5MHz RB 25 0 NTV




2024-08-29 14:02:29

Band25 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTV




2024-08-29 14:01:52

Band25 5MHz 16QAM MCH 1882.5MHz RB 25 0 NTNV




2024-08-29 14:02:15

Band25 5MHz 16QAM HCH 1912.5MHz RB 25 0 NTNV




2024-08-29 14:02:40

## 5.2.4 B25\_10MHz




Band25 10MHz QPSK HCH 1910MHz RB 50 0 NTV




2024-08-29 14:04:32

Band25 10MHz 16QAM LCH 1855MHz RB 50 0 NTV




2024-08-29 14:03:39

Band25 10MHz 16QAM MCH 1882.5MHz RB 50 0 NTNV




2024-08-29 14:04:14

Band25 10MHz 16QAM HCH 1910MHz RB 50 0 NTNV




2024-08-29 14:04:49

### 5.2.5 B25\_15MHz




Band25 15MHz QPSK HCH 1907.5MHz RB 75 0 NTN




2024-08-29 14:06:39

Band25 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTN




2024-08-29 14:05:47

Band25 15MHz 16QAM MCH 1882.5MHz RB 75 0 NTNV




2024-08-29 14:06:19

Band25 15MHz 16QAM HCH 1907.5MHz RB 75 0 NTNV




2024-08-29 14:06:52

## 5.2.6 B25\_20MHz




Band25 20MHz QPSK HCH 1905MHz RB 100 0 NTNV




2024-08-29 14:09:07

Band25 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV




2024-08-29 14:07:51

Band25 20MHz 16QAM MCH 1882.5MHz RB 100 0 NTNV



2024-08-29 14:08:49

Band25 20MHz 16QAM HCH 1905MHz RB 100 0 NTNV



2024-08-29 14:09:20

## 6. Spurious Emission

### 6.1 Test Result

#### 6.1.1 B25\_1.4MHz

| Band: 25 / Bandwidth: 1.4MHz / NTNV |                 |               |        |                     |       |         |
|-------------------------------------|-----------------|---------------|--------|---------------------|-------|---------|
| Modulation                          | Frequency (MHz) | RB Allocation |        | Spurious Emission   |       | Verdict |
|                                     |                 | Size          | Offset | Result              | Limit |         |
| QPSK                                | 1850.7          | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                     |                 | 6             | 0      | Refer To Test Graph |       | Pass    |
|                                     | 1882.5          | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                     |                 | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                     |                 |               | 5      | Refer To Test Graph |       | Pass    |
|                                     |                 |               | 0      | Refer To Test Graph |       | Pass    |
| 16QAM                               | 1850.7          | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                     |                 | 6             | 0      | Refer To Test Graph |       | Pass    |
|                                     | 1882.5          | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                     |                 | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                     |                 |               | 5      | Refer To Test Graph |       | Pass    |
|                                     |                 |               | 0      | Refer To Test Graph |       | Pass    |

#### 6.1.2 B25\_3MHz

| Band: 25 / Bandwidth: 3MHz / NTNV |                 |               |        |                     |       |         |
|-----------------------------------|-----------------|---------------|--------|---------------------|-------|---------|
| Modulation                        | Frequency (MHz) | RB Allocation |        | Spurious Emission   |       | Verdict |
|                                   |                 | Size          | Offset | Result              | Limit |         |
| QPSK                              | 1851.5          | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                   |                 | 15            | 0      | Refer To Test Graph |       | Pass    |
|                                   | 1882.5          | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                   |                 | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                   |                 |               | 14     | Refer To Test Graph |       | Pass    |
|                                   |                 |               | 0      | Refer To Test Graph |       | Pass    |
| 16QAM                             | 1851.5          | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                   |                 | 15            | 0      | Refer To Test Graph |       | Pass    |
|                                   | 1882.5          | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                   |                 | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                   |                 |               | 14     | Refer To Test Graph |       | Pass    |
|                                   |                 |               | 0      | Refer To Test Graph |       | Pass    |

#### 6.1.3 B25\_5MHz

| Band: 25 / Bandwidth: 5MHz / NTNV |                 |               |        |                     |       |         |
|-----------------------------------|-----------------|---------------|--------|---------------------|-------|---------|
| Modulation                        | Frequency (MHz) | RB Allocation |        | Spurious Emission   |       | Verdict |
|                                   |                 | Size          | Offset | Result              | Limit |         |
| QPSK                              | 1852.5          | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                   |                 | 25            | 0      | Refer To Test Graph |       | Pass    |
|                                   | 1882.5          | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                   |                 | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                   |                 |               | 24     | Refer To Test Graph |       | Pass    |
|                                   |                 |               | 0      | Refer To Test Graph |       | Pass    |
| 16QAM                             | 1852.5          | 1             | 0      | Refer To Test Graph |       | Pass    |

|  |        |    |    |                     |      |
|--|--------|----|----|---------------------|------|
|  |        | 25 | 0  | Refer To Test Graph | Pass |
|  | 1882.5 | 1  | 0  | Refer To Test Graph | Pass |
|  | 1912.5 | 1  | 0  | Refer To Test Graph | Pass |
|  |        |    | 24 | Refer To Test Graph | Pass |
|  |        | 25 | 0  | Refer To Test Graph | Pass |

#### 6.1.4 B25\_10MHz

| Band: 25 / Bandwidth: 10MHz / NTNV |                 |               |        |                     |       |         |
|------------------------------------|-----------------|---------------|--------|---------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Spurious Emission   |       | Verdict |
|                                    |                 | Size          | Offset | Result              | Limit |         |
| QPSK                               | 1855            | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 | 50            | 0      | Refer To Test Graph |       | Pass    |
|                                    | 1882.5          | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 |               | 49     | Refer To Test Graph |       | Pass    |
|                                    |                 | 50            | 0      | Refer To Test Graph |       | Pass    |
| 16QAM                              | 1855            | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 | 50            | 0      | Refer To Test Graph |       | Pass    |
|                                    | 1882.5          | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 |               | 49     | Refer To Test Graph |       | Pass    |
|                                    |                 | 50            | 0      | Refer To Test Graph |       | Pass    |

#### 6.1.5 B25\_15MHz

| Band: 25 / Bandwidth: 15MHz / NTNV |                 |               |        |                     |       |         |
|------------------------------------|-----------------|---------------|--------|---------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Spurious Emission   |       | Verdict |
|                                    |                 | Size          | Offset | Result              | Limit |         |
| QPSK                               | 1857.5          | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 | 75            | 0      | Refer To Test Graph |       | Pass    |
|                                    | 1882.5          | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 |               | 74     | Refer To Test Graph |       | Pass    |
|                                    |                 | 75            | 0      | Refer To Test Graph |       | Pass    |
| 16QAM                              | 1857.5          | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 | 75            | 0      | Refer To Test Graph |       | Pass    |
|                                    | 1882.5          | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 |               | 74     | Refer To Test Graph |       | Pass    |
|                                    |                 | 75            | 0      | Refer To Test Graph |       | Pass    |


#### 6.1.6 B25\_20MHz

| Band: 25 / Bandwidth: 20MHz / NTNV |                 |               |        |                     |       |         |
|------------------------------------|-----------------|---------------|--------|---------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Spurious Emission   |       | Verdict |
|                                    |                 | Size          | Offset | Result              | Limit |         |
| QPSK                               | 1860            | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 | 100           | 0      | Refer To Test Graph |       | Pass    |
|                                    | 1882.5          | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 |               | 99     | Refer To Test Graph |       | Pass    |
|                                    |                 | 100           | 0      | Refer To Test Graph |       | Pass    |
| 16QAM                              | 1860            | 1             | 0      | Refer To Test Graph |       | Pass    |


|  |        |     |    |                     |      |
|--|--------|-----|----|---------------------|------|
|  |        | 100 | 0  | Refer To Test Graph | Pass |
|  | 1882.5 | 1   | 0  | Refer To Test Graph | Pass |
|  | 1905   | 1   | 0  | Refer To Test Graph | Pass |
|  |        |     | 99 | Refer To Test Graph | Pass |
|  |        | 100 | 0  | Refer To Test Graph | Pass |

## 6.2 Test Graph


### 6.2.1 B25\_1.4MHz



Band25 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTV




Band25 1.4MHz QPSK LCH 1850.7MHz RB 6 0 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1848.5      | 1849       | 1         | /      | 1          | 1848.926   | -47.64      | -13         | Pass   |
| 1849        | 1850       | 0.013     | /      | 2          | 1849.904   | -25.78      | -13         | Pass   |
| 1850        | 1851.5     | 0.013     | /      | /          | /          | /           | /           | /      |


Band25 1.4MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 1.4MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 1.4MHz QPSK HCH 1914.3MHz RB 1 0 NTN



Band25 1.4MHz QPSK HCH 1914.3MHz RB 1 0 NTN




Band25 1.4MHz QPSK HCH 1914.3MHz RB 1 5 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1913.5      | 1915       | 0.003     | /      | /          | /          | /           | /           | /      |
| 1915        | 1916       | 0.003     | /      | 1          | 1915.014   | -31.82      | -13         | Pass   |
| 1916        | 1916.5     | 1         | /      | 2          | 1916.322   | -57.60      | -13         | Pass   |

Band25 1.4MHz QPSK HCH 1914.3MHz RB 6 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1913.5      | 1915       | 0.013     | /      | /          | /          | /           | /           | /      |
| 1915        | 1916       | 0.013     | /      | 1          | 1915.033   | -29.23      | -13         | Pass   |
| 1916        | 1916.5     | 1         | /      | 2          | 1916.008   | -44.25      | -13         | Pass   |


Band25 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTN




Band25 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTN



Band25 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTNV




Band25 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1848.5      | 1849       | 1         | /      | 1          | 1848.992   | -45.80      | -13         | Pass   |
| 1849        | 1850       | 0.013     | /      | 2          | 1849.862   | -26.55      | -13         | Pass   |
| 1850        | 1851.5     | 0.013     | /      | /          | /          | /           | /           | /      |


Band25 1.4MHz 16QAM MCH 1882.5MHz RB 1 0 NTN




Band25 1.4MHz 16QAM MCH 1882.5MHz RB 1 0 NTN




Band25 1.4MHz 16QAM HCH 1914.3MHz RB 1 0 NTN



Band25 1.4MHz 16QAM HCH 1914.3MHz RB 1 0 NTN




## Band25 1.4MHz 16QAM HCH 1914.3MHz RB 1 5 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1913.5      | 1915       | 0.003     | /      | /          | /          | /           | /           | /      |
| 1915        | 1916       | 0.003     | /      | 1          | 1915.002   | -32.94      | -13         | Pass   |
| 1916        | 1916.5     | 1         | /      | 2          | 1916.392   | -58.68      | -13         | Pass   |

## Band25 1.4MHz 16QAM HCH 1914.3MHz RB 6 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1913.5      | 1915       | 0.013     | /      | /          | /          | /           | /           | /      |
| 1915        | 1916       | 0.013     | /      | 1          | 1915.180   | -29.63      | -13         | Pass   |
| 1916        | 1916.5     | 1         | /      | 2          | 1916.002   | -46.20      | -13         | Pass   |


## 6.2.2 B25\_3MHz



Band25 3MHz QPSK LCH 1851.5MHz RB 1 0 NTV




Band25 3MHz QPSK LCH 1851.5MHz RB 15 0 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1847        | 1849       | 1         | CHP    | 1          | 1848.500   | -17.78      | -13         | Pass   |
| 1849        | 1850       | 0.03      | /      | 2          | 1849.952   | -25.80      | -13         | Pass   |
| 1850        | 1853       | 0.03      | /      | /          | /          | /           | /           | /      |


Band25 3MHz QPSK MCH 1882.5MHz RB 1 0 NTV




Band25 3MHz QPSK MCH 1882.5MHz RB 1 0 NTV




Band25 3MHz QPSK HCH 1913.5MHz RB 1 0 NTV



Band25 3MHz QPSK HCH 1913.5MHz RB 1 0 NTV




Band25 3MHz QPSK HCH 1913.5MHz RB 1 14 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1912        | 1915       | 0.003     | /      | /          | /          | /           | /           | /      |
| 1915        | 1916       | 0.003     | /      | 1          | 1915.007   | -31.00      | -13         | Pass   |
| 1916        | 1918       | 1         | CHP    | 2          | 1916.996   | -29.00      | -13         | Pass   |

Band25 3MHz QPSK HCH 1913.5MHz RB 15 0 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1912        | 1915       | 0.03      | /      | /          | /          | /           | /           | /      |
| 1915        | 1916       | 0.03      | /      | 1          | 1915.024   | -29.18      | -13         | Pass   |
| 1916        | 1918       | 1         | CHP    | 2          | 1916.002   | -19.23      | -13         | Pass   |


Band25 3MHz 16QAM LCH 1851.5MHz RB 1 0 NTNV




Band25 3MHz 16QAM LCH 1851.5MHz RB 1 0 NTNV



Band25 3MHz 16QAM LCH 1851.5MHz RB 1 0 NTV




Band25 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1847        | 1849       | 1         | CHP    | 1          | 1848.500   | -19.80      | -13         | Pass   |
| 1849        | 1850       | 0.03      | /      | 2          | 1849.940   | -28.15      | -13         | Pass   |
| 1850        | 1853       | 0.03      | /      | /          | /          | /           | /           | /      |


Band25 3MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 3MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 3MHz 16QAM HCH 1913.5MHz RB 1 0 NTNV



Band25 3MHz 16QAM HCH 1913.5MHz RB 1 0 NTNV




## Band25 3MHz 16QAM HCH 1913.5MHz RB 1 14 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1912        | 1915       | 0.003     | /      | /          | /          | /           | /           | /      |
| 1915        | 1916       | 0.003     | /      | 1          | 1915.011   | -33.32      | -13         | Pass   |
| 1916        | 1918       | 1         | CHP    | 2          | 1916.995   | -29.39      | -13         | Pass   |

## Band25 3MHz 16QAM HCH 1913.5MHz RB 15 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1912        | 1915       | 0.03      | /      | /          | /          | /           | /           | /      |
| 1915        | 1916       | 0.03      | /      | 1          | 1915.150   | -31.86      | -13         | Pass   |
| 1916        | 1918       | 1         | CHP    | 2          | 1916.002   | -20.71      | -13         | Pass   |


### 6.2.3 B25\_5MHz



Band25 5MHz QPSK LCH 1852.5MHz RB 1 0 NTV




Band25 5MHz QPSK LCH 1852.5MHz RB 25 0 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1845        | 1849       | 1         | CHP    | 1          | 1848.500   | -17.95      | -13         | Pass   |
| 1849        | 1850       | 0.051     | /      | 2          | 1849.970   | -26.72      | -13         | Pass   |
| 1850        | 1855       | 0.051     | /      | /          | /          | /           | /           | /      |


Band25 5MHz QPSK MCH 1882.5MHz RB 1 0 NTV




Band25 5MHz QPSK MCH 1882.5MHz RB 1 0 NTV




Band25 5MHz QPSK HCH 1912.5MHz RB 1 0 NTV



Band25 5MHz QPSK HCH 1912.5MHz RB 1 0 NTV




## Band25 5MHz QPSK HCH 1912.5MHz RB 1 24 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1910        | 1915       | 0.003     | /      | /          | /          | /           | /           | /      |
| 1915        | 1916       | 0.003     | /      | 1          | 1915.009   | -31.77      | -13         | Pass   |
| 1916        | 1920       | 1         | CHP    | 2          | 1918.774   | -28.75      | -13         | Pass   |

## Band25 5MHz QPSK HCH 1912.5MHz RB 25 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1910        | 1915       | 0.051     | /      | /          | /          | /           | /           | /      |
| 1915        | 1916       | 0.051     | /      | 1          | 1915.270   | -29.47      | -13         | Pass   |
| 1916        | 1920       | 1         | CHP    | 2          | 1916.020   | -19.81      | -13         | Pass   |


Band25 5MHz 16QAM LCH 1852.5MHz RB 1 0 NTNV




Band25 5MHz 16QAM LCH 1852.5MHz RB 1 0 NTNV



Band25 5MHz 16QAM LCH 1852.5MHz RB 1 0 NTNV




Band25 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1845        | 1849       | 1         | CHP    | 1          | 1848.500   | -19.53      | -13         | Pass   |
| 1849        | 1850       | 0.051     | /      | 2          | 1849.960   | -28.34      | -13         | Pass   |
| 1850        | 1855       | 0.051     | /      | /          | /          | /           | /           | /      |


Band25 5MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 5MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 5MHz 16QAM HCH 1912.5MHz RB 1 0 NTV



Band25 5MHz 16QAM HCH 1912.5MHz RB 1 0 NTV




## Band25 5MHz 16QAM HCH 1912.5MHz RB 1 24 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1910        | 1915       | 0.003     | /      | /          | /          | /           | /           | /      |
| 1915        | 1916       | 0.003     | /      | 1          | 1915.002   | -34.68      | -13         | Pass   |
| 1916        | 1920       | 1         | CHP    | 2          | 1918.804   | -32.68      | -13         | Pass   |

## Band25 5MHz 16QAM HCH 1912.5MHz RB 25 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1910        | 1915       | 0.051     | /      | /          | /          | /           | /           | /      |
| 1915        | 1916       | 0.051     | /      | 1          | 1915.010   | -29.37      | -13         | Pass   |
| 1916        | 1920       | 1         | CHP    | 2          | 1916.010   | -21.41      | -13         | Pass   |


## 6.2.4 B25\_10MHz



## Band25 10MHz QPSK LCH 1855MHz RB 1 0 NTNV




## Band25 10MHz QPSK LCH 1855MHz RB 50 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1840        | 1849       | 1         | CHP    | 1          | 1848.500   | -23.60      | -13         | Pass   |
| 1849        | 1850       | 0.11      | /      | 2          | 1849.520   | -29.85      | -13         | Pass   |
| 1850        | 1860       | 0.11      | /      | /          | /          | /           | /           | /      |


Band25 10MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 10MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 10MHz QPSK HCH 1910MHz RB 1 0 NTNV



Band25 10MHz QPSK HCH 1910MHz RB 1 0 NTNV




## Band25 10MHz QPSK HCH 1910MHz RB 1 49 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1905        | 1915       | 0.003     | /      | /          | /          | /           | /           | /      |
| 1915        | 1916       | 0.003     | /      | 1          | 1915.010   | -38.04      | -13         | Pass   |
| 1916        | 1925       | 1         | CHP    | 2          | 1916.003   | -35.85      | -13         | Pass   |

## Band25 10MHz QPSK HCH 1910MHz RB 50 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1905        | 1915       | 0.11      | /      | /          | /          | /           | /           | /      |
| 1915        | 1916       | 0.11      | /      | 1          | 1915.020   | -26.98      | -13         | Pass   |
| 1916        | 1925       | 1         | CHP    | 2          | 1916.100   | -19.56      | -13         | Pass   |


Band25 10MHz 16QAM LCH 1855MHz RB 1 0 NTV




Band25 10MHz 16QAM LCH 1855MHz RB 1 0 NTV



Band25 10MHz 16QAM LCH 1855MHz RB 1 0 NTV




Band25 10MHz 16QAM LCH 1855MHz RB 50 0 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1840        | 1849       | 1         | CHP    | 1          | 1848.500   | -24.28      | -13         | Pass   |
| 1849        | 1850       | 0.11      | /      | 2          | 1849.620   | -30.60      | -13         | Pass   |
| 1850        | 1860       | 0.11      | /      | /          | /          | /           | /           | /      |


Band25 10MHz 16QAM MCH 1882.5MHz RB 1 0 NTN




Band25 10MHz 16QAM MCH 1882.5MHz RB 1 0 NTN




Band25 10MHz 16QAM HCH 1910MHz RB 1 0 NTV



Band25 10MHz 16QAM HCH 1910MHz RB 1 0 NTV




Band25 10MHz 16QAM HCH 1910MHz RB 1 49 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1905        | 1915       | 0.003     | /      | /          | /          | /           | /           | /      |
| 1915        | 1916       | 0.003     | /      | 1          | 1915.015   | -38.24      | -13         | Pass   |
| 1916        | 1925       | 1         | CHP    | 2          | 1916.003   | -36.23      | -13         | Pass   |

Band25 10MHz 16QAM HCH 1910MHz RB 50 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1905        | 1915       | 0.11      | /      | /          | /          | /           | /           | /      |
| 1915        | 1916       | 0.11      | /      | 1          | 1915.780   | -28.70      | -13         | Pass   |
| 1916        | 1925       | 1         | CHP    | 2          | 1916.020   | -21.12      | -13         | Pass   |


## 6.2.5 B25\_15MHz



## Band25 15MHz QPSK LCH 1857.5MHz RB 1 0 NTV




## Band25 15MHz QPSK LCH 1857.5MHz RB 75 0 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1835        | 1849       | 1         | CHP    | 1          | 1848.500   | -25.16      | -13         | Pass   |
| 1849        | 1850       | 0.16      | /      | 2          | 1849.460   | -29.85      | -13         | Pass   |
| 1850        | 1865       | 0.16      | /      | /          | /          | /           | /           | /      |


Band25 15MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 15MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 15MHz QPSK HCH 1907.5MHz RB 1 0 NTNV



Band25 15MHz QPSK HCH 1907.5MHz RB 1 0 NTNV




## Band25 15MHz QPSK HCH 1907.5MHz RB 1 74 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1900        | 1915       | 0.003     | /      | /          | /          | /           | /           | /      |
| 1915        | 1916       | 0.003     | /      | 1          | 1915.004   | -40.57      | -13         | Pass   |
| 1916        | 1930       | 1         | CHP    | 2          | 1916.001   | -35.89      | -13         | Pass   |

## Band25 15MHz QPSK HCH 1907.5MHz RB 75 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1900        | 1915       | 0.16      | /      | /          | /          | /           | /           | /      |
| 1915        | 1916       | 0.16      | /      | 1          | 1915.900   | -24.60      | -13         | Pass   |
| 1916        | 1930       | 1         | CHP    | 2          | 1916.020   | -19.00      | -13         | Pass   |


Band25 15MHz 16QAM LCH 1857.5MHz RB 1 0 NTNV




Band25 15MHz 16QAM LCH 1857.5MHz RB 1 0 NTNV



Band25 15MHz 16QAM LCH 1857.5MHz RB 1 0 NTNV




Band25 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1835        | 1849       | 1         | CHP    | 1          | 1848.500   | -26.78      | -13         | Pass   |
| 1849        | 1850       | 0.16      | /      | 2          | 1849.820   | -31.94      | -13         | Pass   |
| 1850        | 1865       | 0.16      | /      | /          | /          | /           | /           | /      |


Band25 15MHz 16QAM MCH 1882.5MHz RB 1 0 NTN




Band25 15MHz 16QAM MCH 1882.5MHz RB 1 0 NTN




Band25 15MHz 16QAM HCH 1907.5MHz RB 1 0 NTN



Band25 15MHz 16QAM HCH 1907.5MHz RB 1 0 NTN




## Band25 15MHz 16QAM HCH 1907.5MHz RB 1 74 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1900        | 1915       | 0.003     | /      | /          | /          | /           | /           | /      |
| 1915        | 1916       | 0.003     | /      | 1          | 1915.004   | -40.46      | -13         | Pass   |
| 1916        | 1930       | 1         | CHP    | 2          | 1916.001   | -37.30      | -13         | Pass   |

## Band25 15MHz 16QAM HCH 1907.5MHz RB 75 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1900        | 1915       | 0.16      | /      | /          | /          | /           | /           | /      |
| 1915        | 1916       | 0.16      | /      | 1          | 1915.120   | -25.25      | -13         | Pass   |
| 1916        | 1930       | 1         | CHP    | 2          | 1916.020   | -21.50      | -13         | Pass   |


## 6.2.6 B25\_20MHz



## Band25 20MHz QPSK LCH 1860MHz RB 1 0 NTNV




## Band25 20MHz QPSK LCH 1860MHz RB 100 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1830        | 1849       | 1         | CHP    | 1          | 1848.480   | -27.36      | -13         | Pass   |
| 1849        | 1850       | 0.2       | /      | 2          | 1849.560   | -30.99      | -13         | Pass   |
| 1850        | 1870       | 0.2       | /      | /          | /          | /           | /           | /      |


Band25 20MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 20MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 20MHz QPSK HCH 1905MHz RB 1 0 NTNV



Band25 20MHz QPSK HCH 1905MHz RB 1 0 NTNV




## Band25 20MHz QPSK HCH 1905MHz RB 1 99 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1895        | 1915       | 0.003     | /      | /          | /          | /           | /           | /      |
| 1915        | 1916       | 0.003     | /      | 1          | 1915.005   | -43.28      | -13         | Pass   |
| 1916        | 1935       | 1         | CHP    | 2          | 1916.005   | -36.99      | -13         | Pass   |

## Band25 20MHz QPSK HCH 1905MHz RB 100 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1895        | 1915       | 0.2       | /      | /          | /          | /           | /           | /      |
| 1915        | 1916       | 0.2       | /      | 1          | 1915.120   | -26.51      | -13         | Pass   |
| 1916        | 1935       | 1         | CHP    | 2          | 1916.040   | -22.21      | -13         | Pass   |


Band25 20MHz 16QAM LCH 1860MHz RB 1 0 NTNV




Band25 20MHz 16QAM LCH 1860MHz RB 1 0 NTNV



Band25 20MHz 16QAM LCH 1860MHz RB 1 0 NTV




Band25 20MHz 16QAM LCH 1860MHz RB 100 0 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1830        | 1849       | 1         | CHP    | 1          | 1847.560   | -27.46      | -13         | Pass   |
| 1849        | 1850       | 0.22      | /      | 2          | 1849.880   | -30.50      | -13         | Pass   |
| 1850        | 1870       | 0.22      | /      | /          | /          | /           | /           | /      |


Band25 20MHz 16QAM MCH 1882.5MHz RB 1 0 NTN




Band25 20MHz 16QAM MCH 1882.5MHz RB 1 0 NTN




Band25 20MHz 16QAM HCH 1905MHz RB 1 0 NTV



Band25 20MHz 16QAM HCH 1905MHz RB 1 0 NTV




## Band25 20MHz 16QAM HCH 1905MHz RB 1 99 NTNV



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1895        | 1915       | 0.003     | /      | /          | /          | /           | /           | /      |
| 1915        | 1916       | 0.003     | /      | 1          | 1915.005   | -44.01      | -13         | Pass   |
| 1916        | 1935       | 1         | CHP    | 2          | 1916.005   | -37.31      | -13         | Pass   |

## Band25 20MHz 16QAM HCH 1905MHz RB 100 0 NTNV



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1895        | 1915       | 0.2       | /      | /          | /          | /           | /           | /      |
| 1915        | 1916       | 0.2       | /      | 1          | 1915.080   | -28.87      | -13         | Pass   |
| 1916        | 1935       | 1         | CHP    | 2          | 1916.040   | -24.31      | -13         | Pass   |

## 7. Form731

### 7.1 Test Result

#### 7.1.1 Form731\_Power

| Band | BW  | Lower Freq | High Freq | MAX Power (W) | Value  | Hz/ppm | Emission Designator | Rule Parts | MAX Power (dBm) |
|------|-----|------------|-----------|---------------|--------|--------|---------------------|------------|-----------------|
| 25   | 1.4 | 1850.7     | 1914.3    | 0.1563        | 0.0015 | ppm    | 1M11G7D             | 24E        | 21.94           |
| 25   | 1.4 | 1850.7     | 1914.3    | 0.1327        | 0.0010 | ppm    | 1M12W7D             | 24E        | 21.23           |
| 25   | 3   | 1851.5     | 1913.5    | 0.1614        | 0.0017 | ppm    | 2M73G7D             | 24E        | 22.08           |
| 25   | 3   | 1851.5     | 1913.5    | 0.1371        | 0.0010 | ppm    | 2M73W7D             | 24E        | 21.37           |
| 25   | 5   | 1852.5     | 1912.5    | 0.1578        | 0.0009 | ppm    | 4M58G7D             | 24E        | 21.98           |
| 25   | 5   | 1852.5     | 1912.5    | 0.1271        | 0.0010 | ppm    | 4M60W7D             | 24E        | 21.04           |
| 25   | 10  | 1855       | 1910      | 0.1652        | 0.0015 | ppm    | 9M08G7D             | 24E        | 22.18           |
| 25   | 10  | 1855       | 1910      | 0.1387        | 0.0013 | ppm    | 9M09W7D             | 24E        | 21.42           |
| 25   | 15  | 1857.5     | 1907.5    | 0.1698        | 0.0010 | ppm    | 13M6G7D             | 24E        | 22.30           |
| 25   | 15  | 1857.5     | 1907.5    | 0.1578        | 0.0009 | ppm    | 13M6W7D             | 24E        | 21.98           |
| 25   | 20  | 1860       | 1905      | 0.1581        | 0.0010 | ppm    | 18M2G7D             | 24E        | 21.99           |
| 25   | 20  | 1860       | 1905      | 0.1563        | 0.0009 | ppm    | 18M1W7D             | 24E        | 21.94           |

#### 7.1.2 Form731\_EIRP

| Band | BW  | Lower Freq | High Freq | MAX Power (W) | Value  | Hz/ppm | Emission Designator | Rule Parts | MAX Power (dBm) |
|------|-----|------------|-----------|---------------|--------|--------|---------------------|------------|-----------------|
| 25   | 1.4 | 1850.7     | 1914.3    | 0.1888        | 0.0015 | ppm    | 1M11G7D             | 24E        | 22.76           |
| 25   | 1.4 | 1850.7     | 1914.3    | 0.1603        | 0.0010 | ppm    | 1M12W7D             | 24E        | 22.05           |
| 25   | 3   | 1851.5     | 1913.5    | 0.1950        | 0.0017 | ppm    | 2M73G7D             | 24E        | 22.90           |
| 25   | 3   | 1851.5     | 1913.5    | 0.1656        | 0.0010 | ppm    | 2M73W7D             | 24E        | 22.19           |
| 25   | 5   | 1852.5     | 1912.5    | 0.1905        | 0.0009 | ppm    | 4M58G7D             | 24E        | 22.80           |
| 25   | 5   | 1852.5     | 1912.5    | 0.1535        | 0.0010 | ppm    | 4M60W7D             | 24E        | 21.86           |
| 25   | 10  | 1855       | 1910      | 0.1995        | 0.0015 | ppm    | 9M08G7D             | 24E        | 23.00           |
| 25   | 10  | 1855       | 1910      | 0.1675        | 0.0013 | ppm    | 9M09W7D             | 24E        | 22.24           |
| 25   | 15  | 1857.5     | 1907.5    | 0.2051        | 0.0010 | ppm    | 13M6G7D             | 24E        | 23.12           |
| 25   | 15  | 1857.5     | 1907.5    | 0.1905        | 0.0009 | ppm    | 13M6W7D             | 24E        | 22.80           |
| 25   | 20  | 1860       | 1905      | 0.1910        | 0.0010 | ppm    | 18M2G7D             | 24E        | 22.81           |
| 25   | 20  | 1860       | 1905      | 0.1888        | 0.0009 | ppm    | 18M1W7D             | 24E        | 22.76           |