

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1850.7	1	0	20.58	1.55	22.13	<=33.01	Pass	
			2	20.64	1.55	22.19	<=33.01	Pass	
			5	20.69	1.55	22.24	<=33.01	Pass	
		3	0	20.63	1.55	22.18	<=33.01	Pass	
			2	20.66	1.55	22.21	<=33.01	Pass	
			3	20.62	1.55	22.17	<=33.01	Pass	
		6	0	19.60	1.55	21.15	<=33.01	Pass	
		1880	1	0	20.79	1.55	22.34	<=33.01	Pass
				2	20.77	1.55	22.32	<=33.01	Pass
	5			20.88	1.55	22.43	<=33.01	Pass	
	3		0	20.77	1.55	22.32	<=33.01	Pass	
			2	20.80	1.55	22.35	<=33.01	Pass	
			3	20.86	1.55	22.41	<=33.01	Pass	
	1909.3	6	0	19.79	1.55	21.34	<=33.01	Pass	
		1	0	20.72	1.55	22.27	<=33.01	Pass	
			2	20.77	1.55	22.32	<=33.01	Pass	
			5	20.75	1.55	22.30	<=33.01	Pass	
		3	0	20.65	1.55	22.20	<=33.01	Pass	
			2	20.73	1.55	22.28	<=33.01	Pass	
			3	20.51	1.55	22.06	<=33.01	Pass	
		6	0	19.53	1.55	21.08	<=33.01	Pass	
16QAM		1850.7	1	0	19.95	1.55	21.50	<=33.01	Pass
	2			19.92	1.55	21.47	<=33.01	Pass	
	5			19.88	1.55	21.43	<=33.01	Pass	
	3		0	19.68	1.55	21.23	<=33.01	Pass	
			2	19.64	1.55	21.19	<=33.01	Pass	
			3	19.60	1.55	21.15	<=33.01	Pass	
	6		0	18.93	1.55	20.48	<=33.01	Pass	
	1880	1	0	19.96	1.55	21.51	<=33.01	Pass	
			2	19.96	1.55	21.51	<=33.01	Pass	
			5	20.05	1.55	21.60	<=33.01	Pass	
		3	0	19.80	1.55	21.35	<=33.01	Pass	
			2	19.84	1.55	21.39	<=33.01	Pass	
			3	19.94	1.55	21.49	<=33.01	Pass	
	1909.3	6	0	18.94	1.55	20.49	<=33.01	Pass	
		1	0	19.84	1.55	21.39	<=33.01	Pass	
			2	19.81	1.55	21.36	<=33.01	Pass	
			5	19.87	1.55	21.42	<=33.01	Pass	
		3	0	19.52	1.55	21.07	<=33.01	Pass	
			2	19.50	1.55	21.05	<=33.01	Pass	
			3	19.54	1.55	21.09	<=33.01	Pass	
		6	0	18.70	1.55	20.25	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1851.5	1	0	20.74	1.55	22.29	<=33.01	Pass	
			7	20.66	1.55	22.21	<=33.01	Pass	
			14	20.67	1.55	22.22	<=33.01	Pass	
		8	0	19.59	1.55	21.14	<=33.01	Pass	
			4	19.56	1.55	21.11	<=33.01	Pass	
			7	19.55	1.55	21.10	<=33.01	Pass	
		15	0	19.61	1.55	21.16	<=33.01	Pass	
		1880	1	0	20.77	1.55	22.32	<=33.01	Pass
				7	20.81	1.55	22.36	<=33.01	Pass
	14			20.84	1.55	22.39	<=33.01	Pass	
	8		0	19.74	1.55	21.29	<=33.01	Pass	
			4	19.80	1.55	21.35	<=33.01	Pass	
			7	19.82	1.55	21.37	<=33.01	Pass	
	15		0	19.71	1.55	21.26	<=33.01	Pass	
	1908.5		1	0	20.80	1.55	22.35	<=33.01	Pass
				7	20.80	1.55	22.35	<=33.01	Pass
		14		20.73	1.55	22.28	<=33.01	Pass	
		8	0	19.76	1.55	21.31	<=33.01	Pass	
			4	19.78	1.55	21.33	<=33.01	Pass	
			7	19.72	1.55	21.27	<=33.01	Pass	
		15	0	19.74	1.55	21.29	<=33.01	Pass	
16QAM		1851.5	1	0	19.72	1.55	21.27	<=33.01	Pass
				7	19.64	1.55	21.19	<=33.01	Pass
	14			19.62	1.55	21.17	<=33.01	Pass	
	8		0	18.83	1.55	20.38	<=33.01	Pass	
			4	18.82	1.55	20.37	<=33.01	Pass	
			7	18.79	1.55	20.34	<=33.01	Pass	
	15		0	18.70	1.55	20.25	<=33.01	Pass	
	1880		1	0	19.97	1.55	21.52	<=33.01	Pass
				7	19.92	1.55	21.47	<=33.01	Pass
		14		20.11	1.55	21.66	<=33.01	Pass	
		8	0	18.86	1.55	20.41	<=33.01	Pass	
			4	18.99	1.55	20.54	<=33.01	Pass	
			7	19.00	1.55	20.55	<=33.01	Pass	
		15	0	18.81	1.55	20.36	<=33.01	Pass	
		1908.5	1	0	19.50	1.55	21.05	<=33.01	Pass
				7	19.25	1.55	20.80	<=33.01	Pass
	14			19.38	1.55	20.93	<=33.01	Pass	
	8		0	18.68	1.55	20.23	<=33.01	Pass	
			4	18.61	1.55	20.16	<=33.01	Pass	
			7	18.60	1.55	20.15	<=33.01	Pass	
	15		0	18.53	1.55	20.08	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	20.53	1.55	22.08	<=33.01	Pass
			13	20.55	1.55	22.10	<=33.01	Pass
			24	20.59	1.55	22.14	<=33.01	Pass
		12	0	19.63	1.55	21.18	<=33.01	Pass
			6	19.66	1.55	21.21	<=33.01	Pass

16QAM	1880	25	13	19.65	1.55	21.20	<=33.01	Pass
			0	19.66	1.55	21.21	<=33.01	Pass
			0	20.64	1.55	22.19	<=33.01	Pass
		1	13	20.79	1.55	22.34	<=33.01	Pass
			24	20.73	1.55	22.28	<=33.01	Pass
			0	19.55	1.55	21.10	<=33.01	Pass
		12	6	19.58	1.55	21.13	<=33.01	Pass
			13	19.83	1.55	21.38	<=33.01	Pass
			0	19.66	1.55	21.21	<=33.01	Pass
		25	0	20.68	1.55	22.23	<=33.01	Pass
	1907.5	1	13	20.69	1.55	22.24	<=33.01	Pass
			24	20.44	1.55	21.99	<=33.01	Pass
			0	19.54	1.55	21.09	<=33.01	Pass
		12	6	19.58	1.55	21.13	<=33.01	Pass
			13	19.55	1.55	21.10	<=33.01	Pass
			0	19.57	1.55	21.12	<=33.01	Pass
		25	0	19.18	1.55	20.73	<=33.01	Pass
	1852.5	1	13	19.19	1.55	20.74	<=33.01	Pass
			24	19.20	1.55	20.75	<=33.01	Pass
			0	18.66	1.55	20.21	<=33.01	Pass
		12	6	18.65	1.55	20.20	<=33.01	Pass
			13	18.63	1.55	20.18	<=33.01	Pass
			0	18.47	1.55	20.02	<=33.01	Pass
		25	0	19.63	1.55	21.18	<=33.01	Pass
	1880	1	13	19.89	1.55	21.44	<=33.01	Pass
			24	19.89	1.55	21.44	<=33.01	Pass
			0	18.73	1.55	20.28	<=33.01	Pass
		12	6	18.73	1.55	20.28	<=33.01	Pass
			13	18.89	1.55	20.44	<=33.01	Pass
			0	18.75	1.55	20.30	<=33.01	Pass
		25	0	19.20	1.55	20.75	<=33.01	Pass
	1907.5	1	13	19.18	1.55	20.73	<=33.01	Pass
			24	19.11	1.55	20.66	<=33.01	Pass
			0	18.60	1.55	20.15	<=33.01	Pass
		12	6	18.63	1.55	20.18	<=33.01	Pass
			13	18.65	1.55	20.20	<=33.01	Pass
			0	18.65	1.55	20.20	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	20.65	1.55	22.20	<=33.01	Pass
			25	20.65	1.55	22.20	<=33.01	Pass
			49	20.74	1.55	22.29	<=33.01	Pass
		25	0	19.63	1.55	21.18	<=33.01	Pass
			13	19.70	1.55	21.25	<=33.01	Pass
			25	19.49	1.55	21.04	<=33.01	Pass
		50	0	19.46	1.55	21.01	<=33.01	Pass
	1880	1	0	20.55	1.55	22.10	<=33.01	Pass
			25	20.55	1.55	22.10	<=33.01	Pass
			49	20.70	1.55	22.25	<=33.01	Pass
		25	0	19.57	1.55	21.12	<=33.01	Pass
			13	19.58	1.55	21.13	<=33.01	Pass
			25	19.71	1.55	21.26	<=33.01	Pass

16QAM	1905	1	50	0	19.54	1.55	21.09	<=33.01	Pass
			1	0	20.42	1.55	21.97	<=33.01	Pass
				25	20.43	1.55	21.98	<=33.01	Pass
				49	20.46	1.55	22.01	<=33.01	Pass
		25	50	0	19.56	1.55	21.11	<=33.01	Pass
				13	19.61	1.55	21.16	<=33.01	Pass
				25	19.51	1.55	21.06	<=33.01	Pass
				0	19.56	1.55	21.11	<=33.01	Pass
	1855	1	50	0	19.73	1.55	21.28	<=33.01	Pass
				25	19.73	1.55	21.28	<=33.01	Pass
				49	19.72	1.55	21.27	<=33.01	Pass
				0	18.55	1.55	20.10	<=33.01	Pass
		25	50	13	18.57	1.55	20.12	<=33.01	Pass
				25	18.55	1.55	20.10	<=33.01	Pass
				0	18.52	1.55	20.07	<=33.01	Pass
	1880	1	50	0	19.70	1.55	21.25	<=33.01	Pass
				25	19.76	1.55	21.31	<=33.01	Pass
				49	19.87	1.55	21.42	<=33.01	Pass
				0	18.65	1.55	20.20	<=33.01	Pass
		25	50	13	18.72	1.55	20.27	<=33.01	Pass
				25	18.80	1.55	20.35	<=33.01	Pass
				0	18.66	1.55	20.21	<=33.01	Pass
	1905	1	50	0	19.51	1.55	21.06	<=33.01	Pass
				25	19.54	1.55	21.09	<=33.01	Pass
				49	19.52	1.55	21.07	<=33.01	Pass
				0	18.65	1.55	20.20	<=33.01	Pass
		25	50	13	18.63	1.55	20.18	<=33.01	Pass
				25	18.60	1.55	20.15	<=33.01	Pass
				0	18.59	1.55	20.14	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	20.78	1.55	22.33	<=33.01	Pass
			38	20.90	1.55	22.45	<=33.01	Pass
			74	20.94	1.55	22.49	<=33.01	Pass
		36	0	19.47	1.55	21.02	<=33.01	Pass
			18	19.44	1.55	20.99	<=33.01	Pass
			39	19.49	1.55	21.04	<=33.01	Pass
		75	0	19.45	1.55	21.00	<=33.01	Pass
	1880	1	0	20.53	1.55	22.08	<=33.01	Pass
			38	20.74	1.55	22.29	<=33.01	Pass
			74	20.69	1.55	22.24	<=33.01	Pass
		36	0	19.56	1.55	21.11	<=33.01	Pass
			18	19.57	1.55	21.12	<=33.01	Pass
			39	19.68	1.55	21.23	<=33.01	Pass
		75	0	19.54	1.55	21.09	<=33.01	Pass
	1902.5	1	0	20.64	1.55	22.19	<=33.01	Pass
			38	20.63	1.55	22.18	<=33.01	Pass
			74	20.60	1.55	22.15	<=33.01	Pass
		36	0	19.60	1.55	21.15	<=33.01	Pass
			18	19.59	1.55	21.14	<=33.01	Pass
			39	19.55	1.55	21.10	<=33.01	Pass
		75	0	19.63	1.55	21.18	<=33.01	Pass

16QAM	1857.5	1	0	19.37	1.55	20.92	<=33.01	Pass
			38	19.38	1.55	20.93	<=33.01	Pass
			74	19.39	1.55	20.94	<=33.01	Pass
		36	0	18.51	1.55	20.06	<=33.01	Pass
			18	18.53	1.55	20.08	<=33.01	Pass
			39	18.60	1.55	20.15	<=33.01	Pass
		75	0	18.52	1.55	20.07	<=33.01	Pass
	1880	1	0	20.20	1.55	21.75	<=33.01	Pass
			38	20.36	1.55	21.91	<=33.01	Pass
			74	20.29	1.55	21.84	<=33.01	Pass
		36	0	18.61	1.55	20.16	<=33.01	Pass
			18	18.56	1.55	20.11	<=33.01	Pass
			39	18.66	1.55	20.21	<=33.01	Pass
		75	0	18.59	1.55	20.14	<=33.01	Pass
	1902.5	1	0	19.37	1.55	20.92	<=33.01	Pass
			38	19.34	1.55	20.89	<=33.01	Pass
			74	19.32	1.55	20.87	<=33.01	Pass
		36	0	18.75	1.55	20.30	<=33.01	Pass
			18	18.73	1.55	20.28	<=33.01	Pass
			39	18.71	1.55	20.26	<=33.01	Pass
		75	0	18.72	1.55	20.27	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	20.78	1.55	22.33	<=33.01	Pass
			50	20.93	1.55	22.48	<=33.01	Pass
			99	20.80	1.55	22.35	<=33.01	Pass
		50	0	19.45	1.55	21.00	<=33.01	Pass
			25	19.47	1.55	21.02	<=33.01	Pass
			50	19.48	1.55	21.03	<=33.01	Pass
		100	0	19.49	1.55	21.04	<=33.01	Pass
	1880	1	0	20.82	1.55	22.37	<=33.01	Pass
			50	20.90	1.55	22.45	<=33.01	Pass
			99	20.96	1.55	22.51	<=33.01	Pass
		50	0	19.56	1.55	21.11	<=33.01	Pass
			25	19.58	1.55	21.13	<=33.01	Pass
			50	19.74	1.55	21.29	<=33.01	Pass
		100	0	19.61	1.55	21.16	<=33.01	Pass
	1900	1	0	20.56	1.55	22.11	<=33.01	Pass
			50	20.52	1.55	22.07	<=33.01	Pass
			99	20.54	1.55	22.09	<=33.01	Pass
		50	0	19.61	1.55	21.16	<=33.01	Pass
			25	19.62	1.55	21.17	<=33.01	Pass
			50	19.60	1.55	21.15	<=33.01	Pass
		100	0	19.61	1.55	21.16	<=33.01	Pass
16QAM	1860	1	0	19.54	1.55	21.09	<=33.01	Pass
			50	19.60	1.55	21.15	<=33.01	Pass
			99	19.68	1.55	21.23	<=33.01	Pass
		50	0	18.50	1.55	20.05	<=33.01	Pass
			25	18.52	1.55	20.07	<=33.01	Pass
			50	18.49	1.55	20.04	<=33.01	Pass
		100	0	18.55	1.55	20.10	<=33.01	Pass
	1880	1	0	19.36	1.55	20.91	<=33.01	Pass

		50	50	19.43	1.55	20.98	<=33.01	Pass
			99	19.52	1.55	21.07	<=33.01	Pass
			0	18.67	1.55	20.22	<=33.01	Pass
			25	18.66	1.55	20.21	<=33.01	Pass
			50	18.80	1.55	20.35	<=33.01	Pass
	1900	100	0	18.61	1.55	20.16	<=33.01	Pass
		1	0	19.66	1.55	21.21	<=33.01	Pass
			50	19.61	1.55	21.16	<=33.01	Pass
			99	19.59	1.55	21.14	<=33.01	Pass
		50	0	18.76	1.55	20.31	<=33.01	Pass
			25	18.73	1.55	20.28	<=33.01	Pass
			50	18.71	1.55	20.26	<=33.01	Pass
		100	0	18.66	1.55	20.21	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1850.7	6	0	20	3.27	0.057	0.0000	-2.5 to 2.5	Pass
					3.85	1.974	0.0011	-2.5 to 2.5	Pass
					4.43	2.074	0.0011	-2.5 to 2.5	Pass
				-30	3.85	1.974	0.0011	-2.5 to 2.5	Pass
				-20	3.85	-0.186	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	1.273	0.0007	-2.5 to 2.5	Pass
				0	3.85	0.672	0.0004	-2.5 to 2.5	Pass
				10	3.85	-0.300	-0.0002	-2.5 to 2.5	Pass
				30	3.85	-0.873	-0.0005	-2.5 to 2.5	Pass
				40	3.85	1.502	0.0008	-2.5 to 2.5	Pass
				50	3.85	1.044	0.0006	-2.5 to 2.5	Pass
	1880	6	0	20	3.27	1.388	0.0007	-2.5 to 2.5	Pass
					3.85	-0.529	-0.0003	-2.5 to 2.5	Pass
					4.43	0.343	0.0002	-2.5 to 2.5	Pass
				-30	3.85	1.130	0.0006	-2.5 to 2.5	Pass
				-20	3.85	1.416	0.0008	-2.5 to 2.5	Pass
				-10	3.85	2.432	0.0013	-2.5 to 2.5	Pass
				0	3.85	1.702	0.0009	-2.5 to 2.5	Pass
				10	3.85	1.144	0.0006	-2.5 to 2.5	Pass
				30	3.85	1.545	0.0008	-2.5 to 2.5	Pass
				40	3.85	1.516	0.0008	-2.5 to 2.5	Pass
				50	3.85	1.860	0.0010	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.27	0.701	0.0004	-2.5 to 2.5	Pass
					3.85	2.761	0.0014	-2.5 to 2.5	Pass
					4.43	2.375	0.0012	-2.5 to 2.5	Pass
				-30	3.85	1.659	0.0009	-2.5 to 2.5	Pass
				-20	3.85	2.732	0.0014	-2.5 to 2.5	Pass
				-10	3.85	1.545	0.0008	-2.5 to 2.5	Pass
				0	3.85	3.119	0.0016	-2.5 to 2.5	Pass
				10	3.85	1.645	0.0009	-2.5 to 2.5	Pass
				30	3.85	2.475	0.0013	-2.5 to 2.5	Pass
				40	3.85	2.046	0.0011	-2.5 to 2.5	Pass

16QAM	1850.7	6	0	50	3.85	3.920	0.0021	-2.5 to 2.5	Pass
				20	3.27	-2.260	-0.0012	-2.5 to 2.5	Pass
					3.85	-2.146	-0.0012	-2.5 to 2.5	Pass
					4.43	-2.189	-0.0012	-2.5 to 2.5	Pass
				-30	3.85	-2.832	-0.0015	-2.5 to 2.5	Pass
				-20	3.85	-1.602	-0.0009	-2.5 to 2.5	Pass
				-10	3.85	-2.689	-0.0015	-2.5 to 2.5	Pass
				0	3.85	-2.518	-0.0014	-2.5 to 2.5	Pass
				10	3.85	-2.689	-0.0015	-2.5 to 2.5	Pass
				30	3.85	-4.706	-0.0025	-2.5 to 2.5	Pass
				40	3.85	-4.306	-0.0023	-2.5 to 2.5	Pass
				50	3.85	-3.505	-0.0019	-2.5 to 2.5	Pass
	1880	6	0	20	3.27	0.343	0.0002	-2.5 to 2.5	Pass
					3.85	0.772	0.0004	-2.5 to 2.5	Pass
					4.43	0.243	0.0001	-2.5 to 2.5	Pass
				-30	3.85	0.343	0.0002	-2.5 to 2.5	Pass
				-20	3.85	0.043	0.0000	-2.5 to 2.5	Pass
				-10	3.85	-0.401	-0.0002	-2.5 to 2.5	Pass
				0	3.85	0.029	0.0000	-2.5 to 2.5	Pass
				10	3.85	0.472	0.0003	-2.5 to 2.5	Pass
				30	3.85	1.101	0.0006	-2.5 to 2.5	Pass
				40	3.85	0.672	0.0004	-2.5 to 2.5	Pass
				50	3.85	0.815	0.0004	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.27	2.804	0.0015	-2.5 to 2.5	Pass
					3.85	0.243	0.0001	-2.5 to 2.5	Pass
					4.43	-0.358	-0.0002	-2.5 to 2.5	Pass
				-30	3.85	1.316	0.0007	-2.5 to 2.5	Pass
				-20	3.85	0.930	0.0005	-2.5 to 2.5	Pass
				-10	3.85	0.458	0.0002	-2.5 to 2.5	Pass
				0	3.85	1.545	0.0008	-2.5 to 2.5	Pass
				10	3.85	0.916	0.0005	-2.5 to 2.5	Pass
				30	3.85	1.874	0.0010	-2.5 to 2.5	Pass
				40	3.85	-0.758	-0.0004	-2.5 to 2.5	Pass
				50	3.85	0.129	0.0001	-2.5 to 2.5	Pass

2.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1851.5	15	0	20	3.27	-3.262	-0.0018	-2.5 to 2.5	Pass
					3.85	-0.672	-0.0004	-2.5 to 2.5	Pass
					4.43	-0.958	-0.0005	-2.5 to 2.5	Pass
				-30	3.85	-1.645	-0.0009	-2.5 to 2.5	Pass
				-20	3.85	-0.730	-0.0004	-2.5 to 2.5	Pass
				-10	3.85	-1.245	-0.0007	-2.5 to 2.5	Pass
				0	3.85	-0.358	-0.0002	-2.5 to 2.5	Pass
				10	3.85	0.000	0.0000	-2.5 to 2.5	Pass
				30	3.85	-1.144	-0.0006	-2.5 to 2.5	Pass
				40	3.85	-1.359	-0.0007	-2.5 to 2.5	Pass
				50	3.85	1.044	0.0006	-2.5 to 2.5	Pass
	1880	15	0	20	3.27	1.731	0.0009	-2.5 to 2.5	Pass
					3.85	0.243	0.0001	-2.5 to 2.5	Pass
					4.43	-0.429	-0.0002	-2.5 to 2.5	Pass
				-30	3.85	-0.787	-0.0004	-2.5 to 2.5	Pass
				-20	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	0.300	0.0002	-2.5 to 2.5	Pass

				0	3.85	0.458	0.0002	-2.5 to 2.5	Pass
				10	3.85	0.730	0.0004	-2.5 to 2.5	Pass
				30	3.85	0.415	0.0002	-2.5 to 2.5	Pass
				40	3.85	0.873	0.0005	-2.5 to 2.5	Pass
				50	3.85	0.372	0.0002	-2.5 to 2.5	Pass
	1908.5	15	0	20	3.27	-1.502	-0.0008	-2.5 to 2.5	Pass
					3.85	-1.674	-0.0009	-2.5 to 2.5	Pass
					4.43	-0.844	-0.0004	-2.5 to 2.5	Pass
				-30	3.85	0.000	0.0000	-2.5 to 2.5	Pass
				-20	3.85	-0.057	0.0000	-2.5 to 2.5	Pass
				-10	3.85	0.057	0.0000	-2.5 to 2.5	Pass
				0	3.85	1.144	0.0006	-2.5 to 2.5	Pass
				10	3.85	0.286	0.0001	-2.5 to 2.5	Pass
				30	3.85	-1.073	-0.0006	-2.5 to 2.5	Pass
				40	3.85	-0.730	-0.0004	-2.5 to 2.5	Pass
				50	3.85	-0.014	0.0000	-2.5 to 2.5	Pass
16QAM	1851.5	15	0	20	3.27	-1.159	-0.0006	-2.5 to 2.5	Pass
					3.85	-2.089	-0.0011	-2.5 to 2.5	Pass
					4.43	-1.373	-0.0007	-2.5 to 2.5	Pass
				-30	3.85	-1.616	-0.0009	-2.5 to 2.5	Pass
				-20	3.85	-0.830	-0.0004	-2.5 to 2.5	Pass
				-10	3.85	-0.472	-0.0003	-2.5 to 2.5	Pass
				0	3.85	-0.472	-0.0003	-2.5 to 2.5	Pass
				10	3.85	-0.687	-0.0004	-2.5 to 2.5	Pass
				30	3.85	-1.073	-0.0006	-2.5 to 2.5	Pass
				40	3.85	-0.200	-0.0001	-2.5 to 2.5	Pass
				50	3.85	-0.501	-0.0003	-2.5 to 2.5	Pass
	1880	15	0	20	3.27	1.116	0.0006	-2.5 to 2.5	Pass
					3.85	0.930	0.0005	-2.5 to 2.5	Pass
					4.43	0.715	0.0004	-2.5 to 2.5	Pass
				-30	3.85	0.758	0.0004	-2.5 to 2.5	Pass
				-20	3.85	-0.343	-0.0002	-2.5 to 2.5	Pass
				-10	3.85	-0.501	-0.0003	-2.5 to 2.5	Pass
				0	3.85	0.100	0.0001	-2.5 to 2.5	Pass
				10	3.85	-0.386	-0.0002	-2.5 to 2.5	Pass
				30	3.85	0.272	0.0001	-2.5 to 2.5	Pass
				40	3.85	-0.830	-0.0004	-2.5 to 2.5	Pass
				50	3.85	-0.587	-0.0003	-2.5 to 2.5	Pass
	1908.5	15	0	20	3.27	0.315	0.0002	-2.5 to 2.5	Pass
					3.85	0.401	0.0002	-2.5 to 2.5	Pass
					4.43	-0.787	-0.0004	-2.5 to 2.5	Pass
				-30	3.85	0.000	0.0000	-2.5 to 2.5	Pass
				-20	3.85	-0.544	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	0.486	0.0003	-2.5 to 2.5	Pass
				0	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
				10	3.85	0.029	0.0000	-2.5 to 2.5	Pass
				30	3.85	-0.615	-0.0003	-2.5 to 2.5	Pass
				40	3.85	-0.572	-0.0003	-2.5 to 2.5	Pass
				50	3.85	0.486	0.0003	-2.5 to 2.5	Pass

2.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1852.5	25	0	20	3.27	-0.772	-0.0004	-2.5 to 2.5	Pass
					3.85	0.014	0.0000	-2.5 to 2.5	Pass

					4.43	-0.100	-0.0001	-2.5 to 2.5	Pass
				-30	3.85	-0.243	-0.0001	-2.5 to 2.5	Pass
				-20	3.85	0.787	0.0004	-2.5 to 2.5	Pass
				-10	3.85	1.101	0.0006	-2.5 to 2.5	Pass
				0	3.85	0.815	0.0004	-2.5 to 2.5	Pass
				10	3.85	1.073	0.0006	-2.5 to 2.5	Pass
				30	3.85	0.701	0.0004	-2.5 to 2.5	Pass
				40	3.85	1.144	0.0006	-2.5 to 2.5	Pass
				50	3.85	1.502	0.0008	-2.5 to 2.5	Pass
	1880	25	0	20	3.27	-0.257	-0.0001	-2.5 to 2.5	Pass
					3.85	0.958	0.0005	-2.5 to 2.5	Pass
					4.43	-0.043	0.0000	-2.5 to 2.5	Pass
				-30	3.85	0.815	0.0004	-2.5 to 2.5	Pass
				-20	3.85	0.229	0.0001	-2.5 to 2.5	Pass
				-10	3.85	0.744	0.0004	-2.5 to 2.5	Pass
				0	3.85	0.329	0.0002	-2.5 to 2.5	Pass
				10	3.85	-0.572	-0.0003	-2.5 to 2.5	Pass
				30	3.85	0.629	0.0003	-2.5 to 2.5	Pass
	40	3.85	0.501	0.0003	-2.5 to 2.5	Pass			
	50	3.85	0.930	0.0005	-2.5 to 2.5	Pass			
	1907.5	25	0	20	3.27	-1.001	-0.0005	-2.5 to 2.5	Pass
					3.85	-1.187	-0.0006	-2.5 to 2.5	Pass
					4.43	-0.572	-0.0003	-2.5 to 2.5	Pass
				-30	3.85	-0.257	-0.0001	-2.5 to 2.5	Pass
				-20	3.85	-0.901	-0.0005	-2.5 to 2.5	Pass
				-10	3.85	-1.144	-0.0006	-2.5 to 2.5	Pass
				0	3.85	1.273	0.0007	-2.5 to 2.5	Pass
				10	3.85	0.143	0.0001	-2.5 to 2.5	Pass
				30	3.85	0.601	0.0003	-2.5 to 2.5	Pass
	40	3.85	0.658	0.0003	-2.5 to 2.5	Pass			
	50	3.85	0.873	0.0005	-2.5 to 2.5	Pass			
16QAM	1852.5	25	0	20	3.27	-0.544	-0.0003	-2.5 to 2.5	Pass
					3.85	-0.958	-0.0005	-2.5 to 2.5	Pass
					4.43	0.587	0.0003	-2.5 to 2.5	Pass
				-30	3.85	0.129	0.0001	-2.5 to 2.5	Pass
				-20	3.85	0.272	0.0001	-2.5 to 2.5	Pass
				-10	3.85	-0.658	-0.0004	-2.5 to 2.5	Pass
				0	3.85	2.232	0.0012	-2.5 to 2.5	Pass
				10	3.85	2.847	0.0015	-2.5 to 2.5	Pass
				30	3.85	1.674	0.0009	-2.5 to 2.5	Pass
				40	3.85	2.546	0.0014	-2.5 to 2.5	Pass
				50	3.85	2.604	0.0014	-2.5 to 2.5	Pass
	1880	25	0	20	3.27	-0.386	-0.0002	-2.5 to 2.5	Pass
					3.85	-0.687	-0.0004	-2.5 to 2.5	Pass
					4.43	-0.100	-0.0001	-2.5 to 2.5	Pass
				-30	3.85	-1.230	-0.0007	-2.5 to 2.5	Pass
				-20	3.85	-1.059	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	-1.559	-0.0008	-2.5 to 2.5	Pass
				0	3.85	-1.745	-0.0009	-2.5 to 2.5	Pass
				10	3.85	-1.516	-0.0008	-2.5 to 2.5	Pass
				30	3.85	-1.659	-0.0009	-2.5 to 2.5	Pass
				40	3.85	-2.661	-0.0014	-2.5 to 2.5	Pass
				50	3.85	-2.460	-0.0013	-2.5 to 2.5	Pass
	1907.5	25	0	20	3.27	0.014	0.0000	-2.5 to 2.5	Pass
					3.85	0.358	0.0002	-2.5 to 2.5	Pass
					4.43	0.715	0.0004	-2.5 to 2.5	Pass
				-30	3.85	1.316	0.0007	-2.5 to 2.5	Pass
				-20	3.85	-0.200	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	1.030	0.0005	-2.5 to 2.5	Pass

				0	3.85	0.401	0.0002	-2.5 to 2.5	Pass
				10	3.85	0.157	0.0001	-2.5 to 2.5	Pass
				30	3.85	-0.043	0.0000	-2.5 to 2.5	Pass
				40	3.85	0.100	0.0001	-2.5 to 2.5	Pass
				50	3.85	0.443	0.0002	-2.5 to 2.5	Pass

2.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1855	50	0	20	3.27	-0.429	-0.0002	-2.5 to 2.5	Pass
					3.85	-0.358	-0.0002	-2.5 to 2.5	Pass
					4.43	-1.874	-0.0010	-2.5 to 2.5	Pass
				-30	3.85	-1.945	-0.0010	-2.5 to 2.5	Pass
				-20	3.85	-1.416	-0.0008	-2.5 to 2.5	Pass
				-10	3.85	-0.887	-0.0005	-2.5 to 2.5	Pass
				0	3.85	-1.059	-0.0006	-2.5 to 2.5	Pass
				10	3.85	-0.372	-0.0002	-2.5 to 2.5	Pass
				30	3.85	0.200	0.0001	-2.5 to 2.5	Pass
				40	3.85	1.860	0.0010	-2.5 to 2.5	Pass
				50	3.85	1.431	0.0008	-2.5 to 2.5	Pass
	1880	50	0	20	3.27	-0.129	-0.0001	-2.5 to 2.5	Pass
					3.85	0.758	0.0004	-2.5 to 2.5	Pass
					4.43	1.388	0.0007	-2.5 to 2.5	Pass
				-30	3.85	0.787	0.0004	-2.5 to 2.5	Pass
				-20	3.85	1.316	0.0007	-2.5 to 2.5	Pass
				-10	3.85	0.200	0.0001	-2.5 to 2.5	Pass
				0	3.85	0.186	0.0001	-2.5 to 2.5	Pass
				10	3.85	0.186	0.0001	-2.5 to 2.5	Pass
				30	3.85	0.186	0.0001	-2.5 to 2.5	Pass
				40	3.85	-0.272	-0.0001	-2.5 to 2.5	Pass
				50	3.85	-0.415	-0.0002	-2.5 to 2.5	Pass
	1905	50	0	20	3.27	0.329	0.0002	-2.5 to 2.5	Pass
					3.85	0.787	0.0004	-2.5 to 2.5	Pass
					4.43	0.300	0.0002	-2.5 to 2.5	Pass
				-30	3.85	0.901	0.0005	-2.5 to 2.5	Pass
				-20	3.85	1.860	0.0010	-2.5 to 2.5	Pass
				-10	3.85	-0.172	-0.0001	-2.5 to 2.5	Pass
				0	3.85	-0.243	-0.0001	-2.5 to 2.5	Pass
				10	3.85	-0.257	-0.0001	-2.5 to 2.5	Pass
				30	3.85	-0.658	-0.0003	-2.5 to 2.5	Pass
				40	3.85	-0.701	-0.0004	-2.5 to 2.5	Pass
16QAM	1855	50	0	20	3.27	2.360	0.0013	-2.5 to 2.5	Pass
					3.85	2.432	0.0013	-2.5 to 2.5	Pass
					4.43	1.016	0.0005	-2.5 to 2.5	Pass
				-30	3.85	1.602	0.0009	-2.5 to 2.5	Pass
				-20	3.85	2.203	0.0012	-2.5 to 2.5	Pass
				-10	3.85	1.388	0.0007	-2.5 to 2.5	Pass
				0	3.85	2.332	0.0013	-2.5 to 2.5	Pass
				10	3.85	1.488	0.0008	-2.5 to 2.5	Pass
				30	3.85	1.702	0.0009	-2.5 to 2.5	Pass
				40	3.85	1.516	0.0008	-2.5 to 2.5	Pass
				50	3.85	0.215	0.0001	-2.5 to 2.5	Pass
	1880	50	0	20	3.27	-1.030	-0.0005	-2.5 to 2.5	Pass
					3.85	-0.687	-0.0004	-2.5 to 2.5	Pass

					4.43	-1.316	-0.0007	-2.5 to 2.5	Pass
				-30	3.85	-0.858	-0.0005	-2.5 to 2.5	Pass
				-20	3.85	-0.501	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	-0.987	-0.0005	-2.5 to 2.5	Pass
				0	3.85	-0.644	-0.0003	-2.5 to 2.5	Pass
				10	3.85	-0.858	-0.0005	-2.5 to 2.5	Pass
				30	3.85	-1.860	-0.0010	-2.5 to 2.5	Pass
				40	3.85	-1.788	-0.0010	-2.5 to 2.5	Pass
				50	3.85	-1.802	-0.0010	-2.5 to 2.5	Pass
	1905	50	0	20	3.27	-1.516	-0.0008	-2.5 to 2.5	Pass
					3.85	-1.988	-0.0010	-2.5 to 2.5	Pass
					4.43	-1.488	-0.0008	-2.5 to 2.5	Pass
				-30	3.85	-1.516	-0.0008	-2.5 to 2.5	Pass
				-20	3.85	-1.531	-0.0008	-2.5 to 2.5	Pass
				-10	3.85	-1.516	-0.0008	-2.5 to 2.5	Pass
				0	3.85	-0.572	-0.0003	-2.5 to 2.5	Pass
				10	3.85	0.558	0.0003	-2.5 to 2.5	Pass
				30	3.85	0.601	0.0003	-2.5 to 2.5	Pass
				40	3.85	0.772	0.0004	-2.5 to 2.5	Pass
				50	3.85	0.601	0.0003	-2.5 to 2.5	Pass

2.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1857.5	75	0	20	3.27	-0.272	-0.0001	-2.5 to 2.5	Pass
					3.85	-0.515	-0.0003	-2.5 to 2.5	Pass
					4.43	0.043	0.0000	-2.5 to 2.5	Pass
				-30	3.85	-0.644	-0.0003	-2.5 to 2.5	Pass
				-20	3.85	0.129	0.0001	-2.5 to 2.5	Pass
				-10	3.85	-0.429	-0.0002	-2.5 to 2.5	Pass
				0	3.85	0.801	0.0004	-2.5 to 2.5	Pass
				10	3.85	0.858	0.0005	-2.5 to 2.5	Pass
				30	3.85	1.302	0.0007	-2.5 to 2.5	Pass
				40	3.85	-0.057	0.0000	-2.5 to 2.5	Pass
				50	3.85	0.815	0.0004	-2.5 to 2.5	Pass
	1880	75	0	20	3.27	0.830	0.0004	-2.5 to 2.5	Pass
					3.85	-0.644	-0.0003	-2.5 to 2.5	Pass
					4.43	-0.343	-0.0002	-2.5 to 2.5	Pass
				-30	3.85	-1.173	-0.0006	-2.5 to 2.5	Pass
				-20	3.85	0.386	0.0002	-2.5 to 2.5	Pass
				-10	3.85	-0.515	-0.0003	-2.5 to 2.5	Pass
				0	3.85	-0.243	-0.0001	-2.5 to 2.5	Pass
				10	3.85	0.730	0.0004	-2.5 to 2.5	Pass
				30	3.85	-0.029	0.0000	-2.5 to 2.5	Pass
				40	3.85	0.272	0.0001	-2.5 to 2.5	Pass
				50	3.85	0.386	0.0002	-2.5 to 2.5	Pass
	1902.5	75	0	20	3.27	1.202	0.0006	-2.5 to 2.5	Pass
					3.85	0.215	0.0001	-2.5 to 2.5	Pass
					4.43	-0.672	-0.0004	-2.5 to 2.5	Pass
				-30	3.85	-0.057	0.0000	-2.5 to 2.5	Pass
				-20	3.85	-0.186	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	-0.772	-0.0004	-2.5 to 2.5	Pass
				0	3.85	-0.715	-0.0004	-2.5 to 2.5	Pass
				10	3.85	-0.057	0.0000	-2.5 to 2.5	Pass
				30	3.85	-0.815	-0.0004	-2.5 to 2.5	Pass

16QAM	1857.5	75	0	40	3.85	-0.086	0.0000	-2.5 to 2.5	Pass
				50	3.85	-0.329	-0.0002	-2.5 to 2.5	Pass
				20	3.27	-0.243	-0.0001	-2.5 to 2.5	Pass
					3.85	-0.687	-0.0004	-2.5 to 2.5	Pass
					4.43	0.372	0.0002	-2.5 to 2.5	Pass
				-30	3.85	0.243	0.0001	-2.5 to 2.5	Pass
				-20	3.85	1.216	0.0007	-2.5 to 2.5	Pass
				-10	3.85	0.715	0.0004	-2.5 to 2.5	Pass
				0	3.85	0.229	0.0001	-2.5 to 2.5	Pass
				10	3.85	-1.330	-0.0007	-2.5 to 2.5	Pass
				30	3.85	0.887	0.0005	-2.5 to 2.5	Pass
				40	3.85	0.887	0.0005	-2.5 to 2.5	Pass
				50	3.85	0.100	0.0001	-2.5 to 2.5	Pass
	1880	75	0	20	3.27	1.216	0.0006	-2.5 to 2.5	Pass
					3.85	0.901	0.0005	-2.5 to 2.5	Pass
					4.43	-0.143	-0.0001	-2.5 to 2.5	Pass
				-30	3.85	0.458	0.0002	-2.5 to 2.5	Pass
				-20	3.85	-0.200	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	-0.229	-0.0001	-2.5 to 2.5	Pass
				0	3.85	0.944	0.0005	-2.5 to 2.5	Pass
				10	3.85	-0.257	-0.0001	-2.5 to 2.5	Pass
				30	3.85	1.216	0.0006	-2.5 to 2.5	Pass
				40	3.85	-0.744	-0.0004	-2.5 to 2.5	Pass
				50	3.85	-0.472	-0.0003	-2.5 to 2.5	Pass
	1902.5	75	0	20	3.27	0.100	0.0001	-2.5 to 2.5	Pass
					3.85	-0.286	-0.0002	-2.5 to 2.5	Pass
					4.43	1.144	0.0006	-2.5 to 2.5	Pass
				-30	3.85	0.358	0.0002	-2.5 to 2.5	Pass
				-20	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	0.887	0.0005	-2.5 to 2.5	Pass
				0	3.85	0.329	0.0002	-2.5 to 2.5	Pass
				10	3.85	0.286	0.0002	-2.5 to 2.5	Pass
				30	3.85	0.343	0.0002	-2.5 to 2.5	Pass
				40	3.85	-0.844	-0.0004	-2.5 to 2.5	Pass
				50	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass

2.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1860	100	0	20	3.27	-0.772	-0.0004	-2.5 to 2.5	Pass
					3.85	-0.815	-0.0004	-2.5 to 2.5	Pass
					4.43	-0.973	-0.0005	-2.5 to 2.5	Pass
				-30	3.85	-0.629	-0.0003	-2.5 to 2.5	Pass
				-20	3.85	1.488	0.0008	-2.5 to 2.5	Pass
				-10	3.85	-0.544	-0.0003	-2.5 to 2.5	Pass
				0	3.85	-0.572	-0.0003	-2.5 to 2.5	Pass
				10	3.85	0.901	0.0005	-2.5 to 2.5	Pass
				30	3.85	-0.172	-0.0001	-2.5 to 2.5	Pass
				40	3.85	-0.300	-0.0002	-2.5 to 2.5	Pass
				50	3.85	0.629	0.0003	-2.5 to 2.5	Pass
	1880	100	0	20	3.27	-0.715	-0.0004	-2.5 to 2.5	Pass
					3.85	0.486	0.0003	-2.5 to 2.5	Pass
					4.43	0.029	0.0000	-2.5 to 2.5	Pass
				-30	3.85	-0.944	-0.0005	-2.5 to 2.5	Pass
				-20	3.85	-0.572	-0.0003	-2.5 to 2.5	Pass

				-10	3.85	-0.815	-0.0004	-2.5 to 2.5	Pass
				0	3.85	-0.572	-0.0003	-2.5 to 2.5	Pass
				10	3.85	-0.243	-0.0001	-2.5 to 2.5	Pass
				30	3.85	-0.901	-0.0005	-2.5 to 2.5	Pass
				40	3.85	0.958	0.0005	-2.5 to 2.5	Pass
	1900	100	0	50	3.85	1.116	0.0006	-2.5 to 2.5	Pass
				20	3.27	0.973	0.0005	-2.5 to 2.5	Pass
					3.85	0.515	0.0003	-2.5 to 2.5	Pass
					4.43	1.059	0.0006	-2.5 to 2.5	Pass
				-30	3.85	0.014	0.0000	-2.5 to 2.5	Pass
				-20	3.85	0.458	0.0002	-2.5 to 2.5	Pass
				-10	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
				0	3.85	0.172	0.0001	-2.5 to 2.5	Pass
				10	3.85	-0.930	-0.0005	-2.5 to 2.5	Pass
				30	3.85	-0.386	-0.0002	-2.5 to 2.5	Pass
				40	3.85	-1.044	-0.0005	-2.5 to 2.5	Pass
				50	3.85	-1.001	-0.0005	-2.5 to 2.5	Pass
16QAM	1860	100	0	20	3.27	-0.315	-0.0002	-2.5 to 2.5	Pass
					3.85	0.029	0.0000	-2.5 to 2.5	Pass
					4.43	-0.243	-0.0001	-2.5 to 2.5	Pass
				-30	3.85	-0.916	-0.0005	-2.5 to 2.5	Pass
				-20	3.85	-0.687	-0.0004	-2.5 to 2.5	Pass
				-10	3.85	-1.001	-0.0005	-2.5 to 2.5	Pass
				0	3.85	-0.443	-0.0002	-2.5 to 2.5	Pass
				10	3.85	-0.272	-0.0001	-2.5 to 2.5	Pass
				30	3.85	0.043	0.0000	-2.5 to 2.5	Pass
				40	3.85	1.144	0.0006	-2.5 to 2.5	Pass
				50	3.85	0.043	0.0000	-2.5 to 2.5	Pass
	1880	100	0	20	3.27	0.658	0.0004	-2.5 to 2.5	Pass
					3.85	0.701	0.0004	-2.5 to 2.5	Pass
					4.43	1.130	0.0006	-2.5 to 2.5	Pass
				-30	3.85	1.116	0.0006	-2.5 to 2.5	Pass
				-20	3.85	0.429	0.0002	-2.5 to 2.5	Pass
				-10	3.85	1.173	0.0006	-2.5 to 2.5	Pass
				0	3.85	0.815	0.0004	-2.5 to 2.5	Pass
				10	3.85	0.858	0.0005	-2.5 to 2.5	Pass
				30	3.85	1.388	0.0007	-2.5 to 2.5	Pass
				40	3.85	1.187	0.0006	-2.5 to 2.5	Pass
				50	3.85	1.202	0.0006	-2.5 to 2.5	Pass
	1900	100	0	20	3.27	0.415	0.0002	-2.5 to 2.5	Pass
					3.85	0.744	0.0004	-2.5 to 2.5	Pass
					4.43	0.601	0.0003	-2.5 to 2.5	Pass
				-30	3.85	-0.529	-0.0003	-2.5 to 2.5	Pass
				-20	3.85	-0.157	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	0.458	0.0002	-2.5 to 2.5	Pass
				0	3.85	-0.486	-0.0003	-2.5 to 2.5	Pass
				10	3.85	0.529	0.0003	-2.5 to 2.5	Pass
				30	3.85	0.215	0.0001	-2.5 to 2.5	Pass
				40	3.85	0.014	0.0000	-2.5 to 2.5	Pass
				50	3.85	0.257	0.0001	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	6	0	Refer To Test Graph		Pass
16QAM	1880	6	0	Refer To Test Graph		Pass

3.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	15	0	Refer To Test Graph		Pass
16QAM	1880	15	0	Refer To Test Graph		Pass

3.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	25	0	Refer To Test Graph		Pass
16QAM	1880	25	0	Refer To Test Graph		Pass

3.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	50	0	Refer To Test Graph		Pass
16QAM	1880	50	0	Refer To Test Graph		Pass

3.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	75	0	Refer To Test Graph		Pass
16QAM	1880	75	0	Refer To Test Graph		Pass

3.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	100	0	Refer To Test Graph		Pass
16QAM	1880	100	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B2_1.4MHz




3.2.2 B2_3MHz




3.2.3 B2_5MHz




3.2.4 B2_10MHz



3.2.5 B2_15MHz



3.2.6 B2_20MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band2_OBW

Band: 2 / NTN							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.105	/	Pass
		1880	6	0	1.102	/	Pass
		1909.3	6	0	1.102	/	Pass
	16QAM	1850.7	6	0	1.106	/	Pass
		1880	6	0	1.100	/	Pass
		1909.3	6	0	1.109	/	Pass
3	QPSK	1851.5	15	0	2.713	/	Pass
		1880	15	0	2.718	/	Pass
		1908.5	15	0	2.709	/	Pass
	16QAM	1851.5	15	0	2.721	/	Pass
		1880	15	0	2.724	/	Pass
		1908.5	15	0	2.707	/	Pass
5	QPSK	1852.5	25	0	4.562	/	Pass
		1880	25	0	4.553	/	Pass
		1907.5	25	0	4.567	/	Pass
	16QAM	1852.5	25	0	4.593	/	Pass
		1880	25	0	4.577	/	Pass
		1907.5	25	0	4.549	/	Pass
10	QPSK	1855	50	0	9.084	/	Pass
		1880	50	0	9.059	/	Pass
		1905	50	0	9.021	/	Pass
	16QAM	1855	50	0	9.074	/	Pass
		1880	50	0	9.047	/	Pass
		1905	50	0	9.040	/	Pass
15	QPSK	1857.5	75	0	13.553	/	Pass
		1880	75	0	13.528	/	Pass
		1902.5	75	0	13.564	/	Pass
	16QAM	1857.5	75	0	13.567	/	Pass
		1880	75	0	13.562	/	Pass
		1902.5	75	0	13.575	/	Pass
20	QPSK	1860	100	0	18.124	/	Pass
		1880	100	0	18.079	/	Pass
		1900	100	0	18.093	/	Pass
	16QAM	1860	100	0	18.104	/	Pass
		1880	100	0	18.033	/	Pass
		1900	100	0	18.063	/	Pass


4.1.2 Band2_XDB

Band: 2 / NTN							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.258	/	Pass
		1880	6	0	1.272	/	Pass


	16QAM	1909.3	6	0	1.265	/	Pass
		1850.7	6	0	1.269	/	Pass
		1880	6	0	1.257	/	Pass
		1909.3	6	0	1.264	/	Pass
3	QPSK	1851.5	15	0	2.967	/	Pass
		1880	15	0	2.959	/	Pass
		1908.5	15	0	2.963	/	Pass
	16QAM	1851.5	15	0	2.985	/	Pass
		1880	15	0	2.985	/	Pass
		1908.5	15	0	2.970	/	Pass
5	QPSK	1852.5	25	0	5.070	/	Pass
		1880	25	0	5.062	/	Pass
		1907.5	25	0	5.046	/	Pass
	16QAM	1852.5	25	0	5.095	/	Pass
		1880	25	0	5.059	/	Pass
		1907.5	25	0	5.066	/	Pass
10	QPSK	1855	50	0	10.059	/	Pass
		1880	50	0	10.101	/	Pass
		1905	50	0	10.013	/	Pass
	16QAM	1855	50	0	10.118	/	Pass
		1880	50	0	10.076	/	Pass
		1905	50	0	10.067	/	Pass
15	QPSK	1857.5	75	0	15.098	/	Pass
		1880	75	0	15.035	/	Pass
		1902.5	75	0	15.210	/	Pass
	16QAM	1857.5	75	0	15.255	/	Pass
		1880	75	0	15.157	/	Pass
		1902.5	75	0	15.068	/	Pass
20	QPSK	1860	100	0	20.125	/	Pass
		1880	100	0	19.876	/	Pass
		1900	100	0	20.016	/	Pass
	16QAM	1860	100	0	20.064	/	Pass
		1880	100	0	19.824	/	Pass
		1900	100	0	20.091	/	Pass

4.2 Test Graph


4.2.1 Band2_OBW




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_6_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_15_0_NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_HCH_1900MHz_RB_100_0_NTNV




4.2.2 Band2_XDB




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_6_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_15_0_NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV



Band2_20MHz_16QAM_MCH_1880MHz_RB_100_0_NTNV



Band2_20MHz_16QAM_HCH_1900MHz_RB_100_0_NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	6	0	4.33	<=13	Pass
	1880	6	0	4.31	<=13	Pass
	1909.3	6	0	4.76	<=13	Pass
16QAM	1850.7	6	0	5.13	<=13	Pass
	1880	6	0	5.06	<=13	Pass
	1909.3	6	0	5.52	<=13	Pass

5.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	15	0	4.66	<=13	Pass
	1880	15	0	4.26	<=13	Pass
	1908.5	15	0	4.92	<=13	Pass
16QAM	1851.5	15	0	5.49	<=13	Pass
	1880	15	0	5.12	<=13	Pass
	1908.5	15	0	5.69	<=13	Pass

5.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	25	0	4.99	<=13	Pass
	1880	25	0	4.67	<=13	Pass
	1907.5	25	0	5.24	<=13	Pass
16QAM	1852.5	25	0	5.70	<=13	Pass
	1880	25	0	5.38	<=13	Pass
	1907.5	25	0	5.94	<=13	Pass

5.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	50	0	5.17	<=13	Pass
	1880	50	0	4.82	<=13	Pass
	1905	50	0	5.37	<=13	Pass
16QAM	1855	50	0	5.99	<=13	Pass
	1880	50	0	5.57	<=13	Pass

	1905	50	0	6.13	<=13	Pass
--	------	----	---	------	------	------

5.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	75	0	5.32	<=13	Pass
	1880	75	0	4.77	<=13	Pass
	1902.5	75	0	5.43	<=13	Pass
16QAM	1857.5	75	0	6.05	<=13	Pass
	1880	75	0	5.45	<=13	Pass
	1902.5	75	0	6.09	<=13	Pass

5.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	100	0	5.32	<=13	Pass
	1880	100	0	4.89	<=13	Pass
	1900	100	0	5.22	<=13	Pass
16QAM	1860	100	0	6.16	<=13	Pass
	1880	100	0	5.66	<=13	Pass
	1900	100	0	6.09	<=13	Pass

5.2 Test Graph


5.2.1 B2_1.4MHz



Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_6_0_NTNV




5.2.2 B2_3MHz




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_15_0_NTNV




5.2.3 B2_5MHz




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




5.2.4 B2_10MHz




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




5.2.5 B2_15MHz




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV




5.2.6 B2_20MHz




Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV



Band2_20MHz_16QAM_MCH_1880MHz_RB_100_0_NTNV



Band2_20MHz_16QAM_HCH_1900MHz_RB_100_0_NTNV



6. Spurious Emission

6.1 Test Result

6.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

6.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

6.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

16QAM	1852.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
	1907.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

6.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

6.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1902.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
16QAM	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1902.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass


6.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1900	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass


		100	0	Refer To Test Graph	Pass
16QAM	1860	1	0	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
	1900	1	0	Refer To Test Graph	Pass
			99	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass

6.2 Test Graph


6.2.1 B2_1.4MHz




Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV



Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV



Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV



Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV

