

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B40b_5MHz_EIRP

Band: 40b / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2352.5	1	0	20.22	-2.20	18.02	<=23.98	Pass
			13	20.24	-2.20	18.04	<=23.98	Pass
			24	20.30	-2.20	18.10	<=23.98	Pass
		12	0	19.35	-2.20	17.15	<=23.98	Pass
			6	19.32	-2.20	17.12	<=23.98	Pass
			13	19.11	-2.20	16.91	<=23.98	Pass
		25	0	19.51	-2.20	17.31	<=23.98	Pass
	2355	1	0	20.58	-2.20	18.38	<=23.98	Pass
			13	20.15	-2.20	17.95	<=23.98	Pass
			24	20.25	-2.20	18.05	<=23.98	Pass
		12	0	19.15	-2.20	16.95	<=23.98	Pass
			6	19.13	-2.20	16.93	<=23.98	Pass
			13	19.02	-2.20	16.82	<=23.98	Pass
		25	0	19.56	-2.20	17.36	<=23.98	Pass
	2357.5	1	0	19.79	-2.20	17.59	<=23.98	Pass
			13	20.06	-2.20	17.86	<=23.98	Pass
			24	20.08	-2.20	17.88	<=23.98	Pass
		12	0	18.93	-2.20	16.73	<=23.98	Pass
			6	19.09	-2.20	16.89	<=23.98	Pass
			13	18.89	-2.20	16.69	<=23.98	Pass
		25	0	19.73	-2.20	17.53	<=23.98	Pass
16QAM	2352.5	1	0	19.04	-2.20	16.84	<=23.98	Pass
			13	19.33	-2.20	17.13	<=23.98	Pass
			24	19.39	-2.20	17.19	<=23.98	Pass
		12	0	18.33	-2.20	16.13	<=23.98	Pass
			6	18.26	-2.20	16.06	<=23.98	Pass
			13	18.48	-2.20	16.28	<=23.98	Pass
		25	0	18.33	-2.20	16.13	<=23.98	Pass
	2355	1	0	19.39	-2.20	17.19	<=23.98	Pass
			13	19.11	-2.20	16.91	<=23.98	Pass
			24	18.84	-2.20	16.64	<=23.98	Pass
		12	0	18.45	-2.20	16.25	<=23.98	Pass
			6	18.31	-2.20	16.11	<=23.98	Pass
			13	18.02	-2.20	15.82	<=23.98	Pass
		25	0	18.45	-2.20	16.25	<=23.98	Pass
	2357.5	1	0	18.93	-2.20	16.73	<=23.98	Pass
			13	19.35	-2.20	17.15	<=23.98	Pass
			24	18.93	-2.20	16.73	<=23.98	Pass
		12	0	18.03	-2.20	15.83	<=23.98	Pass
			6	18.23	-2.20	16.03	<=23.98	Pass
			13	18.04	-2.20	15.84	<=23.98	Pass
		25	0	18.41	-2.20	16.21	<=23.98	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.2 B40b_10MHz_EIRP

Band: 40b / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2355	1	0	20.29	-2.20	18.09	<=23.98	Pass
			25	19.98	-2.20	17.78	<=23.98	Pass
			49	20.03	-2.20	17.83	<=23.98	Pass
		25	0	19.36	-2.20	17.16	<=23.98	Pass
			13	19.32	-2.20	17.12	<=23.98	Pass
			25	19.06	-2.20	16.86	<=23.98	Pass
		50	0	19.72	-2.20	17.52	<=23.98	Pass
16QAM	2355	1	0	19.38	-2.20	17.18	<=23.98	Pass
			25	19.43	-2.20	17.23	<=23.98	Pass
			49	19.51	-2.20	17.31	<=23.98	Pass
		25	0	18.82	-2.20	16.62	<=23.98	Pass
			13	18.44	-2.20	16.24	<=23.98	Pass
			25	18.46	-2.20	16.26	<=23.98	Pass
		50	0	18.32	-2.20	16.12	<=23.98	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B40b_5MHz

Band: 40b / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2352.5	25	0	20	3.27	-0.415	-0.0002	-2.5 to 2.5	Pass
					3.85	2.832	0.0012	-2.5 to 2.5	Pass
					4.43	1.001	0.0004	-2.5 to 2.5	Pass
				-30	3.85	2.360	0.0010	-2.5 to 2.5	Pass
				-20	3.85	2.975	0.0013	-2.5 to 2.5	Pass
				-10	3.85	2.475	0.0011	-2.5 to 2.5	Pass
				0	3.85	2.832	0.0012	-2.5 to 2.5	Pass
				10	3.85	2.718	0.0012	-2.5 to 2.5	Pass
				30	3.85	2.432	0.0010	-2.5 to 2.5	Pass
				40	3.85	1.316	0.0006	-2.5 to 2.5	Pass
				50	3.85	1.388	0.0006	-2.5 to 2.5	Pass
	2355	25	0	20	3.27	-1.402	-0.0006	-2.5 to 2.5	Pass
					3.85	2.332	0.0010	-2.5 to 2.5	Pass
					4.43	2.532	0.0011	-2.5 to 2.5	Pass
				-30	3.85	0.558	0.0002	-2.5 to 2.5	Pass
				-20	3.85	0.772	0.0003	-2.5 to 2.5	Pass
				-10	3.85	3.977	0.0017	-2.5 to 2.5	Pass
				0	3.85	2.432	0.0010	-2.5 to 2.5	Pass
				10	3.85	2.389	0.0010	-2.5 to 2.5	Pass
				30	3.85	1.016	0.0004	-2.5 to 2.5	Pass
				40	3.85	3.848	0.0016	-2.5 to 2.5	Pass
				50	3.85	2.060	0.0009	-2.5 to 2.5	Pass
	2357.5	25	0	20	3.27	-2.818	-0.0012	-2.5 to 2.5	Pass
					3.85	3.076	0.0013	-2.5 to 2.5	Pass
					4.43	1.273	0.0005	-2.5 to 2.5	Pass
				-30	3.85	1.874	0.0008	-2.5 to 2.5	Pass
				-20	3.85	3.047	0.0013	-2.5 to 2.5	Pass
				-10	3.85	2.217	0.0009	-2.5 to 2.5	Pass

16QAM				0	3.85	0.772	0.0003	-2.5 to 2.5	Pass
				10	3.85	1.416	0.0006	-2.5 to 2.5	Pass
				30	3.85	1.416	0.0006	-2.5 to 2.5	Pass
				40	3.85	2.289	0.0010	-2.5 to 2.5	Pass
				50	3.85	2.389	0.0010	-2.5 to 2.5	Pass
	2352.5	25	0	20	3.27	-0.358	-0.0002	-2.5 to 2.5	Pass
					3.85	2.460	0.0010	-2.5 to 2.5	Pass
					4.43	0.515	0.0002	-2.5 to 2.5	Pass
				-30	3.85	3.104	0.0013	-2.5 to 2.5	Pass
				-20	3.85	2.375	0.0010	-2.5 to 2.5	Pass
				-10	3.85	3.333	0.0014	-2.5 to 2.5	Pass
				0	3.85	1.030	0.0004	-2.5 to 2.5	Pass
				10	3.85	4.077	0.0017	-2.5 to 2.5	Pass
				30	3.85	1.888	0.0008	-2.5 to 2.5	Pass
				40	3.85	2.847	0.0012	-2.5 to 2.5	Pass
				50	3.85	0.572	0.0002	-2.5 to 2.5	Pass
	2355	25	0	20	3.27	-2.031	-0.0009	-2.5 to 2.5	Pass
					3.85	2.089	0.0009	-2.5 to 2.5	Pass
					4.43	3.119	0.0013	-2.5 to 2.5	Pass
				-30	3.85	3.304	0.0014	-2.5 to 2.5	Pass
				-20	3.85	4.191	0.0018	-2.5 to 2.5	Pass
				-10	3.85	1.259	0.0005	-2.5 to 2.5	Pass
				0	3.85	3.977	0.0017	-2.5 to 2.5	Pass
				10	3.85	2.890	0.0012	-2.5 to 2.5	Pass
				30	3.85	3.505	0.0015	-2.5 to 2.5	Pass
				40	3.85	3.834	0.0016	-2.5 to 2.5	Pass
				50	3.85	1.788	0.0008	-2.5 to 2.5	Pass
	2357.5	25	0	20	3.27	-1.245	-0.0005	-2.5 to 2.5	Pass
					3.85	2.875	0.0012	-2.5 to 2.5	Pass
					4.43	3.762	0.0016	-2.5 to 2.5	Pass
				-30	3.85	1.903	0.0008	-2.5 to 2.5	Pass
				-20	3.85	1.516	0.0006	-2.5 to 2.5	Pass
				-10	3.85	2.604	0.0011	-2.5 to 2.5	Pass
				0	3.85	3.834	0.0016	-2.5 to 2.5	Pass
				10	3.85	0.987	0.0004	-2.5 to 2.5	Pass
				30	3.85	1.931	0.0008	-2.5 to 2.5	Pass
				40	3.85	0.529	0.0002	-2.5 to 2.5	Pass
				50	3.85	2.317	0.0010	-2.5 to 2.5	Pass

2.1.2 B40b_10MHz

Band: 40b / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2355	50	0	20	3.27	-0.429	-0.0002	-2.5 to 2.5	Pass
					3.85	3.233	0.0014	-2.5 to 2.5	Pass
					4.43	5.450	0.0023	-2.5 to 2.5	Pass
				-30	3.85	3.347	0.0014	-2.5 to 2.5	Pass
				-20	3.85	2.303	0.0010	-2.5 to 2.5	Pass
				-10	3.85	1.702	0.0007	-2.5 to 2.5	Pass
				0	3.85	2.747	0.0012	-2.5 to 2.5	Pass
				10	3.85	3.033	0.0013	-2.5 to 2.5	Pass
				30	3.85	2.704	0.0011	-2.5 to 2.5	Pass
				40	3.85	3.018	0.0013	-2.5 to 2.5	Pass
16QAM	2355	50	0	20	3.27	1.574	0.0007	-2.5 to 2.5	Pass
					3.85	2.360	0.0010	-2.5 to 2.5	Pass

					4.43	2.303	0.0010	-2.5 to 2.5	Pass
				-30	3.85	1.731	0.0007	-2.5 to 2.5	Pass
				-20	3.85	0.200	0.0001	-2.5 to 2.5	Pass
				-10	3.85	1.316	0.0006	-2.5 to 2.5	Pass
				0	3.85	2.046	0.0009	-2.5 to 2.5	Pass
				10	3.85	1.645	0.0007	-2.5 to 2.5	Pass
				30	3.85	2.046	0.0009	-2.5 to 2.5	Pass
				40	3.85	4.764	0.0020	-2.5 to 2.5	Pass
				50	3.85	1.488	0.0006	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B40b_5MHz


Band: 40b / Bandwidth: 5MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2355	25	0	Refer To Test Graph		Pass
16QAM	2355	25	0	Refer To Test Graph		Pass

3.1.2 B40b_10MHz


Band: 40b / Bandwidth: 10MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2355	50	0	Refer To Test Graph		Pass
16QAM	2355	50	0	Refer To Test Graph		Pass

3.2 Test Graph

3.2.1 B40b_5MHz



3.2.2 B40b_10MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band40b_OBW


Band: 40b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2352.5	25	0	4.559	/	Pass
		2355	25	0	4.550	/	Pass
		2357.5	25	0	4.551	/	Pass
	16QAM	2352.5	25	0	4.600	/	Pass
		2355	25	0	4.561	/	Pass
		2357.5	25	0	4.545	/	Pass
10	QPSK	2355	50	0	9.061	/	Pass
	16QAM	2355	50	0	9.049	/	Pass

4.1.2 Band40b_XDB


Band: 40b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2352.5	25	0	5.061	/	Pass
		2355	25	0	5.186	/	Pass
		2357.5	25	0	5.130	/	Pass
	16QAM	2352.5	25	0	5.226	/	Pass
		2355	25	0	5.104	/	Pass
		2357.5	25	0	5.058	/	Pass
10	QPSK	2355	50	0	10.083	/	Pass
	16QAM	2355	50	0	10.048	/	Pass

4.2 Test Graph


4.2.1 Band40b_OBW





Band40b_5MHz_QPSK_HCH_2357.5MHz_RB_25_0_NTNV




Band40b_5MHz_16QAM_LCH_2352.5MHz_RB_25_0_NTNV







Band40b_10MHz_QPSK_MCH_2355MHz_RB_50_0_NTNV




Band40b_10MHz_16QAM_MCH_2355MHz_RB_50_0_NTNV




4.2.2 Band40b_XDB





Band40b_5MHz_QPSK_HCH_2357.5MHz_RB_25_0_NTNV




Band40b_5MHz_16QAM_LCH_2352.5MHz_RB_25_0_NTNV






Band40b_10MHz_QPSK_MCH_2355MHz_RB_50_0_NTNV



Band40b_10MHz_16QAM_MCH_2355MHz_RB_50_0_NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B40b_5MHz


Band: 40b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2352.5	25	0	7.59	<=13	Pass
	2355	25	0	7.49	<=13	Pass
	2357.5	25	0	7.58	<=13	Pass
16QAM	2352.5	25	0	8.30	<=13	Pass
	2355	25	0	8.36	<=13	Pass
	2357.5	25	0	8.35	<=13	Pass

5.1.2 B40b_10MHz


Band: 40b / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2355	50	0	7.50	<=13	Pass
16QAM	2355	50	0	8.33	<=13	Pass

5.2 Test Graph


5.2.1 B40b_5MHz




Band40b_5MHz_QPSK_HCH_2357.5MHz_RB_25_0_NTNV




Band40b_5MHz_16QAM_LCH_2352.5MHz_RB_25_0_NTNV




Band40b 5MHz 16QAM MCH 2355MHz RB 25_0 NTNV



Band40b 5MHz 16QAM HCH 2357.5MHz RB 25 0 NTNV



5.2.2 B40b_10MHz



6. Spurious Emission

6.1 Test Result

6.1.1 B40b_5MHz

Band: 40b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2352.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	2355	1	0	Refer To Test Graph		Pass
	2357.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	2352.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	2355	1	0	Refer To Test Graph		Pass
	2357.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass


6.1.2 B40b_10MHz

Band: 40b / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2355	1	0	Refer To Test Graph		Fail
		50	0	Refer To Test Graph		Fail
	2355	1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Fail
16QAM	2355	1	0	Refer To Test Graph		Fail
		50	0	Refer To Test Graph		Fail
	2355	1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Fail


6.2 Test Graph

6.2.1 B40b_5MHz


Band40b_5MHz_QPSK_LCH_2352.5MHz_RB_1_0_NTNV




Band40b_5MHz_QPSK_LCH_2352.5MHz_RB_1_0_NTNV




Band40b_5MHz_QPSK_LCH_2352.5MHz_RB_1_0_NTNV




Band40b_5MHz_QPSK_LCH_2352.5MHz_RB_1_0_NTNV




Band40b_5MHz_QPSK_LCH_2352.5MHz_RB_1_0_NTNV




Band40b_5MHz_QPSK_LCH_2352.5MHz_RB_1_0_NTNV




Band40b 5MHz_QPSK_LCH_2352.5MHz_RB_25_0_NTNV




Band40b 5MHz_QPSK_MCH_2355MHz_RB_1_0_NTNV




Band40b 5MHz QPSK MCH 2355MHz RB 1 0 NTNV




Band40b 5MHz QPSK MCH 2355MHz RB 1 0 NTNV




Band40b_5MHz_QPSK_MCH_2355MHz_RB_1_0_NTNV




Band40b_5MHz_QPSK_MCH_2355MHz_RB_1_0_NTNV




Band40b 5MHz QPSK HCH 2357.5MHz_RB_1_0_NTNV




Band40b 5MHz QPSK HCH 2357.5MHz_RB_1_0_NTNV




Band40b 5MHz QPSK HCH 2357.5MHz_RB_1_0_NTNV




Band40b 5MHz QPSK HCH 2357.5MHz_RB_1_0_NTNV




Band40b 5MHz QPSK HCH 2357.5MHz RB 1 0 NTNV




Band40b 5MHz QPSK HCH 2357.5MHz RB 1 24 NTNV




Band40b 5MHz_QPSK_HCH_2357.5MHz_RB_25_0_NTNV




Band40b 5MHz_16QAM_LCH_2352.5MHz_RB_1_0_NTNV





Band40b 5MHz 16QAM LCH 2352.5MHz RB 1 0 NTNV




Band40b 5MHz 16QAM LCH 2352.5MHz RB 1 0 NTNV






Band40b 5MHz 16QAM LCH 2352.5MHz RB_1 0 NTNV




Band40b 5MHz 16QAM LCH 2352.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2275.093	-51.88	-40	Pass
2288	2292	1	CHP	2	2290.157	-51.99	-37	Pass
2292	2296	1	CHP	3	2295.836	-51.89	-31	Pass
2296	2300	1	CHP	4	2296.324	-51.90	-25	Pass
2300	2320	1	CHP	5	2317.554	-51.82	-13	Pass
2320	2324	1	CHP	6	2321.308	-51.77	-25	Pass
2324	2328	1	CHP	7	2325.793	-51.75	-31	Pass
2328	2337	1	CHP	8	2336.932	-51.53	-37	Pass
2337	2341	1	CHP	9	2340.979	-48.61	-31	Pass
2341	2345	1	CHP	10	2344.976	-40.98	-25	Pass
2345	2349	1	CHP	11	2348.486	-34.25	-13	Pass
2349	2350	0.052	CHP	12	2349.997	-36.07	-13	Pass
2350	2360	0.052	CHP	/	/	/	/	/
2360	2361	0.052	CHP	13	2360.113	-54.55	-13	Pass
2361	2365	1	CHP	14	2361.503	-44.51	-13	Pass
2365	2385	1	CHP	15	2365.037	-49.56	-40	Pass


Band40b_5MHz_16QAM_MCH_2355MHz_RB_1_0_NTNV




Band40b_5MHz_16QAM_MCH_2355MHz_RB_1_0_NTNV




Band40b_5MHz_16QAM_MCH_2355MHz_RB_1_0_NTNV




Band40b_5MHz_16QAM_MCH_2355MHz_RB_1_0_NTNV




Band40b_5MHz_16QAM_MCH_2355MHz_RB_1_0_NTNV




Band40b_5MHz_16QAM_HCH_2357.5MHz_RB_1_0_NTNV




Band40b_5MHz_16QAM_HCH_2357.5MHz_RB_1_0_NTNV




Band40b_5MHz_16QAM_HCH_2357.5MHz_RB_1_0_NTNV




Band40b_5MHz_16QAM_HCH_2357.5MHz_RB_1_0_NTNV




Band40b_5MHz_16QAM_HCH_2357.5MHz_RB_1_0_NTNV



Band40b 5MHz 16QAM HCH 2357.5MHz RB 1 24 NTN




Band40b 5MHz 16QAM HCH 2357.5MHz RB 25 0 NTN




6.2.2 B40b_10MHz


Band40b_10MHz_QPSK_LCH_2355MHz_RB_1_0_NTNV




Band40b_10MHz_QPSK_LCH_2355MHz_RB_1_0_NTNV




Band40b_10MHz_QPSK_LCH_2355MHz_RB_1_0_NTNV




Band40b_10MHz_QPSK_LCH_2355MHz_RB_1_0_NTNV




Band40b_10MHz_QPSK_LCH_2355MHz_RB_1_0_NTNV




Band40b_10MHz_QPSK_LCH_2355MHz_RB_1_0_NTNV




Band40b 10MHz QPSK LCH 2355MHz RB 50 0 NTNV




Band40b 10MHz QPSK HCH 2355MHz RB 1 49 NTNV




Band40b 10MHz QPSK HCH 2355MHz RB 50 0 NTNV




Band40b 10MHz 16QAM LCH 2355MHz RB 1 0 NTNV




Band40b 10MHz 16QAM LCH 2355MHz RB 1 0 NTNV




Band40b 10MHz 16QAM LCH 2355MHz RB 1 0 NTNV




Band40b 10MHz 16QAM LCH 2355MHz RB 1 0 NTNV




Band40b 10MHz 16QAM LCH 2355MHz RB 1 0 NTNV



Band40b 10MHz 16QAM LCH 2355MHz RB 1 0 NTV




Band40b 10MHz 16QAM LCH 2355MHz RB 50 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2273.100	-51.36	-40	Pass
2288	2292	1	CHP	2	2290.050	-51.78	-37	Pass
2292	2296	1	CHP	3	2295.250	-51.54	-31	Pass
2296	2300	1	CHP	4	2297.450	-51.79	-25	Pass
2300	2320	1	CHP	5	2318.300	-49.82	-13	Pass
2320	2324	1	CHP	6	2323.700	-48.88	-25	Pass
2324	2328	1	CHP	7	2328.000	-46.93	-31	Pass
2328	2337	1	CHP	8	2337.000	-45.74	-37	Pass
2337	2341	1	CHP	9	2341.000	-42.34	-31	Pass
2341	2345	1	CHP	10	2344.850	-33.79	-25	Pass
2345	2349	1	CHP	11	2348.200	-31.24	-13	Pass
2349	2350	0.101	CHP	12	2349.950	-39.08	-13	Pass
2350	2360	0.101	CHP	/	/	/	/	/
2360	2361	0.101	CHP	13	2361.000	-34.70	-13	Pass
2361	2365	1	CHP	14	2361.500	-31.22	-13	Pass
2365	2385	1	CHP	15	2365.050	-35.38	-40	Fail

Band40b_10MHz_16QAM_HCH_2355MHz_RB_1_49_NTNV



Band40b_10MHz_16QAM_HCH_2355MHz_RB_50_0_NTNV



7. Form731

7.1 Test Result

7.1.1 Form731_Power

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
40b	5	2352.5	2357.5	0.1143	0.0017	ppm	4M56G7D	/	20.58
40b	5	2352.5	2357.5	0.0869	0.0018	ppm	4M60W7D	/	19.39
40b	10	2355	2355	0.1069	0.0023	ppm	9M06G7D	/	20.29
40b	10	2355	2355	0.0893	0.0020	ppm	9M05W7D	/	19.51

7.1.2 Form731_EIRP

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
40b	5	2352.5	2357.5	0.0689	0.0017	ppm	4M56G7D	/	18.38
40b	5	2352.5	2357.5	0.0524	0.0018	ppm	4M60W7D	/	17.19
40b	10	2355	2355	0.0644	0.0023	ppm	9M06G7D	/	18.09
40b	10	2355	2355	0.0538	0.0020	ppm	9M05W7D	/	17.31