


2.4G-2.48G 频段板载 PIFA 天线测试报告



Test report of onboard PIFA antenna in 2.4G-2.48G band

SPECIFICATIONS	
Frequency (MHz)	2400-2480
Peak Gain (dBi)	2.499
Average Gain (dBi)	>-4
VSWR	<3.2
Impedance (Ω)	50 Ω
Antenna Type	Plannar Inverted F Antenna on board
Polarization	Linear

测试环境：中科国技暗室测试系统



天线实物及物理尺寸




TRD052F1G

241128

Line Width-0.5MM

天线无源 S 参数：
驻波比（VSWR）、回波损耗（Return Loss）及史密斯圆图




天线效率及增益

Frequency (MHz)	Gain (dBi)	Efficiency (%)	AverageGain (dBi)	Efficiency (dB)
2400	1.433	59.329%	-2.717	-2.267
2410	0.927	51.861%	-3.416	-2.852
2420	0.829	52.112%	-3.166	-2.831
2430	0.881	49.299%	-3.258	-3.072
2440	1.192	50.672%	-3.144	-2.952
2450	1.688	53.067%	-2.735	-2.752
2460	2.194	59.423%	-2.276	-2.260
2470	2.118	56.680%	-2.438	-2.466
2480	2.499	61.727%	-2.112	-2.095
Average	1.529	54.908%	-2.806	-2.616
Peak	2.499	61.727%	-2.112	-2.095


天线 2440MHz 2D-Theta Pattern

2D-Theta 2DLine-Theta 2D-Phi 2DLine-Phi DataLine HeatMap 3D




天线 2440MHz 2D-Phi Pattern


2D-Theta 2DLine-Theta 2D-Phi 2DLine-Phi DataLine HeatMap 3D




天线 2440MHz 3D-Horizontal Pattern



天线 2440MHz 3D-Vertical Pattern



2440MHz 3D-Total Pattern



精维进电子有限公司:

深圳市龙岗中心城如意路 52 号荣超新成大厦 1530 /深圳市场部的地址

兴宁市东莞石碣（兴宁）转移园南区精维进产业园 / 工厂地址

中山高顺电路板有限公司:

中山市小榄镇宝丰怡生路 16 号

Jingwei Jin Electronics Co., LTD. :

1530 Rongchao Xincheng Building, 52 Ruyi Road, Longgang Central City, Shenzhen/Address of Shenzhen Marketing Department

Xingning City Dongguan Shijie (Xingning) transfer park South Jingwei Jin Industrial Park/factory address

Zhongshan Gaoshun Circuit Board Co., LTD. :

Zhongshan City Xiaolan Town Baofeng Yisheng Road No. 16