

## Appendix Test Data


|                  |                  |                    |                    |
|------------------|------------------|--------------------|--------------------|
| Report No.:      | 1812C50162712502 | Test Sample No.:   | 1-2-2              |
| Start Test Date: | 2025-04-21       | Finish Test Date:  | 2025-04-21         |
| Test Engineer:   | <i>Alex Peng</i> | Auditor:           | <i>Justin Feng</i> |
| Temperature:     | 26.2°C           | Relative Humidity: | 50%                |
| Pressure:        | 101kPa           |                    |                    |


## Appendix A: 6dB Bandwidth


### Test Result


| Test Mode | Antenna | Frequency[MHz] | 6dB BW [MHz] | FL[MHz]  | FH[MHz]  | Limit[MHz] | Verdict |
|-----------|---------|----------------|--------------|----------|----------|------------|---------|
| 11B       | Ant1    | 2412           | 8.240        | 2407.920 | 2416.160 | 0.5        | PASS    |
| 11B       | Ant1    | 2437           | 8.240        | 2432.920 | 2441.160 | 0.5        | PASS    |
| 11B       | Ant1    | 2462           | 8.240        | 2457.920 | 2466.160 | 0.5        | PASS    |
| 11G       | Ant1    | 2412           | 16.200       | 2403.960 | 2420.160 | 0.5        | PASS    |
| 11G       | Ant1    | 2437           | 16.120       | 2429.040 | 2445.160 | 0.5        | PASS    |
| 11G       | Ant1    | 2462           | 16.160       | 2453.920 | 2470.080 | 0.5        | PASS    |
| 11N20SISO | Ant1    | 2412           | 17.440       | 2403.240 | 2420.680 | 0.5        | PASS    |
| 11N20SISO | Ant1    | 2437           | 17.360       | 2428.240 | 2445.600 | 0.5        | PASS    |
| 11N20SISO | Ant1    | 2462           | 17.480       | 2453.280 | 2470.760 | 0.5        | PASS    |
| 11N40SISO | Ant1    | 2422           | 35.520       | 2404.400 | 2439.920 | 0.5        | PASS    |
| 11N40SISO | Ant1    | 2437           | 35.600       | 2419.400 | 2455.000 | 0.5        | PASS    |
| 11N40SISO | Ant1    | 2452           | 35.680       | 2434.320 | 2470.000 | 0.5        | PASS    |


## Test Graphs














## Appendix B: 99% Occupied Bandwidth

### Test Result

| Test Mode | Antenna | Channel Frequency[MHz] | OCB [MHz] | FL[MHz]   | FH[MHz]   | Limit[MHz] | Verdict |
|-----------|---------|------------------------|-----------|-----------|-----------|------------|---------|
| 11B       | Ant1    | 2412                   | 12.852    | 2405.6199 | 2418.4719 | ---        | ---     |
| 11B       | Ant1    | 2437                   | 12.821    | 2430.6648 | 2443.4858 | ---        | ---     |
| 11B       | Ant1    | 2462                   | 12.807    | 2455.6616 | 2468.4686 | ---        | ---     |
| 11G       | Ant1    | 2412                   | 16.783    | 2403.6169 | 2420.3999 | ---        | ---     |
| 11G       | Ant1    | 2437                   | 16.847    | 2428.6013 | 2445.4483 | ---        | ---     |
| 11G       | Ant1    | 2462                   | 16.869    | 2453.5531 | 2470.4221 | ---        | ---     |
| 11N20SISO | Ant1    | 2412                   | 17.863    | 2403.1222 | 2420.9852 | ---        | ---     |
| 11N20SISO | Ant1    | 2437                   | 17.849    | 2428.1175 | 2445.9665 | ---        | ---     |
| 11N20SISO | Ant1    | 2462                   | 17.781    | 2453.1646 | 2470.9456 | ---        | ---     |
| 11N40SISO | Ant1    | 2422                   | 36.106    | 2404.0788 | 2440.1848 | ---        | ---     |
| 11N40SISO | Ant1    | 2437                   | 36.191    | 2419.0652 | 2455.2562 | ---        | ---     |
| 11N40SISO | Ant1    | 2452                   | 36.179    | 2434.1297 | 2470.3087 | ---        | ---     |

## Test Graphs



## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com


Hotline  
400-003-0500  
www.anbotech.com




## Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86)0755-26066440 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com







## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline  
400-003-0500  
www.anbotech.com





## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86)0755-26066440 Email: service@anbotech.com

Hotline  
400-003-0500  
www.anbotech.com


## Appendix C: Maximum conducted output power

### Test Result Average

| Test Mode | Antenna | Frequency[MHz] | Average power [dBm] | Duty Cycle [%] | DC Factor [dB] | Result [dBm] | Limit [dBm] | Verdict |
|-----------|---------|----------------|---------------------|----------------|----------------|--------------|-------------|---------|
| 11B       | Ant1    | 2412           | 12.62               | 100.00         | 0.00           | <b>12.62</b> | ≤30.00      | PASS    |
| 11B       | Ant1    | 2437           | 12.42               | 100.00         | 0.00           | 12.42        | ≤30.00      | PASS    |
| 11B       | Ant1    | 2462           | 12.05               | 100.00         | 0.00           | 12.05        | ≤30.00      | PASS    |
| 11G       | Ant1    | 2412           | 12.55               | 100.00         | 0.00           | 12.55        | ≤30.00      | PASS    |
| 11G       | Ant1    | 2437           | 12.29               | 100.00         | 0.00           | 12.29        | ≤30.00      | PASS    |
| 11G       | Ant1    | 2462           | 12.05               | 100.00         | 0.00           | 12.05        | ≤30.00      | PASS    |
| 11N20SISO | Ant1    | 2412           | 12.44               | 100.00         | 0.00           | 12.44        | ≤30.00      | PASS    |
| 11N20SISO | Ant1    | 2437           | 12.21               | 100.00         | 0.00           | 12.21        | ≤30.00      | PASS    |
| 11N20SISO | Ant1    | 2462           | 11.91               | 100.00         | 0.00           | 11.91        | ≤30.00      | PASS    |
| 11N40SISO | Ant1    | 2422           | 11.47               | 100.00         | 0.00           | 11.47        | ≤30.00      | PASS    |
| 11N40SISO | Ant1    | 2437           | 12.28               | 100.00         | 0.00           | 12.28        | ≤30.00      | PASS    |
| 11N40SISO | Ant1    | 2452           | 12.11               | 100.00         | 0.00           | 12.11        | ≤30.00      | PASS    |

Note: The Duty Cycle Factor( $10 \cdot \log(1/D)$ ) and cable loss are compensated in the graph.


## Test Graphs Average





## Shenzhen Anbotek Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotek.com


Hotline  
400-003-0500  
www.anbotek.com











## Appendix D: Maximum power spectral density

### Test Result


| Test Mode | Antenna | Frequency [MHz] | Result[dBm/30kHz] | Result[dBm/3kHz] | Limit[dBm/3kHz] | Verdict |
|-----------|---------|-----------------|-------------------|------------------|-----------------|---------|
| 11B       | Ant1    | 2412            | -8.43             | -18.43           | ≤8.00           | PASS    |
| 11B       | Ant1    | 2437            | -8.51             | -18.51           | ≤8.00           | PASS    |
| 11B       | Ant1    | 2462            | -9.17             | -19.17           | ≤8.00           | PASS    |
| 11G       | Ant1    | 2412            | -10.73            | -20.73           | ≤8.00           | PASS    |
| 11G       | Ant1    | 2437            | -11.27            | -21.27           | ≤8.00           | PASS    |
| 11G       | Ant1    | 2462            | -11.42            | -21.42           | ≤8.00           | PASS    |
| 11N20SISO | Ant1    | 2412            | -10.49            | -20.49           | ≤8.00           | PASS    |
| 11N20SISO | Ant1    | 2437            | -11.62            | -21.62           | ≤8.00           | PASS    |
| 11N20SISO | Ant1    | 2462            | -11.18            | -21.18           | ≤8.00           | PASS    |
| 11N40SISO | Ant1    | 2422            | -14.32            | -24.32           | ≤8.00           | PASS    |
| 11N40SISO | Ant1    | 2437            | -13.69            | -23.69           | ≤8.00           | PASS    |
| 11N40SISO | Ant1    | 2452            | -13.49            | -23.49           | ≤8.00           | PASS    |

**Note:**

1. The Duty Cycle Factor( $10 \cdot \log(1/D)$ ) and cable loss are compensated in the graph.
2.  $PSD(dBm/3kHz) = PSD(dBm/30kHz) - (10 \cdot \log(30/3))$



## Test Graphs



## Shenzhen Anbotech Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China


Tel: (86) 0755-26066440 Email: service@anbotech.com



Hotline  
400-003-0500

www.anbotech.com






## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com




Hotline  
400-003-0500  
www.anbotech.com



## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline  
400-003-0500  
www.anbotech.com




## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com



Hotline  
400-003-0500  
www.anbotech.com



## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline 400-003-0500  
www.anbotech.com


## Appendix E: Conducted Band edge


### Test Result


| Test Mode | Antenna | Ch. Name | Frequency[MHz] | Ref. Level[dBm] | Result[dBm] | Limit[dBm] | Verdict |
|-----------|---------|----------|----------------|-----------------|-------------|------------|---------|
| 11B       | Ant1    | Low      | 2412           | 3.74            | -47.46      | ≤-26.26    | PASS    |
| 11B       | Ant1    | High     | 2462           | 3.45            | -55.87      | ≤-26.55    | PASS    |
| 11G       | Ant1    | Low      | 2412           | 2.18            | -35.13      | ≤-27.82    | PASS    |
| 11G       | Ant1    | High     | 2462           | 1.70            | -50.88      | ≤-28.3     | PASS    |
| 11N20SISO | Ant1    | Low      | 2412           | 1.43            | -35.35      | ≤-28.57    | PASS    |
| 11N20SISO | Ant1    | High     | 2462           | 1.94            | -48.99      | ≤-28.06    | PASS    |
| 11N40SISO | Ant1    | Low      | 2422           | -1.67           | -40.09      | ≤-31.67    | PASS    |
| 11N40SISO | Ant1    | High     | 2452           | -0.76           | -38.71      | ≤-30.76    | PASS    |



## Test Graphs










## Appendix F: Conducted Spurious Emission

### Test Result

| Test Mode | Antenna | Frequency[MHz] | Freq. Range [Mhz] | Ref. Level [dBm] | Result [dBm] | Limit [dBm] | Verdict |
|-----------|---------|----------------|-------------------|------------------|--------------|-------------|---------|
| 11B       | Ant1    | 2412           | 0~Reference       | 2.19             | 2.19         | ---         | PASS    |
| 11B       | Ant1    | 2412           | 30~1000           | 2.19             | -69.19       | ≤-27.81     | PASS    |
| 11B       | Ant1    | 2412           | 1000~26500        | 2.19             | -47.74       | ≤-27.81     | PASS    |
| 11B       | Ant1    | 2437           | 0~Reference       | 2.34             | 2.34         | ---         | PASS    |
| 11B       | Ant1    | 2437           | 30~1000           | 2.34             | -67.92       | ≤-27.66     | PASS    |
| 11B       | Ant1    | 2437           | 1000~26500        | 2.34             | -49.32       | ≤-27.66     | PASS    |
| 11B       | Ant1    | 2462           | 0~Reference       | 3.06             | 3.06         | ---         | PASS    |
| 11B       | Ant1    | 2462           | 30~1000           | 3.06             | -49.18       | ≤-26.94     | PASS    |
| 11B       | Ant1    | 2462           | 1000~26500        | 3.06             | -52.5        | ≤-26.94     | PASS    |
| 11G       | Ant1    | 2412           | 0~Reference       | -0.72            | -0.72        | ---         | PASS    |
| 11G       | Ant1    | 2412           | 30~1000           | -0.72            | -67.69       | ≤-30.72     | PASS    |
| 11G       | Ant1    | 2412           | 1000~26500        | -0.72            | -53.73       | ≤-30.72     | PASS    |
| 11G       | Ant1    | 2437           | 0~Reference       | 0.66             | 0.66         | ---         | PASS    |
| 11G       | Ant1    | 2437           | 30~1000           | 0.66             | -68.58       | ≤-29.34     | PASS    |
| 11G       | Ant1    | 2437           | 1000~26500        | 0.66             | -53.19       | ≤-29.34     | PASS    |
| 11G       | Ant1    | 2462           | 0~Reference       | 0.92             | 0.92         | ---         | PASS    |
| 11G       | Ant1    | 2462           | 30~1000           | 0.92             | -68.67       | ≤-29.08     | PASS    |
| 11G       | Ant1    | 2462           | 1000~26500        | 0.92             | -52.78       | ≤-29.08     | PASS    |
| 11N20SISO | Ant1    | 2412           | 0~Reference       | 0.26             | 0.26         | ---         | PASS    |
| 11N20SISO | Ant1    | 2412           | 30~1000           | 0.26             | -69.11       | ≤-29.74     | PASS    |
| 11N20SISO | Ant1    | 2412           | 1000~26500        | 0.26             | -53.34       | ≤-29.74     | PASS    |
| 11N20SISO | Ant1    | 2437           | 0~Reference       | -1.74            | -1.74        | ---         | PASS    |
| 11N20SISO | Ant1    | 2437           | 30~1000           | -1.74            | -69          | ≤-31.74     | PASS    |
| 11N20SISO | Ant1    | 2437           | 1000~26500        | -1.74            | -53.39       | ≤-31.74     | PASS    |
| 11N20SISO | Ant1    | 2462           | 0~Reference       | 0.10             | 0.10         | ---         | PASS    |
| 11N20SISO | Ant1    | 2462           | 30~1000           | 0.10             | -68.45       | ≤-29.9      | PASS    |
| 11N20SISO | Ant1    | 2462           | 1000~26500        | 0.10             | -53.36       | ≤-29.9      | PASS    |
| 11N40SISO | Ant1    | 2422           | 0~Reference       | -1.44            | -1.44        | ---         | PASS    |
| 11N40SISO | Ant1    | 2422           | 30~1000           | -1.44            | -69.08       | ≤-31.44     | PASS    |
| 11N40SISO | Ant1    | 2422           | 1000~26500        | -1.44            | -53.15       | ≤-31.44     | PASS    |
| 11N40SISO | Ant1    | 2437           | 0~Reference       | -1.25            | -1.25        | ---         | PASS    |
| 11N40SISO | Ant1    | 2437           | 30~1000           | -1.25            | -68.55       | ≤-31.25     | PASS    |
| 11N40SISO | Ant1    | 2437           | 1000~26500        | -1.25            | -53.25       | ≤-31.25     | PASS    |
| 11N40SISO | Ant1    | 2452           | 0~Reference       | -1.12            | -1.12        | ---         | PASS    |
| 11N40SISO | Ant1    | 2452           | 30~1000           | -1.12            | -69.06       | ≤-31.12     | PASS    |
| 11N40SISO | Ant1    | 2452           | 1000~26500        | -1.12            | -52.75       | ≤-31.12     | PASS    |

### Shenzhen Anbotech Compliance Laboratory Limited


## Test Graphs



## Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotek.com


Hotline  
400-003-0500  
www.anbotek.com




## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline  
400-003-0500  
www.anbotech.com








## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline  
400-003-0500  
www.anbotech.com








### Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com


Hotline  
400-003-0500  
www.anbotech.com



## Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com




## Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotek.com




Hotline  
400-003-0500  
www.anbotek.com



## Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com





## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com



Hotline  
400-003-0500  
www.anbotech.com






## Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotek.com


Hotline  
400-003-0500  
www.anbotek.com





## Shenzhen Anbotek Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com









**Shenzhen Anbotech Compliance Laboratory Limited**

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline 400-003-0500  
www.anbotech.com


## Appendix G: Duty Cycle

### Test Result

| Test Mode | Antenna | Frequency[MHz] | Transmission Duration [ms] | Transmission Period [ms] | Duty Cycle [%] | Factor |
|-----------|---------|----------------|----------------------------|--------------------------|----------------|--------|
| 11B       | Ant1    | 2412           | 100.00                     | 100.00                   | 100.00         | 0.00   |
| 11B       | Ant1    | 2437           | 100.00                     | 100.00                   | 100.00         | 0.00   |
| 11B       | Ant1    | 2462           | 100.00                     | 100.00                   | 100.00         | 0.00   |
| 11G       | Ant1    | 2412           | 100.00                     | 100.00                   | 100.00         | 0.00   |
| 11G       | Ant1    | 2437           | 100.00                     | 100.00                   | 100.00         | 0.00   |
| 11G       | Ant1    | 2462           | 100.00                     | 100.00                   | 100.00         | 0.00   |
| 11N20SISO | Ant1    | 2412           | 100.00                     | 100.00                   | 100.00         | 0.00   |
| 11N20SISO | Ant1    | 2437           | 100.00                     | 100.00                   | 100.00         | 0.00   |
| 11N20SISO | Ant1    | 2462           | 100.00                     | 100.00                   | 100.00         | 0.00   |
| 11N40SISO | Ant1    | 2422           | 100.00                     | 100.00                   | 100.00         | 0.00   |
| 11N40SISO | Ant1    | 2437           | 100.00                     | 100.00                   | 100.00         | 0.00   |
| 11N40SISO | Ant1    | 2452           | 100.00                     | 100.00                   | 100.00         | 0.00   |




## Test Graphs





## Shenzhen Anbotek Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com










## Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com



---End---