


Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11N20_5180	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:18		

Start of Test:2025-07-19 15:11:21

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5118.63	54.83	17.81	74.00	19.17	150	274	Vertical
2	5150.04	54.68	17.79	74.00	19.32	150	80	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5118.63	17.81	46.18	54.00	7.82	150	274	Vertical
2	5150.04	17.79	45.96	54.00	8.04	150	80	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11N20_5320	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 15:12:53

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.22	56.82	18.34	74.00	17.18	150	186	Horizontal
2	5373.44	57.58	18.47	74.00	16.42	150	165	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.22	18.34	45.52	54.00	8.48	150	186	Horizontal
2	5373.44	18.47	46.81	54.00	7.19	150	165	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11N20_5320	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 15:13:33

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.11	54.70	18.34	74.00	19.30	150	69	Vertical
2	5374.54	55.80	18.48	74.00	18.20	150	136	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.11	18.34	46.68	54.00	7.32	150	69	Vertical
2	5374.54	18.48	45.76	54.00	8.24	150	136	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11N20_5500	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 15:16:29

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5423.82	57.76	18.66	74.00	16.24	150	205	Horizontal
2	5447.46	54.99	18.70	74.00	19.01	150	359	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5423.82	18.66	45.95	54.00	8.05	150	205	Horizontal
2	5447.46	18.70	47.07	54.00	6.93	150	359	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11N20_5500	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 15:17:09

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5447.40	56.06	18.70	74.00	17.94	150	51	Vertical
2	5460.03	54.83	18.72	74.00	19.17	150	36	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5447.40	18.70	47.07	54.00	6.93	150	51	Vertical
2	5460.03	18.72	46.01	54.00	7.99	150	36	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11N20_5700	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 15:19:00

Test Graph



Suspected Data List								
NO.	Frequency (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.02	63.03	19.93	74.00	10.97	150	206	Horizontal
2	5725.18	69.14	19.93	74.00	4.86	150	206	Horizontal


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.02	19.93	47.11	54.00	6.89	150	206	Horizontal
2	5725.18	19.93	49.19	54.00	4.81	150	206	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11N20_5700	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 15:19:40

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.02	59.14	19.93	74.00	14.86	150	339	Vertical
2	5725.98	61.20	19.93	74.00	12.80	150	293	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.02	19.93	47.08	54.00	6.92	150	339	Vertical
2	5725.98	19.93	46.30	54.00	7.70	150	293	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11N40_5190	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 15:23:05

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5132.82	57.51	17.81	74.00	16.49	150	165	Horizontal
2	5150.04	59.02	17.79	74.00	14.98	150	150	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5132.82	17.81	45.14	54.00	8.86	150	165	Horizontal
2	5150.04	17.79	45.93	54.00	8.07	150	150	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11N40_5190	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 15:23:44

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5119.65	56.44	17.82	74.00	17.56	150	181	Vertical
2	5150.04	57.33	17.79	74.00	16.67	150	288	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5119.65	17.82	45.04	54.00	8.96	150	181	Vertical
2	5150.04	17.79	46.12	54.00	7.88	150	288	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11N40_5310	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 15:26:54

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.06	59.68	18.34	74.00	14.32	150	178	Horizontal
2	5354.56	60.61	18.36	74.00	13.39	150	200	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.06	18.34	45.82	54.00	8.18	150	178	Horizontal
2	5354.56	18.36	46.73	54.00	7.27	150	200	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11N40_5310	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 15:27:34

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.06	55.25	18.34	74.00	18.75	150	46	Vertical
2	5350.90	57.37	18.34	74.00	16.63	150	221	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.06	18.34	46.68	54.00	7.32	150	46	Vertical
2	5350.90	18.34	45.53	54.00	8.47	150	221	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11N40_5510	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 15:30:23

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5455.04	58.73	18.72	74.00	15.27	150	173	Horizontal
2	5460.04	58.17	18.72	74.00	15.83	150	179	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5455.04	18.72	45.90	54.00	8.10	150	173	Horizontal
2	5460.04	18.72	47.10	54.00	6.90	150	179	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11N40_5510	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 15:31:02

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5452.27	56.71	18.71	74.00	17.29	150	293	Vertical
2	5460.04	54.57	18.72	74.00	19.43	150	253	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5452.27	18.71	45.05	54.00	8.95	150	293	Vertical
2	5460.04	18.72	43.90	54.00	10.10	150	253	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11N40_5670	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 15:32:48

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.06	56.50	19.93	74.00	17.50	150	41	Horizontal
2	5726.23	60.24	19.93	74.00	13.76	150	217	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.06	19.93	47.08	54.00	6.92	150	41	Horizontal
2	5726.23	19.93	48.27	54.00	5.73	150	217	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11N40_5670	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 15:33:28

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.06	55.66	19.93	74.00	18.34	150	295	Vertical
2	5732.92	56.51	19.96	74.00	17.49	150	128	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.06	19.93	47.37	54.00	6.63	150	295	Vertical
2	5732.92	19.96	48.33	54.00	5.67	150	128	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11AC20_5180	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:17		

Start of Test:2025-07-19 15:38:49

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5121.86	55.68	17.82	74.00	18.32	150	158	Horizontal
2	5150.04	55.47	17.79	74.00	18.53	150	207	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5121.86	17.82	42.09	54.00	11.91	150	158	Horizontal
2	5150.04	17.79	43.16	54.00	10.84	150	207	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11AC20_5180	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:17		

Start of Test:2025-07-19 15:39:29

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5123.58	55.13	17.81	74.00	18.87	150	74	Vertical
2	5150.04	54.38	17.79	74.00	19.62	150	70	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5123.58	17.81	46.15	54.00	7.85	150	74	Vertical
2	5150.04	17.79	43.95	54.00	10.05	150	70	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11AC20_5320	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 15:41:10

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.22	57.34	18.34	74.00	16.66	150	184	Horizontal
2	5357.37	58.27	18.38	74.00	15.73	150	176	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.22	18.34	42.60	54.00	11.40	150	184	Horizontal
2	5357.37	18.38	43.54	54.00	10.46	150	176	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11AC20_5320	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 15:41:50

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.11	54.28	18.34	74.00	19.72	150	147	Vertical
2	5361.00	56.10	18.40	74.00	17.90	150	53	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.11	18.34	44.68	54.00	9.32	150	147	Vertical
2	5361.00	18.40	43.58	54.00	10.42	150	53	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11AC20_5500	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 15:45:15

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5422.57	58.16	18.66	74.00	15.84	150	206	Horizontal
2	5438.89	55.17	18.69	74.00	18.83	150	175	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5422.57	18.66	42.85	54.00	11.15	150	206	Horizontal
2	5438.89	18.69	42.06	54.00	11.94	150	175	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11AC20_5500	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 15:45:55

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5438.89	56.11	18.69	74.00	17.89	150	222	Vertical
2	5460.03	55.42	18.72	74.00	18.58	150	222	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5438.89	18.69	42.95	54.00	11.05	150	222	Vertical
2	5460.03	18.72	42.09	54.00	11.91	150	222	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11AC20_5700	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 15:47:37

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.02	60.93	19.93	74.00	13.07	150	219	Horizontal
2	5725.86	62.91	19.93	74.00	11.09	150	203	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.02	19.93	48.30	54.00	5.70	150	219	Horizontal
2	5725.86	19.93	47.19	54.00	6.81	150	203	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11AC20_5700	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 15:48:16

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.02	60.67	19.93	74.00	13.33	150	174	Vertical
2	5726.26	59.98	19.93	74.00	14.02	150	293	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.02	19.93	47.19	54.00	6.81	150	174	Vertical
2	5726.26	19.93	46.27	54.00	7.73	150	293	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11AC40_5190	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 15:51:27

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5147.90	59.80	17.80	74.00	14.20	150	159	Horizontal
2	5150.04	57.94	17.79	74.00	16.06	150	159	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5147.90	17.80	42.18	54.00	11.82	150	159	Horizontal
2	5150.04	17.79	42.95	54.00	11.05	150	159	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11AC40_5190	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 15:52:07

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5138.89	55.96	17.80	74.00	18.04	150	78	Vertical
2	5150.04	55.45	17.79	74.00	18.55	150	78	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5138.89	17.80	42.08	54.00	11.92	150	78	Vertical
2	5150.04	17.79	43.18	54.00	10.82	150	78	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11AC40_5310	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 15:54:24

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.06	58.46	18.34	74.00	15.54	150	178	Horizontal
2	5362.36	59.95	18.40	74.00	14.05	150	178	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.06	18.34	44.68	54.00	9.32	150	178	Horizontal
2	5362.36	18.40	45.73	54.00	8.27	150	178	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11AC40_5310	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 15:55:04

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.06	56.74	18.34	74.00	17.26	150	133	Vertical
2	5353.24	57.20	18.35	74.00	16.80	150	220	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.06	18.34	43.63	54.00	10.37	150	133	Vertical
2	5353.24	18.35	45.50	54.00	8.50	150	220	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11AC40_5510	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 15:57:09

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5457.39	60.34	18.72	74.00	13.66	150	189	Horizontal
2	5460.04	57.24	18.72	74.00	16.76	150	217	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5457.39	18.72	43.98	54.00	10.02	150	189	Horizontal
2	5460.04	18.72	46.08	54.00	7.92	150	217	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11AC40_5510	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 15:57:48

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5446.69	57.12	18.70	74.00	16.88	150	277	Vertical
2	5460.04	54.49	18.72	74.00	19.51	150	343	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5446.69	18.70	43.08	54.00	10.92	150	277	Vertical
2	5460.04	18.72	43.88	54.00	10.12	150	343	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11AC40_5670	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 16:01:17

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.06	59.98	19.93	74.00	14.02	150	203	Horizontal
2	5729.74	59.84	19.95	74.00	14.16	150	221	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.06	19.93	48.27	54.00	5.73	150	203	Horizontal
2	5729.74	19.95	47.11	54.00	6.89	150	221	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11AC40_5670	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 16:01:57

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.06	55.47	19.93	74.00	18.53	150	205	Vertical
2	5770.51	56.40	20.14	74.00	17.60	150	276	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.06	19.93	47.19	54.00	6.81	150	205	Vertical
2	5770.51	20.14	46.48	54.00	7.52	150	276	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11AC80_5210	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 16:04:04

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5150.07	60.41	17.79	74.00	13.59	150	161	Horizontal
2	5350.15	54.99	18.34	74.00	19.01	150	161	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5150.07	17.79	46.05	54.00	7.95	150	161	Horizontal
2	5350.15	18.34	42.50	54.00	11.50	150	161	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11AC80_5210	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 16:04:44

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5150.07	60.62	17.79	74.00	13.38	150	74	Vertical
2	5350.33	53.55	18.34	74.00	20.45	150	292	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5150.07	17.79	47.13	54.00	6.87	150	74	Vertical
2	5350.33	18.34	43.50	54.00	10.50	150	292	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11AC80_5290	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 16:08:06

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.23	62.21	18.34	74.00	11.79	150	178	Horizontal
2	5358.74	65.13	18.38	74.00	8.87	150	178	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.23	18.34	47.68	54.00	6.32	150	178	Horizontal
2	5358.74	18.38	48.56	54.00	5.44	150	178	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11AC80_5290	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 16:08:46

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.11	59.82	18.34	74.00	14.18	150	134	Vertical
2	5358.97	59.56	18.38	74.00	14.44	150	134	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.11	18.34	46.58	54.00	7.42	150	134	Vertical
2	5358.97	18.38	45.67	54.00	8.33	150	134	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11AC80_5530	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 16:11:26

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5457.99	67.06	18.72	74.00	6.94	150	207	Horizontal
2	5460.06	60.21	18.72	74.00	13.79	150	207	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5457.99	18.72	48.06	54.00	5.94	150	207	Horizontal
2	5460.06	18.72	45.88	54.00	8.12	150	207	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11AC80_5530	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 16:12:05

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5458.08	62.14	18.72	74.00	11.86	150	207	Vertical
2	5460.06	57.42	18.72	74.00	16.58	150	287	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5458.08	18.72	45.88	54.00	8.12	150	207	Vertical
2	5460.06	18.72	45.07	54.00	8.93	150	287	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11AC80_5610	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 16:14:59

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.09	55.35	19.93	74.00	18.65	150	200	Horizontal
2	5738.79	56.77	19.99	74.00	17.23	150	165	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.09	19.93	46.27	54.00	7.73	150	200	Horizontal
2	5738.79	19.99	45.17	54.00	8.83	150	165	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	SKI.WB663U.2	SN:	
Mode:	11AC80_5610	Voltage:	DC 3.3V
Environment:	23.1℃ 54%	Engineer:	Soho Liu
Remark:	setpower:1A		

Start of Test:2025-07-19 16:15:39

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.09	55.52	19.93	74.00	18.48	150	343	Vertical
2	5738.19	56.54	19.99	74.00	17.46	150	240	Vertical

AV Final Data List

NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.09	19.93	46.27	54.00	7.73	150	343	Vertical
2	5738.19	19.99	45.17	54.00	8.83	150	240	Vertical

END OF REPORT