



	5710-3	-0.15	0.66	3.28	5.52	30.00	/	/	/	24.00
	5755	13.09	12.80	15.96	5.52	30.00	/	/	/	30.00
	5795.00	12.28	11.92	15.11	5.52	30.00	/	/	/	30.00
802.11ac VHT80	5210	9.43	8.20	11.87	5.52	24.00	/	/	17.39	23.00
	5290	7.82	7.69	10.77	5.52	24.00	/	/	/	24.00
	5530	10.51	7.62	12.31	5.52	24.00	/	/	/	24.00
	5610	10.50	7.98	12.43	5.52	24.00	/	/	/	24.00
	5690-2C	8.88	6.34	10.80	5.52	24.00	/	/	/	24.00
	5690-3	-5.76	-8.19	-3.80	5.52	30.00	/	/	/	24.00
	5775	10.45	9.99	13.24	5.52	30.00	/	/	/	30.00
802.11ax HE20	5180	10.38	9.09	12.79	5.52	24.00	/	/	18.31	22.50
	5200	10.57	9.64	13.14	5.52	24.00	/	/	18.66	22.50
	5240	10.44	9.14	12.85	5.52	24.00	/	/	18.37	22.50
	5260	9.50	9.27	12.40	5.52	24.00	/	/	/	23.50
	5280	9.36	9.36	12.37	5.52	24.00	/	/	/	23.50
	5320	9.45	9.20	12.34	5.52	24.00	/	/	/	23.50
	5500	9.71	10.64	13.21	5.52	24.00	/	/	/	23.50
	5580	9.61	11.27	13.53	5.52	24.00	/	/	/	23.50
	5700	10.20	11.47	13.89	5.52	24.00	/	/	/	23.50
	5720-2C	7.77	8.43	11.12	5.52	24.00	/	/	/	23.50
	5720-3	-0.07	0.52	3.25	5.52	30.00	/	/	/	24.00
	5745	9.02	8.36	11.71	5.52	30.00	/	/	/	30.00
	5785	8.74	8.94	11.85	5.52	30.00	/	/	/	30.00
	5825	9.16	8.98	12.08	5.52	30.00	/	/	/	30.00
802.11ax HE40	5190	9.95	8.85	12.45	5.52	24.00	/	/	17.97	23.00
	5230	9.93	8.42	12.25	5.52	24.00	/	/	17.77	23.00
	5270	9.40	9.13	12.28	5.52	24.00	/	/	/	24.00
	5310	9.54	9.06	12.32	5.52	24.00	/	/	/	24.00
	5510	8.20	10.36	12.42	5.52	24.00	/	/	/	24.00
	5550	8.14	10.84	12.71	5.52	24.00	/	/	/	24.00
	5670	8.84	10.64	12.84	5.52	24.00	/	/	/	24.00
	5710-2C	7.33	8.94	11.22	5.52	24.00	/	/	/	24.00
	5710-3	-5.46	-4.00	-1.66	5.52	30.00	/	/	/	24.00
	5755	9.54	9.06	12.32	5.52	30.00	/	/	/	30.00
	5795	10.15	9.76	12.97	5.52	30.00	/	/	/	30.00
802.11ax HE80	5210	9.80	8.67	12.28	5.52	24.00	/	/	17.80	23.00
	5290	9.27	9.30	12.30	5.52	24.00	/	/	/	24.00
	5530	7.84	10.31	12.26	5.52	24.00	/	/	/	24.00
	5610	7.88	10.72	12.54	5.52	24.00	/	/	/	24.00
	5690-2C	6.82	7.88	10.39	5.52	24.00	/	/	/	24.00
	5690-3	-9.50	-8.77	-6.11	5.52	30.00	/	/	/	24.00
	5775	8.30	8.46	11.39	5.52	30.00	/	/	/	30.00


Note: 1. Conducted Power=Meas. Level+ Correction Factor


2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.

11.4.2. Test Graphs




















11.5. APPENDIX D: MAXIMUM POWER SPECTRAL DENSITY

11.5.1. Test Result

Test Mode	Antenna	Frequency[MHz]	Power [dBm/MHz]	Limit [dBm/MHz]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A	Ant1	5180	3.75	≤11.00	9.27	≤10.00	PASS
	Ant2	5180	3.60	≤11.00	9.12	≤10.00	PASS
	Ant1	5200	3.50	≤11.00	9.02	≤10.00	PASS
	Ant2	5200	3.22	≤11.00	8.74	≤10.00	PASS
	Ant1	5240	3.47	≤11.00	8.99	≤10.00	PASS
	Ant2	5240	3.03	≤11.00	8.55	≤10.00	PASS
	Ant1	5260	4.16	≤11.00	9.68	≤10.00	PASS
	Ant2	5260	3.75	≤11.00	9.27	---	PASS
	Ant1	5280	3.87	≤11.00	9.39	---	PASS
	Ant2	5280	3.96	≤11.00	9.48	---	PASS
	Ant1	5320	4.30	≤11.00	9.82	---	PASS
	Ant2	5320	3.86	≤11.00	9.38	---	PASS
	Ant1	5500	3.76	≤11.00	9.28	---	PASS
	Ant2	5500	4.16	≤11.00	9.68	---	PASS
	Ant1	5580	4.16	≤11.00	9.68	---	PASS
	Ant2	5580	4.15	≤11.00	9.67	---	PASS
	Ant1	5700	4.44	≤11.00	9.96	---	PASS
	Ant2	5700	4.52	≤11.00	10.04	---	PASS
	Ant1	5720_UNII-2C	3.79	≤11.00	9.31	---	PASS
	Ant2	5720_UNII-2C	3.86	≤11.00	9.38	---	PASS
	Ant1	5720_UNII-3	-4.39	≤30.00	1.13	---	PASS
	Ant2	5720_UNII-3	-4.15	≤30.00	1.37	---	PASS
	Ant1	5745	2.19	≤30.00	7.71	---	PASS
	Ant2	5745	1.54	≤30.00	7.06	---	PASS
	Ant1	5785	1.69	≤30.00	7.21	---	PASS
	Ant2	5785	2.00	≤30.00	7.52	---	PASS
	Ant1	5825	2.51	≤30.00	8.03	---	PASS
	Ant2	5825	1.44	≤30.00	6.96	---	PASS
11N20MIMO	Ant1	5180	-1.28	≤11.00	4.24	≤10.00	PASS
	Ant2	5180	-3.18	≤11.00	2.34	≤10.00	PASS
	total	5180	0.88	≤8.47	9.41	≤10.00	PASS
	Ant1	5200	-1.39	≤11.00	4.13	≤10.00	PASS
	Ant2	5200	-2.91	≤11.00	2.61	≤10.00	PASS
	total	5200	0.93	≤8.47	9.46	≤10.00	PASS
	Ant1	5240	-1.73	≤11.00	3.79	≤10.00	PASS
	Ant2	5240	-3.57	≤11.00	1.95	≤10.00	PASS
	total	5240	0.46	≤8.47	8.99	≤10.00	PASS
	Ant1	5260	2.17	≤11.00	7.69	---	PASS
	Ant2	5260	1.96	≤11.00	7.48	---	PASS
	total	5260	5.08	≤8.47	13.61	---	PASS
	Ant1	5280	1.99	≤11.00	7.51	---	PASS
	Ant2	5280	1.79	≤11.00	7.31	---	PASS
	total	5280	4.90	≤8.47	13.43	---	PASS
	Ant1	5320	2.21	≤11.00	7.73	---	PASS
	Ant2	5320	2.27	≤11.00	7.79	---	PASS
	total	5320	5.25	≤8.47	13.78	---	PASS
	Ant1	5500	1.71	≤11.00	7.23	---	PASS
	Ant2	5500	0.79	≤11.00	6.31	---	PASS
	total	5500	4.28	≤8.47	12.81	---	PASS
	Ant1	5580	1.23	≤11.00	6.75	---	PASS
	Ant2	5580	-0.04	≤11.00	5.48	---	PASS
	total	5580	3.65	≤8.47	12.18	---	PASS
	Ant1	5700	1.72	≤11.00	7.24	---	PASS
	Ant2	5700	2.24	≤11.00	7.76	---	PASS
	total	5700	5.00	≤8.47	13.53	---	PASS
	Ant1	5720_UNII-2C	2.90	≤11.00	8.42	---	PASS
	Ant2	5720_UNII-2C	2.88	≤11.00	8.40	---	PASS
	total	5720_UNII-2C	5.90	≤8.47	14.43	---	PASS

	Ant1	5720_UNII-3	-6.01	≤30.00	-0.49	---	PASS
	Ant2	5720_UNII-3	-5.69	≤30.00	-0.17	---	PASS
	total	5720_UNII-3	-2.84	≤27.47	5.69	---	PASS
	Ant1	5745	0.55	≤30.00	6.07	---	PASS
	Ant2	5745	-0.05	≤30.00	5.47	---	PASS
	total	5745	3.27	≤27.47	11.80	---	PASS
	Ant1	5785	0.44	≤30.00	5.96	---	PASS
	Ant2	5785	1.37	≤30.00	6.89	---	PASS
	total	5785	3.94	≤27.47	12.47	---	PASS
	Ant1	5825	1.43	≤30.00	6.95	---	PASS
	Ant2	5825	-2.08	≤30.00	3.44	---	PASS
	total	5825	3.03	≤27.47	11.56	---	PASS
	Ant1	5190	-3.28	≤11.00	2.24	≤10.00	PASS
	Ant2	5190	-4.42	≤11.00	1.10	≤10.00	PASS
	total	5190	-0.80	≤8.47	7.73	≤10.00	PASS
	Ant1	5230	-3.46	≤11.00	2.06	≤10.00	PASS
	Ant2	5230	-4.70	≤11.00	0.82	≤10.00	PASS
	total	5230	-1.03	≤8.47	7.50	≤10.00	PASS
	Ant1	5270	-4.44	≤11.00	1.08	---	PASS
	Ant2	5270	-5.30	≤11.00	0.22	---	PASS
	total	5270	-1.84	≤8.47	6.69	---	PASS
	Ant1	5310	-4.45	≤11.00	1.07	---	PASS
	Ant2	5310	-4.53	≤11.00	0.99	---	PASS
	total	5310	-1.48	≤8.47	7.05	---	PASS
	Ant1	5510	-4.20	≤11.00	1.32	---	PASS
	Ant2	5510	-3.13	≤11.00	2.39	---	PASS
	total	5510	-0.62	≤8.47	7.91	---	PASS
	Ant1	5550	-3.78	≤11.00	1.74	---	PASS
	Ant2	5550	-2.24	≤11.00	3.28	---	PASS
	total	5550	0.07	≤8.47	8.60	---	PASS
	Ant1	5670	-3.28	≤11.00	2.24	---	PASS
	Ant2	5670	-2.46	≤11.00	3.06	---	PASS
	total	5670	0.16	≤8.47	8.69	---	PASS
	Ant1	5710_UNII-2C	-4.03	≤11.00	1.49	---	PASS
	Ant2	5710_UNII-2C	-2.57	≤11.00	2.95	---	PASS
	total	5710_UNII-2C	-0.23	≤8.47	8.30	---	PASS
	Ant1	5710_UNII-3	-6.83	≤30.00	-1.31	---	PASS
	Ant2	5710_UNII-3	-6.13	≤30.00	-0.61	---	PASS
	total	5710_UNII-3	-3.46	≤27.47	5.07	---	PASS
	Ant1	5755	-5.69	≤30.00	-0.17	---	PASS
	Ant2	5755	-6.84	≤30.00	-1.32	---	PASS
	total	5755	-3.22	≤27.47	5.31	---	PASS
	Ant1	5795	-6.46	≤30.00	-0.94	---	PASS
	Ant2	5795	-6.69	≤30.00	-1.17	---	PASS
	total	5795	-3.56	≤27.47	4.97	---	PASS
	Ant1	5210	-9.01	≤11.00	-3.49	≤10.00	PASS
	Ant2	5210	-10.09	≤11.00	-4.57	≤10.00	PASS
	total	5210	-6.51	≤8.47	2.02	≤10.00	PASS
	Ant1	5290	-10.45	≤11.00	-4.93	---	PASS
	Ant2	5290	-10.73	≤11.00	-5.21	---	PASS
	total	5290	-7.58	≤8.47	0.95	---	PASS
	Ant1	5530	-7.95	≤11.00	-2.43	---	PASS
	Ant2	5530	-10.91	≤11.00	-5.39	---	PASS
	total	5530	-6.17	≤8.47	2.36	---	PASS
	Ant1	5610	-7.98	≤11.00	-2.46	---	PASS
	Ant2	5610	-10.76	≤11.00	-5.24	---	PASS
	total	5610	-6.14	≤8.47	2.39	---	PASS
	Ant1	5690_UNII-2C	-8.56	≤11.00	-3.04	---	PASS
	Ant2	5690_UNII-2C	-11.16	≤11.00	-5.64	---	PASS
	total	5690_UNII-2C	-6.66	≤8.47	1.87	---	PASS
	Ant1	5690_UNII-3	-12.14	≤30.00	-6.62	---	PASS
	Ant2	5690_UNII-3	-14.65	≤30.00	-9.13	---	PASS
	total	5690_UNII-3	-10.21	≤27.47	-1.68	---	PASS
	Ant1	5775	-11.35	≤30.00	-5.83	---	PASS

	Ant2	5775	-11.73	≤30.00	-6.21	---	PASS
	total	5775	-8.53	≤27.47	0.00	---	PASS
11AX20MIMO	Ant1	5180	-2.20	≤11.00	3.32	≤10.00	PASS
	Ant2	5180	-3.71	≤11.00	1.81	≤10.00	PASS
	total	5180	0.12	≤8.47	8.65	≤10.00	PASS
	Ant1	5200	-2.06	≤11.00	3.46	≤10.00	PASS
	Ant2	5200	-2.87	≤11.00	2.65	≤10.00	PASS
	total	5200	0.56	≤8.47	9.09	≤10.00	PASS
	Ant1	5240	-1.99	≤11.00	3.53	≤10.00	PASS
	Ant2	5240	-3.57	≤11.00	1.95	≤10.00	PASS
	total	5240	0.30	≤8.47	8.83	≤10.00	PASS
	Ant1	5260	-3.06	≤11.00	2.46	---	PASS
	Ant2	5260	-3.43	≤11.00	2.09	---	PASS
	total	5260	-0.23	≤8.47	8.30	---	PASS
	Ant1	5280	-3.54	≤11.00	1.98	---	PASS
	Ant2	5280	-3.03	≤11.00	2.49	---	PASS
	total	5280	-0.27	≤8.47	8.26	---	PASS
	Ant1	5320	-3.07	≤11.00	2.45	---	PASS
	Ant2	5320	-3.45	≤11.00	2.07	---	PASS
	total	5320	-0.25	≤8.47	8.28	---	PASS
	Ant1	5500	-3.42	≤11.00	2.10	---	PASS
	Ant2	5500	-2.27	≤11.00	3.25	---	PASS
	total	5500	0.20	≤8.47	8.73	---	PASS
	Ant1	5580	-3.22	≤11.00	2.30	---	PASS
	Ant2	5580	-1.60	≤11.00	3.92	---	PASS
	total	5580	0.68	≤8.47	9.21	---	PASS
	Ant1	5700	-2.63	≤11.00	2.89	---	PASS
	Ant2	5700	-1.16	≤11.00	4.36	---	PASS
	total	5700	1.18	≤8.47	9.71	---	PASS
	Ant1	5720_UNII-2C	-2.59	≤11.00	2.93	---	PASS
	Ant2	5720_UNII-2C	-1.83	≤11.00	3.69	---	PASS
	total	5720_UNII-2C	0.82	≤8.47	9.35	---	PASS
	Ant1	5720_UNII-3	-5.36	≤30.00	0.16	---	PASS
	Ant2	5720_UNII-3	-4.80	≤30.00	0.72	---	PASS
	total	5720_UNII-3	-2.06	≤27.47	6.47	---	PASS
	Ant1	5745	-6.62	≤30.00	-1.10	---	PASS
	Ant2	5745	-7.33	≤30.00	-1.81	---	PASS
	total	5745	-3.95	≤27.47	4.58	---	PASS
	Ant1	5785	-6.41	≤30.00	-0.89	---	PASS
	Ant2	5785	-6.40	≤30.00	-0.88	---	PASS
	total	5785	-3.39	≤27.47	5.14	---	PASS
	Ant1	5825	-6.41	≤30.00	-0.89	---	PASS
	Ant2	5825	-6.56	≤30.00	-1.04	---	PASS
	total	5825	-3.47	≤27.47	5.06	---	PASS
11AX40MIMO	Ant1	5190	-5.14	≤11.00	0.38	≤10.00	PASS
	Ant2	5190	-6.72	≤11.00	-1.20	≤10.00	PASS
	total	5190	-2.85	≤8.47	5.68	≤10.00	PASS
	Ant1	5230	-5.49	≤11.00	0.03	≤10.00	PASS
	Ant2	5230	-6.88	≤11.00	-1.36	≤10.00	PASS
	total	5230	-3.12	≤8.47	5.41	≤10.00	PASS
	Ant1	5270	-5.62	≤11.00	-0.10	---	PASS
	Ant2	5270	-5.97	≤11.00	-0.45	---	PASS
	total	5270	-2.78	≤8.47	5.75	---	PASS
	Ant1	5310	-5.86	≤11.00	-0.34	---	PASS
	Ant2	5310	-6.01	≤11.00	-0.49	---	PASS
	total	5310	-2.92	≤8.47	5.61	---	PASS
	Ant1	5510	-7.27	≤11.00	-1.75	---	PASS
	Ant2	5510	-5.35	≤11.00	0.17	---	PASS
	total	5510	-3.19	≤8.47	5.34	---	PASS
	Ant1	5550	-7.04	≤11.00	-1.52	---	PASS
	Ant2	5550	-4.35	≤11.00	1.17	---	PASS
	total	5550	-2.48	≤8.47	6.05	---	PASS
	Ant1	5670	-6.08	≤11.00	-0.56	---	PASS
	Ant2	5670	-4.91	≤11.00	0.61	---	PASS

11AX80MIMO	total	5670	-2.45	≤8.47	6.08	---	PASS
	Ant1	5710_UNII-2C	-6.52	≤11.00	-1.00	---	PASS
	Ant2	5710_UNII-2C	-4.75	≤11.00	0.77	---	PASS
	total	5710_UNII-2C	-2.54	≤8.47	5.99	---	PASS
	Ant1	5710_UNII-3	-9.28	≤30.00	-3.76	---	PASS
	Ant2	5710_UNII-3	-8.27	≤30.00	-2.75	---	PASS
	total	5710_UNII-3	-5.74	≤27.47	2.79	---	PASS
	Ant1	5755	-8.48	≤30.00	-2.96	---	PASS
	Ant2	5755	-8.97	≤30.00	-3.45	---	PASS
	total	5755	-5.71	≤27.47	2.82	---	PASS
	Ant1	5795	-7.75	≤30.00	-2.23	---	PASS
	Ant2	5795	-7.99	≤30.00	-2.47	---	PASS
	total	5795	-4.86	≤27.47	3.67	---	PASS
	Ant1	5210	-8.08	≤11.00	-2.56	≤10.00	PASS
	Ant2	5210	-9.51	≤11.00	-3.99	≤10.00	PASS
	total	5210	-5.73	≤8.47	2.80	≤10.00	PASS
	Ant1	5290	-8.05	≤11.00	-2.53	---	PASS
	Ant2	5290	-8.48	≤11.00	-2.96	---	PASS
	total	5290	-5.25	≤8.47	3.28	---	PASS
	Ant1	5530	-10.21	≤11.00	-4.69	---	PASS
	Ant2	5530	-8.13	≤11.00	-2.61	---	PASS
	total	5530	-6.04	≤8.47	2.49	---	PASS
	Ant1	5610	-10.49	≤11.00	-4.97	---	PASS
	Ant2	5610	-7.99	≤11.00	-2.47	---	PASS
	total	5610	-6.05	≤8.47	2.48	---	PASS
	Ant1	5690_UNII-2C	-9.66	≤11.00	-4.14	---	PASS
	Ant2	5690_UNII-2C	-8.99	≤11.00	-3.47	---	PASS
	total	5690_UNII-2C	-6.30	≤8.47	2.23	---	PASS
	Ant1	5690_UNII-3	-12.87	≤30.00	-7.35	---	PASS
	Ant2	5690_UNII-3	-12.62	≤30.00	-7.10	---	PASS
	total	5690_UNII-3	-9.73	≤27.47	-1.20	---	PASS
	Ant1	5775	-12.39	≤30.00	-6.87	---	PASS
	Ant2	5775	-12.57	≤30.00	-7.05	---	PASS
	total	5775	-9.47	≤27.47	-0.94	---	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

11.5.2. Test Graphs

