



Appendix G: Band edge measurements

Test Result


TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	Low	2402	-4.67	-45.3	≤-24.67	PASS
		High	2480	-3.66	-46.98	≤-23.66	PASS
		Low	Hop_2402	-5.10	-49.47	-25.1	PASS
		High	Hop_2480	-3.71	-48.54	-23.71	PASS
2DH5	Ant1	Low	2402	-4.44	-47.14	≤-24.44	PASS
		High	2480	-3.59	-47.88	≤-23.59	PASS
		Low	Hop_2402	-8.29	-50.05	-28.29	PASS
		High	Hop_2480	-3.43	-49.4	-23.43	PASS

Test Graphs







DH5_Ant1_Low_Hop_2402




DH5_Ant1_High_Hop_2480




2DH5_Ant1_Low_2402



2DH5_Ant1_High_2480



2DH5_Ant1_Low_Hop_2402




2DH5_Ant1_High_Hop_2480

Appendix H: Conducted Spurious Emission

Test Result

TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	2402	Reference	-4.72	-4.72	---	PASS
			30~1000	-4.72	-61.76	≤-24.72	PASS
			1000~26500	-4.72	-47.52	≤-24.72	PASS
		2441	Reference	-4.91	-4.91	---	PASS
			30~1000	-4.91	-61.69	≤-24.91	PASS
			1000~26500	-4.91	-44.56	≤-24.91	PASS
		2480	Reference	-4.12	-4.12	---	PASS
			30~1000	-4.12	-61.36	≤-24.12	PASS
			1000~26500	-4.12	-44.08	≤-24.12	PASS
2DH5	Ant1	2402	Reference	-4.63	-4.63	---	PASS
			30~1000	-4.63	-61.84	≤-24.63	PASS
			1000~26500	-4.63	-47.95	≤-24.63	PASS
		2441	Reference	-4.46	-4.46	---	PASS
			30~1000	-4.46	-61.88	≤-24.46	PASS
			1000~26500	-4.46	-44.68	≤-24.46	PASS
		2480	Reference	-3.76	-3.76	---	PASS
			30~1000	-3.76	-61.96	≤-23.76	PASS
			1000~26500	-3.76	-44.29	≤-23.76	PASS

Test Graphs






DH5_Ant1_2402_1000~26500



DH5_Ant1_2441_0~Reference




DH5_Ant1_2441_30~1000



DH5_Ant1_2441_1000~26500




DH5_Ant1_2480_0~Reference




DH5_Ant1_2480_30~1000



DH5_Ant1_2480_1000~26500



2DH5_Ant1_2402_0~Reference




2DH5_Ant1_2402_30~1000



2DH5_Ant1_2402_1000~26500



2DH5_Ant1_2441_0~Reference




2DH5_Ant1_2441_30~1000



2DH5_Ant1_2441_1000~26500



2DH5_Ant1_2480_0~Reference



2DH5_Ant1_2480_30~1000



2DH5_Ant1_2480_1000~26500

Appendix I: Duty Cycle

Test Result

TestMode	Antenna	Channel	ON Time [ms]	Period [ms]	DC [%]	Limit	Verdict
DH5	Ant1	2402	2.89	3.76	76.86	---	PASS
2DH5	Ant1	2402	2.88	3.75	76.80	---	PASS

Test Graphs




Appendix J: Conducted emission AC power port

Test Result

Mode:	BT	Voltage:	120V/60Hz
-------	----	----------	-----------

Test Graph




Final Data List

NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Polarity	Verdict
1	0.5887	0.26	24.21	56.00	31.79	2.53	46.00	43.47	N	PASS
2	1.4637	0.28	22.38	56.00	33.62	6.09	46.00	39.91	N	PASS
3	3.3015	0.32	19.23	56.00	36.77	1.01	46.00	44.99	N	PASS
4	4.2268	0.35	19.34	56.00	36.66	0.89	46.00	45.11	N	PASS
5	6.3352	0.38	20.40	60.00	39.60	2.45	50.00	47.55	N	PASS
6	12.9319	0.56	25.15	60.00	34.85	7.41	50.00	42.59	N	PASS

Mode:	BT	Voltage:	120V/60Hz
-------	----	----------	-----------

Test Graph



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Polarity	Verdict
1	0.2104	0.24	28.95	63.19	34.24	11.02	53.19	42.17	L	PASS
2	0.3155	0.25	30.51	59.82	29.31	12.80	49.82	37.02	L	PASS
3	0.4812	0.26	34.45	56.32	21.87	15.17	46.32	31.15	L	PASS
4	0.6826	0.28	33.52	56.00	22.48	10.10	46.00	35.90	L	PASS
5	1.2953	0.31	33.12	56.00	22.88	14.71	46.00	31.29	L	PASS
6	12.0997	0.58	28.90	60.00	31.10	6.67	50.00	43.33	L	PASS

Appendix K: Radiated emissions for transmitter

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line per 15.31(o) was not reported.


Above 1GHz, The emission level with margin less than 20db is recorded.

According to C63.10, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement, so AV emission value did not show in below table if the peak value complies with average limit.

30MHz-1GHz

Mode:	DH5 2402	Voltage:	120V
-------	----------	----------	------

Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity	Verdict
1	31.0671	-17.29	17.24	40.00	22.76	Horizontal	PASS
2	39.9920	-15.82	24.16	40.00	15.84	Horizontal	PASS
3	49.1109	-15.50	13.64	40.00	26.36	Horizontal	PASS
4	74.2364	-19.23	13.91	40.00	26.09	Horizontal	PASS
5	561.225	-10.18	20.20	46.00	25.80	Horizontal	PASS
6	780.079	-6.84	28.63	46.00	17.37	Horizontal	PASS