


11G_Ant1_2412_30~1000




11G_Ant1_2412_1000~26500



11G_Ant1_2437_0~Reference



11G_Ant1_2437_30~1000




11G_Ant1_2437_1000~26500



11G_Ant1_2462_0~Reference




11G_Ant1_2462_30~1000



11G_Ant1_2462_1000~26500



11N20SISO_Ant1_2412_0~Reference




11N20SISO_Ant1_2412_30~1000



11N20SISO_Ant1_2412_1000~26500



11N20SISO_Ant1_2437_0~Reference




11N20SISO_Ant1_2437_30~1000



11N20SISO_Ant1_2437_1000~26500



11N20SISO_Ant1_2462_0~Reference



11N20SISO_Ant1_2462_30~1000



11N20SISO_Ant1_2462_1000~26500



Appendix F: Duty Cycle

Test Result

TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]
11B	Ant1	2412	12.43	12.55	99.04
		2437	9.00	9.00	100.00
		2462	7.00	7.00	100.00
11G	Ant1	2412	2.06	2.19	94.06
		2437	2.07	2.20	94.09
		2462	2.07	2.19	94.52
11N20SISO	Ant1	2412	1.92	2.04	94.12
		2437	1.92	2.05	93.66
		2462	1.92	2.05	93.66

Test Graphs


11B_Ant1_2412




11B_Ant1_2437



11B_Ant1_2462




11G_Ant1_2412




11G_Ant1_2437




11G_Ant1_2462




11N20SISO_Ant1_2412



11N20SISO_Ant1_2437



11N20SISO_Ant1_2462



Appendix H: Emissions in Restricted Bands

Test Result

Mode:	11B-2412
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2310	6.48	45.15	74.00	28.85	150	160	Vertical
2	2332.72	6.52	49.56	74.00	24.44	150	182	Vertical
3	2340.24	6.54	48.07	74.00	25.93	150	179	Vertical
4	2344.48	6.54	45.98	74.00	28.02	150	223	Vertical
5	2359.36	6.58	46.93	74.00	27.07	150	172	Vertical
6	2390	6.64	44.97	74.00	29.03	150	246	Vertical

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2310	6.48	47.69	74.00	26.31	150	206	Horizontal
2	2333.68	6.52	48.35	74.00	25.65	150	209	Horizontal
3	2347.12	6.56	47.64	74.00	26.36	150	219	Horizontal
4	2361.44	6.58	48.68	74.00	25.32	150	219	Horizontal
5	2370.32	6.60	48.35	74.00	25.65	150	221	Horizontal
6	2390	6.64	49.90	74.00	24.10	150	219	Horizontal

Mode:	11B-2462
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.5	7.20	47.22	74.00	26.78	150	185	Horizontal
2	2486.12	7.22	50.36	74.00	23.64	150	224	Horizontal
3	2487.85	7.23	50.09	74.00	23.91	150	214	Horizontal
4	2489.90	7.24	49.35	74.00	24.65	150	214	Horizontal
5	2490.79	7.25	49.34	74.00	24.66	150	221	Horizontal
6	2500	7.31	45.94	74.00	28.06	150	12	Horizontal

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.50	7.20	45.49	74.00	28.51	150	248	Vertical
2	2488.51	7.24	47.07	74.00	26.93	150	241	Vertical
3	2489.34	7.24	47.52	74.00	26.48	150	182	Vertical
4	2492.26	7.26	45.90	74.00	28.10	150	132	Vertical
5	2498.20	7.30	46.11	74.00	27.89	150	156	Vertical
6	2500.00	7.31	45.63	74.00	28.37	150	134	Vertical

Mode:	11G-2412
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2310	6.48	46.46	74.00	27.54	150	188	Horizontal
2	2384.72	6.62	58.78	74.00	15.22	150	203	Horizontal
3	2386	6.64	60.64	74.00	13.36	150	193	Horizontal
4	2388.72	6.64	59.12	74.00	14.88	150	205	Horizontal
5	2389.44	6.64	59.55	74.00	14.45	150	203	Horizontal
6	2390	6.64	61.23	74.00	12.77	150	193	Horizontal

AV Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2310	6.48	44.50	54.00	9.50	150	188	Horizontal
2	2384.72	6.62	40.93	54.00	13.07	150	203	Horizontal
3	2386	6.64	41.81	54.00	12.19	150	193	Horizontal
4	2388.72	6.64	42.69	54.00	11.31	150	205	Horizontal
5	2389.44	6.64	43.02	54.00	10.98	150	203	Horizontal
6	2390	6.64	44.63	54.00	9.37	150	193	Horizontal

Mode:	11G-2412
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2310	6.48	43.27	74.00	30.73	150	273	Vertical
2	2321.44	6.50	47.42	74.00	26.58	150	186	Vertical
3	2336.88	6.54	46.92	74.00	27.08	150	188	Vertical
4	2386	6.64	50.66	74.00	23.34	150	140	Vertical
5	2387.76	6.64	51.24	74.00	22.76	150	138	Vertical
6	2390	6.64	48.59	74.00	25.41	150	152	Vertical

AV Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2310	6.48	40.86	54.00	13.14	150	273	Vertical
2	2321.44	6.50	43.95	54.00	10.05	150	186	Vertical
3	2336.88	6.54	42.39	54.00	11.61	150	188	Vertical
4	2386	6.64	44.79	54.00	9.21	150	140	Vertical
5	2387.76	6.64	48.74	54.00	5.26	150	138	Vertical
6	2390	6.64	45.49	54.00	8.51	150	152	Vertical

Mode:	11G-2462
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.5	7.20	64.04	74.00	9.96	150	192	Horizontal
2	2483.66	7.20	63.36	74.00	10.64	150	192	Horizontal
3	2484.16	7.20	59.71	74.00	14.29	150	184	Horizontal
4	2485.18	7.22	60.48	74.00	13.52	150	192	Horizontal
5	2486.25	7.22	60.87	74.00	13.13	150	192	Horizontal
6	2486.65	7.23	59.71	74.00	14.29	150	192	Horizontal

AV Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.5	7.20	44.07	54.00	9.93	150	192	Horizontal
2	2483.66	7.20	43.92	54.00	10.08	150	192	Horizontal
3	2484.16	7.20	41.01	54.00	12.99	150	184	Horizontal
4	2485.18	7.22	43.09	54.00	10.91	150	192	Horizontal
5	2486.25	7.22	42.60	54.00	11.40	150	192	Horizontal
6	2486.65	7.23	42.55	54.00	11.45	150	192	Horizontal

Mode:	11G-2462
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.51	7.20	64.70	74.00	9.30	150	147	Vertical
2	2483.51	7.20	64.54	74.00	9.46	150	147	Vertical
3	2483.92	7.20	63.56	74.00	10.44	150	143	Vertical
4	2484.37	7.20	62.83	74.00	11.17	150	147	Vertical
5	2484.65	7.21	61.80	74.00	12.20	150	199	Vertical
6	2485.61	7.22	62.12	74.00	11.88	150	199	Vertical

AV Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.51	7.20	43.03	54.00	10.97	150	147	Vertical
2	2483.51	7.20	44.43	54.00	9.57	150	147	Vertical
3	2483.92	7.20	44.68	54.00	9.32	150	143	Vertical
4	2484.37	7.20	43.70	54.00	10.30	150	147	Vertical
5	2484.65	7.21	43.14	54.00	10.86	150	199	Vertical
6	2485.61	7.22	40.06	54.00	13.94	150	199	Vertical

Mode:	N20-2412
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2370.88	6.60	59.68	74.00	14.32	150	269	Horizontal
2	2379.52	6.62	57.13	74.00	16.87	150	258	Horizontal
3	2382.56	6.62	58.14	74.00	15.86	150	188	Horizontal
4	2383.76	6.62	60.50	74.00	13.50	150	198	Horizontal
5	2387.28	6.64	57.40	74.00	16.60	150	193	Horizontal
6	2389.68	6.64	63.88	74.00	10.12	150	191	Horizontal

AV Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2370.88	6.60	38.39	54.00	15.61	150	269	Horizontal
2	2379.52	6.62	38.69	54.00	15.31	150	258	Horizontal
3	2382.56	6.62	39.35	54.00	14.65	150	188	Horizontal
4	2383.76	6.62	42.42	54.00	11.58	150	198	Horizontal
5	2387.28	6.64	45.92	54.00	8.08	150	193	Horizontal
6	2389.68	6.64	45.31	54.00	8.69	150	191	Horizontal

Mode:	N20-2412
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2364.4	6.58	49.11	74.00	24.89	150	192	Vertical
2	2383.28	6.62	53.39	74.00	20.61	150	139	Vertical
3	2386.88	6.64	64.53	74.00	9.47	150	161	Vertical
4	2387.92	6.64	63.89	74.00	10.11	150	139	Vertical
5	2389.28	6.64	63.75	74.00	10.25	150	146	Vertical
6	2389.84	6.64	67.88	74.00	6.12	150	142	Vertical

AV Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2364.4	6.58	35.71	54.00	18.29	150	192	Vertical
2	2383.28	6.62	38.89	54.00	15.11	150	139	Vertical
3	2386.88	6.64	41.51	54.00	12.49	150	161	Vertical
4	2387.92	6.64	45.63	54.00	8.37	150	139	Vertical
5	2389.28	6.64	45.98	54.00	8.02	150	146	Vertical
6	2389.84	6.64	46.87	54.00	7.13	150	142	Vertical

Mode:	N20-2462
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.5	7.20	56.90	74.00	17.10	150	173	Horizontal
2	2483.64	7.20	59.11	74.00	14.89	150	173	Horizontal
3	2484.20	7.20	58.03	74.00	15.97	150	173	Horizontal
4	2485.08	7.22	56.77	74.00	17.23	150	173	Horizontal
5	2486.28	7.22	57.18	74.00	16.82	150	173	Horizontal
6	2486.61	7.23	56.90	74.00	17.10	150	173	Horizontal

AV Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.5	7.20	48.24	54.00	5.76	150	173	Horizontal
2	2483.64	7.20	46.43	54.00	7.57	150	173	Horizontal
3	2484.20	7.20	44.61	54.00	9.39	150	173	Horizontal
4	2485.08	7.22	43.00	54.00	11.00	150	173	Horizontal
5	2486.28	7.22	43.36	54.00	10.64	150	173	Horizontal
6	2486.61	7.23	42.89	54.00	11.11	150	173	Horizontal

Mode:	N20-2462
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.64	7.20	63.25	74.00	10.75	150	143	Vertical
2	2483.64	7.20	61.08	74.00	12.92	150	143	Vertical
3	2483.96	7.20	62.06	74.00	11.94	150	174	Vertical
4	2484.34	7.20	60.68	74.00	13.32	150	174	Vertical
5	2484.50	7.20	61.08	74.00	12.92	150	161	Vertical
6	2485.39	7.22	59.62	74.00	14.38	150	143	Vertical


AV Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.64	7.20	42.72	54.00	11.28	150	143	Vertical
2	2483.64	7.20	40.87	54.00	13.13	150	143	Vertical
3	2483.96	7.20	41.81	54.00	12.19	150	174	Vertical
4	2484.34	7.20	40.18	54.00	13.82	150	174	Vertical
5	2484.50	7.20	39.91	54.00	14.09	150	161	Vertical
6	2485.39	7.22	39.45	54.00	14.55	150	143	Vertical

Appendix I: Spurious emissions

Mode:

11b-2412

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	31.94	24.97	-17.03	40.00	15.03	100	200	Vertical	PASS
2	36.79	27.13	-16.19	40.00	12.87	100	340	Vertical	PASS
3	95.96	26.39	-20.30	43.50	17.11	100	240	Vertical	PASS
4	143.49	25.15	-16.69	43.50	18.35	100	250	Vertical	PASS
5	167.74	35.97	-16.56	43.50	7.53	100	110	Vertical	PASS
6	191.99	31.90	-19.09	43.50	11.60	100	290	Vertical	PASS

Mode:

11b-2412

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	191.99	18.26	-19.09	43.50	25.24	100	180	Horizontal	PASS
2	440.31	16.21	-13.48	46.00	29.79	100	100	Horizontal	PASS
3	574.17	18.21	-9.91	46.00	27.79	100	310	Horizontal	PASS
4	632.37	20.65	-8.73	46.00	25.35	100	230	Horizontal	PASS
5	799.21	22.59	-6.00	46.00	23.41	100	300	Horizontal	PASS
6	992.24	24.13	-4.06	54.00	29.87	100	240	Horizontal	PASS

Mode:

11b-2437


Test Graph



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	33.88	23.45	-16.69	40.00	16.55	100	340	Vertical	PASS
2	36.79	26.21	-16.19	40.00	13.79	100	170	Vertical	PASS
3	95.96	26.28	-20.30	43.50	17.22	100	90	Vertical	PASS
4	143.49	25.33	-16.69	43.50	18.17	100	90	Vertical	PASS
5	167.74	36.19	-16.56	43.50	7.31	100	80	Vertical	PASS
6	191.99	33.19	-19.09	43.50	10.31	100	240	Vertical	PASS

Mode:	11b-2437
-------	----------

Test Graph




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	40.67	11.03	-15.69	40.00	28.97	100	280	Horizontal	PASS
2	191.99	18.34	-19.09	43.50	25.16	100	0	Horizontal	PASS
3	489.78	16.85	-11.99	46.00	29.15	100	350	Horizontal	PASS
4	580.96	18.29	-9.63	46.00	27.71	100	120	Horizontal	PASS
5	710.94	20.45	-8.12	46.00	25.55	100	40	Horizontal	PASS
6	811.82	23.43	-6.26	46.00	22.57	100	220	Horizontal	PASS

Mode:

11b-2462


Test Graph



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	34.85	24.74	-16.53	40.00	15.26	100	250	Vertical	PASS
2	36.79	25.33	-16.19	40.00	14.67	100	140	Vertical	PASS
3	95.96	27.89	-20.30	43.50	15.61	100	160	Vertical	PASS
4	143.49	25.40	-16.69	43.50	18.10	100	290	Vertical	PASS
5	167.74	35.94	-16.56	43.50	7.56	100	330	Vertical	PASS
6	191.99	32.25	-19.09	43.50	11.25	100	260	Vertical	PASS

Mode:	11b-2462
-------	----------

Test Graph



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	191.99	19.02	-19.09	43.50	24.48	100	170	Horizontal	PASS
2	505.3	16.66	-11.92	46.00	29.34	100	90	Horizontal	PASS
3	582.9	18.65	-9.67	46.00	27.35	100	60	Horizontal	PASS
4	698.33	20.19	-8.44	46.00	25.81	100	140	Horizontal	PASS
5	788.54	22.65	-6.64	46.00	23.35	100	120	Horizontal	PASS
6	991.27	24.94	-4.08	54.00	29.06	100	100	Horizontal	PASS

Mode:	11B-2412
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4824	46.70	-14.33	74.00	27.30	150	177	Horizontal
2	6315	44.16	-11.95	74.00	29.84	150	226	Horizontal
3	9207	45.74	-8.90	74.00	28.26	150	174	Horizontal
4	11226	47.69	-5.39	74.00	26.31	150	343	Horizontal
5	13149	49.56	-2.25	74.00	24.44	150	46	Horizontal
6	17487	53.46	2.93	74.00	20.54	150	188	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4824	46.06	-14.33	74.00	27.94	150	155	Vertical
2	5760	46.38	-12.72	74.00	27.62	150	229	Vertical
3	7689	45.06	-11.02	74.00	28.94	150	42	Vertical
4	9939	47.23	-7.16	74.00	26.77	150	342	Vertical
5	12090	48.64	-3.45	74.00	25.36	150	205	Vertical
6	16971	52.85	2.47	74.00	21.15	150	123	Vertical

Mode:	11B-2437
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4224	43.89	-14.89	74.00	30.11	150	264	Horizontal
2	4875	46.76	-14.82	74.00	27.24	150	143	Horizontal
3	6174	44.89	-11.80	74.00	29.11	150	16	Horizontal
4	9369	46.59	-8.36	74.00	27.41	150	316	Horizontal
5	11703	48.53	-4.23	74.00	25.47	150	169	Horizontal
6	17301	53.40	2.71	74.00	20.60	150	356	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4875	47.73	-14.82	74.00	26.27	150	107	Vertical
2	5760	45.34	-12.72	74.00	28.66	150	220	Vertical
3	6072	45.56	-11.29	74.00	28.44	150	264	Vertical
4	7854	44.55	-10.49	74.00	29.45	150	131	Vertical
5	10431	46.40	-7.38	74.00	27.60	150	187	Vertical
6	17547	53.49	2.38	74.00	20.51	150	359	Vertical

Mode:	11B-2462
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4221	43.86	-14.87	74.00	30.14	150	239	Horizontal
2	4923	48.14	-14.92	74.00	25.86	150	95	Horizontal
3	6051	45.82	-11.24	74.00	28.18	150	330	Horizontal
4	7386	44.69	-10.98	74.00	29.31	150	82	Horizontal
5	9402	45.64	-8.36	74.00	28.36	150	167	Horizontal
6	17496	53.38	3.07	74.00	20.62	150	360	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4923	48.30	-14.92	74.00	25.70	150	144	Vertical
2	5760	45.46	-12.72	74.00	28.54	150	149	Vertical
3	7386	45.48	-10.98	74.00	28.52	150	112	Vertical
4	10596	47.22	-6.29	74.00	26.78	150	302	Vertical
5	13896	50.75	-1.76	74.00	23.25	150	254	Vertical
6	17745	53.04	2.65	74.00	20.96	150	83	Vertical

Mode:	11G-2412
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3840	43.97	-15.14	74.00	30.03	150	341	Horizontal
2	5988	44.72	-11.32	74.00	29.28	150	286	Horizontal
3	8169	45.18	-10.28	74.00	28.82	150	272	Horizontal
4	9996	46.04	-6.87	74.00	27.96	150	155	Horizontal
5	12609	48.73	-3.39	74.00	25.27	150	260	Horizontal
6	17100	53.59	2.52	74.00	20.41	150	23	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4194	42.42	-14.88	74.00	31.58	150	0	Vertical
2	6243	42.55	-11.96	74.00	31.45	150	0	Vertical
3	8157	43.83	-10.40	74.00	30.17	150	0	Vertical
4	10632	47.46	-6.24	74.00	26.54	150	0	Vertical
5	13296	47.84	-2.46	74.00	26.16	150	0	Vertical
6	17163	51.30	2.27	74.00	22.70	150	0	Vertical

Mode:	11G-2437
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3882	43.80	-14.72	74.00	30.20	150	279	Horizontal
2	6096	44.85	-11.33	74.00	29.15	150	29	Horizontal
3	8298	45.49	-10.50	74.00	28.51	150	59	Horizontal
4	10905	47.49	-6.08	74.00	26.51	150	312	Horizontal
5	11229	48.19	-5.40	74.00	25.81	150	308	Horizontal
6	17703	53.90	2.68	74.00	20.10	150	8	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3972	43.66	-16.06	74.00	30.34	150	229	Vertical
2	5760	45.16	-12.72	74.00	28.84	150	123	Vertical
3	9399	46.79	-8.36	74.00	27.21	150	29	Vertical
4	10950	46.78	-5.78	74.00	27.22	150	115	Vertical
5	13221	49.22	-1.86	74.00	24.78	150	276	Vertical
6	17130	52.97	2.40	74.00	21.03	150	0	Vertical

Mode:	11G-2462
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4575	44.03	-14.58	74.00	29.97	150	240	Horizontal
2	6057	44.66	-11.25	74.00	29.34	150	295	Horizontal
3	8166	45.78	-10.31	74.00	28.22	150	153	Horizontal
4	9984	46.96	-6.94	74.00	27.04	150	299	Horizontal
5	13245	49.76	-2.05	74.00	24.24	150	215	Horizontal
6	17274	53.02	2.57	74.00	20.98	150	97	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4236	43.21	-14.97	74.00	30.79	150	197	Vertical
2	5760	44.74	-12.72	74.00	29.26	150	134	Vertical
3	5880	45.07	-12.62	74.00	28.93	150	350	Vertical
4	9939	46.19	-7.16	74.00	27.81	150	1	Vertical
5	14676	49.07	-1.97	74.00	24.93	150	304	Vertical
6	17214	52.78	2.21	74.00	21.22	150	0	Vertical

Mode:	N20-2412
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4194	44.44	-14.88	74.00	29.56	150	47	Horizontal
2	5658	44.09	-12.97	74.00	29.91	150	231	Horizontal
3	6036	44.88	-11.21	74.00	29.12	150	174	Horizontal
4	11004	48.06	-5.44	74.00	25.94	150	4	Horizontal
5	14946	49.86	-0.66	74.00	24.14	150	166	Horizontal
6	17481	53.82	2.84	74.00	20.18	150	140	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4950	43.98	-14.75	74.00	30.02	150	304	Vertical
2	6330	44.30	-11.94	74.00	29.70	150	321	Vertical
3	7179	44.59	-11.09	74.00	29.41	150	115	Vertical
4	10782	47.19	-6.51	74.00	26.81	150	101	Vertical
5	11652	48.58	-4.51	74.00	25.42	150	67	Vertical
6	17508	52.89	3.01	74.00	21.11	150	253	Vertical

Mode:	N20-2437
-------	----------

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4872	44.00	-14.79	74.00	30.00	150	177	Horizontal
2	6087	45.83	-11.31	74.00	28.17	150	199	Horizontal
3	9339	46.10	-8.36	74.00	27.90	150	241	Horizontal
4	12072	48.77	-3.69	74.00	25.23	150	39	Horizontal
5	14328	50.23	-1.19	74.00	23.77	150	69	Horizontal
6	17493	53.28	3.02	74.00	20.72	150	194	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5025	44.20	-14.27	74.00	29.80	150	263	Vertical
2	6036	45.16	-11.21	74.00	28.84	150	242	Vertical
3	8175	45.22	-10.21	74.00	28.78	150	288	Vertical
4	9981	46.48	-6.95	74.00	27.52	150	191	Vertical
5	12258	48.96	-4.46	74.00	25.04	150	77	Vertical
6	15330	50.30	0.02	74.00	23.70	150	43	Vertical

Mode:	N20-2462
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5118	43.95	-13.79	74.00	30.05	150	103	Horizontal
2	7152	45.10	-11.19	74.00	28.90	150	156	Horizontal
3	9975	46.02	-6.98	74.00	27.98	150	332	Horizontal
4	11886	48.27	-4.50	74.00	25.73	150	237	Horizontal
5	15159	50.40	0.40	74.00	23.60	150	305	Horizontal
6	17703	53.07	2.68	74.00	20.93	150	181	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3339	44.49	-15.40	74.00	29.51	150	330	Vertical
2	5643	43.44	-13.06	74.00	30.56	150	60	Vertical
3	7590	45.36	-11.75	74.00	28.64	150	30	Vertical
4	10683	46.93	-6.24	74.00	27.07	150	47	Vertical
5	13455	49.90	-2.28	74.00	24.10	150	287	Vertical
6	17244	53.29	2.39	74.00	20.71	150	266	Vertical