

INTERTEK TESTING SERVICES

Equipment Photographs

(External)



INTERTEK TESTING SERVICES

Equipment Photographs

(External)



INTERTEK TESTING SERVICES

Equipment Photographs

(External)



INTERTEK TESTING SERVICES

Equipment Photographs

(External)



INTERTEK TESTING SERVICES

Equipment Photographs


(External)




INTERTEK TESTING SERVICES

Equipment Photographs

(External)



版本	变更依据	变更内容	日 期	姓 名



丝印：Pantone Cool Gray 11C
底色：黑色

说明:

1. 产品造型，开模以3D资料为准；并参考2D标注的尺寸公差
2. 材质/颜色：材质为0.2mm/PVC片/黑底白字/以客户文档参数为准/符合ROHS/REACH，其它颜色以订单要求为准
3. 不可有变形，毛刺，利角，刮花，油污等外观不良；
4. 产品必须有良好的包装，避免造成运输过程中的损坏
5. *标记为重点管控尺寸。

150.0~300.0	±0.20	±0.075	
100.0~ 150.0	±0.15	WALL THICKNESS	
50.0~ 100.0	±0.125		
25.00~50.00	±0.08	75~150.0	±0.10
0.0~25.0	±0.06	0.0~75.0	±0.075
DIMENSIONAL RANGE (mm)	TOLERANCE WITHOUT PARTING LINE	FLATNESS	
TOLERANCE CHART NF T 58000 PRECISION CLASS			

PRODUCT NAME:		HKWP11202-20 胶贴		 The testing report is issued by HANK Electronics Ltd, can't be copied, re-vised or taken off office without permission				
PART NO:		119.03.10590 119.03.10610						
DWG NO:		119.03.10650						
APPD:						UNLESS OTHERWISE SPECIFIED		UNIT
CKD:		Angle:1°	XX= ±0.20	XY, X= ±0.10	XY, XY= ±0.05	MM		
DR:	20240416			SCALE		SHEET		REV.
						1/1		V1.0