


SAR EVALUATION REPORT

For

GOCOM Technology Co.,Ltd.

UNIT 12, 14/F, LIPPO SUN PLAZA, 28 CANTON ROAD TSIM SHA TSUI,
KOWLOON, Hong Kong, China

FCC ID: 2ARRE2020G600

Report Type: Original Report	Product Type: Walkie talkie
Report Number: RSZ201103011-SA	
Report Date: 2020-11-10	
Alvin Huang	
Reviewed By: Lab Manager	
Prepared By: Bay Area Compliance Laboratories Corp. (Shenzhen) 6/F., West Wing, Third Phase of Wanli Industrial Building, Shihua Road, Futian Free Trade Zone, Shenzhen, Guangdong, China Tel: +86-755-33320018 Fax: +86-755-33320008 www.baclcorp.com.cn	

Note: This report may contain data that are not covered by the A2LA accreditation and are marked with an asterisk "★".

BACL is not responsible for the authenticity of any test data provided by the applicant. Data included from the applicant that may affect test results are marked with an asterisk '*'. Customer model name, addresses, names, trademarks etc. are not considered data.

This report cannot be reproduced except in full, without prior written approval of the Company. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

Attestation of Test Results			
EUT Information	EUT Description	Walkie talkie	
	Tested Model	G600	
	FCC ID	2ARRE2020G600	
	Serial Number	RSZ201103011-EM-S1	
	Test Date	2020-11-03	
Mode	Test Model	Max. SAR Level(s) Reported(W/kg)	Limit
PTT (462.55-462.725MHz 467.5625-467.7125MHz)	1g Head SAR(Face Up)	1.023	1.6 (W/kg)
	1g Body SAR(Body Back)	1.507	
Applicable Standards	FCC 47 CFR part 2.1093 Radiofrequency radiation exposure evaluation: portable devices		
	IEEE1528:2013 IEEE Recommended Practice for Determining the Peak Spatial-Average Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques		
	RF Exposure Procedures: TCB Workshop April 2019		
	IEC 62209-1:2016 Measurement procedure for the assessment of specific absorption rate of human exposure to radio frequency fields from hand-held and body-mounted wireless communication devices – Part 1: Devices used next to the ear (Frequency range of 300 MHz to 6 GHz)		
	KDB procedures KDB 447498 D01 General RF Exposure Guidance v06 KDB 865664 D01 SAR Measurement 100 MHz to 6 GHz v01r04 KDB 865664 D02 RF Exposure Reporting v01r02 KDB 643646 D01 SAR Test for PTT Radios v01r03		
Note: This wireless device has been shown to be capable of compliance for localized specific absorption rate (SAR) for Occupational/Controlled Exposure limits specified in FCC 47 CFR part 2.1093 and has been tested in accordance with the measurement procedures specified in IEEE 1528-2013 and RF exposure KDB procedures.			
The results and statements contained in this report pertain only to the device(s) evaluated.			

TABLE OF CONTENTS

DOCUMENT REVISION HISTORY..... 4

DOCUMENT REVISION HISTORY

Revision Number	Report Number	Description of Revision	Date of Revision
0	RSZ201103010-SA	Original Report	2020-11-10

Note: Model G600 (FCC ID: 2ARRE2019G600) and this EUT are the same product. And Model G600 (FCC ID: 2ARRE2019G600) grant on 2019-05-15 by Intertek Testing Services NA, Inc. which had done change ID base on model number ONA19WT004 (FCC ID: 2ASCZ2019WT004). So all the test data are referred to the original report CHTEW19020050, issued on 2019-02-18 by Shenzhen Huatongwei International Inspection Co., Ltd..

******* END OF REPORT *******