



U-NII-2C IEEE 802.11a 5500MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11a 5580MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11a 5700MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11n HT20 5500MHz_Ant 1

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11n HT20 5500MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth









U-NII-2C IEEE 802.11n HT20 5580MHz_Ant 1

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11n HT20 5580MHz_Ant 2**26dB Bandwidth****99% Occupied Bandwidth****U-NII-2C IEEE 802.11n HT20 5700MHz_Ant 1****26dB Bandwidth****99% Occupied Bandwidth****U-NII-2C IEEE 802.11n HT20 5700MHz_Ant 2****26dB Bandwidth****99% Occupied Bandwidth**

U-NII-2C IEEE 802.11ac VHT20 5500MHz_Ant 1

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11ac VHT20 5500MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth



U-NII-2C IEEE 802.11ac VHT20 5580MHz_Ant 1

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11ac VHT20 5580MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11ac VHT20 5700MHz_Ant 1

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11ac VHT20 5700MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth



U-NII-2C IEEE 802.11n HT40 5510MHz_Ant 1

26dB Bandwidth




99% Occupied Bandwidth



U-NII-2C IEEE 802.11n HT40 5510MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11n HT40 5590MHz_Ant 1

26dB Bandwidth




99% Occupied Bandwidth



U-NII-2C IEEE 802.11n HT40 5590MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth



U-NII-2C IEEE 802.11n HT40 5670MHz_Ant 1

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11n HT40 5670MHz_Ant 2

26dB Bandwidth




26dB Bandwidth



U-NII-2C IEEE 802.11ac VHT40 5510MHz_Ant 1

26dB Bandwidth




99% Occupied Bandwidth



U-NII-2C IEEE 802.11ac VHT40 5510MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11ac VHT40 5590MHz_Ant 1

26dB Bandwidth




99% Occupied Bandwidth



U-NII-2C IEEE 802.11ac VHT40 5590MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth



U-NII-2C IEEE 802.11ac VHT40 5670MHz_Ant 1

26dB Bandwidth




99% Occupied Bandwidth



U-NII-2C IEEE 802.11ac VHT40 5670MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11ac VHT80 5530MHz_Ant 1

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11ac VHT80 5530MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth





U-NII-2C IEEE 802.11ac VHT80 5610MHz_Ant 1

26dB Bandwidth




99% Occupied Bandwidth






U-NII-3 IEEE 802.11a 5745MHz_Ant 1

6dB Bandwidth




99% Occupied Bandwidth




U-NII-3 IEEE 802.11a 5785MHz_Ant 1

6dB Bandwidth




99% Occupied Bandwidth




U-NII-3 IEEE 802.11a 5825MHz_Ant 1

6dB Bandwidth




99% Occupied Bandwidth




U-NII-3 IEEE 802.11a 5745MHz_Ant 2

6dB Bandwidth




99% Occupied Bandwidth




U-NII-3 IEEE 802.11a 5785MHz_Ant 2

6dB Bandwidth




99% Occupied Bandwidth










U-NII-3 IEEE 802.11a 5825MHz_Ant 2







6dB Bandwidth









99% Occupied Bandwidth




U-NII-3 IEEE 802.11n HT20 5745MHz_Ant 1**6dB Bandwidth****99% Occupied Bandwidth****U-NII-3 IEEE 802.11n HT20 5745MHz_Ant 2****6dB Bandwidth****99% Occupied Bandwidth****U-NII-3 IEEE 802.11n HT20 5785MHz_Ant 1****6dB Bandwidth****99% Occupied Bandwidth**

U-NII-3 IEEE 802.11n HT20 5785MHz_Ant 2**6dB Bandwidth****99% Occupied Bandwidth****U-NII-3 IEEE 802.11n HT20 5825MHz_Ant 1****6dB Bandwidth****99% Occupied Bandwidth****U-NII-3 IEEE 802.11n HT20 5825MHz_Ant 2****6dB Bandwidth****99% Occupied Bandwidth**


U-NII-3 IEEE 802.11ac VHT20 5745MHz_Ant 1**6dB Bandwidth****99% Occupied Bandwidth****U-NII-3 IEEE 802.11ac VHT20 5745MHz_Ant 2****6dB Bandwidth****99% Occupied Bandwidth****U-NII-3 IEEE 802.11ac VHT20 5785MHz_Ant 1****6dB Bandwidth****99% Occupied Bandwidth**

U-NII-3 IEEE 802.11ac VHT20 5785MHz_Ant 2

6dB Bandwidth




99% Occupied Bandwidth




U-NII-3 IEEE 802.11ac VHT20 5825MHz_Ant 1

6dB Bandwidth




99% Occupied Bandwidth









U-NII-3 IEEE 802.11ac VHT20 5825MHz_Ant 2






6dB Bandwidth









99% Occupied Bandwidth



U-NII-3 IEEE 802.11n HT40 5755MHz_Ant 1**6dB Bandwidth****99% Occupied Bandwidth****U-NII-3 IEEE 802.11n HT40 5755MHz_Ant 2****6dB Bandwidth****99% Occupied Bandwidth****U-NII-3 IEEE 802.11n HT40 5795MHz_Ant 1****6dB Bandwidth****99% Occupied Bandwidth**

U-NII-3 IEEE 802.11n HT40 5795MHz_Ant 2**6dB Bandwidth****99% Occupied Bandwidth****U-NII-3 IEEE 802.11ac VHT40 5755MHz_Ant 1****6dB Bandwidth****99% Occupied Bandwidth****U-NII-3 IEEE 802.11ac VHT40 5755MHz_Ant 2****6dB Bandwidth****99% Occupied Bandwidth**

U-NII-3 IEEE 802.11ac VHT40 5795MHz_Ant 1**6dB Bandwidth****99% Occupied Bandwidth****U-NII-3 IEEE 802.11ac VHT40 5795MHz_Ant 2****6dB Bandwidth****99% Occupied Bandwidth****U-NII-3 IEEE 802.11ac VHT80 5775MHz_Ant 1****6dB Bandwidth****99% Occupied Bandwidth**



4. MAXIMUM CONDUCTED OUTPUT POWER


4.1. Limit

Band	EUT Type	Limit
U-NII-1	Outdoor Access Point	1W(30dBm) (Max. e.i.r.p $\leq 125\text{mW}$ at any elevation angle above 30 degrees as measured from the horizon)
	Indoor Access Point	1W(30dBm)
	Fixed point-to-point Access Point	1W(30dBm)
	Mobile and Portable Client Device	250mW(23.98dBm)
U-NII-2A	All Device	250mW(23.98dBm) or $11\text{dBm} + 10 \log B$, Which is lesser. (B is 26dB Bandwidth in MHz)
U-NII-2C	All Device	250mW(23.98dBm) or $11\text{dBm} + 10 \log B$, Which is lesser. (B is 26dB Bandwidth in MHz)
U-NII-3	All Device	1W(30dBm)

Note:

For the Band U-NII-2A and U-NII-2C, the maximum conducted output power limit calculate result refer to section 3.5.

4.2. Test Setup



4.3. Test Procedure

- Connect EUT antenna terminal to the OSP-B157WB with RF cable.
- Set the EUT transmit continuously with maximum output power.
- Through the test software in TS8897 to control a wideband gated RF power meter provided that the gate parameters are adjusted such that the power is measured only when the EUT is transmitting at its maximum power control level. Because the measurement is made only during the ON time of the transmitter, no duty cycle correction factor is required.
- Repeat above procedures until all modes and channels were measured.
- Record the results in the test report.

4.4. Test Result

Temperature	22.3℃	Relative Humidity			40%	Test Voltage	AC 120V/60Hz	
BAND	Test Mode	Fre (MHz)	Conducted AVG Output Power (dBm)		Total Conducted Output Power (W)	Total Conducted Output Power (dBm)	Limit (dBm)	Result
			Ant 1	Ant 2				
U-NII-1	IEEE 802.11a	5180	11.65	11.46	0.0146		23.98	PASS
		5200	11.86	11.34	0.0153		23.98	PASS
		5240	11.50	11.20	0.0141		23.98	PASS
	IEEE 802.11n HT20	5180	9.72	9.31	0.01791	12.53	23.11	PASS
		5200	9.89	9.20	0.01807	12.57	23.11	PASS
		5240	9.51	9.07	0.01701	12.31	23.11	PASS
	IEEE 802.11ac VHT20	5180	9.68	9.25	0.01770	12.48	23.11	PASS
		5200	9.86	9.17	0.01795	12.54	23.11	PASS
		5240	9.51	9.06	0.01697	12.30	23.11	PASS
	IEEE 802.11n HT40	5190	9.83	9.36	0.01823	12.61	23.11	PASS
		5230	9.56	9.31	0.01756	12.45	23.11	PASS
	IEEE 802.11ac VHT40	5190	9.77	9.33	0.01804	12.56	23.11	PASS
		5230	9.58	9.40	0.01780	12.51	23.11	PASS
	IEEE 802.11ac VHT80	5210	9.49	9.16	0.01715	12.34	23.11	PASS
U-NII-2A	IEEE 802.11a	5260	11.46	11.62	0.01451		23.98	PASS
		5300	11.71	11.77	0.01503		23.98	PASS
		5320	11.68	11.80	0.01514		23.98	PASS
	IEEE 802.11n HT20	5260	9.50	8.50	0.01599	12.04	23.11	PASS
		5300	9.77	9.56	0.01852	12.68	23.11	PASS
		5320	9.67	9.60	0.01837	12.64	23.11	PASS
	IEEE 802.11ac VHT20	5260	9.55	9.41	0.01775	12.49	23.11	PASS
		5300	9.81	9.56	0.01860	12.70	23.11	PASS
		5320	9.65	9.64	0.01842	12.65	23.11	PASS
	IEEE 802.11n HT40	5270	9.56	9.62	0.01820	12.60	23.11	PASS
		5310	9.67	9.76	0.01873	12.72	23.11	PASS
	IEEE 802.11ac VHT40	5270	9.60	9.62	0.01828	12.62	23.11	PASS
		5310	9.83	9.84	0.01924	12.84	23.11	PASS
	IEEE 802.11ac VHT80	5290	9.49	9.45	0.01770	12.48	23.11	PASS

BAND	Test Mode	Fre (MHz)	Conducted AVG Output Power (dBm)		Total Conducted Output Power (W)	Total Conducted Output Power (dBm)	Limit (dBm)	Result
			Ant 1	Ant 2				
U-NII-2C	IEEE 802.11a	5500	11.27	11.69	0.01474		23.98	PASS
		5580	11.00	11.67	0.01468		23.98	PASS
		5700	11.31	11.82	0.01521		23.98	PASS
	IEEE 802.11n HT20	5500	9.32	9.56	0.01758	12.45	23.11	PASS
		5580	8.90	9.41	0.01650	12.17	23.11	PASS
		5700	9.42	9.63	0.01792	12.53	23.11	PASS
	IEEE 802.11ac VHT20	5500	10.89	9.56	0.02131	13.29	23.11	PASS
		5580	8.96	9.42	0.01662	12.21	23.11	PASS
		5700	9.34	9.69	0.01790	12.53	23.11	PASS
	IEEE 802.11n HT40	5510	9.32	9.76	0.01802	12.56	23.11	PASS
		5670	8.86	9.60	0.01680	12.25	23.11	PASS
	IEEE 802.11ac VHT40	5510	9.05	9.84	0.01767	12.47	23.11	PASS
		5670	9.36	9.75	0.01807	12.57	23.11	PASS
	IEEE 802.11ac VHT80	5530	8.90	9.61	0.01691	12.28	23.11	
		5610	9.06	9.73	0.01743	12.41	23.11	PASS
U-NII-3	IEEE 802.11a	5745	6.63	7.20	0.00524		30.00	PASS
		5785	6.62	6.99	0.00500		30.00	PASS
		5825	6.48	7.31	0.00538		30.00	PASS
	IEEE 802.11n HT20	5745	5.75	6.08	0.00781	8.93	29.13	PASS
		5785	5.51	5.78	0.00734	8.66	29.13	PASS
		5825	6.05	6.13	0.00812	9.10	29.13	PASS
	IEEE 802.11ac VHT20	5745	5.75	6.05	0.00778	8.91	29.13	PASS
		5785	5.50	5.74	0.00730	8.63	29.13	PASS
		5825	6.06	6.13	0.00813	9.10	29.13	PASS
	IEEE 802.11n HT40	5755	5.50	6.04	0.00757	8.79	29.13	PASS
		5795	5.72	6.00	0.00771	8.87	29.13	PASS
	IEEE 802.11ac VHT40	5755	8.56	5.99	0.01115	10.47	29.13	PASS
		5795	5.74	5.93	0.00767	8.85	29.13	PASS
	IEEE 802.11ac VHT80	5775	5.51	5.82	0.00738	8.68	29.13	PASS

5. PEAK POWER SPECTRAL DENSITY

5.1. Limit

Band	EUT Type	Limit
U-NII-1	Outdoor Access Point	17dBm/MHz
	Indoor Access Point	17dBm/MHz
	Fixed point-to-point Access Point	17dBm/MHz
	Mobile and Portable Client Device	11dBm/MHz
U-NII-2A	All Device	11dBm/MHz
U-NII-2C	All Device	11dBm/MHz
U-NII-3	All Device	30dBm/500KHz

5.2. Test Setup



5.3. Spectrum Analyzer Setting

Spectrum Parameters	Setting
RBW	1MHz(For U-NII-1&U-NII-2A&U-NII-2C) 500KHz(For U-NII-3)
VBW	3MHz(For U-NII-1&U-NII-2A&U-NII-2C) 2MHz(For U-NII-3)
Span	encompass the entire 26 dB EBW or 99% OBW of the signal
Sweep Time	Auto
Number of Sweep Point	$\geq 2 \times \text{SPAN/RBW}$
Detector	RMS(power averaging)
Trace Average	≥ 100 traces

5.4. Test Procedure

- Connect EUT antenna terminal to the spectrum analyzer with RF cable.
- Spectrum analyzer setting parameters in accordance with section 5.3.
- Set the EUT transmit continuously with maximum output power.
- Allow trace to stabilize, use the marker-to-peak function to set the marker to the average of the emission.
- If the duty cycle of test signal $< 98\%$, the result = max measured value + $10 \times \log(1/\text{duty cycle})$;
If the duty cycle of test signal $\geq 98\%$, the result = max measured value.
- Repeat above procedures until all modes and channels were measured.
- Record the results in the test report.

5.5. Test Result

Temperature		22.3℃	Relative Humidity		40%	Test Voltage	AC 120V/60Hz	
BAND	Test Mode	Fre (MHz)	Power Density (dBm/MHz)		Duty Factor (dB)	Total Power Density (dBm/MHz)	Limit (dBm/MHz)	Result
			Ant 1	Ant 2				
U-NII-1	IEEE 802.11a	5180	6.77	7.46	0.11		10.13	PASS
		5200	6.54	7.48	0.11		10.13	PASS
		5240	6.29	7.70	0.11		10.13	PASS
	IEEE 802.11n HT20	5180	4.17	6.28	0.11	8.48	10.13	PASS
		5200	3.88	6.00	0.11	8.19	10.13	PASS
		5240	3.84	6.41	0.11	8.44	10.13	PASS
	IEEE 802.11ac VHT20	5180	4.08	6.10	0.11	8.33	10.13	PASS
		5200	3.96	6.34	0.11	8.43	10.13	PASS
		5240	3.87	6.26	0.11	8.35	10.13	PASS
	IEEE 802.11n HT40	5190	1.31	3.65	0.22	5.87	10.13	PASS
		5230	1.02	3.37	0.22	5.58	10.13	PASS
	IEEE 802.11ac VHT40	5190	1.17	3.67	0.22	5.83	10.13	PASS
		5230	0.94	3.47	0.22	5.62	10.13	PASS
	IEEE 802.11ac VHT80	5210	-1.29	-0.20	0.13	2.43	10.13	PASS
U-NII-2A	IEEE 802.11a	5260	7.00	7.43	0.11		10.13	PASS
		5300	6.91	7.45	0.11		10.13	PASS
		5320	7.03	7.49	0.11		10.13	PASS
	IEEE 802.11n HT20	5260	4.37	6.09	0.11	8.44	10.13	PASS
		5300	4.39	6.16	0.11	8.49	10.13	PASS
		5320	4.50	6.51	0.11	8.74	10.13	PASS
	IEEE 802.11ac VHT20	5260	4.29	6.20	0.11	8.47	10.13	PASS
		5300	4.31	6.65	0.11	8.76	10.13	PASS
		5320	4.22	6.33	0.11	8.52	10.13	PASS
	IEEE 802.11n HT40	5270	1.30	3.64	0.22	5.86	10.13	PASS
		5310	1.46	3.84	0.22	6.04	10.13	PASS
	IEEE 802.11ac VHT40	5270	1.71	3.61	0.22	5.99	10.13	PASS
		5310	1.49	3.82	0.22	6.04	10.13	PASS
	IEEE 802.11ac VHT80	5290	-0.64	0.14	0.13	2.91	10.13	PASS

BAND	Test Mode	Fre (MHz)	Power Density (dBm/MHz)		Duty Factor (dB)	Total Power Density (dBm/MHz)	Limit (dBm/MHz)	Result
			Ant 1	Ant 2				
U-NII-2C	IEEE 802.11a	5500	7.24	7.70	0.11		10.13	PASS
		5580	6.98	7.16	0.11		10.13	PASS
		5700	6.97	6.97	0.11		10.13	PASS
	IEEE 802.11n HT20	5500	4.53	6.65	0.11	8.84	10.13	PASS
		5580	4.49	5.89	0.11	8.37	10.13	PASS
		5700	4.02	5.88	0.11	8.17	10.13	PASS
	IEEE 802.11ac VHT20	5500	4.53	6.42	0.11	8.70	10.13	PASS
		5580	4.47	6.17	0.11	8.53	10.13	PASS
		5700	4.26	5.56	0.11	8.08	10.13	PASS
	IEEE 802.11n HT40	5510	2.21	3.80	0.22	6.31	10.13	PASS
		5590	1.63	3.09	0.22	5.65	10.13	PASS
		5670	1.73	2.99	0.22	5.64	10.13	PASS
	IEEE 802.11ac VHT40	5510	2.18	3.93	0.22	6.37	10.13	PASS
		5590	1.53	3.19	0.22	5.67	10.13	PASS
		5670	2.04	2.88	0.22	5.71	10.13	PASS
	IEEE 802.11ac VHT80	5530	-0.54	-0.14	0.13	2.80	10.13	PASS
		5610	-0.93	-0.48	0.13	2.44	10.13	PASS


BAND	Test Mode	Fre (MHz)	Power Density (dBm/500KHz)		Duty Factor (dB)	Total Power Density (dBm/500KHz)	Limit (dBm/500KHz)	Result
			Ant 1	Ant 2				
U-NII-3	IEEE 802.11a	5745	5.62	5.72	0.11		29.13	PASS
		5785	5.59	6.30	0.11		29.13	PASS
		5825	6.33	6.31	0.11		29.13	PASS
	IEEE 802.11n HT20	5745	2.80	4.16	0.11	6.66	29.13	PASS
		5785	3.05	4.42	0.11	6.91	29.13	PASS
		5825	3.40	5.22	0.11	7.53	29.13	PASS
	IEEE 802.11ac VHT20	5745	3.43	3.82	0.11	6.75	29.13	PASS
		5785	3.14	4.48	0.11	6.98	29.13	PASS
		5825	3.64	4.97	0.11	7.48	29.13	PASS
	IEEE 802.11n HT40	5755	-0.02	1.83	0.22	4.23	29.13	PASS
		5795	0.19	2.10	0.22	4.48	29.13	PASS
	IEEE 802.11ac VHT40	5755	0.47	1.68	0.22	4.35	29.13	PASS
		5795	0.87	1.88	0.22	4.63	29.13	PASS
	IEEE 802.11ac VHT80	5775	-2.80	-1.86	0.13	0.83	29.13	PASS

U-NII-1 IEEE 802.11a 5180MHz

ANT 1



ANT 2




U-NII-1 IEEE 802.11a 5200MHz

ANT 1



ANT 2





U-NII-1 IEEE 802.11a 5240MHz

ANT 1



ANT 2





U-NII-1 IEEE 802.11n HT20 5200MHz

ANT 1



ANT 2




U-NII-1 IEEE 802.11n HT20 5240MHz

ANT 1



ANT 2



U-NII-1 IEEE 802.11ac VHT20 5180MHz

ANT 1




ANT 2



U-NII-1 IEEE 802.11ac VHT20 5200MHz

ANT 1


ANT 2



U-NII-1 IEEE 802.11ac VHT20 5240MHz

ANT 1


ANT 2



U-NII-1 IEEE 802.11n HT40 5190MHz

ANT 1

ANT 2




U-NII-1 IEEE 802.11n HT40 5230MHz

ANT 1



ANT 2




U-NII-1 IEEE 802.11ac VHT40 5190MHz

ANT 1



ANT 2





U-NII-1 IEEE 802.11ac VHT40 5230MHz

ANT 1




ANT 2






U-NII-2A IEEE 802.11a 5260MHz

ANT 1




ANT 2




U-NII-2A IEEE 802.11a 5300MHz

ANT 1




ANT 2



U-NII-2A IEEE 802.11a 5320MHz

ANT 1



ANT 2

