

INNO Communications LLC

Nov. 6, 2018

Declaration-MIF for HAC RF Interference Evaluation

To Whom It May Concern,

This device, with FCC ID: U46-TE500, Hearing Aid Compatibility Requirement will be certified under ANAI C63.19-2011 version per Part 20.19.

The M rating was determined by measuring the maximum steady state average E-field values in dB(V/m) as documented in the HAC report and adding the MIF value in dB(V/m) using pre-determined values provided by Speag under UID 10021 DAC (9.25.2018) / 10170 CAE (9.25.2018) / 10176 CAG (9.25.2018) / 10178 CAG (9.25.2018) / 10182 CAE (9.25.2018) / 10185 CAE (9.25.2018) / 10188 CAF (9.25.2018) / 10061 CAB (9.25.2018) / 10077 CAB (9.25.2018) / 10591 AAB (9.25.2018) / 10599 AAB (9.25.2018)

Speag-reference documentation for supporting the pre-determined MIF value is Schmid & Partner Engineering AG, UID SUMMARY (Communication Systems for Calibration, Issued Date 2018/9/25).

We confirm that the Speag simulation provided represents all the air interface modes applicable for a HAC rating for this handset.

Sincerely Yours,



INNO Communications LLC

Tel: 224-423-2058

Fax: 847-362-6369

E-mail: james@usainno.com