













Mode	8																																																																																																																																																													
	Harmonic																																																																																																																																																													
	2400-2483.5_802.11n_HT20_CH06_2437MHz																																																																																																																																																													
ANT	SISO																																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																																							
Peak Avg																																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>46.34</td><td>74.00</td><td>-27.66</td><td>65.50</td><td>34.60</td><td>10.34</td><td>64.10</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>43.01</td><td>74.00</td><td>-30.99</td><td>57.83</td><td>35.81</td><td>12.78</td><td>63.41</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>9748.50</td><td>45.52</td><td>79.37</td><td>-33.85</td><td>55.97</td><td>37.00</td><td>14.86</td><td>62.31</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	46.34	74.00	-27.66	65.50	34.60	10.34	64.10	0.00	---	---	PEAK	2	7311.00	43.01	74.00	-30.99	57.83	35.81	12.78	63.41	0.00	---	---	PEAK	3	9748.50	45.52	79.37	-33.85	55.97	37.00	14.86	62.31	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>46.60</td><td>74.00</td><td>-27.40</td><td>65.76</td><td>34.60</td><td>10.34</td><td>64.10</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>42.76</td><td>74.00</td><td>-31.24</td><td>57.58</td><td>35.81</td><td>12.78</td><td>63.41</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>9748.50</td><td>45.26</td><td>70.47</td><td>-25.21</td><td>55.71</td><td>37.00</td><td>14.86</td><td>62.31</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	46.60	74.00	-27.40	65.76	34.60	10.34	64.10	0.00	---	---	PEAK	2	7311.00	42.76	74.00	-31.24	57.58	35.81	12.78	63.41	0.00	---	---	PEAK	3	9748.50	45.26	70.47	-25.21	55.71	37.00	14.86	62.31	0.00	---	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	4874.00	46.34	74.00	-27.66	65.50	34.60	10.34	64.10	0.00	---	---	PEAK																																																																																																																																																		
2	7311.00	43.01	74.00	-30.99	57.83	35.81	12.78	63.41	0.00	---	---	PEAK																																																																																																																																																		
3	9748.50	45.52	79.37	-33.85	55.97	37.00	14.86	62.31	0.00	---	---	Peak																																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	4874.00	46.60	74.00	-27.40	65.76	34.60	10.34	64.10	0.00	---	---	PEAK																																																																																																																																																		
2	7311.00	42.76	74.00	-31.24	57.58	35.81	12.78	63.41	0.00	---	---	PEAK																																																																																																																																																		
3	9748.50	45.26	70.47	-25.21	55.71	37.00	14.86	62.31	0.00	---	---	Peak																																																																																																																																																		





Mode	9																																																						
	Band Edge																																																						
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																						
ANT	SISO																																																						
Pol.	Horizontal																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>66.89</td><td>74.00</td><td>-7.11</td><td>58.16</td><td>32.60</td><td>7.33</td><td>37.20</td><td>6.00</td><td>150 360 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	66.89	74.00	-7.11	58.16	32.60	7.33	37.20	6.00	150 360 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.50	66.89	74.00	-7.11	58.16	32.60	7.33	37.20	6.00	150 360 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>104.21</td><td>-----</td><td>-----</td><td>95.52</td><td>32.60</td><td>7.30</td><td>37.21</td><td>6.00</td><td>150 360 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	104.21	-----	-----	95.52	32.60	7.30	37.21	6.00	150 360 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	104.21	-----	-----	95.52	32.60	7.30	37.21	6.00	150 360 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>53.33</td><td>54.00</td><td>-0.67</td><td>44.60</td><td>32.60</td><td>7.33</td><td>37.20</td><td>6.00</td><td>150 360 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	53.33	54.00	-0.67	44.60	32.60	7.33	37.20	6.00	150 360 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.50	53.33	54.00	-0.67	44.60	32.60	7.33	37.20	6.00	150 360 AVERAGE																																													
AVERAGE																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>95.73</td><td>-----</td><td>-----</td><td>87.04</td><td>32.60</td><td>7.30</td><td>37.21</td><td>6.00</td><td>150 360 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	95.73	-----	-----	87.04	32.60	7.30	37.21	6.00	150 360 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	95.73	-----	-----	87.04	32.60	7.30	37.21	6.00	150 360 AVERAGE																																													



		9																																																																																												
Mode		Band Edge																																																																																												
		2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																												
ANT		SISO																																																																																												
Pol.		Vertical					Fundamental																																																																																							
Peak																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.56	62.28	74.00	-11.72	53.55	32.60	7.33	37.20	6.00	338	263 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>101.08</td><td>74.00</td><td>27.08</td><td>92.39</td><td>32.60</td><td>7.30</td><td>37.21</td><td>6.00</td><td>338</td><td>263 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	101.08	74.00	27.08	92.39	32.60	7.30	37.21	6.00	338
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2462.56	62.28	74.00	-11.72	53.55	32.60	7.33	37.20	6.00	338	263 PEAK																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2462.00	101.08	74.00	27.08	92.39	32.60	7.30	37.21	6.00	338	263 PEAK																																																																																			
Avg																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2463.74	49.23	54.00	-4.77	40.50	32.60	7.33	37.20	6.00	338	263 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>92.52</td><td>54.00</td><td>38.52</td><td>83.83</td><td>32.60</td><td>7.30</td><td>37.21</td><td>6.00</td><td>338</td><td>263 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	92.52	54.00	38.52	83.83	32.60	7.30	37.21	6.00	338
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2463.74	49.23	54.00	-4.77	40.50	32.60	7.33	37.20	6.00	338	263 AVERAGE																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2462.00	92.52	54.00	38.52	83.83	32.60	7.30	37.21	6.00	338	263 AVERAGE																																																																																			




Mode	9																																																																																																																																																													
	Harmonic																																																																																																																																																													
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																																																																																													
ANT	SISO																																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																																							
Peak Avg																																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>44.26</td><td>74.00</td><td>-29.74</td><td>63.35</td><td>34.65</td><td>10.40</td><td>64.14</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>43.41</td><td>74.00</td><td>-30.59</td><td>58.12</td><td>35.79</td><td>12.88</td><td>63.38</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>9847.50</td><td>45.46</td><td>77.47</td><td>-32.01</td><td>55.66</td><td>37.09</td><td>14.92</td><td>62.21</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	44.26	74.00	-29.74	63.35	34.65	10.40	64.14	0.00	---	---	PEAK	2	7386.00	43.41	74.00	-30.59	58.12	35.79	12.88	63.38	0.00	---	---	PEAK	3	9847.50	45.46	77.47	-32.01	55.66	37.09	14.92	62.21	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>53.86</td><td>74.00</td><td>-20.14</td><td>72.95</td><td>34.65</td><td>10.40</td><td>64.14</td><td>0.00</td><td>350</td><td>211</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>43.21</td><td>54.00</td><td>-10.79</td><td>62.30</td><td>34.65</td><td>10.40</td><td>64.14</td><td>0.00</td><td>350</td><td>211</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>43.34</td><td>74.00</td><td>-30.66</td><td>58.05</td><td>35.79</td><td>12.88</td><td>63.38</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	53.86	74.00	-20.14	72.95	34.65	10.40	64.14	0.00	350	211	PEAK	2	4924.00	43.21	54.00	-10.79	62.30	34.65	10.40	64.14	0.00	350	211	AVERAGE	3	7386.00	43.34	74.00	-30.66	58.05	35.79	12.88	63.38	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	4924.00	44.26	74.00	-29.74	63.35	34.65	10.40	64.14	0.00	---	---	PEAK																																																																																																																																																		
2	7386.00	43.41	74.00	-30.59	58.12	35.79	12.88	63.38	0.00	---	---	PEAK																																																																																																																																																		
3	9847.50	45.46	77.47	-32.01	55.66	37.09	14.92	62.21	0.00	---	---	Peak																																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	4924.00	53.86	74.00	-20.14	72.95	34.65	10.40	64.14	0.00	350	211	PEAK																																																																																																																																																		
2	4924.00	43.21	54.00	-10.79	62.30	34.65	10.40	64.14	0.00	350	211	AVERAGE																																																																																																																																																		
3	7386.00	43.34	74.00	-30.66	58.05	35.79	12.88	63.38	0.00	---	---	PEAK																																																																																																																																																		

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	98.912	-	-	10Hz
802.11g	91.64	0.296	3.378	3.6KHz
802.11n HT20	91.54	0.292	3.425	3.6KHz

802.11b





802.11g



802.11n HT20

