


Annex A.6 Band Edge

1. Cat-M_Band2


1.1. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:18625, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-40.09	-13	27.09	Pass	401
1848	1849	1	RMS	1849	-26.13	-13	13.13	Pass	2
1849	1850	0.002	RMS	1849.998	-37.49	-13	24.49	Pass	501
1850	1870	0.1	RMS	1850.35	18.07	30	11.93	Pass	401




1.2. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:18625, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-35.4	-13	22.4	Pass	401
1848	1849	1	RMS	1849	-17.04	-13	4.04	Pass	2
1849	1850	0.015	RMS	1849.998	-30.07	-13	17.07	Pass	401
1850	1870	0.1	RMS	1850.9	10.65	30	19.35	Pass	401




1.3. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:18625, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1847.955	-38.37	-13	25.37	Pass	401
1848	1849	1	RMS	1849	-24.66	-13	11.66	Pass	2
1849	1850	0.002	RMS	1849.986	-36.58	-13	23.58	Pass	501
1850	1870	0.1	RMS	1850.35	18.13	30	11.87	Pass	401




1.4. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:18625, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-39.24	-13	26.24	Pass	401
1848	1849	1	RMS	1849	-21.21	-13	8.21	Pass	2
1849	1850	0.015	RMS	1849.998	-30.91	-13	17.91	Pass	401
1850	1870	0.1	RMS	1850.8	10.78	30	19.22	Pass	401




1.5. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:19175, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1909.65	18.86	30	11.14	Pass	401
1910	1911	0.002	RMS	1910	-36.11	-13	23.11	Pass	501
1911	1912	1	RMS	1911	-21.25	-13	8.25	Pass	2
1912	1930	1	RMS	1912	-34.89	-13	21.89	Pass	401




1.6. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:19175, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1909.65	10.8	30	19.2	Pass	401
1910	1911	0.015	RMS	1910.013	-29.51	-13	16.51	Pass	401
1911	1912	1	RMS	1911	-17.95	-13	4.95	Pass	2
1912	1930	1	RMS	1912.045	-37.04	-13	24.04	Pass	401




1.7. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:19175, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1909.65	18.81	30	11.19	Pass	401
1910	1911	0.002	RMS	1910	-35.32	-13	22.32	Pass	501
1911	1912	1	RMS	1911	-20.13	-13	7.13	Pass	2
1912	1930	1	RMS	1912	-33.11	-13	20.11	Pass	401




1.8. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:19175, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:5, RB Position:1)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1909.55	10.82	30	19.18	Pass	401
1910	1911	0.015	RMS	1910.003	-30.36	-13	17.36	Pass	401
1911	1912	1	RMS	1911	-21.81	-13	8.81	Pass	2
1912	1930	1	RMS	1912	-40.82	-13	27.82	Pass	401




1.9. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:18650, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1847.955	-41.37	-13	28.37	Pass	401
1848	1849	1	RMS	1849	-26.6	-13	13.6	Pass	2
1849	1850	0.002	RMS	1849.832	-50.01	-13	37.01	Pass	501
1850	1870	0.1	RMS	1850.75	19.02	30	10.98	Pass	401




1.10. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:18650, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-37.79	-13	24.79	Pass	401
1848	1849	1	RMS	1849	-23.32	-13	10.32	Pass	2
1849	1850	0.015	RMS	1849.97	-31.68	-13	18.68	Pass	401
1850	1870	0.1	RMS	1851.5	10.87	30	19.13	Pass	401




1.11. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:18650, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-39.13	-13	26.13	Pass	401
1848	1849	1	RMS	1849	-24.73	-13	11.73	Pass	2
1849	1850	0.002	RMS	1849.82	-49.29	-13	36.29	Pass	501
1850	1870	0.1	RMS	1850.8	18.97	30	11.03	Pass	401




1.12. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:18650, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-39.59	-13	26.59	Pass	401
1848	1849	1	RMS	1849	-22.34	-13	9.34	Pass	2
1849	1850	0.015	RMS	1850	-31.86	-13	18.86	Pass	401
1850	1870	0.1	RMS	1850.8	11.47	30	18.53	Pass	401




1.13. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:19150, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1909.2	18.9	30	11.1	Pass	401
1910	1911	0.002	RMS	1910.178	-45.2	-13	32.2	Pass	501
1911	1912	1	RMS	1911	-25.49	-13	12.49	Pass	2
1912	1930	1	RMS	1912	-41.31	-13	28.31	Pass	401




1.14. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:19150, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	10.76	30	19.24	Pass	401
1910	1911	0.015	RMS	1910.028	-33.98	-13	20.98	Pass	401
1911	1912	1	RMS	1911	-26.55	-13	13.55	Pass	2
1912	1930	1	RMS	1912	-42.11	-13	29.11	Pass	401




1.15. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:19150, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1909.25	18.69	30	11.31	Pass	401
1910	1911	0.002	RMS	1910.09	-44.71	-13	31.71	Pass	501
1911	1912	1	RMS	1911	-23.7	-13	10.7	Pass	2
1912	1930	1	RMS	1912	-40.16	-13	27.16	Pass	401




1.16. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:19150, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:5, RB Position:1)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.95	11.56	30	18.44	Pass	401
1910	1911	0.015	RMS	1910.003	-33.74	-13	20.74	Pass	401
1911	1912	1	RMS	1911	-25.57	-13	12.57	Pass	2
1912	1930	1	RMS	1912	-42.86	-13	29.86	Pass	401




1.17. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:18675, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-42.89	-13	29.89	Pass	401
1848	1849	1	RMS	1849	-26.91	-13	13.91	Pass	2
1849	1850	0.002	RMS	1849.978	-51.25	-13	38.25	Pass	501
1850	1870	0.1	RMS	1851	19.24	30	10.76	Pass	401




1.18. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:18675, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1847.415	-36.98	-13	23.98	Pass	401
1848	1849	1	RMS	1849	-21.18	-13	8.18	Pass	2
1849	1850	0.015	RMS	1849.993	-31.01	-13	18.01	Pass	401
1850	1870	0.1	RMS	1851.65	11.95	30	18.05	Pass	401




1.19. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:18675, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-41.88	-13	28.88	Pass	401
1848	1849	1	RMS	1849	-25.06	-13	12.06	Pass	2
1849	1850	0.002	RMS	1849.228	-49.54	-13	36.54	Pass	501
1850	1870	0.1	RMS	1851	19.03	30	10.97	Pass	401




1.20. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:18675, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-38.76	-13	25.76	Pass	401
1848	1849	1	RMS	1849	-22.77	-13	9.77	Pass	2
1849	1850	0.015	RMS	1849.933	-35.79	-13	22.79	Pass	401
1850	1870	0.1	RMS	1851.05	12.68	30	17.32	Pass	401




1.21. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:19125, Bandwidth:15, Modulation:QPSK, NB Index:11, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1909	19.01	30	10.99	Pass	401
1910	1911	0.002	RMS	1910.006	-48.92	-13	35.92	Pass	501
1911	1912	1	RMS	1911	-26.17	-13	13.17	Pass	2
1912	1930	1	RMS	1912	-43.84	-13	30.84	Pass	401




1.22. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:19125, Bandwidth:15, Modulation:QPSK, NB Index:11, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.7	11.75	30	18.25	Pass	401
1910	1911	0.015	RMS	1910.038	-33.99	-13	20.99	Pass	401
1911	1912	1	RMS	1911	-26.27	-13	13.27	Pass	2
1912	1930	1	RMS	1912	-42.5	-13	29.5	Pass	401




1.23. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:19125, Bandwidth:15, Modulation:16QAM, NB Index:11, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1909	18.88	30	11.12	Pass	401
1910	1911	0.002	RMS	1910.052	-47.91	-13	34.91	Pass	501
1911	1912	1	RMS	1911	-23.93	-13	10.93	Pass	2
1912	1930	1	RMS	1912	-43.41	-13	30.41	Pass	401




1.24. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:19125, Bandwidth:15, Modulation:16QAM, NB Index:11, RB Number:5, RB Position:1)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	12.58	30	17.42	Pass	401
1910	1911	0.015	RMS	1910.028	-38.73	-13	25.73	Pass	401
1911	1912	1	RMS	1911	-26.57	-13	13.57	Pass	2
1912	1930	1	RMS	1912	-43.48	-13	30.48	Pass	401




1.25. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:18700, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1847.955	-44.45	-13	31.45	Pass	401
1848	1849	1	RMS	1849	-31.37	-13	18.37	Pass	2
1849	1850	0.002	RMS	1849.702	-51.28	-13	38.28	Pass	501
1850	1870	0.1	RMS	1851.45	19.09	30	10.91	Pass	401




1.26. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:18700, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-42.17	-13	29.17	Pass	401
1848	1849	1	RMS	1849	-26.35	-13	13.35	Pass	2
1849	1850	0.015	RMS	1849.763	-38.62	-13	25.62	Pass	401
1850	1870	0.1	RMS	1852	11.71	30	18.29	Pass	401




1.27. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:18700, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1847.955	-44.37	-13	31.37	Pass	401
1848	1849	1	RMS	1849	-31.02	-13	18.02	Pass	2
1849	1850	0.002	RMS	1849.732	-49.99	-13	36.99	Pass	501
1850	1870	0.1	RMS	1851.45	18.91	30	11.09	Pass	401




1.28. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:18700, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-43.14	-13	30.14	Pass	401
1848	1849	1	RMS	1849	-28.46	-13	15.46	Pass	2
1849	1850	0.015	RMS	1849.958	-40.33	-13	27.33	Pass	401
1850	1870	0.1	RMS	1851.8	12.35	30	17.65	Pass	401




1.29. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:19100, Bandwidth:20, Modulation:QPSK, NB Index:15, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.55	18.91	30	11.09	Pass	401
1910	1911	0.002	RMS	1910.45	-49.81	-13	36.81	Pass	501
1911	1912	1	RMS	1911	-32.18	-13	19.18	Pass	2
1912	1930	1	RMS	1912.045	-47.47	-13	34.47	Pass	401




1.30. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:19100, Bandwidth:20, Modulation:QPSK, NB Index:15, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.55	11.46	30	18.54	Pass	401
1910	1911	0.015	RMS	1910.133	-45.33	-13	32.33	Pass	401
1911	1912	1	RMS	1911	-30.71	-13	17.71	Pass	2
1912	1930	1	RMS	1912	-45.7	-13	32.7	Pass	401




1.31. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:19100, Bandwidth:20, Modulation:16QAM, NB Index:15, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.55	18.49	30	11.51	Pass	401
1910	1911	0.002	RMS	1910.446	-49.01	-13	36.01	Pass	501
1911	1912	1	RMS	1911	-30.61	-13	17.61	Pass	2
1912	1930	1	RMS	1912.045	-46.54	-13	33.54	Pass	401



1.32. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:19100, Bandwidth:20, Modulation:16QAM, NB Index:15, RB Number:5, RB Position:1)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.25	12	30	18	Pass	401
1910	1911	0.015	RMS	1910.045	-43.65	-13	30.65	Pass	401
1911	1912	1	RMS	1911	-32.22	-13	19.22	Pass	2
1912	1930	1	RMS	1912	-46.65	-13	33.65	Pass	401



2. Cat-M_Band4


2.1. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:19975, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-34.44	-13	21.44	Pass	401
1708	1708.5	1	RMS	1708.5	-25.86	-13	12.86	Pass	2
1709	1710	0.002	RMS	1709.4	-34.14	-13	21.14	Pass	501
1710	1730	0.1	RMS	1710.35	20.15	30	9.85	Pass	401




2.2. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:19975, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-30.43	-13	17.43	Pass	401
1708	1708.5	1	RMS	1708.5	-21.84	-13	8.84	Pass	2
1709	1710	0.015	RMS	1710	-23.14	-13	10.14	Pass	401
1710	1730	0.1	RMS	1711.1	12.13	30	17.87	Pass	401




2.3. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:19975, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-30.8	-13	17.8	Pass	401
1708	1708.5	1	RMS	1708.5	-21.91	-13	8.91	Pass	2
1709	1710	0.002	RMS	1709.494	-33.32	-13	20.32	Pass	501
1710	1730	0.1	RMS	1710.35	20.06	30	9.94	Pass	401




2.5. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:19975, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-34.68	-13	21.68	Pass	401
1708	1708.5	1	RMS	1708.5	-24.48	-13	11.48	Pass	2
1709	1710	0.015	RMS	1709.965	-24.13	-13	11.13	Pass	401
1710	1730	0.1	RMS	1710.45	12.14	30	17.86	Pass	401




2.5. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:20375, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1754.65	19.92	30	10.08	Pass	401
1755	1756	0.002	RMS	1755	-33.29	-13	20.29	Pass	501
1756.5	1757	1	RMS	1756.5	-25.17	-13	12.17	Pass	2
1757	1775	1	RMS	1757	-34.15	-13	21.15	Pass	401




2.6. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:20375, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1754.3	11.94	30	18.06	Pass	401
1755	1756	0.015	RMS	1755.06	-23.31	-13	10.31	Pass	401
1756.5	1757	1	RMS	1756.5	-27.34	-13	14.34	Pass	2
1757	1775	1	RMS	1757	-35.43	-13	22.43	Pass	401




2.7. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:20375, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1754.65	19.74	30	10.26	Pass	401
1755	1756	0.002	RMS	1755.008	-33.22	-13	20.22	Pass	501
1756	1757	1	RMS	1756	-19.56	-13	6.56	Pass	2
1757	1775	1	RMS	1757	-32.79	-13	19.79	Pass	401




2.8. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:20375, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:5, RB Position:1)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1754.35	11.56	30	18.44	Pass	401
1755	1756	0.015	RMS	1755	-24.56	-13	11.56	Pass	401
1756	1757	1	RMS	1756	-20.07	-13	7.07	Pass	2
1757	1775	1	RMS	1757	-39.56	-13	26.56	Pass	401




2.9. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:20000, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-39.66	-13	26.66	Pass	401
1708	1709	1	RMS	1709	-24.26	-13	11.26	Pass	2
1709	1710	0.002	RMS	1709.832	-34.71	-13	21.71	Pass	501
1710	1730	0.1	RMS	1710.75	19.73	30	10.27	Pass	401




2.10. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:20000, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-36.2	-13	23.2	Pass	401
1708	1709	1	RMS	1709	-21.94	-13	8.94	Pass	2
1709	1710	0.015	RMS	1709.99	-28.35	-13	15.35	Pass	401
1710	1730	0.1	RMS	1711.25	11.99	30	18.01	Pass	401




2.11. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:20000, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-37.73	-13	24.73	Pass	401
1708	1709	1	RMS	1709	-22.16	-13	9.16	Pass	2
1709	1710	0.002	RMS	1709.834	-34.28	-13	21.28	Pass	501
1710	1730	0.1	RMS	1710.8	19.57	30	10.43	Pass	401




2.12. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:20000, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1707.955	-37.81	-13	24.81	Pass	401
1708	1709	1	RMS	1709	-22.1	-13	9.1	Pass	2
1709	1710	0.015	RMS	1709.998	-27.76	-13	14.76	Pass	401
1710	1730	0.1	RMS	1711.1	12.55	30	17.45	Pass	401




2.13. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:20350, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1754.25	19.6	30	10.4	Pass	401
1755	1756	0.002	RMS	1755.02	-48.03	-13	35.03	Pass	501
1756	1757	1	RMS	1756	-24.9	-13	11.9	Pass	2
1757	1775	1	RMS	1757	-41.37	-13	28.37	Pass	401




2.14. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:20350, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.35	11.78	30	18.22	Pass	401
1755	1756	0.015	RMS	1755.013	-29.03	-13	16.03	Pass	401
1756	1757	1	RMS	1756	-27.36	-13	14.36	Pass	2
1757	1775	1	RMS	1757	-40.36	-13	27.36	Pass	401




2.15. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:20350, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1754.2	19.64	30	10.36	Pass	401
1755	1756	0.002	RMS	1755.316	-46.13	-13	33.13	Pass	501
1756	1757	1	RMS	1756	-22.67	-13	9.67	Pass	2
1757	1775	1	RMS	1757	-39.57	-13	26.57	Pass	401




2.16. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:20350, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:5, RB Position:1)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.6	12.27	30	17.73	Pass	401
1755	1756	0.015	RMS	1755.003	-29.62	-13	16.62	Pass	401
1756	1757	1	RMS	1756	-26.35	-13	13.35	Pass	2
1757	1775	1	RMS	1757	-41.24	-13	28.24	Pass	401




2.17. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:20025, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1707.955	-42.6	-13	29.6	Pass	401
1708	1709	1	RMS	1709	-24.61	-13	11.61	Pass	2
1709	1710	0.002	RMS	1709.99	-40.04	-13	27.04	Pass	501
1710	1730	0.1	RMS	1711	20.08	30	9.92	Pass	401




2.18. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:20025, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-36.07	-13	23.07	Pass	401
1708	1709	1	RMS	1709	-20.42	-13	7.42	Pass	2
1709	1710	0.015	RMS	1709.998	-30.9	-13	17.9	Pass	401
1710	1730	0.1	RMS	1711.6	12.89	30	17.11	Pass	401




2.19. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:20025, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-40.88	-13	27.88	Pass	401
1708	1709	1	RMS	1709	-24.05	-13	11.05	Pass	2
1709	1710	0.002	RMS	1709.954	-38.99	-13	25.99	Pass	501
1710	1730	0.1	RMS	1711.05	19.9	30	10.1	Pass	401




2.20. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:20025, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-37.87	-13	24.87	Pass	401
1708	1709	1	RMS	1709	-22.83	-13	9.83	Pass	2
1709	1710	0.015	RMS	1709.96	-34.99	-13	21.99	Pass	401
1710	1730	0.1	RMS	1711.1	13.4	30	16.6	Pass	401




2.21. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:20325, Bandwidth:15, Modulation:QPSK, NB Index:11, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.95	19.93	30	10.07	Pass	401
1755	1756	0.002	RMS	1755.006	-47.9	-13	34.9	Pass	501
1756	1757	1	RMS	1756	-26.39	-13	13.39	Pass	2
1757	1775	1	RMS	1757	-44.99	-13	31.99	Pass	401




2.22. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:20325, Bandwidth:15, Modulation:QPSK, NB Index:11, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.7	12.82	30	17.18	Pass	401
1755	1756	0.015	RMS	1755.03	-31.72	-13	18.72	Pass	401
1756	1757	1	RMS	1756	-25.3	-13	12.3	Pass	2
1757	1775	1	RMS	1757.045	-40.17	-13	27.17	Pass	401




2.23. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:20325, Bandwidth:15, Modulation:16QAM, NB Index:11, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.95	19.83	30	10.17	Pass	401
1755	1756	0.002	RMS	1755.02	-47.65	-13	34.65	Pass	501
1756	1757	1	RMS	1756	-23.85	-13	10.85	Pass	2
1757	1775	1	RMS	1757	-43.46	-13	30.46	Pass	401




2.24. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:20325, Bandwidth:15, Modulation:16QAM, NB Index:11, RB Number:5, RB Position:1)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.4	13.13	30	16.87	Pass	401
1755	1756	0.015	RMS	1755	-36.8	-13	23.8	Pass	401
1756	1757	1	RMS	1756	-26.82	-13	13.82	Pass	2
1757	1775	1	RMS	1757.045	-41.09	-13	28.09	Pass	401




2.25. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20050, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1707.955	-44.1	-13	31.1	Pass	401
1708	1709	1	RMS	1709	-30.5	-13	17.5	Pass	2
1709	1710	0.002	RMS	1709.68	-48.5	-13	35.5	Pass	501
1710	1730	0.1	RMS	1711.45	19.91	30	10.09	Pass	401




2.26. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20050, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-39.43	-13	26.43	Pass	401
1708	1709	1	RMS	1709	-24.61	-13	11.61	Pass	2
1709	1710	0.015	RMS	1709.76	-38.4	-13	25.4	Pass	401
1710	1730	0.1	RMS	1712.05	12.77	30	17.23	Pass	401




2.27. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20050, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1707.91	-43.74	-13	30.74	Pass	401
1708	1709	1	RMS	1709	-29.23	-13	16.23	Pass	2
1709	1710	0.002	RMS	1709.654	-46.46	-13	33.46	Pass	501
1710	1730	0.1	RMS	1711.45	19.72	30	10.28	Pass	401




2.28. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20050, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-41.24	-13	28.24	Pass	401
1708	1709	1	RMS	1709	-26.85	-13	13.85	Pass	2
1709	1710	0.015	RMS	1709.983	-39.99	-13	26.99	Pass	401
1710	1730	0.1	RMS	1711.85	13.38	30	16.62	Pass	401




2.29. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:20300, Bandwidth:20, Modulation:QPSK, NB Index:15, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.55	19.77	30	10.23	Pass	401
1755	1756	0.002	RMS	1755.342	-49.88	-13	36.88	Pass	501
1756	1757	1	RMS	1756	-32.31	-13	19.31	Pass	2
1757	1775	1	RMS	1757.09	-46.97	-13	33.97	Pass	401




2.30. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:20300, Bandwidth:20, Modulation:QPSK, NB Index:15, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.05	12.29	30	17.71	Pass	401
1755	1756	0.015	RMS	1755.238	-43.1	-13	30.1	Pass	401
1756	1757	1	RMS	1756	-30.14	-13	17.14	Pass	2
1757	1775	1	RMS	1757	-42.8	-13	29.8	Pass	401




2.31. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:20300, Bandwidth:20, Modulation:16QAM, NB Index:15, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.55	19.61	30	10.39	Pass	401
1755	1756	0.002	RMS	1755.396	-48.21	-13	35.21	Pass	501
1756	1757	1	RMS	1756	-31.12	-13	18.12	Pass	2
1757	1775	1	RMS	1757	-46.22	-13	33.22	Pass	401



2.32. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:20300, Bandwidth:20, Modulation:16QAM, NB Index:15, RB Number:5, RB Position:1)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1752.85	12.96	30	17.04	Pass	401
1755	1756	0.015	RMS	1755	-45.03	-13	32.03	Pass	401
1756	1757	1	RMS	1756	-30.94	-13	17.94	Pass	2
1757	1775	1	RMS	1757	-44.14	-13	31.14	Pass	401



3. Cat-M_Band5


3.1. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:20425, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-49.06	-13	36.06	Pass	401
822	823	0.1	RMS	822.6	-34.58	-13	21.58	Pass	11
823	824	0.002	RMS	823.992	-36.54	-13	23.54	Pass	501
824	844	0.1	RMS	824.3	9.58	30	20.42	Pass	401




3.2. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:20425, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	821.955	-44.92	-13	31.92	Pass	401
822	823	0.1	RMS	823	-30.33	-13	17.33	Pass	11
823	824	0.015	RMS	823.998	-30.46	-13	17.46	Pass	401
824	844	0.1	RMS	824.35	6.57	30	23.43	Pass	401




3.3. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:20425, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-48.85	-13	35.85	Pass	401
822	823	0.1	RMS	822.6	-32.43	-13	19.43	Pass	11
823	824	0.002	RMS	823.998	-35.16	-13	22.16	Pass	501
824	844	0.1	RMS	824.3	9.45	30	20.55	Pass	401




3.4. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:20425, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	821.955	-47.11	-13	34.11	Pass	401
822	823	0.1	RMS	823	-31.27	-13	18.27	Pass	11
823	824	0.015	RMS	823.98	-30.99	-13	17.99	Pass	401
824	844	0.1	RMS	825.1	6.8	30	23.2	Pass	401




3.5. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:20625, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	9.65	30	20.35	Pass	401
849	850	0.002	RMS	849	-35.82	-13	22.82	Pass	501
850	851	0.1	RMS	850.5	-31.78	-13	18.78	Pass	11
851	869	0.1	RMS	851	-54.69	-13	41.69	Pass	401




3.6. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:20625, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.7	6.55	30	23.45	Pass	401
849	850	0.015	RMS	849.02	-28.99	-13	15.99	Pass	401
850	851	0.1	RMS	850	-33.24	-13	20.24	Pass	11
851	869	0.1	RMS	851	-47.16	-13	34.16	Pass	401




3.7. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:20625, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	9.64	30	20.36	Pass	401
849	850	0.002	RMS	849	-34.44	-13	21.44	Pass	501
850	851	0.1	RMS	850.5	-30.62	-13	17.62	Pass	11
851	869	0.1	RMS	851	-52.63	-13	39.63	Pass	401




3.8. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:20625, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:5, RB Position:1)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.7	6.84	30	23.16	Pass	401
849	850	0.015	RMS	849	-28.95	-13	15.95	Pass	401
850	851	0.1	RMS	850	-33.64	-13	20.64	Pass	11
851	869	0.1	RMS	851	-48.07	-13	35.07	Pass	401




3.9. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:20450, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	821.955	-51.02	-13	38.02	Pass	401
822	823	0.1	RMS	823	-34.41	-13	21.41	Pass	11
823	824	0.002	RMS	823.962	-49.73	-13	36.73	Pass	501
824	844	0.1	RMS	824.75	9.54	30	20.46	Pass	401




3.10. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:20450, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-45.8	-13	32.8	Pass	401
822	823	0.1	RMS	823	-33.82	-13	20.82	Pass	11
823	824	0.015	RMS	823.623	-32.55	-13	19.55	Pass	401
824	844	0.1	RMS	825.7	6.32	30	23.68	Pass	401




3.11. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:20450, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-49.83	-13	36.83	Pass	401
822	823	0.1	RMS	823	-32.08	-13	19.08	Pass	11
823	824	0.002	RMS	823.998	-48.49	-13	35.49	Pass	501
824	844	0.1	RMS	824.8	9.6	30	20.4	Pass	401




3.12. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:20450, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-49.26	-13	36.26	Pass	401
822	823	0.1	RMS	823	-35.29	-13	22.29	Pass	11
823	824	0.015	RMS	823.943	-33.14	-13	20.14	Pass	401
824	844	0.1	RMS	824.75	6.76	30	23.24	Pass	401




3.13. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:20600, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.2	9.72	30	20.28	Pass	401
849	850	0.002	RMS	849.992	-49.82	-13	36.82	Pass	501
850	851	0.1	RMS	850.1	-31.61	-13	18.61	Pass	11
851	869	0.1	RMS	851.135	-55.57	-13	42.57	Pass	401




3.14. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:20600, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.25	6.53	30	23.47	Pass	401
849	850	0.015	RMS	849.01	-32.87	-13	19.87	Pass	401
850	851	0.1	RMS	850	-38.79	-13	25.79	Pass	11
851	869	0.1	RMS	851	-47.31	-13	34.31	Pass	401




3.15. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:20600, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.25	9.65	30	20.35	Pass	401
849	850	0.002	RMS	849.98	-48.21	-13	35.21	Pass	501
850	851	0.1	RMS	850.1	-30.75	-13	17.75	Pass	11
851	869	0.1	RMS	851	-55.02	-13	42.02	Pass	401



3.16. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:20600, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:5, RB Position:1)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.25	6.92	30	23.08	Pass	401
849	850	0.015	RMS	849.01	-32.3	-13	19.3	Pass	401
850	851	0.1	RMS	850	-37.08	-13	24.08	Pass	11
851	869	0.1	RMS	851	-49.99	-13	36.99	Pass	401



4. Cat-M_Band12


4.1. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:23035, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	697	-52.43	-13	39.43	Pass	401
697	698.9	0.1	RMS	698.9	-20.63	-13	7.63	Pass	20
698.9	699	0.03	RMS	699	-23.72	-13	10.72	Pass	401
699	719	0.1	RMS	699.35	9.66	30	20.34	Pass	401




4.2. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23035, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	696.595	-44.07	-13	31.07	Pass	401
697	698.85	0.1	RMS	698.85	-17.14	-13	4.14	Pass	401
698.9	699	0.03	RMS	698.957	-21.2	-13	8.2	Pass	401
699	719	0.1	RMS	699.35	7.33	30	22.67	Pass	401




4.3. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23035, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	697	-49.44	-13	36.44	Pass	401
697	698.9	0.1	RMS	698.9	-19.51	-13	6.51	Pass	20
698.9	699	0.03	RMS	699	-23.14	-13	10.14	Pass	401
699	719	0.1	RMS	699.35	9.72	30	20.28	Pass	401




4.4. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23035, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	696.91	-45.91	-13	32.91	Pass	401
697	698.85	0.1	RMS	698.832	-19.01	-13	6.01	Pass	401
698.9	699	0.03	RMS	699	-22.15	-13	9.15	Pass	401
699	719	0.1	RMS	699.3	7.09	30	22.91	Pass	401




4.5. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23155, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	715.65	9.74	30	20.26	Pass	401
716	716.1	0.03	RMS	716	-24.08	-13	11.08	Pass	401
716.1	718	0.1	RMS	716.1	-20.6	-13	7.6	Pass	20
718	736	0.1	RMS	718	-54.68	-13	41.68	Pass	401




4.6. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23155, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	714.8	7.1	30	22.9	Pass	401
716	716.1	0.03	RMS	716.008	-20.33	-13	7.33	Pass	401
716.15	718	0.1	RMS	716.164	-16.11	-13	3.11	Pass	401
718	736	0.1	RMS	718	-45.58	-13	32.58	Pass	401




4.7. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23155, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	715.7	9.74	30	20.26	Pass	401
716	716.1	0.03	RMS	716	-22.67	-13	9.67	Pass	401
716.1	718	0.1	RMS	716.1	-19.37	-13	6.37	Pass	20
718	736	0.1	RMS	718	-51.92	-13	38.92	Pass	401




4.8. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23155, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:5, RB Position:1)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	715.7	7.08	30	22.92	Pass	401
716	716.1	0.03	RMS	716.001	-20.98	-13	7.98	Pass	401
716.15	718	0.1	RMS	716.15	-17.96	-13	4.96	Pass	401
718	736	0.1	RMS	718	-46.75	-13	33.75	Pass	401




4.9. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23060, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	697	-50.76	-13	37.76	Pass	401
697	698.9	0.1	RMS	698.9	-30.43	-13	17.43	Pass	20
698.9	699	0.03	RMS	699	-37.62	-13	24.62	Pass	401
699	719	0.1	RMS	699.75	9.89	30	20.11	Pass	401




4.10. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23060, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	697	-44.78	-13	31.78	Pass	401
697	698.9	0.1	RMS	698.9	-18.76	-13	5.76	Pass	20
698.9	699	0.03	RMS	699	-25.08	-13	12.08	Pass	401
699	719	0.1	RMS	699.75	6.93	30	23.07	Pass	401




4.11. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:23060, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	696.955	-50.82	-13	37.82	Pass	401
697	698.9	0.1	RMS	698.9	-29.53	-13	16.53	Pass	20
698.9	699	0.03	RMS	698.979	-36.48	-13	23.48	Pass	401
699	719	0.1	RMS	699.8	9.75	30	20.25	Pass	401




4.12. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:23060, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	697	-48.8	-13	35.8	Pass	401
697	698.9	0.1	RMS	698.9	-19.77	-13	6.77	Pass	20
698.9	699	0.03	RMS	698.999	-24.93	-13	11.93	Pass	401
699	719	0.1	RMS	700.5	6.95	30	23.05	Pass	401




4.13. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:23130, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	715.25	9.72	30	20.28	Pass	401
716	716.1	0.03	RMS	716.006	-39.52	-13	26.52	Pass	401
716.1	718	0.1	RMS	716.1	-31.68	-13	18.68	Pass	20
718	736	0.1	RMS	718.225	-55.48	-13	42.48	Pass	401




4.14. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23130, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	715.25	6.77	30	23.23	Pass	401
716	716.1	0.03	RMS	716.001	-24.03	-13	11.03	Pass	401
716.1	718	0.1	RMS	716.1	-17.25	-13	4.25	Pass	20
718	736	0.1	RMS	718	-45.97	-13	32.97	Pass	401




4.15. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23130, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	715.25	9.8	30	20.2	Pass	401
716	716.1	0.03	RMS	716.035	-37.47	-13	24.47	Pass	401
716.1	718	0.1	RMS	716.2	-29.34	-13	16.34	Pass	20
718	736	0.1	RMS	718.09	-56.29	-13	43.29	Pass	401



4.16. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23130, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:5, RB Position:1)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	714.5	7.17	30	22.83	Pass	401
716	716.1	0.03	RMS	716	-24.47	-13	11.47	Pass	401
716.1	718	0.1	RMS	716.1	-19.22	-13	6.22	Pass	20
718	736	0.1	RMS	718	-48.51	-13	35.51	Pass	401



5. Cat-M_Band13


5.1. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.98	-59.79	-35	24.79	Pass	1201
775	776.9	0.1	RMS	776.9	-26.44	-13	13.44	Pass	401
776.9	777	0.03	RMS	777	-25.85	-13	12.85	Pass	401
777	797	0.1	RMS	777.35	9.34	30	20.66	Pass	401




5.2. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.94	-52.45	-35	17.45	Pass	1201
775	776.9	0.1	RMS	776.891	-20.48	-13	7.48	Pass	401
776.9	777	0.03	RMS	776.998	-24.92	-13	11.92	Pass	401
777	797	0.1	RMS	778.25	6.56	30	23.44	Pass	401




5.3. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23205, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	775	-57.67	-35	22.67	Pass	1201
775	776.9	0.1	RMS	776.9	-25.78	-13	12.78	Pass	401
776.9	777	0.03	RMS	777	-24.78	-13	11.78	Pass	401
777	797	0.1	RMS	777.35	9.61	30	20.39	Pass	401




5.4. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23205, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.99	-54.58	-35	19.58	Pass	1201
775	776.9	0.1	RMS	776.891	-21.62	-13	8.62	Pass	401
776.9	777	0.03	RMS	776.995	-25.5	-13	12.5	Pass	401
777	797	0.1	RMS	777.3	6.71	30	23.29	Pass	401




5.5. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
767	787	0.1	RMS	786.65	9.57	30	20.43	Pass	401
787	787.1	0.03	RMS	787	-24.15	-13	11.15	Pass	401
787.1	793	0.1	RMS	787.1	-23.95	-13	10.95	Pass	401
793	805	0.01	RMS	793.15	-71.96	-35	36.96	Pass	1201




5.6. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
767	787	0.1	RMS	786.7	6.43	30	23.57	Pass	401
787	787.1	0.03	RMS	787.001	-22.34	-13	9.34	Pass	401
787.1	793	0.1	RMS	787.144	-18.22	-13	5.22	Pass	401
793	805	0.01	RMS	793	-72.77	-35	37.77	Pass	1201




5.7. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23255, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
767	787	0.1	RMS	786.65	9.46	30	20.54	Pass	401
787	787.1	0.03	RMS	787.002	-23.46	-13	10.46	Pass	401
787.1	793	0.1	RMS	787.1	-23.25	-13	10.25	Pass	401
793	805	0.01	RMS	793.33	-72.3	-35	37.3	Pass	1201




5.8. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23255, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:5, RB Position:1)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
767	787	0.1	RMS	786.7	6.61	30	23.39	Pass	401
787	787.1	0.03	RMS	787.001	-22.54	-13	9.54	Pass	401
787.1	793	0.1	RMS	787.1	-19.46	-13	6.46	Pass	401
793	805	0.01	RMS	793.16	-73.13	-35	38.13	Pass	1201




5.9. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23230, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.98	-63.91	-35	28.91	Pass	1201
775	776.9	0.1	RMS	776.872	-35.35	-13	22.35	Pass	401
776.9	777	0.03	RMS	776.99	-39.15	-13	26.15	Pass	401
777	797	0.1	RMS	777.8	9.91	30	20.09	Pass	401




5.10. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23230, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.9	-54.24	-35	19.24	Pass	1201
775	776.9	0.1	RMS	776.701	-24.91	-13	11.91	Pass	401
776.9	777	0.03	RMS	776.998	-29.89	-13	16.89	Pass	401
777	797	0.1	RMS	777.8	7.29	30	22.71	Pass	401




5.11. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:23230, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.92	-61.11	-35	26.11	Pass	1201
775	776.9	0.1	RMS	776.9	-33.04	-13	20.04	Pass	401
776.9	777	0.03	RMS	776.999	-37.22	-13	24.22	Pass	401
777	797	0.1	RMS	777.8	10.04	30	19.96	Pass	401




5.12. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:23230, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	775	-58.06	-35	23.06	Pass	1201
775	776.9	0.1	RMS	776.895	-24.57	-13	11.57	Pass	401
776.9	777	0.03	RMS	776.997	-27.92	-13	14.92	Pass	401
777	797	0.1	RMS	777.75	7.15	30	22.85	Pass	401




5.13. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:23230, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
767	787	0.1	RMS	786.25	9.82	30	20.18	Pass	401
787	787.1	0.03	RMS	787.011	-40.3	-13	27.3	Pass	401
787.1	793	0.1	RMS	787.13	-35.96	-13	22.96	Pass	401
793	805	0.01	RMS	793.06	-71.78	-35	36.78	Pass	1201




5.14. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23230, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
767	787	0.1	RMS	785.3	6.77	30	23.23	Pass	401
787	787.1	0.03	RMS	787.003	-26.98	-13	13.98	Pass	401
787.1	793	0.1	RMS	787.1	-23.25	-13	10.25	Pass	401
793	805	0.01	RMS	793.01	-72.7	-35	37.7	Pass	1201




5.15. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23230, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
767	787	0.1	RMS	786.2	9.87	30	20.13	Pass	401
787	787.1	0.03	RMS	787.099	-38.83	-13	25.83	Pass	401
787.1	793	0.1	RMS	787.203	-33.81	-13	20.81	Pass	401
793	805	0.01	RMS	793.35	-72.4	-35	37.4	Pass	1201



5.16. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23230, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:5, RB Position:1)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
767	787	0.1	RMS	785.55	7.14	30	22.86	Pass	401
787	787.1	0.03	RMS	787.001	-26.25	-13	13.25	Pass	401
787.1	793	0.1	RMS	787.1	-23.74	-13	10.74	Pass	401
793	805	0.01	RMS	793.08	-72.88	-35	37.88	Pass	1201



6. Cat-M_Band14


6.1. Cat-M Band Edge_Part90(NTNV)(Subtest:1, Channel:23305, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.01	RMS	773.81	-78.6	-35	43.6	Pass	601
775	787.9	0.1	RMS	787.9	-27.64	-13	14.64	Pass	401
787.9	788	0.03	RMS	787.999	-25.86	-13	12.86	Pass	401
788	808	0.1	RMS	788.3	9.9	30	20.1	Pass	401




6.2. Cat-M Band Edge_Part90(NTNV)(Subtest:2, Channel:23305, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.01	RMS	774.56	-79.13	-35	44.13	Pass	601
775	787.9	0.1	RMS	787.868	-21.31	-13	8.31	Pass	401
787.9	788	0.03	RMS	787.997	-25.3	-13	12.3	Pass	401
788	808	0.1	RMS	788.35	6.86	30	23.14	Pass	401




6.3. Cat-M Band Edge_Part90(NTNV)(Subtest:3, Channel:23305, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.01	RMS	774.99	-77.83	-35	42.83	Pass	601
775	787.9	0.1	RMS	787.9	-25.61	-13	12.61	Pass	401
787.9	788	0.03	RMS	787.999	-25.46	-13	12.46	Pass	401
788	808	0.1	RMS	788.35	9.89	30	20.11	Pass	401




6.4. Cat-M Band Edge_Part90(NTNV)(Subtest:4, Channel:23305, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.01	RMS	774.92	-79.49	-35	44.49	Pass	601
775	787.9	0.1	RMS	787.9	-21.53	-13	8.53	Pass	401
787.9	788	0.03	RMS	787.932	-25.95	-13	12.95	Pass	401
788	808	0.1	RMS	788.35	7.12	30	22.88	Pass	401




6.5. Cat-M Band Edge_Part90(NTNV)(Subtest:5, Channel:23355, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	798	0.1	RMS	797.65	9.74	30	20.26	Pass	401
798	798.1	0.03	RMS	798.006	-23.36	-13	10.36	Pass	401
798.1	799	0.1	RMS	798.105	-23.84	-13	10.84	Pass	401
799	805	0.01	RMS	799.48	-47.5	-35	12.5	Pass	601




6.6. Cat-M Band Edge_Part90(NTNV)(Subtest:6, Channel:23355, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	798	0.1	RMS	797.65	6.84	30	23.16	Pass	401
798	798.1	0.03	RMS	798.012	-22.76	-13	9.76	Pass	401
798.1	799	0.1	RMS	798.138	-18.18	-13	5.18	Pass	401
799	805	0.01	RMS	799	-43.62	-35	8.62	Pass	601




6.7. Cat-M Band Edge_Part90(NTNV)(Subtest:7, Channel:23355, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	798	0.1	RMS	797.65	9.56	30	20.44	Pass	401
798	798.1	0.03	RMS	798.003	-23.7	-13	10.7	Pass	401
798.1	799	0.1	RMS	798.1	-22.76	-13	9.76	Pass	401
799	805	0.01	RMS	799.54	-45.68	-35	10.68	Pass	601




6.8. Cat-M Band Edge_Part90(NTNV)(Subtest:8, Channel:23355, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:5, RB Position:1)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	798	0.1	RMS	796.9	7.07	30	22.93	Pass	401
798	798.1	0.03	RMS	798.003	-22.97	-13	9.97	Pass	401
798.1	799	0.1	RMS	798.1	-19.66	-13	6.66	Pass	401
799	805	0.01	RMS	799	-45.3	-35	10.3	Pass	601




6.9. Cat-M Band Edge_Part90(NTNV)(Subtest:9, Channel:23330, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.01	RMS	774.97	-78.36	-35	43.36	Pass	601
775	787.9	0.1	RMS	787.9	-34.03	-13	21.03	Pass	401
787.9	788	0.03	RMS	787.994	-37.61	-13	24.61	Pass	401
788	808	0.1	RMS	788.75	9.74	30	20.26	Pass	401




6.10. Cat-M Band Edge_Part90(NTNV)(Subtest:10, Channel:23330, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.01	RMS	773.28	-71.85	-35	36.85	Pass	601
775	787.9	0.1	RMS	787.674	-24.68	-13	11.68	Pass	401
787.9	788	0.03	RMS	787.999	-28.96	-13	15.96	Pass	401
788	808	0.1	RMS	788.75	7.03	30	22.97	Pass	401




6.11. Cat-M Band Edge_Part90(NTNV)(Subtest:11, Channel:23330, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.01	RMS	774.57	-78.36	-35	43.36	Pass	601
775	787.9	0.1	RMS	787.9	-33.42	-13	20.42	Pass	401
787.9	788	0.03	RMS	787.999	-36.92	-13	23.92	Pass	401
788	808	0.1	RMS	788.75	9.81	30	20.19	Pass	401




6.12. Cat-M Band Edge_Part90(NTNV)(Subtest:12, Channel:23330, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.01	RMS	774.29	-79.59	-35	44.59	Pass	601
775	787.9	0.1	RMS	787.9	-24.16	-13	11.16	Pass	401
787.9	788	0.03	RMS	787.999	-27.78	-13	14.78	Pass	401
788	808	0.1	RMS	789.5	7.08	30	22.92	Pass	401




6.13. Cat-M Band Edge_Part90(NTNV)(Subtest:13, Channel:23330, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	798	0.1	RMS	797.2	9.77	30	20.23	Pass	401
798	798.1	0.03	RMS	798.008	-40.4	-13	27.4	Pass	401
798.1	799	0.1	RMS	798.147	-36.22	-13	23.22	Pass	401
799	805	0.01	RMS	799.04	-47.74	-35	12.74	Pass	601




6.14. Cat-M Band Edge_Part90(NTNV)(Subtest:14, Channel:23330, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	798	0.1	RMS	796.35	6.95	30	23.05	Pass	401
798	798.1	0.03	RMS	798.002	-26.83	-13	13.83	Pass	401
798.1	799	0.1	RMS	798.109	-23.14	-13	10.14	Pass	401
799	805	0.01	RMS	799.45	-48.23	-35	13.23	Pass	601




6.15. Cat-M Band Edge_Part90(NTNV)(Subtest:15, Channel:23330, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	798	0.1	RMS	797.25	9.74	30	20.26	Pass	401
798	798.1	0.03	RMS	798.048	-37.2	-13	24.2	Pass	401
798.1	799	0.1	RMS	798.145	-33.84	-13	20.84	Pass	401
799	805	0.01	RMS	799.01	-45.53	-35	10.53	Pass	601



6.16. Cat-M Band Edge_Part90(NTNV)(Subtest:16, Channel:23330, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:5, RB Position:1)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	798	0.1	RMS	797.25	7.29	30	22.71	Pass	401
798	798.1	0.03	RMS	798.017	-26.45	-13	13.45	Pass	401
798.1	799	0.1	RMS	798.1	-23.74	-13	10.74	Pass	401
799	805	0.01	RMS	799.04	-48.46	-35	13.46	Pass	601



7. Cat-M_Band17

7.1. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
684	702	0.1	RMS	702	-50.2	-13	37.2	Pass	401
702	703.9	0.1	RMS	703.9	-24.84	-13	11.84	Pass	401
703.9	704	0.03	RMS	703.999	-23.94	-13	10.94	Pass	401
704	724	0.1	RMS	704.3	9.43	30	20.57	Pass	401

