



7.2. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
684	702	0.1	RMS	702	-42.04	-13	29.04	Pass	401
702	703.9	0.1	RMS	703.876	-15.82	-13	2.82	Pass	401
703.9	704	0.03	RMS	703.927	-20.47	-13	7.47	Pass	401
704	724	0.1	RMS	705.25	6.58	30	23.42	Pass	401




7.3. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23755, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
684	702	0.1	RMS	702	-49.66	-13	36.66	Pass	401
702	703.9	0.1	RMS	703.9	-24.81	-13	11.81	Pass	401
703.9	704	0.03	RMS	704	-23.18	-13	10.18	Pass	401
704	724	0.1	RMS	704.35	9.51	30	20.49	Pass	401




7.4. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23755, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
684	702	0.1	RMS	702	-45.71	-13	32.71	Pass	401
702	703.9	0.1	RMS	703.9	-17.36	-13	4.36	Pass	401
703.9	704	0.03	RMS	703.925	-21.68	-13	8.68	Pass	401
704	724	0.1	RMS	705.1	6.87	30	23.13	Pass	401




7.5. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	715.65	9.47	30	20.53	Pass	401
716	716.1	0.03	RMS	716.001	-23.96	-13	10.96	Pass	401
716.1	718	0.1	RMS	716.11	-23.73	-13	10.73	Pass	401
718	736	0.1	RMS	718	-53.32	-13	40.32	Pass	401




7.6. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	715.65	6.75	30	23.25	Pass	401
716	716.1	0.03	RMS	716.002	-19.82	-13	6.82	Pass	401
716.1	718	0.1	RMS	716.138	-15.57	-13	2.57	Pass	401
718	736	0.1	RMS	718	-45.75	-13	32.75	Pass	401




7.7. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23825, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	715.7	9.55	30	20.45	Pass	401
716	716.1	0.03	RMS	716	-22.95	-13	9.95	Pass	401
716.1	718	0.1	RMS	716.1	-23.28	-13	10.28	Pass	401
718	736	0.1	RMS	718.18	-52.81	-13	39.81	Pass	401




7.8. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23825, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:5, RB Position:1)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	715.7	6.9	30	23.1	Pass	401
716	716.1	0.03	RMS	716.004	-20.72	-13	7.72	Pass	401
716.1	718	0.1	RMS	716.105	-17.07	-13	4.07	Pass	401
718	736	0.1	RMS	718	-47.29	-13	34.29	Pass	401




7.9. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23780, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
684	702	0.1	RMS	702	-50.77	-13	37.77	Pass	401
702	703.9	0.1	RMS	703.876	-32.94	-13	19.94	Pass	401
703.9	704	0.03	RMS	703.999	-37.37	-13	24.37	Pass	401
704	724	0.1	RMS	704.75	9.6	30	20.4	Pass	401




7.10. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23780, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
684	702	0.1	RMS	702	-44.41	-13	31.41	Pass	401
702	703.9	0.1	RMS	703.891	-20.92	-13	7.92	Pass	401
703.9	704	0.03	RMS	703.995	-24.32	-13	11.32	Pass	401
704	724	0.1	RMS	704.75	6.38	30	23.62	Pass	401




7.11. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:23780, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
684	702	0.1	RMS	702	-54.2	-13	41.2	Pass	401
702	703.9	0.1	RMS	703.9	-31.34	-13	18.34	Pass	401
703.9	704	0.03	RMS	703.989	-35.71	-13	22.71	Pass	401
704	724	0.1	RMS	704.8	9.6	30	20.4	Pass	401




7.12. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:23780, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
684	702	0.1	RMS	701.955	-47.54	-13	34.54	Pass	401
702	703.9	0.1	RMS	703.895	-21.86	-13	8.86	Pass	401
703.9	704	0.03	RMS	704	-23.82	-13	10.82	Pass	401
704	724	0.1	RMS	705.45	6.65	30	23.35	Pass	401




7.13. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:23800, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	715.2	9.51	30	20.49	Pass	401
716	716.1	0.03	RMS	716.021	-39.41	-13	26.41	Pass	401
716.1	718	0.1	RMS	716.328	-34.88	-13	21.88	Pass	401
718	736	0.1	RMS	718.09	-55.57	-13	42.57	Pass	401




7.14. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23800, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	715.25	6.55	30	23.45	Pass	401
716	716.1	0.03	RMS	716.002	-24.53	-13	11.53	Pass	401
716.1	718	0.1	RMS	716.1	-21.51	-13	8.51	Pass	401
718	736	0.1	RMS	718	-46.13	-13	33.13	Pass	401




7.15. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23800, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	715.25	9.7	30	20.3	Pass	401
716	716.1	0.03	RMS	716.079	-36.25	-13	23.25	Pass	401
716.1	718	0.1	RMS	716.205	-31.49	-13	18.49	Pass	401
718	736	0.1	RMS	718.09	-55.54	-13	42.54	Pass	401



7.16. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23800, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:5, RB Position:1)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	715.2	6.75	30	23.25	Pass	401
716	716.1	0.03	RMS	716.002	-24.71	-13	11.71	Pass	401
716.1	718	0.1	RMS	716.1	-22.96	-13	9.96	Pass	401
718	736	0.1	RMS	718	-48.7	-13	35.7	Pass	401



8. Cat-M_Band25


8.1. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:26065, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1847.955	-36.93	-13	23.93	Pass	401
1848	1849	1	RMS	1849	-23.95	-13	10.95	Pass	2
1849	1850	0.002	RMS	1849.974	-36.47	-13	23.47	Pass	501
1850	1870	0.1	RMS	1850.35	18.84	30	11.16	Pass	401




8.2. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:26065, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-32.44	-13	19.44	Pass	401
1848	1849	1	RMS	1849	-15.85	-13	3.05	Pass	2
1849	1850	0.015	RMS	1850	-27.93	-13	14.93	Pass	401
1850	1870	0.1	RMS	1850.4	10.97	30	19.03	Pass	401




8.3. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:26065, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-34.76	-13	21.76	Pass	401
1848	1849	1	RMS	1849	-22.75	-13	9.75	Pass	2
1849	1850	0.002	RMS	1849.99	-34.14	-13	21.14	Pass	501
1850	1870	0.1	RMS	1850.35	18.7	30	11.3	Pass	401




8.4. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:26065, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-37.11	-13	24.11	Pass	401
1848	1849	1	RMS	1849	-19.14	-13	6.14	Pass	2
1849	1850	0.015	RMS	1849.975	-29.81	-13	16.81	Pass	401
1850	1870	0.1	RMS	1850.35	10.76	30	19.24	Pass	401




8.5. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:26665, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1914.65	19	30	11	Pass	401
1915	1916	0.002	RMS	1915	-35.94	-13	22.94	Pass	501
1916	1917	1	RMS	1916	-21.28	-13	8.28	Pass	2
1917	1935	1	RMS	1917	-35.31	-13	22.31	Pass	401




8.6. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:26665, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1914.5	10.76	30	19.24	Pass	401
1915	1916	0.015	RMS	1915	-29.48	-13	16.48	Pass	401
1916	1917	1	RMS	1916	-18.33	-13	5.33	Pass	2
1917	1935	1	RMS	1917	-37.12	-13	24.12	Pass	401




8.7. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:26665, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1914.65	18.87	30	11.13	Pass	401
1915	1916	0.002	RMS	1915	-35.22	-13	22.22	Pass	501
1916	1917	1	RMS	1916	-20.38	-13	7.38	Pass	2
1917	1935	1	RMS	1917	-33.41	-13	20.41	Pass	401




8.8. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:26665, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:5, RB Position:1)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1914.3	10.6	30	19.4	Pass	401
1915	1916	0.015	RMS	1915.005	-30.39	-13	17.39	Pass	401
1916	1917	1	RMS	1916	-22.44	-13	9.44	Pass	2
1917	1935	1	RMS	1917	-41.24	-13	28.24	Pass	401




8.9. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:26090, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1847.955	-41.31	-13	28.31	Pass	401
1848	1849	1	RMS	1849	-26.66	-13	13.66	Pass	2
1849	1850	0.002	RMS	1849.882	-50.17	-13	37.17	Pass	501
1850	1870	0.1	RMS	1850.75	18.97	30	11.03	Pass	401




8.10. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:26090, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-38	-13	25	Pass	401
1848	1849	1	RMS	1849	-23.28	-13	10.28	Pass	2
1849	1850	0.015	RMS	1849.998	-31.98	-13	18.98	Pass	401
1850	1870	0.1	RMS	1851.4	10.89	30	19.11	Pass	401




8.11. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:26090, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-39.46	-13	26.46	Pass	401
1848	1849	1	RMS	1849	-24.66	-13	11.66	Pass	2
1849	1850	0.002	RMS	1849.992	-48.69	-13	35.69	Pass	501
1850	1870	0.1	RMS	1850.8	18.78	30	11.22	Pass	401




8.12. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:26090, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-39.54	-13	26.54	Pass	401
1848	1849	1	RMS	1849	-22.18	-13	9.18	Pass	2
1849	1850	0.015	RMS	1850	-31.98	-13	18.98	Pass	401
1850	1870	0.1	RMS	1850.8	11.83	30	18.17	Pass	401




8.13. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:26640, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1914.2	18.95	30	11.05	Pass	401
1915	1916	0.002	RMS	1915.154	-44.57	-13	31.57	Pass	501
1916	1917	1	RMS	1916	-25.7	-13	12.7	Pass	2
1917	1935	1	RMS	1917	-41.64	-13	28.64	Pass	401




8.14. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:26640, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.95	10.75	30	19.25	Pass	401
1915	1916	0.015	RMS	1915.008	-34.46	-13	21.46	Pass	401
1916	1917	1	RMS	1916	-26.45	-13	13.45	Pass	2
1917	1935	1	RMS	1917	-41.89	-13	28.89	Pass	401




8.15. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:26640, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1914.25	18.77	30	11.23	Pass	401
1915	1916	0.002	RMS	1915.168	-44.6	-13	31.6	Pass	501
1916	1917	1	RMS	1916	-23.74	-13	10.74	Pass	2
1917	1935	1	RMS	1917	-40.29	-13	27.29	Pass	401




8.16. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:26640, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:5, RB Position:1)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.65	11.41	30	18.59	Pass	401
1915	1916	0.015	RMS	1915.003	-33.96	-13	20.96	Pass	401
1916	1917	1	RMS	1916	-25.58	-13	12.58	Pass	2
1917	1935	1	RMS	1917.045	-43.71	-13	30.71	Pass	401




8.17. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:26115, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1847.955	-42.8	-13	29.8	Pass	401
1848	1849	1	RMS	1849	-27.15	-13	14.15	Pass	2
1849	1850	0.002	RMS	1849.99	-51.86	-13	38.86	Pass	501
1850	1870	0.1	RMS	1851	19.13	30	10.87	Pass	401




8.18. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:26115, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-37.4	-13	24.4	Pass	401
1848	1849	1	RMS	1849	-20.94	-13	7.94	Pass	2
1849	1850	0.015	RMS	1849.99	-30.64	-13	17.64	Pass	401
1850	1870	0.1	RMS	1851.9	11.93	30	18.07	Pass	401




8.19. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:26115, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1847.955	-42.76	-13	29.76	Pass	401
1848	1849	1	RMS	1849	-25.07	-13	12.07	Pass	2
1849	1850	0.002	RMS	1849.288	-49.38	-13	36.38	Pass	501
1850	1870	0.1	RMS	1851	19.22	30	10.78	Pass	401




8.20. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:26115, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-39.28	-13	26.28	Pass	401
1848	1849	1	RMS	1849	-23.17	-13	10.17	Pass	2
1849	1850	0.015	RMS	1849.975	-35.83	-13	22.83	Pass	401
1850	1870	0.1	RMS	1851.55	12.7	30	17.3	Pass	401




8.21. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:26615, Bandwidth:15, Modulation:QPSK, NB Index:11, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.95	18.94	30	11.06	Pass	401
1915	1916	0.002	RMS	1915.862	-48.57	-13	35.57	Pass	501
1916	1917	1	RMS	1916	-25.98	-13	12.98	Pass	2
1917	1935	1	RMS	1917	-44.31	-13	31.31	Pass	401




8.22. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:26615, Bandwidth:15, Modulation:QPSK, NB Index:11, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.65	11.92	30	18.08	Pass	401
1915	1916	0.015	RMS	1915.008	-32.99	-13	19.99	Pass	401
1916	1917	1	RMS	1916	-25.41	-13	12.41	Pass	2
1917	1935	1	RMS	1917.045	-41.75	-13	28.75	Pass	401




8.23. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:26615, Bandwidth:15, Modulation:16QAM, NB Index:11, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.95	19.04	30	10.96	Pass	401
1915	1916	0.002	RMS	1915.006	-47.59	-13	34.59	Pass	501
1916	1917	1	RMS	1916	-23.65	-13	10.65	Pass	2
1917	1935	1	RMS	1917	-43.78	-13	30.78	Pass	401




8.24. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:26615, Bandwidth:15, Modulation:16QAM, NB Index:11, RB Number:5, RB Position:1)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.65	12.91	30	17.09	Pass	401
1915	1916	0.015	RMS	1915.008	-38.56	-13	25.56	Pass	401
1916	1917	1	RMS	1916	-27.07	-13	14.07	Pass	2
1917	1935	1	RMS	1917	-43.65	-13	30.65	Pass	401




8.25. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:26140, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-44.6	-13	31.6	Pass	401
1848	1849	1	RMS	1849	-31.62	-13	18.62	Pass	2
1849	1850	0.002	RMS	1849.764	-50.64	-13	37.64	Pass	501
1850	1870	0.1	RMS	1851.45	18.97	30	11.03	Pass	401




8.26. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:26140, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1847.19	-39.92	-13	26.92	Pass	401
1848	1849	1	RMS	1849	-26.3	-13	13.3	Pass	2
1849	1850	0.015	RMS	1849.763	-38.78	-13	25.78	Pass	401
1850	1870	0.1	RMS	1852	11.72	30	18.28	Pass	401




8.27. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:26140, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1847.91	-44.2	-13	31.2	Pass	401
1848	1849	1	RMS	1849	-30.72	-13	17.72	Pass	2
1849	1850	0.002	RMS	1849.718	-50.19	-13	37.19	Pass	501
1850	1870	0.1	RMS	1851.45	18.75	30	11.25	Pass	401




8.28. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:26140, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-42.86	-13	29.86	Pass	401
1848	1849	1	RMS	1849	-28.47	-13	15.47	Pass	2
1849	1850	0.015	RMS	1849.955	-39.74	-13	26.74	Pass	401
1850	1870	0.1	RMS	1851.85	12.47	30	17.53	Pass	401




8.29. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:26590, Bandwidth:20, Modulation:QPSK, NB Index:15, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.55	18.91	30	11.09	Pass	401
1915	1916	0.002	RMS	1915.432	-50.41	-13	37.41	Pass	501
1916	1917	1	RMS	1916	-32.42	-13	19.42	Pass	2
1917	1935	1	RMS	1917	-46.8	-13	33.8	Pass	401




8.30. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:26590, Bandwidth:20, Modulation:QPSK, NB Index:15, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.45	11.55	30	18.45	Pass	401
1915	1916	0.015	RMS	1915.24	-44.65	-13	31.65	Pass	401
1916	1917	1	RMS	1916	-30.25	-13	17.25	Pass	2
1917	1935	1	RMS	1917	-45.53	-13	32.53	Pass	401




8.31. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:26590, Bandwidth:20, Modulation:16QAM, NB Index:15, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.55	18.55	30	11.45	Pass	401
1915	1916	0.002	RMS	1915.446	-48.63	-13	35.63	Pass	501
1916	1917	1	RMS	1916	-30.14	-13	17.14	Pass	2
1917	1935	1	RMS	1917.045	-46.52	-13	33.52	Pass	401



8.32. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:26590, Bandwidth:20, Modulation:16QAM, NB Index:15, RB Number:5, RB Position:1)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.25	12.05	30	17.95	Pass	401
1915	1916	0.015	RMS	1915.013	-43.3	-13	30.3	Pass	401
1916	1917	1	RMS	1916	-31.96	-13	18.96	Pass	2
1917	1935	1	RMS	1917.045	-46.54	-13	33.54	Pass	401



9. Cat-M_Band26(part22)


9.1. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:26815, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	821.955	-49.33	-13	36.33	Pass	401
822	823	0.1	RMS	822.6	-33.57	-13	20.57	Pass	11
823	824	0.002	RMS	823.99	-36.89	-13	23.89	Pass	501
824	844	0.1	RMS	824.35	9.5	30	20.5	Pass	401




9.2. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:26815, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	821.955	-45.01	-13	32.01	Pass	401
822	823	0.1	RMS	823	-30.29	-13	17.29	Pass	11
823	824	0.015	RMS	824	-30.89	-13	17.89	Pass	401
824	844	0.1	RMS	824.35	6.48	30	23.52	Pass	401




9.3. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:26815, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-48.75	-13	35.75	Pass	401
822	823	0.1	RMS	822.5	-32.16	-13	19.16	Pass	11
823	824	0.002	RMS	824	-34.81	-13	21.81	Pass	501
824	844	0.1	RMS	824.35	9.59	30	20.41	Pass	401




9.4. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:26815, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-46.36	-13	33.36	Pass	401
822	823	0.1	RMS	823	-30.86	-13	17.86	Pass	11
823	824	0.015	RMS	823.993	-30.96	-13	17.96	Pass	401
824	844	0.1	RMS	825.05	6.77	30	23.23	Pass	401




9.5. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:27015, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	9.56	30	20.44	Pass	401
849	850	0.002	RMS	849	-35.68	-13	22.68	Pass	501
850	851	0.1	RMS	850.5	-31.91	-13	18.91	Pass	11
851	869	0.1	RMS	851	-54.77	-13	41.77	Pass	401




9.6. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:27015, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	6.47	30	23.53	Pass	401
849	850	0.015	RMS	849.005	-27.8	-13	14.8	Pass	401
850	851	0.1	RMS	850	-33.09	-13	20.09	Pass	11
851	869	0.1	RMS	851.045	-46.98	-13	33.98	Pass	401




9.7. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:27015, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	9.67	30	20.33	Pass	401
849	850	0.002	RMS	849.01	-33.76	-13	20.76	Pass	501
850	851	0.1	RMS	850.5	-30.51	-13	17.51	Pass	11
851	869	0.1	RMS	851	-53.85	-13	40.85	Pass	401




9.8. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:27015, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:5, RB Position:1)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.7	6.79	30	23.21	Pass	401
849	850	0.015	RMS	849	-28.69	-13	15.69	Pass	401
850	851	0.1	RMS	850	-33.46	-13	20.46	Pass	11
851	869	0.1	RMS	851.045	-47.93	-13	34.93	Pass	401




9.9. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:26840, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-50.79	-13	37.79	Pass	401
822	823	0.1	RMS	823	-33.53	-13	20.53	Pass	11
823	824	0.002	RMS	823.988	-50.18	-13	37.18	Pass	501
824	844	0.1	RMS	824.75	9.42	30	20.58	Pass	401




9.10. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:26840, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-45.62	-13	32.62	Pass	401
822	823	0.1	RMS	823	-33.47	-13	20.47	Pass	11
823	824	0.015	RMS	823.62	-32.22	-13	19.22	Pass	401
824	844	0.1	RMS	824.75	6.39	30	23.61	Pass	401




9.11. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:26840, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-51.8	-13	38.8	Pass	401
822	823	0.1	RMS	823	-31.66	-13	18.66	Pass	11
823	824	0.002	RMS	823.022	-49.29	-13	36.29	Pass	501
824	844	0.1	RMS	824.75	9.51	30	20.49	Pass	401




9.12. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:26840, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-48.57	-13	35.57	Pass	401
822	823	0.1	RMS	823	-34.66	-13	21.66	Pass	11
823	824	0.015	RMS	823.97	-32.23	-13	19.23	Pass	401
824	844	0.1	RMS	824.75	6.79	30	23.21	Pass	401




9.13. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:26990, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.2	9.6	30	20.4	Pass	401
849	850	0.002	RMS	849.992	-49.56	-13	36.56	Pass	501
850	851	0.1	RMS	850.1	-31.59	-13	18.59	Pass	11
851	869	0.1	RMS	851.09	-55.62	-13	42.62	Pass	401




9.14. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:26990, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.25	6.54	30	23.46	Pass	401
849	850	0.015	RMS	849.013	-32.29	-13	19.29	Pass	401
850	851	0.1	RMS	850.3	-38.76	-13	25.76	Pass	11
851	869	0.1	RMS	851	-47.02	-13	34.02	Pass	401




9.15. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:26990, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.25	9.78	30	20.22	Pass	401
849	850	0.002	RMS	849.994	-48.97	-13	35.97	Pass	501
850	851	0.1	RMS	850.1	-31.01	-13	18.01	Pass	11
851	869	0.1	RMS	851.045	-55.33	-13	42.33	Pass	401




9.16. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:26990, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:5, RB Position:1)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	847.5	6.93	30	23.07	Pass	401
849	850	0.015	RMS	849	-32.17	-13	19.17	Pass	401
850	851	0.1	RMS	850	-37.34	-13	24.34	Pass	11
851	869	0.1	RMS	851	-50.21	-13	37.21	Pass	401




9.17. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:26865, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-52.6	-13	39.6	Pass	401
822	823	0.1	RMS	823	-40.17	-13	27.17	Pass	11
823	824	0.002	RMS	823.27	-52.63	-13	39.63	Pass	501
824	844	0.1	RMS	825	9.59	30	20.41	Pass	401




9.18. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:26865, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-47.28	-13	34.28	Pass	401
822	823	0.1	RMS	823	-33.66	-13	20.66	Pass	11
823	824	0.015	RMS	823.975	-31.92	-13	18.92	Pass	401
824	844	0.1	RMS	825.95	6.64	30	23.36	Pass	401




9.19. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:26865, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-53.12	-13	40.12	Pass	401
822	823	0.1	RMS	823	-37.81	-13	24.81	Pass	11
823	824	0.002	RMS	823.226	-51.05	-13	38.05	Pass	501
824	844	0.1	RMS	825	9.68	30	20.32	Pass	401




9.20. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:26865, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-48.99	-13	35.99	Pass	401
822	823	0.1	RMS	823	-37.12	-13	24.12	Pass	11
823	824	0.015	RMS	824	-36.32	-13	23.32	Pass	401
824	844	0.1	RMS	825.75	6.78	30	23.22	Pass	401




9.21. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:26965, Bandwidth:15, Modulation:QPSK, NB Index:11, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	847.95	9.66	30	20.34	Pass	401
849	850	0.002	RMS	849.892	-48.2	-13	35.2	Pass	501
850	851	0.1	RMS	850	-38.9	-13	25.9	Pass	11
851	869	0.1	RMS	851.27	-56.82	-13	43.82	Pass	401




9.22. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:26965, Bandwidth:15, Modulation:QPSK, NB Index:11, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848	6.67	30	23.33	Pass	401
849	850	0.015	RMS	849	-32.28	-13	19.28	Pass	401
850	851	0.1	RMS	850	-35.83	-13	22.83	Pass	11
851	869	0.1	RMS	851	-47.34	-13	34.34	Pass	401




9.23. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:26965, Bandwidth:15, Modulation:16QAM, NB Index:11, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848	9.62	30	20.38	Pass	401
849	850	0.002	RMS	849.742	-47.83	-13	34.83	Pass	501
850	851	0.1	RMS	850	-35.5	-13	22.5	Pass	11
851	869	0.1	RMS	851	-55.71	-13	42.71	Pass	401



9.24. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:26965, Bandwidth:15, Modulation:16QAM, NB Index:11, RB Number:5, RB Position:1)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	847.25	6.95	30	23.05	Pass	401
849	850	0.015	RMS	849.033	-37.82	-13	24.82	Pass	401
850	851	0.1	RMS	850	-38.74	-13	25.74	Pass	11
851	869	0.1	RMS	851	-50.5	-13	37.5	Pass	401



10. Cat-M_Band26(part90)


10.1. Cat-M Band Edge_Part90(NTNV)(Subtest:1, Channel:26715, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-22.79	-13	9.79	Pass	401
813.9625	814	0.002	RMS	814	-37.07	-20	17.07	Pass	401
814	834	0.1	RMS	814.35	9.69	30	20.31	Pass	401




10.2. Cat-M Band Edge_Part90(NTNV)(Subtest:2, Channel:26715, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-25.82	-13	12.82	Pass	401
813.9625	814	0.015	RMS	813.999	-33.41	-20	13.41	Pass	401
814	834	0.1	RMS	814.6	6.45	30	23.55	Pass	401




10.3. Cat-M Band Edge_Part90(NTNV)(Subtest:3, Channel:26715, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-22.46	-13	9.46	Pass	401
813.9625	814	0.002	RMS	813.983	-36.58	-20	16.58	Pass	401
814	834	0.1	RMS	814.35	9.72	30	20.28	Pass	401




10.4. Cat-M Band Edge_Part90(NTNV)(Subtest:4, Channel:26715, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-25.24	-13	12.24	Pass	401
813.9625	814	0.015	RMS	813.999	-32.65	-20	12.65	Pass	401
814	834	0.1	RMS	815.05	6.78	30	23.22	Pass	401




10.5. Cat-M Band Edge_Part90(NTNV)(Subtest:5, Channel:26765, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	823.65	9.77	30	20.23	Pass	401
824	824.0375	0.002	RMS	824	-36.35	-20	16.35	Pass	401
824.0375	844	0.1	RMS	824.038	-20.98	-13	7.98	Pass	401




10.6. Cat-M Band Edge_Part90(NTNV)(Subtest:6, Channel:26765, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	822.75	6.87	30	23.13	Pass	401
824	824.0375	0.015	RMS	824.009	-28.86	-20	8.86	Pass	401
824.0375	844	0.1	RMS	824.038	-20.96	-13	7.96	Pass	401




10.7. Cat-M Band Edge_Part90(NTNV)(Subtest:7, Channel:26765, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	823.65	9.8	30	20.2	Pass	401
824	824.0375	0.002	RMS	824	-34.36	-20	14.36	Pass	401
824.0375	844	0.1	RMS	824.038	-21.11	-13	8.11	Pass	401




10.8. Cat-M Band Edge_Part90(NTNV)(Subtest:8, Channel:26765, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	822.75	7.07	30	22.93	Pass	401
824	824.0375	0.015	RMS	824.012	-31.44	-20	11.44	Pass	401
824.0375	844	0.1	RMS	824.038	-23.9	-13	10.9	Pass	401




10.9. Cat-M Band Edge_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-33.97	-13	20.97	Pass	401
813.9625	814	0.002	RMS	813.975	-49.26	-20	29.26	Pass	401
814	834	0.1	RMS	814.8	9.59	30	20.41	Pass	401




10.10. Cat-M Band Edge_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.663	-27.11	-13	14.11	Pass	401
813.9625	814	0.015	RMS	813.964	-35.18	-20	15.18	Pass	401
814	834	0.1	RMS	814.75	6.77	30	23.23	Pass	401




10.11. Cat-M Band Edge_Part90(NTNV)(Subtest:11, Channel:26740, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-32.93	-13	19.93	Pass	401
813.9625	814	0.002	RMS	813.998	-47.85	-20	27.85	Pass	401
814	834	0.1	RMS	814.75	9.64	30	20.36	Pass	401




10.12. Cat-M Band Edge_Part90(NTNV)(Subtest:12, Channel:26740, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-25.9	-13	12.9	Pass	401
813.9625	814	0.015	RMS	813.978	-33.03	-20	13.03	Pass	401
814	834	0.1	RMS	814.75	7.01	30	22.99	Pass	401




10.13. Cat-M Band Edge_Part90(NTNV)(Subtest:13, Channel:26740, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	823.25	9.75	30	20.25	Pass	401
824	824.0375	0.002	RMS	824.015	-52.63	-20	32.63	Pass	401
824.0375	844	0.1	RMS	824.087	-38.4	-13	25.4	Pass	401




10.14. Cat-M Band Edge_Part90(NTNV)(Subtest:14, Channel:26740, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	823.25	6.82	30	23.18	Pass	401
824	824.0375	0.015	RMS	824.009	-32.53	-20	12.53	Pass	401
824.0375	844	0.1	RMS	824.038	-25.49	-13	12.49	Pass	401




10.15. Cat-M Band Edge_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	823.25	9.8	30	20.2	Pass	401
824	824.0375	0.002	RMS	824.003	-49.48	-20	29.48	Pass	401
824.0375	844	0.1	RMS	824.087	-35.77	-13	22.77	Pass	401



10.16. Cat-M Band Edge_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:5, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	822.3	7.09	30	22.91	Pass	401
824	824.0375	0.015	RMS	824.021	-36.11	-20	16.11	Pass	401
824.0375	844	0.1	RMS	824.038	-29.71	-13	16.71	Pass	401



11. Cat-M_Band66


11.1. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:131997, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1707.955	-33.34	-13	20.34	Pass	401
1708	1708.5	1	RMS	1708.5	-24.6	-13	11.6	Pass	2
1709	1710	0.002	RMS	1709.98	-33.87	-13	20.87	Pass	501
1710	1730	0.1	RMS	1710.35	20.05	30	9.95	Pass	401




11.2. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:131997, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-30.46	-13	17.46	Pass	401
1708	1708.5	1	RMS	1708.5	-21.96	-13	8.96	Pass	2
1709	1710	0.015	RMS	1709.838	-23.17	-13	10.17	Pass	401
1710	1730	0.1	RMS	1710.8	12.39	30	17.61	Pass	401




11.3. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:131997, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-32.56	-13	19.56	Pass	401
1708	1708.5	1	RMS	1708.5	-23.66	-13	10.66	Pass	2
1709	1710	0.002	RMS	1709.978	-34.23	-13	21.23	Pass	501
1710	1730	0.1	RMS	1710.35	19.96	30	10.04	Pass	401




11.4. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:131997, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-35.55	-13	22.55	Pass	401
1708	1708.5	1	RMS	1708.5	-24.91	-13	11.91	Pass	2
1709	1710	0.015	RMS	1709.998	-24.33	-13	11.33	Pass	401
1710	1730	0.1	RMS	1710.8	12.19	30	17.81	Pass	401




11.5. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:132647, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1779.65	19.73	30	10.27	Pass	401
1780	1781	0.002	RMS	1780.018	-34.59	-13	21.59	Pass	501
1781.5	1782	1	RMS	1781.5	-26.04	-13	13.04	Pass	2
1782	1800	1	RMS	1782	-35.11	-13	22.11	Pass	401




11.6. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:132647, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	11.67	30	18.33	Pass	401
1780	1781	0.015	RMS	1780	-23.77	-13	10.77	Pass	401
1781.5	1782	1	RMS	1781.5	-27.69	-13	14.69	Pass	2
1782	1800	1	RMS	1782	-35.83	-13	22.83	Pass	401




11.7. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:132647, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1779.65	19.31	30	10.69	Pass	401
1780	1781	0.002	RMS	1780.012	-33.57	-13	20.57	Pass	501
1781	1782	1	RMS	1781	-19.24	-13	6.24	Pass	2
1782	1800	1	RMS	1782	-33.28	-13	20.28	Pass	401




11.8. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:132647, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:5, RB Position:1)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1779.05	11.36	30	18.64	Pass	401
1780	1781	0.015	RMS	1780.018	-25.07	-13	12.07	Pass	401
1781	1782	1	RMS	1781	-21.44	-13	8.44	Pass	2
1782	1800	1	RMS	1782	-39.84	-13	26.84	Pass	401




11.9. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:132022, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-48.08	-13	35.08	Pass	401
1708	1709	1	RMS	1709	-32.71	-13	19.71	Pass	2
1709	1710	0.002	RMS	1709.968	-56.33	-13	43.33	Pass	501
1710	1730	0.1	RMS	1710.75	12.7	30	17.3	Pass	401




11.10. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:132022, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-36.14	-13	23.14	Pass	401
1708	1709	1	RMS	1709	-21.4	-13	8.4	Pass	2
1709	1710	0.015	RMS	1709.998	-28	-13	15	Pass	401
1710	1730	0.1	RMS	1711.65	11.94	30	18.06	Pass	401




11.11. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:132022, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-37.31	-13	24.31	Pass	401
1708	1709	1	RMS	1709	-21.66	-13	8.66	Pass	2
1709	1710	0.002	RMS	1709.864	-35.89	-13	22.89	Pass	501
1710	1730	0.1	RMS	1710.8	19.86	30	10.14	Pass	401




11.12. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:132022, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-37.23	-13	24.23	Pass	401
1708	1709	1	RMS	1709	-21.46	-13	8.46	Pass	2
1709	1710	0.015	RMS	1709.983	-27.8	-13	14.8	Pass	401
1710	1730	0.1	RMS	1710.85	12.66	30	17.34	Pass	401




11.13. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:132622, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1779.25	19.53	30	10.47	Pass	401
1780	1781	0.002	RMS	1780.174	-46.46	-13	33.46	Pass	501
1781	1782	1	RMS	1781	-25.71	-13	12.71	Pass	2
1782	1800	1	RMS	1782	-42.26	-13	29.26	Pass	401




11.14. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:132622, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.4	11.38	30	18.62	Pass	401
1780	1781	0.015	RMS	1780.008	-28.96	-13	15.96	Pass	401
1781	1782	1	RMS	1781	-27.53	-13	14.53	Pass	2
1782	1800	1	RMS	1782	-40.97	-13	27.97	Pass	401




11.15. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:132622, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1779.25	19.38	30	10.62	Pass	401
1780	1781	0.002	RMS	1780.124	-44.16	-13	31.16	Pass	501
1781	1782	1	RMS	1781	-23.03	-13	10.03	Pass	2
1782	1800	1	RMS	1782	-40.36	-13	27.36	Pass	401




11.16. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:132622, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:5, RB Position:1)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.55	12.07	30	17.93	Pass	401
1780	1781	0.015	RMS	1780.005	-29.6	-13	16.6	Pass	401
1781	1782	1	RMS	1781	-26.15	-13	13.15	Pass	2
1782	1800	1	RMS	1782	-41.34	-13	28.34	Pass	401




11.17. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:132047, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1707.955	-41.9	-13	28.9	Pass	401
1708	1709	1	RMS	1709	-24.6	-13	11.6	Pass	2
1709	1710	0.002	RMS	1709.992	-40.4	-13	27.4	Pass	501
1710	1730	0.1	RMS	1711	20.28	30	9.72	Pass	401




11.18. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:132047, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-36.25	-13	23.25	Pass	401
1708	1709	1	RMS	1709	-20.57	-13	7.57	Pass	2
1709	1710	0.015	RMS	1709.998	-30.59	-13	17.59	Pass	401
1710	1730	0.1	RMS	1711.55	12.9	30	17.1	Pass	401




11.19. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:132047, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-41.02	-13	28.02	Pass	401
1708	1709	1	RMS	1709	-22.27	-13	9.27	Pass	2
1709	1710	0.002	RMS	1709.988	-38.88	-13	25.88	Pass	501
1710	1730	0.1	RMS	1711	19.98	30	10.02	Pass	401




11.20. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:132047, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-37.76	-13	24.76	Pass	401
1708	1709	1	RMS	1709	-23.12	-13	10.12	Pass	2
1709	1710	0.015	RMS	1709.968	-35.4	-13	22.4	Pass	401
1710	1730	0.1	RMS	1711.35	13.56	30	16.44	Pass	401




11.21. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:132597, Bandwidth:15, Modulation:QPSK, NB Index:11, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1779	19.84	30	10.16	Pass	401
1780	1781	0.002	RMS	1780.02	-49.32	-13	36.32	Pass	501
1781	1782	1	RMS	1781	-26.78	-13	13.78	Pass	2
1782	1800	1	RMS	1782	-45.2	-13	32.2	Pass	401




11.22. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:132597, Bandwidth:15, Modulation:QPSK, NB Index:11, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.45	12.53	30	17.47	Pass	401
1780	1781	0.015	RMS	1780.02	-31.63	-13	18.63	Pass	401
1781	1782	1	RMS	1781	-25.57	-13	12.57	Pass	2
1782	1800	1	RMS	1782	-40.4	-13	27.4	Pass	401




11.23. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:132597, Bandwidth:15, Modulation:16QAM, NB Index:11, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.95	19.66	30	10.34	Pass	401
1780	1781	0.002	RMS	1780.006	-46.21	-13	33.21	Pass	501
1781	1782	1	RMS	1781	-24.43	-13	11.43	Pass	2
1782	1800	1	RMS	1782	-43.81	-13	30.81	Pass	401




11.24. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:132597, Bandwidth:15, Modulation:16QAM, NB Index:11, RB Number:5, RB Position:1)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.6	13.34	30	16.66	Pass	401
1780	1781	0.015	RMS	1780.073	-38.17	-13	25.17	Pass	401
1781	1782	1	RMS	1781	-26.97	-13	13.97	Pass	2
1782	1800	1	RMS	1782	-41.75	-13	28.75	Pass	401




11.25. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:132072, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1707.955	-44.38	-13	31.38	Pass	401
1708	1709	1	RMS	1709	-30.47	-13	17.47	Pass	2
1709	1710	0.002	RMS	1709.624	-48.55	-13	35.55	Pass	501
1710	1730	0.1	RMS	1711.45	19.59	30	10.41	Pass	401




11.26. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:132072, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-39.76	-13	26.76	Pass	401
1708	1709	1	RMS	1709	-25	-13	12	Pass	2
1709	1710	0.015	RMS	1709.765	-38.36	-13	25.36	Pass	401
1710	1730	0.1	RMS	1711.65	12.56	30	17.44	Pass	401




11.27. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:132072, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-43.87	-13	30.87	Pass	401
1708	1709	1	RMS	1709	-30.79	-13	17.79	Pass	2
1709	1710	0.002	RMS	1709.746	-48.57	-13	35.57	Pass	501
1710	1730	0.1	RMS	1711.45	19.8	30	10.2	Pass	401




11.28. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:132072, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1707.955	-41.55	-13	28.55	Pass	401
1708	1709	1	RMS	1709	-27.41	-13	14.41	Pass	2
1709	1710	0.015	RMS	1709.998	-40.31	-13	27.31	Pass	401
1710	1730	0.1	RMS	1711.6	13.1	30	16.9	Pass	401




11.29. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:132572, Bandwidth:20, Modulation:QPSK, NB Index:15, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.55	19.43	30	10.57	Pass	401
1780	1781	0.002	RMS	1780.45	-49.18	-13	36.18	Pass	501
1781	1782	1	RMS	1781	-33.11	-13	20.11	Pass	2
1782	1800	1	RMS	1782.045	-47.05	-13	34.05	Pass	401




11.30. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:132572, Bandwidth:20, Modulation:QPSK, NB Index:15, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.05	12.23	30	17.77	Pass	401
1780	1781	0.015	RMS	1780.24	-43.85	-13	30.85	Pass	401
1781	1782	1	RMS	1781	-30.06	-13	17.06	Pass	2
1782	1800	1	RMS	1782	-43.56	-13	30.56	Pass	401




11.31. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:132572, Bandwidth:20, Modulation:16QAM, NB Index:15, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.55	19.47	30	10.53	Pass	401
1780	1781	0.002	RMS	1780.434	-47.64	-13	34.64	Pass	501
1781	1782	1	RMS	1781	-30.62	-13	17.62	Pass	2
1782	1800	1	RMS	1782	-47.39	-13	34.39	Pass	401



11.32. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:132572, Bandwidth:20, Modulation:16QAM, NB Index:15, RB Number:5, RB Position:1)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.55	12.89	30	17.11	Pass	401
1780	1781	0.015	RMS	1780.043	-44.28	-13	31.28	Pass	401
1781	1782	1	RMS	1781	-31.31	-13	18.31	Pass	2
1782	1800	1	RMS	1782.045	-44.46	-13	31.46	Pass	401



12. Cat-M_Band71


12.1. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
643	661	0.1	RMS	661	-52.71	-13	39.71	Pass	401
661	662.9	0.1	RMS	662.891	-24.52	-13	11.52	Pass	401
662.9	663	0.03	RMS	663	-23.74	-13	10.74	Pass	401
663	683	0.1	RMS	663.3	19.41	30	10.59	Pass	401




12.2. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:133147, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
643	661	0.1	RMS	660.595	-43.88	-13	30.88	Pass	401
661	662.9	0.1	RMS	662.895	-17.36	-13	4.36	Pass	401
662.9	663	0.03	RMS	663	-21.22	-13	8.22	Pass	401
663	683	0.1	RMS	663.4	12.61	30	17.39	Pass	401




12.3. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:133147, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
643	661	0.1	RMS	661	-50.2	-13	37.2	Pass	401
661	662.9	0.1	RMS	662.886	-22.08	-13	9.08	Pass	401
662.9	663	0.03	RMS	662.997	-22.27	-13	9.27	Pass	401
663	683	0.1	RMS	663.35	19.43	30	10.57	Pass	401




12.4. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:133147, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
643	661	0.1	RMS	661	-44.95	-13	31.95	Pass	401
661	662.9	0.1	RMS	662.886	-18.48	-13	5.48	Pass	401
662.9	663	0.03	RMS	663	-22.45	-13	9.45	Pass	401
663	683	0.1	RMS	663.4	12.51	30	17.49	Pass	401




12.5. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	697.65	19.84	30	10.16	Pass	401
698	698.1	0.03	RMS	698.002	-23.84	-13	10.84	Pass	401
698.1	700	0.1	RMS	698.1	-23.18	-13	10.18	Pass	401
700	718	0.1	RMS	700	-56.12	-13	43.12	Pass	401




12.6. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:133447, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	697.15	12.55	30	17.45	Pass	401
698	698.1	0.03	RMS	698.066	-19.47	-13	6.47	Pass	401
698.1	700	0.1	RMS	698.114	-15.28	-13	2.28	Pass	401
700	718	0.1	RMS	700.405	-46.15	-13	33.15	Pass	401




12.7. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:133447, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	697.65	19.45	30	10.55	Pass	401
698	698.1	0.03	RMS	698.001	-22.52	-13	9.52	Pass	401
698.1	700	0.1	RMS	698.105	-22.14	-13	9.14	Pass	401
700	718	0.1	RMS	702.925	-49.29	-13	36.29	Pass	401




12.8. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:133447, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:5, RB Position:1)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	697.65	12.38	30	17.62	Pass	401
698	698.1	0.03	RMS	698.001	-20.35	-13	7.35	Pass	401
698.1	700	0.1	RMS	698.1	-16.63	-13	3.63	Pass	401
700	718	0.1	RMS	700	-46.96	-13	33.96	Pass	401




12.9. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:133172, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
643	661	0.1	RMS	661	-53.02	-13	40.02	Pass	401
661	662.9	0.1	RMS	662.891	-35.37	-13	22.37	Pass	401
662.9	663	0.03	RMS	662.997	-38.85	-13	25.85	Pass	401
663	683	0.1	RMS	663.75	19.73	30	10.27	Pass	401




12.10. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:133172, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
643	661	0.1	RMS	660.955	-43.92	-13	30.92	Pass	401
661	662.9	0.1	RMS	662.9	-23.08	-13	10.08	Pass	401
662.9	663	0.03	RMS	662.994	-26.19	-13	13.19	Pass	401
663	683	0.1	RMS	663.8	12.56	30	17.44	Pass	401



12.11. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:133172, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
643	661	0.1	RMS	661	-53.51	-13	40.51	Pass	401
661	662.9	0.1	RMS	662.9	-33.49	-13	20.49	Pass	401
662.9	663	0.03	RMS	662.993	-37.54	-13	24.54	Pass	401
663	683	0.1	RMS	663.8	19.15	30	10.85	Pass	401



12.12. Cat-M Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:133172, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
643	661	0.1	RMS	661	-47.15	-13	34.15	Pass	401
661	662.9	0.1	RMS	662.9	-24.26	-13	11.26	Pass	401
662.9	663	0.03	RMS	663	-26.53	-13	13.53	Pass	401
663	683	0.1	RMS	664.4	13.07	30	16.93	Pass	401

