


25. NB-IoT_Band71_QPSK_3.75kHz_1@0_High

25.5. NB-IoT Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.94	-13	33.94	Pass	401
0.15	30	0.01	RMS	0.16	-58.32	-13	45.32	Pass	2986
30	653	0.1	RMS	650.7	-62.55	-13	49.55	Pass	6231
653	708	0.1	RMS	697.8	21.73	60	38.27	Pass	551
708	1000	0.1	RMS	904.3	-62.28	-13	49.28	Pass	2921
1000	3000	1	RMS	1396	-46.2	-13	33.2	Pass	2001
3000	10000	1	RMS	9596	-42.61	-13	29.61	Pass	7001



25. NB-IoT_Band71_BPSK_3.75kHz_1@0_High

25.6. NB-IoT Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.51	-13	34.51	Pass	401
0.15	30	0.01	RMS	0.15	-57.83	-13	44.83	Pass	2986
30	653	0.1	RMS	621.6	-62.42	-13	49.42	Pass	6231
653	708	0.1	RMS	697.8	21.69	60	38.31	Pass	551
708	1000	0.1	RMS	988.3	-62.02	-13	49.02	Pass	2921
1000	3000	1	RMS	2791	-43.93	-13	30.93	Pass	2001
3000	10000	1	RMS	9607	-42.67	-13	29.67	Pass	7001



25. NB-IoT_Band71_QPSK_15kHz_1@0_Low

25.7. NB-IoT Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.95	-13	34.95	Pass	401
0.15	30	0.01	RMS	0.16	-58.99	-13	45.99	Pass	2986
30	653	0.1	RMS	652.7	-61.67	-13	48.67	Pass	6231
653	708	0.1	RMS	663	19.94	60	40.06	Pass	551
708	1000	0.1	RMS	911.8	-61.35	-13	48.35	Pass	2921
1000	3000	1	RMS	2660	-46.51	-13	33.51	Pass	2001
3000	10000	1	RMS	9596	-40.93	-13	27.93	Pass	7001



25. NB-IoT_Band71_BPSK_15kHz_1@0_Low

25.8. NB-IoT Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48	-13	35	Pass	401
0.15	30	0.01	RMS	0.15	-54.49	-13	41.49	Pass	2986
30	653	0.1	RMS	652.8	-61.38	-13	48.38	Pass	6231
653	708	0.1	RMS	663	19.97	60	40.03	Pass	551
708	1000	0.1	RMS	969.7	-61.24	-13	48.24	Pass	2921
1000	3000	1	RMS	2652	-45.78	-13	32.78	Pass	2001
3000	10000	1	RMS	9600	-40.94	-13	27.94	Pass	7001



25. NB-IoT_Band71_QPSK_15kHz_1@0_Mid

25.9. NB-IoT Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.28	-13	35.28	Pass	401
0.15	30	0.01	RMS	0.15	-55.59	-13	42.59	Pass	2986
30	653	0.1	RMS	645.8	-62.5	-13	49.5	Pass	6231
653	708	0.1	RMS	680.4	21.82	60	38.18	Pass	551
708	1000	0.1	RMS	875.7	-62.31	-13	49.31	Pass	2921
1000	3000	1	RMS	2722	-44.06	-13	31.06	Pass	2001
3000	10000	1	RMS	9596	-42.67	-13	29.67	Pass	7001



25. NB-IoT_Band71_BPSK_15kHz_1@0_Mid

25.10. NB-IoT Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.1	-13	36.1	Pass	401
0.15	30	0.01	RMS	0.15	-55.82	-13	42.82	Pass	2986
30	653	0.1	RMS	611.9	-62.32	-13	49.32	Pass	6231
653	708	0.1	RMS	680.4	21.71	60	38.29	Pass	551
708	1000	0.1	RMS	840.8	-62.31	-13	49.31	Pass	2921
1000	3000	1	RMS	1361	-46.28	-13	33.28	Pass	2001
3000	10000	1	RMS	9597	-42.69	-13	29.69	Pass	7001



25. NB-IoT_Band71_QPSK_15kHz_1@0_High

25.11. NB-IoT Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-49.88	-13	36.88	Pass	401
0.15	30	0.01	RMS	0.15	-57.2	-13	44.2	Pass	2986
30	653	0.1	RMS	643.6	-62.45	-13	49.45	Pass	6231
653	708	0.1	RMS	697.8	21.7	60	38.3	Pass	551
708	1000	0.1	RMS	925.7	-62.23	-13	49.23	Pass	2921
1000	3000	1	RMS	2791	-43.59	-13	30.59	Pass	2001
3000	10000	1	RMS	9601	-42.66	-13	29.66	Pass	7001



25. NB-IoT_Band71_BPSK_15kHz_1@0_High

25.12. NB-IoT Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.17	-13	33.17	Pass	401
0.15	30	0.01	RMS	0.15	-55.09	-13	42.09	Pass	2986
30	653	0.1	RMS	649.4	-61.94	-13	48.94	Pass	6231
653	708	0.1	RMS	697.8	19.81	60	40.19	Pass	551
708	1000	0.1	RMS	780.2	-61.36	-13	48.36	Pass	2921
1000	3000	1	RMS	2652	-46.51	-13	33.51	Pass	2001
3000	10000	1	RMS	9598	-40.99	-13	27.99	Pass	7001



26. NB-IoT_Band85_QPSK_3.75kHz_1@0_Low

26.1. NB-IoT Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49	-13	36	Pass	401
0.15	30	0.01	RMS	0.16	-55.42	-13	42.42	Pass	2986
30	688	0.1	RMS	679.2	-62.07	-13	49.07	Pass	6581
688	726	0.1	RMS	697.975	20.78	60	39.22	Pass	401
726	1000	0.1	RMS	901.3	-62.31	-13	49.31	Pass	2741
1000	3000	1	RMS	2792	-43.57	-13	30.57	Pass	2001
3000	10000	1	RMS	9583	-42.74	-13	29.74	Pass	7001



26. NB-IoT_Band85_BPSK_3.75kHz_1@0_Low

26.2. NB-IoT Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.84	-13	36.84	Pass	401
0.15	30	0.01	RMS	0.16	-55.28	-13	42.28	Pass	2986
30	688	0.1	RMS	687.1	-61.94	-13	48.94	Pass	6581
688	726	0.1	RMS	697.975	20.77	60	39.23	Pass	401
726	1000	0.1	RMS	972.2	-62.36	-13	49.36	Pass	2741
1000	3000	1	RMS	2792	-44.18	-13	31.18	Pass	2001
3000	10000	1	RMS	9595	-42.69	-13	29.69	Pass	7001



26. NB-IoT_Band85_QPSK_3.75kHz_1@0_Mid

26.3. NB-IoT Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.06	-13	36.06	Pass	401
0.15	30	0.01	RMS	0.16	-57.11	-13	44.11	Pass	2986
30	688	0.1	RMS	670.7	-62.15	-13	49.15	Pass	6581
688	726	0.1	RMS	706.905	21.75	60	38.25	Pass	401
726	1000	0.1	RMS	889.2	-61.96	-13	48.96	Pass	2741
1000	3000	1	RMS	2827	-45.6	-13	32.6	Pass	2001
3000	10000	1	RMS	9589	-42.66	-13	29.66	Pass	7001



26. NB-IoT_Band85_BPSK_3.75kHz_1@0_Mid

26.4. NB-IoT Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.25	-13	35.25	Pass	401
0.15	30	0.01	RMS	0.17	-57.43	-13	44.43	Pass	2986
30	688	0.1	RMS	665	-62.08	-13	49.08	Pass	6581
688	726	0.1	RMS	706.905	21.68	60	38.32	Pass	401
726	1000	0.1	RMS	894.8	-62.11	-13	49.11	Pass	2741
1000	3000	1	RMS	2828	-44.36	-13	31.36	Pass	2001
3000	10000	1	RMS	9601	-42.71	-13	29.71	Pass	7001



26. NB-IoT_Band85_QPSK_3.75kHz_1@0_High

26.5. NB-IoT Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.03	-13	36.03	Pass	401
0.15	30	0.01	RMS	0.15	-55.93	-13	42.93	Pass	2986
30	688	0.1	RMS	683	-62.12	-13	49.12	Pass	6581
688	726	0.1	RMS	715.835	20.79	60	39.21	Pass	401
726	1000	0.1	RMS	888.3	-62.12	-13	49.12	Pass	2741
1000	3000	1	RMS	2669	-46.63	-13	33.63	Pass	2001
3000	10000	1	RMS	9599	-42.62	-13	29.62	Pass	7001



26. NB-IoT_Band85_BPSK_3.75kHz_1@0_High

26.6. NB-IoT Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-49.38	-13	36.38	Pass	401
0.15	30	0.01	RMS	0.15	-55.52	-13	42.52	Pass	2986
30	688	0.1	RMS	687	-62.3	-13	49.3	Pass	6581
688	726	0.1	RMS	715.835	21.24	60	38.76	Pass	401
726	1000	0.1	RMS	889.7	-62.14	-13	49.14	Pass	2741
1000	3000	1	RMS	2863	-44.21	-13	31.21	Pass	2001
3000	10000	1	RMS	9569	-42.69	-13	29.69	Pass	7001



26. NB-IoT_Band85_QPSK_15kHz_1@0_Low

26.7. NB-IoT Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.61	-13	36.61	Pass	401
0.15	30	0.01	RMS	0.16	-55.63	-13	42.63	Pass	2986
30	688	0.1	RMS	687.4	-62.28	-13	49.28	Pass	6581
688	726	0.1	RMS	697.975	20.53	60	39.47	Pass	401
726	1000	0.1	RMS	786.8	-62.14	-13	49.14	Pass	2741
1000	3000	1	RMS	1396	-44.87	-13	31.87	Pass	2001
3000	10000	1	RMS	9576	-42.6	-13	29.6	Pass	7001



26. NB-IoT_Band85_BPSK_15kHz_1@0_Low

26.8. NB-IoT Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.24	-13	36.24	Pass	401
0.15	30	0.01	RMS	0.15	-54.56	-13	41.56	Pass	2986
30	688	0.1	RMS	687.8	-61.79	-13	48.79	Pass	6581
688	726	0.1	RMS	697.975	20.55	60	39.45	Pass	401
726	1000	0.1	RMS	805.7	-62.16	-13	49.16	Pass	2741
1000	3000	1	RMS	2094	-45.47	-13	32.47	Pass	2001
3000	10000	1	RMS	9602	-42.71	-13	29.71	Pass	7001



26. NB-IoT_Band85_QPSK_15kHz_1@0_Mid

26.9. NB-IoT Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.77	-13	35.77	Pass	401
0.15	30	0.01	RMS	0.15	-54.38	-13	41.38	Pass	2986
30	688	0.1	RMS	672.4	-62.26	-13	49.26	Pass	6581
688	726	0.1	RMS	706.905	21.68	60	38.32	Pass	401
726	1000	0.1	RMS	987.6	-62.05	-13	49.05	Pass	2741
1000	3000	1	RMS	2121	-45.21	-13	32.21	Pass	2001
3000	10000	1	RMS	9583	-42.63	-13	29.63	Pass	7001



26. NB-IoT_Band85_BPSK_15kHz_1@0_Mid

26.10. NB-IoT Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.49	-13	35.49	Pass	401
0.15	30	0.01	RMS	0.17	-56.19	-13	43.19	Pass	2986
30	688	0.1	RMS	685.8	-62.17	-13	49.17	Pass	6581
688	726	0.1	RMS	706.905	21.7	60	38.3	Pass	401
726	1000	0.1	RMS	929.1	-62.2	-13	49.2	Pass	2741
1000	3000	1	RMS	2828	-44.03	-13	31.03	Pass	2001
3000	10000	1	RMS	9595	-42.68	-13	29.68	Pass	7001



26. NB-IoT_Band85_QPSK_15kHz_1@0_High

26.11. NB-IoT Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.51	-13	36.51	Pass	401
0.15	30	0.01	RMS	0.17	-56.56	-13	43.56	Pass	2986
30	688	0.1	RMS	667.1	-62.13	-13	49.13	Pass	6581
688	726	0.1	RMS	715.835	21.47	60	38.53	Pass	401
726	1000	0.1	RMS	996	-62.39	-13	49.39	Pass	2741
1000	3000	1	RMS	2147	-45.28	-13	32.28	Pass	2001
3000	10000	1	RMS	9590	-42.63	-13	29.63	Pass	7001



26. NB-IoT_Band85_BPSK_15kHz_1@0_High

26.12. NB-IoT Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.33	-13	36.33	Pass	401
0.15	30	0.01	RMS	0.15	-53.93	-13	40.93	Pass	2986
30	688	0.1	RMS	681.8	-62.18	-13	49.18	Pass	6581
688	726	0.1	RMS	715.835	21.48	60	38.52	Pass	401
726	1000	0.1	RMS	726.1	-61.95	-13	48.95	Pass	2741
1000	3000	1	RMS	2863	-43.74	-13	30.74	Pass	2001
3000	10000	1	RMS	9583	-42.67	-13	29.67	Pass	7001



--BLANK BELOW--