








Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com


Hotline
400-003-0500
www.anbotek.com



Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com



Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com

Appendix E: Band edge measurements

Test Result B1/2/3

Test Mode	Antenna	ChName	Frequency[MHz]	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	Low	5180	-35.25	≤-27	PASS
11A	Ant1	High	5320	-41.02	≤-27	PASS
11A	Ant1	Low	5500	-36.24	≤-27	PASS
11A	Ant1	High	5700	-36.22	≤-27	PASS
11N20SISO	Ant1	Low	5180	-34.45	≤-27	PASS
11N20SISO	Ant1	High	5320	-40.62	≤-27	PASS
11N20SISO	Ant1	Low	5500	-35.91	≤-27	PASS
11N20SISO	Ant1	High	5700	-38.74	≤-27	PASS
11N40SISO	Ant1	Low	5190	-34.22	≤-27	PASS
11N40SISO	Ant1	High	5310	-35.48	≤-27	PASS
11N40SISO	Ant1	Low	5510	-33.7	≤-27	PASS
11N40SISO	Ant1	High	5670	-38.52	≤-27	PASS
11AC20SISO	Ant1	Low	5180	-35.31	≤-27	PASS
11AC20SISO	Ant1	High	5320	-40.31	≤-27	PASS
11AC20SISO	Ant1	Low	5500	-35.55	≤-27	PASS
11AC20SISO	Ant1	High	5700	-35.36	≤-27	PASS
11AC40SISO	Ant1	Low	5190	-35.68	≤-27	PASS
11AC40SISO	Ant1	High	5310	-38.22	≤-27	PASS
11AC40SISO	Ant1	Low	5510	-33.91	≤-27	PASS
11AC40SISO	Ant1	High	5670	-37.5	≤-27	PASS
11AX20SISO	Ant1	Low	5180	-36	≤-27	PASS
11AX20SISO	Ant1	High	5320	-40.19	≤-27	PASS
11AX20SISO	Ant1	Low	5500	-34.88	≤-27	PASS
11AX20SISO	Ant1	High	5700	-34.88	≤-27	PASS
11AX40SISO	Ant1	Low	5190	-36.96	≤-27	PASS
11AX40SISO	Ant1	High	5310	-37.98	≤-27	PASS
11AX40SISO	Ant1	Low	5510	-38.88	≤-27	PASS
11AX40SISO	Ant1	High	5670	-42.02	≤-27	PASS

Note: The margin plus the antenna gain also meets the limit.



Test Result B4

Test Mode	Antenna	Ch. Name	Frequency[MHz]	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5745	5720~5725	-29.51	≤15.98	PASS
11A	Ant1	Low	5745	5700~5720	-25.34	≤14.99	PASS
11A	Ant1	Low	5745	5650~5700	-41.26	≤-26.63	PASS
11A	Ant1	Low	5745	5645~5650	-38.78	≤-27	PASS
11A	Ant1	High	5825	5850~5855	-31.48	≤15.65	PASS
11A	Ant1	High	5825	5855~5875	-31.45	≤15.55	PASS
11A	Ant1	High	5825	5875~5925	-40.74	≤-26.15	PASS
11A	Ant1	High	5825	5925~5935	-39.85	≤-27	PASS
11N20SI SO	Ant1	Low	5745	5720~5725	-42.81	≤15.98	PASS
11N20SI SO	Ant1	Low	5745	5700~5720	-45.08	≤10.28	PASS
11N20SI SO	Ant1	Low	5745	5650~5700	-47.58	≤-26.51	PASS
11N20SI SO	Ant1	Low	5745	5645~5650	-46.99	≤-27	PASS
11N20SI SO	Ant1	High	5825	5850~5855	-30.98	≤15.65	PASS
11N20SI SO	Ant1	High	5825	5855~5875	-30.33	≤11.11	PASS
11N20SI SO	Ant1	High	5825	5875~5925	-39.87	≤-26.87	PASS
11N20SI SO	Ant1	High	5825	5925~5935	-40.5	≤-27	PASS
11N40SI SO	Ant1	Low	5755	5720~5725	-22.86	≤15.90	PASS
11N40SI SO	Ant1	Low	5755	5700~5720	-20.8	≤13.06	PASS
11N40SI SO	Ant1	Low	5755	5650~5700	-40.13	≤-26.65	PASS
11N40SI SO	Ant1	Low	5755	5645~5650	-39.24	≤-27	PASS
11N40SI SO	Ant1	High	5795	5850~5855	-30.43	≤19.66	PASS
11N40SI SO	Ant1	High	5795	5855~5875	-32.24	≤14.83	PASS
11N40SI SO	Ant1	High	5795	5875~5925	-42.03	≤-26.26	PASS
11N40SI	Ant1	High	5795	5925~5935	-41.49	≤-27	PASS

Shenzhen Anbotech Compliance Laboratory Limited



SO							
11AC20S ISO	Ant1	Low	5745	5720~5725	-28.16	≤15.98	PASS
11AC20S ISO	Ant1	Low	5745	5700~5720	-28.17	≤15.55	PASS
11AC20S ISO	Ant1	Low	5745	5650~5700	-41.15	≤-26.88	PASS
11AC20S ISO	Ant1	Low	5745	5645~5650	-37.22	≤-27	PASS
11AC20S ISO	Ant1	High	5825	5850~5855	-29.35	≤19.22	PASS
11AC20S ISO	Ant1	High	5825	5855~5875	-31.55	≤14.46	PASS
11AC20S ISO	Ant1	High	5825	5875~5925	-42.66	≤-26.44	PASS
11AC20S ISO	Ant1	High	5825	5925~5935	-41.83	≤-27	PASS
11AC40S ISO	Ant1	Low	5755	5720~5725	-20.89	≤16.34	PASS
11AC40S ISO	Ant1	Low	5755	5700~5720	-22	≤14.49	PASS
11AC40S ISO	Ant1	Low	5755	5650~5700	-41.84	≤-26.94	PASS
11AC40S ISO	Ant1	Low	5755	5645~5650	-40.39	≤-27	PASS
11AC40S ISO	Ant1	High	5795	5850~5855	-35.75	≤15.85	PASS
11AC40S ISO	Ant1	High	5795	5855~5875	-37.81	≤10.61	PASS
11AC40S ISO	Ant1	High	5795	5875~5925	-42.06	≤-26.44	PASS
11AC40S ISO	Ant1	High	5795	5925~5935	-42.54	≤-27	PASS
11AX20SI SO	Ant1	Low	5745	5720~5725	-25.76	≤15.98	PASS
11AX20SI SO	Ant1	Low	5745	5700~5720	-25.76	≤15.60	PASS
11AX20SI SO	Ant1	Low	5745	5650~5700	-40.53	≤-26.75	PASS
11AX20SI SO	Ant1	Low	5745	5645~5650	-39.09	≤-27	PASS
11AX20SI SO	Ant1	High	5825	5850~5855	-31.88	≤16.54	PASS

Shenzhen Anbotech Compliance Laboratory Limited





11AX20SI SO	Ant1	High	5825	5855~5875	-34.51	≤14.13	PASS
11AX20SI SO	Ant1	High	5825	5875~5925	-40.19	≤-26.15	PASS
11AX20SI SO	Ant1	High	5825	5925~5935	-39.87	≤-27	PASS
11AX40SI SO	Ant1	Low	5755	5720~5725	-31.51	≤15.90	PASS
11AX40SI SO	Ant1	Low	5755	5700~5720	-33.01	≤14.05	PASS
11AX40SI SO	Ant1	Low	5755	5650~5700	-45.94	≤-26.94	PASS
11AX40SI SO	Ant1	Low	5755	5645~5650	-45.88	≤-27	PASS
11AX40SI SO	Ant1	High	5795	5850~5855	-31.76	≤17.48	PASS
11AX40SI SO	Ant1	High	5795	5855~5875	-36.54	≤10.34	PASS
11AX40SI SO	Ant1	High	5795	5875~5925	-38.81	≤-25.73	PASS
11AX40SI SO	Ant1	High	5795	5925~5935	-41.71	≤-27	PASS


Note: The margin plus the antenna gain also meets the limit.





Test Graphs B1/2/3











































Test Graphs B4


















Appendix F: DFS Detection Thresholds

Test Result

TestMode	Frequency[MHz]	Radar Type	Result[dbm]	Limit[dbm]	Verdict
11AX40SISO	5310	Type0	-62.46	-62.00	PASS
	5670	Type0	-62.06	-62.00	PASS



Test Graphs



Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com

 Hotline
400-003-0500
www.anbotek.com

Appendix G: Channel Move Time and Channel Closing


Transmission Time

Test Result

TestMode	Frequency[MHz]	CCT[ms]	Limit[ms]	CMT[ms]	Limit[ms]	Verdict
11AX40SISO	5310	200+18.2	200+60	828.2	10000	PASS
11AX40SISO	5670	200+15.6	200+60	926.5	10000	PASS



Test Graphs



---End---

